Construction Chemicals

Product Datasheet
Edition: 01 | Date: Nov 2026
Sport Court Systems



Mixflex SBR

Recycled SBR Rubber Granules
Infill & Shock Pad

Product Description

Mixflex SBR is recycled SBR rubber granulate used as infill for artificial turf and, bound with a PU binder, as shock-absorbing layers for sports surfaces, playgrounds and walkways.

Uses

- Infill for artificial turf.
- Shock pads for multi-purpose courts.
- Playgrounds and walkways.
- Base layers for tennis and running surfaces.

Advantages

- Shock absorbing.
- Range of grain sizes.
- Elastic: elongation 180 %.
- Infill or bound layers.
- Suitable for outdoor use.

Application

1. **Preparation**
   Check the turf or base is clean and installed as per design.
2. **Spreading**
   Spread infill evenly in layers with a mechanical broom, or mix with PU binder for bound layers.
3. **Finishing**
   Brush infill into the turf to the design depth; compact and level bound layers.

Consumption

approx. 8.2 kg/m²
typical infill
Depends on turf pile height and design.

Packaging

25 kg bags.

Storage & Shelf Life

Store dry and covered, away from heat sources.

Technical Data

Typical values at 25 °C

Property	Typical Value	Test Method
Material	Recycled SBR rubber	—
Hardness	Shore A 70	—
Tensile strength	3 MPa	—
Elongation	180 %	—
Bulk density	0.78 g/cm³	—

Consumption

Grain size	Typical use
0.5 – 1.5 mm	Turf infill (fine)
0.5 – 2.5 mm	Turf infill
0.5 – 4 mm	Shock pads / bound layers
2 – 8 mm	Bound base layers
8 – 20 mm	Coarse base layers

Consumption is theoretical and varies with substrate porosity, profile and application method.

Application Conditions

- Spread infill when the turf and granules are dry.
- Bound layers: follow the PU binder datasheet conditions.
- Spread in several passes for even distribution.

Application Notes

- Spread infill in layers and brush into the turf with a mechanical broom.
- Check infill depth at several points.
- For bound layers mix with PU binder and compact with a trowel or roller.
- Top up infill during maintenance.

Health & Safety

- Wear gloves and a dust mask during spreading.
- Keep away from heat and ignition sources.
- Avoid inhalation of fine dust.

First Aid & Cleaning

- Eyes: rinse with clean water.
- Inhalation: move to fresh air.
- Skin: wash with soap and water.
- Collect spills with a broom or vacuum.

The information in this datasheet is based on laboratory tests and practical experience and is given in good faith. Users should verify product suitability for their specific application. O MIX reserves the right to update this information without prior notice.