Construction Chemicals

Product Datasheet
Edition: 01 | Date: Nov 2026
Decorative Paints

Carbomix AC

Acrylic Anti-Carbonation
Protective Coating for Concrete



Product Description

Carbomix AC is a water-based acrylic anti-carbonation coating. It blocks carbon dioxide and water while allowing water vapour to escape, protecting reinforced concrete from carbonation-induced corrosion.

Uses

- Building façades.
- Bridges.
- Car parks.
- Industrial buildings.

Advantages

- CO_2 barrier: Sd > 50 m.
- Breathable: Sd H_2O < 5 m.
- Elongation > 100 %.
- Adhesion ≥ 1.0 MPa.
- White and colours.

Application

1. **Surface Preparation**
   Clean, sound concrete; repair defects.
2. **Mixing**
   Stir; dilute the first coat 10 – 15 % with water.
3. **Application**
   Apply 2 coats by brush, roller or spray, 4 – 6 hours apart.

Consumption

0.20 – 0.25 kg/m²
per coat (2 coats)

Packaging

20 kg pails.

Storage & Shelf Life

12 months in original, unopened packaging. Store dry at +5 °C to +35 °C, away from direct sunlight.

Technical Data

Typical values at 25 °C

Property	Typical Value	Test Method
Colours	White and colours	—
Density	1.30 – 1.40 kg/L	—
Solids content	55 – 65 %	—
Drying time	2 – 4 hours	—
Recoat	4 – 6 hours	—
Elongation	> 100 %	—
CO_2 diffusion resistance (Sd)	> 50 m	—
Water vapour diffusion (Sd)	< 5 m	—
Adhesion	≥ 1.0 MPa	—

Consumption

Coat	Consumption
First coat (diluted 10 – 15 %)	0.20 – 0.25 kg/m²
Second coat	0.20 – 0.25 kg/m²

Consumption is theoretical and varies with substrate porosity, profile and application method.

Application Conditions

- Ambient and substrate temperature: +10 °C to +35 °C.
- Substrate at least 3 °C above dew point.
- Relative humidity: max. 85 %.

Application Notes

- Dilute the first coat 10 – 15 % with water.
- Apply 2 coats.
- Do not apply in rain or on wet surfaces.

Health & Safety

- Wear gloves and safety goggles.
- Avoid contact with eyes and prolonged skin contact.
- Ensure ventilation in enclosed areas; use a mask for spray application.

First Aid & Cleaning

- Eyes: rinse with clean water for 15 minutes and seek medical advice.
- Skin: wash with soap and water.
- Inhalation: move to fresh air.
- Ingestion: rinse mouth and seek medical advice.
- Clean tools with water immediately after use.

The information in this datasheet is based on laboratory tests and practical experience and is given in good faith. Users should verify product suitability for their specific application. O MIX reserves the right to update this information without prior notice.