Construction Chemicals

Product Datasheet
Edition: 01 | Date: Nov 2026
Flooring



Road Mark AC

Thermoplastic Acrylic Resin
Primer & Finish for Concrete

Product Description

Road Mark AC is a one-component thermoplastic acrylic resin used as primer and finish. It gives strong adhesion, vapour permeability, flexibility and resistance to alkalis, water and UV, and is used to impregnate stamped concrete, plaster and gypsum.

Uses

- Walkways and driveways.
- Stamped and decorative concrete.
- Weak cementitious surfaces.
- Interlocking pavers.

Advantages

- Strong adhesion.
- Water and alkali resistant.
- UV resistant.
- Flexible film.
- Primer and finish in one.

Application

1. **Surface Preparation**
   Concrete at least 2 weeks old, clean and dry; surface ≥ +5 °C and 3 °C above dew point.
2. **Mixing**
   Stir well; thin max. 10 %.
3. **Application**
   Apply 2 coats (3 on porous surfaces) by brush, roller or spray.

Consumption

0.25 – 0.35 kg/m²
per coat
2 coats; 3 on porous substrates.

Packaging

5 kg and 25 kg pails.

Storage & Shelf Life

12 months in original, unopened packaging. Store dry at +5 °C to +35 °C, away from direct sunlight.

Technical Data

Typical values at 25 °C

Property	Typical Value	Test Method
Type	One-component thermoplastic acrylic	—
Specific gravity	1.16	—
Solids content	55 – 65 %	—
Touch dry	30 minutes	—
Dry	24 hours	—
Full cure	72 hours	—
DFT	100 µm	—
Thinning	max. 10 %	—

Consumption

Substrate	Coats	Consumption
Dense concrete	2	0.25 kg/m² per coat
Porous / stamped concrete	3	0.35 kg/m² per coat

Consumption is theoretical and varies with substrate porosity, profile and application method.

Application Conditions

- Surface temperature: min. +5 °C, 3 °C above dew point.
- Concrete at least 2 weeks old.
- Do not apply in rain.

Application Notes

- Thin max. 10 % with the recommended thinner.
- Apply thin, even coats.
- Allow 72 hours before traffic.

Health & Safety

- Wear gloves and safety goggles.
- Avoid contact with eyes and prolonged skin contact.
- Ensure ventilation in enclosed areas; use a mask for spray application.

First Aid & Cleaning

- Eyes: rinse with clean water for 15 minutes and seek medical advice.
- Skin: wash with soap and water.
- Inhalation: move to fresh air.
- Ingestion: rinse mouth and seek medical advice.
- Clean tools with water immediately after use.

The information in this datasheet is based on laboratory tests and practical experience and is given in good faith. Users should verify product suitability for their specific application. O MIX reserves the right to update this information without prior notice.