

Prometheus Community Helm chart scan

Visited all 46 discovered charts with --filter, four workers, and a five-minute test budget per chart. No scan-wide deadline was imposed.

Recorded 6,515 test attempts in 7.2 minutes. Attempts include shrinking and repeated inputs; they are not counts of unique inputs or confirmed bugs.

Findings: 1 baseline-failed; 42 failed; 1 missing-values; 2 time-limit.

known-inputs: 41 failed; 1 generation-error; 2 time-limit.

robustness: 8 failed; 34 passed; 2 time-limit.

Observed failures include chart validation rejections, rendering failures, and possible tooling limitations. Inferred inputs are not an authoritative chart contract. Findings need triage before being called chart defects; time-limited coverage remains incomplete.

Checks: dependency build in isolated copies, Helm lint, Helm template with values-schema checks, and built-in manifest checks. External kubeconform/kubesecc validation was not configured.

Source: third_party/prometheus-community-helm-charts at 732bf3642c931946f1962fbd2e1b694ce8827e77; Helm 4.3.0. Per-worker dependency caches are isolated. Each primary chart has one dedicated job; nested results from parent jobs are retained separately and excluded from totals.

Combined PDF (prometheus.pdf) · Aggregate data (prometheus-runs/prometheus-charts_1789260855/scan.json.gz) · Raw logs and provenance (prometheus-runs/prometheus-charts_1789260855/README.md)

Coverage notes: Alertmanager known-input generation could not expand the recursive schema at config.route.routes[*]; its deferred robustness phase still ran. Prometheus PostgreSQL Exporter failed baseline lint because datasource password configuration was not supplied. The nested CRD chart lacks values.yaml. Kube-Prometheus Stack and Prometheus Operator CRDs reached their test budgets.

Directory: third_party/prometheus-community-helm-charts
Started (Unix epoch): 1789263973
Elapsed: 434.00 seconds
Charts discovered: 46
Scan status: completed
Discovery complete: True
Unstarted charts: 0

Results describe the tested sample; they do not prove chart correctness.
Baseline-only, skipped, blocked, and incomplete charts are not property-test passes.

Status counts

```
{
  "baseline-failed": 1,
  "failed": 42,
  "missing-values": 1,
  "time-limit": 2
}
```

Settings

```
{
  "max_examples": 100,
  "filter": true,
  "fail": false,
  "permutations": null,
  "chart_timeout_seconds": 300.0,
  "scan_timeout_seconds": null,
  "helm": "Helm 4.3.0",
  "seed": 0,
  "build_dependencies": true,
  "values": "values.yaml",
  "clone_timeout_seconds": 180,
  "workers": 4,
  "external_conformity": false
}
```

Errors

45 distinct diagnostics across 53 occurrences; 8 repeats grouped.
Matching diagnostics do not establish a shared root cause.

E001

```
==> Linting /var/folders/dd/pd400p1j4vgf5gv6qp6zfx000000gn/T/hypothesis-helm-scan-gndz6572/chart
[INFO] Chart.yaml: icon is recommended
[ERROR] templates/: prometheus-postgres-exporter/templates/secrets.yaml:12:38
  executing "prometheus-postgres-exporter/templates/secrets.yaml" at
<.Values.config.datasource.password>:
  wrong type for value; expected string; got interface {}
```

```
level=WARN msg="missing required value" message="config.datasource.password is required when not
using config.datasource.passwordSecret, config.datasource.passwordFile, or config.datasourceSecret"
Error: 1 chart(s) linted, 1 chart(s) failed
```

```
- charts/prometheus-postgres-exporter (chart; baseline-failed) (<prometheus-runs/prometheus-
charts_1789260855/runs/prometheus-postgres-exporter_1789264137/0000>)
```

E002

```
Error: YAML parse error on alertmanager-snmp-notifier/templates/deployment.yaml: error converting
YAML to JSON: yaml: control characters are not allowed
```

```
- charts/alertmanager-snmp-notifier (known-inputs; failed) (<prometheus-runs/prometheus-
charts_1789260855/runs/alertmanager-snmp-notifier_1789263974/0000>)
```

E003

```
Error: YAML parse error on alertmanager-snmp-notifier/templates/service.yaml: error converting YAML
to JSON: yaml: control characters are not allowed
```

```
- charts/alertmanager-snmp-notifier (robustness; failed) (<prometheus-runs/prometheus-
charts_1789260855/runs/alertmanager-snmp-notifier_1789263974/0000>)
```

E004

Error: YAML parse error on jiralert/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/jiralert (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/jiralert_1789263974/0000>)

E005

Error: YAML parse error on kube-state-metrics/templates/extra-manifests.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go value of type util.SimpleHead

- charts/kube-state-metrics (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/kube-state-metrics_1789263977/0000>)

E006

Error: YAML parse error on prom-label-proxy/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prom-label-proxy (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prom-label-proxy_1789263985/0000>)

E007

Error: YAML parse error on prometheus-adapter/templates/certmanager.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-adapter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-adapter_1789263996/0000>)

E008

Error: YAML parse error on prometheus-blackbox-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-blackbox-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-blackbox-exporter_1789264001/0000>)

E009

Error: YAML parse error on prometheus-consul-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-consul-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-consul-exporter_1789264018/0000>)

E010

Error: YAML parse error on prometheus-druid-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-druid-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-druid-exporter_1789264027/0000>)

E011

Error: YAML parse error on prometheus-elasticsearch-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 56: did not find expected node content

- charts/prometheus-elasticsearch-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-elasticsearch-exporter_1789264032/0000>)

E012

Error: YAML parse error on prometheus-ipmi-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-ipmi-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-ipmi-exporter_1789264041/0000>)
- charts/prometheus-ipmi-exporter (robustness; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-ipmi-exporter_1789264041/0000>)

E013

Error: YAML parse error on prometheus-kafka-exporter/templates/deployment.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

- charts/prometheus-kafka-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-kafka-exporter_1789264050/0000>)

E014

Error: YAML parse error on prometheus-modbus-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 64: did not find expected ',', ' or ']'

- charts/prometheus-modbus-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-modbus-exporter_1789264058/0000>)

E015

Error: YAML parse error on prometheus-mongodb-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-mongodb-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-mongodb-exporter_1789264063/0000>)

E016

Error: YAML parse error on prometheus-mysql-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-mysql-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-mysql-exporter_1789264067/0000>)

E017

Error: YAML parse error on prometheus-mysql-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 30: mapping keys are not allowed in this context

- charts/prometheus-mysql-exporter (robustness; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-mysql-exporter_1789264067/0000>)

E018

Error: YAML parse error on prometheus-nats-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 60: could not find expected ':'

- charts/prometheus-nats-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-nats-exporter_1789264071/0000>)

E019

Error: YAML parse error on prometheus-nginx-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-nginx-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-nginx-exporter_1789264076/0000>)

E020

Error: YAML parse error on prometheus-operator-admission-webhook/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-operator-admission-webhook (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-operator-admission-webhook_1789264092/0000>)
- charts/prometheus-operator-admission-webhook (robustness; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-operator-admission-webhook_1789264092/0000>)

E021

Error: YAML parse error on prometheus-pgbouncer-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-pgbouncer-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-pgbouncer-exporter_1789264113/0000>)

E022

Error: YAML parse error on prometheus-pingmesh-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-pingmesh-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-pingmesh-exporter_1789264127/0000>)

E023

Error: YAML parse error on prometheus-pushgateway/templates/service.yaml: error converting YAML to JSON: yaml: line 24: found unexpected end of stream

- charts/prometheus-pushgateway (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-pushgateway_1789264138/0000>)

E024

Error: YAML parse error on prometheus-rabbitmq-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-rabbitmq-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-rabbitmq-exporter_1789264152/0000>)

E025

Error: YAML parse error on prometheus-redis-exporter/templates/service.yaml: error unmarshaling JSON: while decoding JSON: json: cannot unmarshal array into Go struct field .metadata.annotations. of type string

- charts/prometheus-redis-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-redis-exporter_1789264160/0000>)

E026

Error: YAML parse error on prometheus-snmp-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 64: found unexpected end of stream

- charts/prometheus-snmp-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-snmp-exporter_1789264181/0000>)

E027

Error: YAML parse error on prometheus-sql-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-sql-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-sql-exporter_1789264189/0000>)
- charts/prometheus-sql-exporter (robustness; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-sql-exporter_1789264189/0000>)

E028

Error: YAML parse error on prometheus-stackdriver-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: line 78: found unexpected end of stream

- charts/prometheus-stackdriver-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-stackdriver-exporter_1789264201/0000>)

E029

Error: YAML parse error on prometheus-statsd-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-statsd-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-statsd-exporter_1789264214/0000>)

E030

Error: YAML parse error on prometheus-systemd-exporter/templates/daemonset.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-systemd-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-systemd-exporter_1789264223/0000>)

E031

Error: YAML parse error on prometheus-to-sd/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-to-sd (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-to-sd_1789264230/0000>)

E032

Error: YAML parse error on prometheus-windows-exporter/templates/config.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-windows-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-windows-exporter_1789264239/0000>)

E033

Error: YAML parse error on prometheus-yet-another-cloudwatch-exporter/templates/deployment.yaml: error converting YAML to JSON: yaml: control characters are not allowed

- charts/prometheus-yet-another-cloudwatch-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-yet-another-cloudwatch-exporter_1789264241/0000>)

E034

Error: prometheus-couchdb-exporter/templates/NOTES.txt:3:17
executing "prometheus-couchdb-exporter/templates/NOTES.txt" at <.Values.ingress.hosts>:
range can't iterate over false

- charts/prometheus-couchdb-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-couchdb-exporter_1789264025/0000>)

E035

Error: prometheus-node-exporter/templates/daemonset.yaml:222:29
executing "prometheus-node-exporter/templates/daemonset.yaml" at <\$mount.name>:
nil pointer evaluating interface {}.name

- charts/prometheus-node-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-node-exporter_1789264082/0000>)

E036

Error: prometheus-smartctl-exporter/templates/daemonset.yaml:5:35
executing "prometheus-smartctl-exporter/templates/daemonset.yaml" at <\$item.config>:
nil pointer evaluating interface {}.config

- charts/prometheus-smartctl-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-smartctl-exporter_1789264178/0000>)

E037

Known-input preparation or testing exhausted its phase budget

- charts/kube-prometheus-stack (known-inputs; time-limit) (<prometheus-runs/prometheus-charts_1789260855/runs/kube-prometheus-stack_1789263974/0000>)

E038

Selected values file not found: /Users/emmadoyle/projects/personal/hypothesis-helm/third_party/prometheus-community-helm-charts/charts/prometheus-operator-crds/charts/crds/values.yaml

- charts/prometheus-operator-crds/charts/crds (chart; missing-values) (<prometheus-runs/prometheus-charts_1789260855/runs/crds_1789264112/0000>)

E039

chart rendered no resources (use allow_empty explicitly)

- charts/kube-prometheus-stack/charts/crds (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/crds_1789263976/0000>)
- charts/kube-prometheus-stack/charts/crds (robustness; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/crds_1789263976/0000>)

E040

Source: prometheus-fastly-exporter 0.14.1 / templates/secret.yaml

execution error at (prometheus-fastly-exporter/templates/secret.yaml:10:23): A Fastly token is required

- charts/prometheus-fastly-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-fastly-exporter_1789264040/0000>)

E041

invalid rendered YAML: more indented follow up line than first in a block scalar
in "<unicode string>", line 49, column 1:

^ (line: 49)

- charts/prometheus-cloudwatch-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-cloudwatch-exporter_1789264003/0000>)

E042

invalid rendered YAML: while scanning for the next token
found character '\t' that cannot start any token
in "<unicode string>", line 1359, column 21:
- apiVersion: v1
^ (line: 1359)

- charts/prometheus (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus_1789263989/0000>)
- charts/prometheus (robustness; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus_1789263989/0000>)

E043

invalid rendered YAML: while scanning for the next token
found character '\t' that cannot start any token
in "<unicode string>", line 165, column 21:
- apiVersion: v1
^ (line: 165)

- charts/alertmanager (robustness; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/alertmanager_1789263974/0000>)

E044

recursive schema at ('config', 'route', 'routes', '*')

- charts/alertmanager (known-inputs; generation-error) (<prometheus-runs/prometheus-charts_1789260855/runs/alertmanager_1789263974/0000>)

E045

resource has no metadata.name

- charts/prometheus-contrack-stats-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-contrack-stats-exporter_1789264015/0000>)

- charts/prometheus-json-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-json-exporter_1789264046/0000>)

- charts/prometheus-memcached-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-memcached-exporter_1789264051/0000>)

- charts/prometheus-pingdom-exporter (known-inputs; failed) (<prometheus-runs/prometheus-charts_1789260855/runs/prometheus-pingdom-exporter_1789264121/0000>)

Charts

charts/alertmanager

Result: FAIL | Status: failed

Attempts: 1 | Remaining iterations: unknown

Coverage: known inputs, then original-schema robustness sampling

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/alertmanager_1789263974/0000

Filtering applied: True

Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 120 | Varied in render attempts: 0

Missing values: 15 | Undocumented template fields: 48

Unreferenced values: 4 (unknown)

Field variation does not prove branch or output coverage.

Phase known-inputs: generation-error | Attempts: 0

Phase robustness: failed | Attempts: 1

Errors: E044 (#e044), E043 (#e043)

Reproducing values (robustness):

{}

charts/alertmanager-snmp-notifier

Result: FAIL | Status: failed

Attempts: 59 | Remaining iterations: unknown

Coverage: known inputs, then original-schema robustness sampling

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/alertmanager-snmp-notifier_1789263974/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 58 | Varied in render attempts: 15
Missing values: 27 | Undocumented template fields: 23
Unreferenced values: 4 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 18

Phase robustness: failed | Attempts: 41

Errors: E002 (#e002), E003 (#e003)

Reproducing values (known-inputs):

```
{
  "image": {
    "repository": "\u001f"
  },
  "replicaCount": 0,
  "service": {
    "port": 0,
    "type": ""
  },
  "serviceAccount": {
    "create": false
  },
  "snmpNotifier": {}
}
```

Reproducing values (robustness):

```
{
  "image": {
    "repository": ""
  },
  "replicaCount": 0,
  "service": {
    "port": 0,
    "type": "\u001f",
    "": []
  },
  "serviceAccount": {
    "create": false
  },
  "snmpNotifier": {}
}
```

charts/jiralert

Result: FAIL | Status: failed
Attempts: 143 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/jiralert_1789263974/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 51 | Varied in render attempts: 1
Missing values: 7 | Undocumented template fields: 56
Unreferenced values: 4 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 42

Phase robustness: passed | Attempts: 101

Errors: E004 (#e004)

Reproducing values (known-inputs):

```
{  
  "existingConfigSecret": "\b"  
}
```

charts/kube-prometheus-stack

Result: N/A | Status: time-limit
Attempts: 29 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/kube-prometheus-stack_1789263974/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 1536 | Varied in render attempts: 0
Missing values: 525 | Undocumented template fields: 1594
Unreferenced values: 0 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: time-limit | Attempts: 0

Phase robustness: time-limit | Attempts: 29

Errors: E037 (#e037)

charts/kube-prometheus-stack/charts/crds

Result: FAIL | Status: failed
Attempts: 2 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/crds_1789263976/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 34 | Varied in render attempts: 0
Missing values: 33 | Undocumented template fields: 34
Unreferenced values: 0 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 1

Phase robustness: failed | Attempts: 1

Errors: E039 (#e039)

Reproducing values (known-inputs):

```
{}
```

Reproducing values (robustness):

```
{}
```

charts/kube-state-metrics

Result: FAIL | Status: failed

Attempts: 151 | Remaining iterations: unknown

Coverage: known inputs, then original-schema robustness sampling

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/kube-state-metrics_1789263977/0000

Filtering applied: True

Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 166 | Varied in render attempts: 20

Missing values: 22 | Undocumented template fields: 169

Unreferenced values: 0 (unknown)

Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 50

Phase robustness: passed | Attempts: 101

Errors: E005 (#e005)

Reproducing values (known-inputs):

```
{
  "extraManifests": [
    []
  ]
}
```

charts/prom-label-proxy

Result: FAIL | Status: failed

Attempts: 157 | Remaining iterations: unknown

Coverage: known inputs, then original-schema robustness sampling

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prom-label-proxy_1789263985/0000

Filtering applied: True

Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 70 | Varied in render attempts: 9

Missing values: 3 | Undocumented template fields: 75

Unreferenced values: 6 (unknown)

Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 56

Phase robustness: passed | Attempts: 101

Errors: E006 (#e006)

Reproducing values (known-inputs):

```
{
  "config": {
    "label": "\u001f"
  }
}
```

charts/prometheus

Result: FAIL | Status: failed

Attempts: 2 | Remaining iterations: unknown

Coverage: known inputs, then original-schema robustness sampling

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus_1789263989/0000

Filtering applied: True

Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 170 | Varied in render attempts: 0

Missing values: 17 | Undocumented template fields: 34

Unreferenced values: 0 (unknown)

Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 1

Phase robustness: failed | Attempts: 1

Errors: E042 (#e042)

Reproducing values (known-inputs):

```
{}
```

Reproducing values (robustness):

```
{}
```

charts/prometheus-adapter

Result: FAIL | Status: failed

Attempts: 263 | Remaining iterations: unknown

Coverage: known inputs, then original-schema robustness sampling

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-adapter_1789263996/0000

Filtering applied: True

Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 70 | Varied in render attempts: 59

Missing values: 3 | Undocumented template fields: 71

Unreferenced values: 5 (unknown)

Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 162

Phase robustness: passed | Attempts: 101

Errors: E007 (#e007)

Reproducing values (known-inputs):

```
{
  "certManager": {
    "caCertDuration": "\u001f",
    "enabled": true
  }
}
```

charts/prometheus-blackbox-exporter

Result: FAIL | Status: failed
Attempts: 134 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-blackbox-exporter_1789264001/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 93 | Varied in render attempts: 1
Missing values: 4 | Undocumented template fields: 97
Unreferenced values: 70 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 33

Phase robustness: passed | Attempts: 101

Errors: E008 (#e008)

Reproducing values (known-inputs):

```
{
  "configExistingSecretName": "\u001f"
}
```

charts/prometheus-cloudwatch-exporter

Result: FAIL | Status: failed
Attempts: 134 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-cloudwatch-exporter_1789264003/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 69 | Varied in render attempts: 4
Missing values: 13 | Undocumented template fields: 69
Unreferenced values: 2 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 33

Phase robustness: passed | Attempts: 101

Errors: E041 (#e041)

Reproducing values (known-inputs):

```
{  
  "config": " "  
}
```

charts/prometheus-conntrack-stats-exporter

Result: FAIL | Status: failed
Attempts: 122 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-conntrack-stats-exporter_1789264015/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 21 | Varied in render attempts: 0
Missing values: 0 | Undocumented template fields: 21
Unreferenced values: 4 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 21

Phase robustness: passed | Attempts: 101

Errors: E045 (#e045)

Reproducing values (known-inputs):

```
{  
  "fullnameOverride": ""  
}
```

charts/prometheus-consul-exporter

Result: FAIL | Status: failed
Attempts: 164 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-consul-exporter_1789264018/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 35 | Varied in render attempts: 20
Missing values: 7 | Undocumented template fields: 36
Unreferenced values: 4 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 63

Phase robustness: passed | Attempts: 101

Errors: E009 (#e009)

Reproducing values (known-inputs):

```
{  
  "consulServer": "\u001f"
```

```
}
```

charts/prometheus-couchdb-exporter

Result: FAIL | Status: failed
Attempts: 198 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-couchdb-exporter_1789264025/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 22 | Varied in render attempts: 11
Missing values: 2 | Undocumented template fields: 22
Unreferenced values: 1 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 97

Phase robustness: passed | Attempts: 101

Errors: E034 (#e034)

Reproducing values (known-inputs):

```
{
  "ingress": {
    "enabled": true,
    "hosts": false
  }
}
```

charts/prometheus-druid-exporter

Result: FAIL | Status: failed
Attempts: 164 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-druid-exporter_1789264027/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 24 | Varied in render attempts: 6
Missing values: 0 | Undocumented template fields: 24
Unreferenced values: 1 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 63

Phase robustness: passed | Attempts: 101

Errors: E010 (#e010)

Reproducing values (known-inputs):

```
{
  "druidURL": "\u001f"
```

```
}
```

charts/prometheus-elasticsearch-exporter

Result: FAIL | Status: failed
Attempts: 127 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-elasticsearch-exporter_1789264032/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 83 | Varied in render attempts: 20
Missing values: 3 | Undocumented template fields: 83
Unreferenced values: 16 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 26

Phase robustness: passed | Attempts: 101

Errors: E011 (#e011)

Reproducing values (known-inputs):

```
{  
  "extraArgs": [  
    null  
  ]  
}
```

charts/prometheus-fastly-exporter

Result: FAIL | Status: failed
Attempts: 114 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-fastly-exporter_1789264040/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 42 | Varied in render attempts: 6
Missing values: 9 | Undocumented template fields: 47
Unreferenced values: 3 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 13

Phase robustness: passed | Attempts: 101

Errors: E040 (#e040)

Reproducing values (known-inputs):

```
{  
  "fastly": {  
    "token": ""  
  }  
}
```

```
}  
}
```

charts/prometheus-ipmi-exporter

Result: FAIL | Status: failed
Attempts: 67 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-ipmi-exporter_1789264041/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 31 | Varied in render attempts: 4
Missing values: 20 | Undocumented template fields: 0
Unreferenced values: 24 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 33

Phase robustness: failed | Attempts: 34

Errors: E012 (#e012)

Reproducing values (known-inputs):

```
{  
  "image": {  
    "pullPolicy": "Never",  
    "repository": "\u001f"  
  },  
  "replicaCount": 0,  
  "resources": {},  
  "service": {  
    "port": 1,  
    "type": "NodePort"  
  }  
}
```

Reproducing values (robustness):

```
{  
  "image": {  
    "pullPolicy": "Never",  
    "repository": "\u001f",  
    "": []  
  },  
  "replicaCount": 0,  
  "resources": {},  
  "service": {  
    "port": 1,  
    "type": "NodePort"  
  }  
}
```

charts/prometheus-json-exporter

Result: FAIL | Status: failed
Attempts: 117 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-json-exporter_1789264046/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 61 | Varied in render attempts: 0
Missing values: 1 | Undocumented template fields: 65
Unreferenced values: 3 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 16

Phase robustness: passed | Attempts: 101

Errors: E045 (#e045)

Reproducing values (known-inputs):

```
{  
  "fullnameOverride": ""  
}
```

charts/prometheus-kafka-exporter

Result: FAIL | Status: failed
Attempts: 132 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-kafka-exporter_1789264050/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 80 | Varied in render attempts: 17
Missing values: 14 | Undocumented template fields: 80
Unreferenced values: 0 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 31

Phase robustness: passed | Attempts: 101

Errors: E013 (#e013)

Reproducing values (known-inputs):

```
{  
  "deploymentAnnotations": {  
    "": []  
  }  
}
```

charts/prometheus-memcached-exporter

Result: FAIL | Status: failed

Attempts: 178 | Remaining iterations: unknown

Coverage: known inputs, then original-schema robustness sampling

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-memcached-exporter_1789264051/0000

Filtering applied: True

Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 48 | Varied in render attempts: 29

Missing values: 17 | Undocumented template fields: 48

Unreferenced values: 3 (unknown)

Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 77

Phase robustness: passed | Attempts: 101

Errors: E045 (#e045)

Reproducing values (known-inputs):

```
{
  "fullnameOverride": ""
}
```

charts/prometheus-modbus-exporter

Result: FAIL | Status: failed

Attempts: 141 | Remaining iterations: unknown

Coverage: known inputs, then original-schema robustness sampling

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-modbus-exporter_1789264058/0000

Filtering applied: True

Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 32 | Varied in render attempts: 7

Missing values: 2 | Undocumented template fields: 32

Unreferenced values: 5 (unknown)

Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 40

Phase robustness: passed | Attempts: 101

Errors: E014 (#e014)

Reproducing values (known-inputs):

```
{
  "configMapFile": [
    null,
    []
  ]
}
```

charts/prometheus-mongodb-exporter

Result: FAIL | Status: failed
Attempts: 146 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-mongodb-exporter_1789264063/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 50 | Varied in render attempts: 12
Missing values: 0 | Undocumented template fields: 50
Unreferenced values: 4 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 45

Phase robustness: passed | Attempts: 101

Errors: E015 (#e015)

Reproducing values (known-inputs):

```
{
  "existingSecret": {
    "key": "\u001f"
  }
}
```

charts/prometheus-mysql-exporter

Result: FAIL | Status: failed
Attempts: 331 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-mysql-exporter_1789264067/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 74 | Varied in render attempts: 28
Missing values: 14 | Undocumented template fields: 5
Unreferenced values: 6 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 266

Phase robustness: failed | Attempts: 65

Errors: E016 (#e016), E017 (#e017)

Reproducing values (known-inputs):

```
{
  "namespaceOverride": "\u001f"
}
```

Reproducing values (robustness):

```
{
  "priorityClassName": "?",
  "": []
}
```

charts/prometheus-nats-exporter

Result: FAIL | Status: failed
Attempts: 146 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-nats-exporter_1789264071/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 39 | Varied in render attempts: 20
Missing values: 0 | Undocumented template fields: 39
Unreferenced values: 1 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 45

Phase robustness: passed | Attempts: 101

Errors: E018 (#e018)

Reproducing values (known-inputs):

```
{
  "extraVolumes": "0"
}
```

charts/prometheus-nginx-exporter

Result: FAIL | Status: failed
Attempts: 177 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-nginx-exporter_1789264076/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 41 | Varied in render attempts: 38
Missing values: 1 | Undocumented template fields: 41
Unreferenced values: 6 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 76

Phase robustness: passed | Attempts: 101

Errors: E019 (#e019)

Reproducing values (known-inputs):

```
{
```

```
"image": {  
  "pullPolicy": "\u001f"  
}  
}
```

charts/prometheus-node-exporter

Result: FAIL | Status: failed
Attempts: 186 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-node-exporter_1789264082/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 165 | Varied in render attempts: 22
Missing values: 6 | Undocumented template fields: 171
Unreferenced values: 0 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 85

Phase robustness: passed | Attempts: 101

Errors: E035 (#e035)

Reproducing values (known-inputs):

```
{  
  "configmaps": [  
    null  
  ]  
}
```

charts/prometheus-operator-admission-webhook

Result: FAIL | Status: failed
Attempts: 146 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-operator-admission-webhook_1789264092/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 97 | Varied in render attempts: 11
Missing values: 9 | Undocumented template fields: 19
Unreferenced values: 9 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 84

Phase robustness: failed | Attempts: 62

Errors: E020 (#e020)

Reproducing values (known-inputs):

```
{
  "nameOverride": "\u001f"
}
```

Reproducing values (robustness):

```
{
  "nameOverride": "\u001f",
  "": []
}
```

charts/prometheus-operator-crds

Result: N/A | Status: time-limit
Attempts: 34 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-operator-crds_1789264107/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 0 | Varied in render attempts: 0
Missing values: 0 | Undocumented template fields: 0
Unreferenced values: 11 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: time-limit | Attempts: 30

Phase robustness: time-limit | Attempts: 4

charts/prometheus-operator-crds/charts/crds

Result: N/A | Status: missing-values
Attempts: N/A | Remaining iterations: unknown
Coverage: not exercised
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/crds_1789264112/0000

Filtering applied: False
Chart did not enter finite permutation testing

Errors: E038 (#e038)

charts/prometheus-pgbouncer-exporter

Result: FAIL | Status: failed
Attempts: 142 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-pgbouncer-exporter_1789264113/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 62 | Varied in render attempts: 6
Missing values: 12 | Undocumented template fields: 63
Unreferenced values: 4 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 41

Phase robustness: passed | Attempts: 101

Errors: E021 (#e021)

Reproducing values (known-inputs):

```
{
  "config": {
    "logFormat": "\u001f"
  }
}
```

charts/prometheus-pingdom-exporter

Result: FAIL | Status: failed

Attempts: 196 | Remaining iterations: unknown

Coverage: known inputs, then original-schema robustness sampling

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-pingdom-exporter_1789264121/0000

Filtering applied: True

Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 28 | Varied in render attempts: 22

Missing values: 2 | Undocumented template fields: 29

Unreferenced values: 0 (unknown)

Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 95

Phase robustness: passed | Attempts: 101

Errors: E045 (#e045)

Reproducing values (known-inputs):

```
{
  "fullnameOverride": ""
}
```

charts/prometheus-pingmesh-exporter

Result: FAIL | Status: failed

Attempts: 182 | Remaining iterations: unknown

Coverage: known inputs, then original-schema robustness sampling

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-pingmesh-exporter_1789264127/0000

Filtering applied: True

Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 78 | Varied in render attempts: 52

Missing values: 3 | Undocumented template fields: 90

Unreferenced values: 3 (unknown)

Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 81

Phase robustness: passed | Attempts: 101

Errors: E022 (#e022)

Reproducing values (known-inputs):

```
{
  "configPath": {
    "\u001f": null
  }
}
```

charts/prometheus-postgres-exporter

Result: FAIL | Status: baseline-failed

Attempts: N/A | Remaining iterations: unknown

Coverage: defaults only

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-postgres-exporter_1789264137/0000

Filtering applied: False

Chart did not enter finite permutation testing

Errors: E001 (#e001)

charts/prometheus-pushgateway

Result: FAIL | Status: failed

Attempts: 190 | Remaining iterations: unknown

Coverage: known inputs, then original-schema robustness sampling

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-pushgateway_1789264138/0000

Filtering applied: True

Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 55 | Varied in render attempts: 14

Missing values: 8 | Undocumented template fields: 57

Unreferenced values: 47 (unknown)

Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 89

Phase robustness: passed | Attempts: 101

Errors: E023 (#e023)

Reproducing values (known-inputs):

```
{
  "service": {
    "clusterIP": ""
  }
}
```

charts/prometheus-rabbitmq-exporter

Result: FAIL | Status: failed
Attempts: 245 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-rabbitmq-exporter_1789264152/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 53 | Varied in render attempts: 38
Missing values: 0 | Undocumented template fields: 53
Unreferenced values: 1 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 144

Phase robustness: passed | Attempts: 101

Errors: E024 (#e024)

Reproducing values (known-inputs):

```
{
  "priorityClassName": "\u001f"
}
```

charts/prometheus-redis-exporter

Result: FAIL | Status: failed
Attempts: 196 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-redis-exporter_1789264160/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 75 | Varied in render attempts: 22
Missing values: 17 | Undocumented template fields: 76
Unreferenced values: 6 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 95

Phase robustness: passed | Attempts: 101

Errors: E025 (#e025)

Reproducing values (known-inputs):

```
{
  "service": {
    "annotations": {
      "": []
    }
  }
}
```

charts/prometheus-smartctl-exporter

Result: FAIL | Status: failed
Attempts: 115 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-smartctl-exporter_1789264178/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 39 | Varied in render attempts: 5
Missing values: 2 | Undocumented template fields: 41
Unreferenced values: 1 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 14

Phase robustness: passed | Attempts: 101

Errors: E036 (#e036)

Reproducing values (known-inputs):

```
{
  "extraInstances": [
    null
  ]
}
```

charts/prometheus-snmp-exporter

Result: FAIL | Status: failed
Attempts: 189 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-snmp-exporter_1789264181/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 78 | Varied in render attempts: 22
Missing values: 8 | Undocumented template fields: 78
Unreferenced values: 4 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 88

Phase robustness: passed | Attempts: 101

Errors: E026 (#e026)

Reproducing values (known-inputs):

```
{
  "image": {
    "pullPolicy": "\"\""
  }
}
```

}

charts/prometheus-sql-exporter

Result: FAIL | Status: failed
Attempts: 311 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-sql-exporter_1789264189/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 53 | Varied in render attempts: 36
Missing values: 11 | Undocumented template fields: 0
Unreferenced values: 2 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 31

Phase robustness: failed | Attempts: 280

Errors: E027 (#e027)

Reproducing values (known-inputs):

```
{  
  "configFilePath": "\u001f"  
}
```

Reproducing values (robustness):

```
{  
  "": [],  
  "configFilePath": "\u001f"  
}
```

charts/prometheus-stackdriver-exporter

Result: FAIL | Status: failed
Attempts: 140 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-stackdriver-exporter_1789264201/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 66 | Varied in render attempts: 2
Missing values: 3 | Undocumented template fields: 66
Unreferenced values: 5 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 39

Phase robustness: passed | Attempts: 101

Errors: E028 (#e028)

Reproducing values (known-inputs):

```
{  
  "restartPolicy": ""  
}
```

charts/prometheus-statsd-exporter

Result: FAIL | Status: failed
Attempts: 173 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-statsd-exporter_1789264214/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 62 | Varied in render attempts: 41
Missing values: 5 | Undocumented template fields: 66
Unreferenced values: 4 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 72

Phase robustness: passed | Attempts: 101

Errors: E029 (#e029)

Reproducing values (known-inputs):

```
{  
  "image": {  
    "pullPolicy": "\u001f"  
  }  
}
```

charts/prometheus-systemd-exporter

Result: FAIL | Status: failed
Attempts: 181 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-systemd-exporter_1789264223/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 44 | Varied in render attempts: 11
Missing values: 1 | Undocumented template fields: 44
Unreferenced values: 0 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 80

Phase robustness: passed | Attempts: 101

Errors: E030 (#e030)

Reproducing values (known-inputs):

```
{
  "config": {
    "log": {
      "level": "\u001f"
    }
  }
}
```

charts/prometheus-to-sd

Result: FAIL | Status: failed
Attempts: 134 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-to-sd_1789264230/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 10 | Varied in render attempts: 3
Missing values: 0 | Undocumented template fields: 10
Unreferenced values: 0 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 33

Phase robustness: passed | Attempts: 101

Errors: E031 (#e031)

Reproducing values (known-inputs):

```
{
  "image": {
    "pullPolicy": "\u001f"
  }
}
```

charts/prometheus-windows-exporter

Result: FAIL | Status: failed
Attempts: 133 | Remaining iterations: unknown
Coverage: known inputs, then original-schema robustness sampling
Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-windows-exporter_1789264239/0000

Filtering applied: True
Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 94 | Varied in render attempts: 1
Missing values: 3 | Undocumented template fields: 97
Unreferenced values: 0 (unknown)
Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 32

Phase robustness: passed | Attempts: 101

Errors: E032 (#e032)

Reproducing values (known-inputs):

```
{
  "config": "\u001f"
}
```

charts/prometheus-yet-another-cloudwatch-exporter

Result: FAIL | Status: failed

Attempts: 223 | Remaining iterations: unknown

Coverage: known inputs, then original-schema robustness sampling

Artifacts: prometheus-runs/prometheus-charts_1789260855/runs/prometheus-yet-another-cloudwatch-exporter_1789264241/0000

Filtering applied: True

Generation order only; original-schema cases run last, not removed

Identified input fields (lower bound): 56 | Varied in render attempts: 55

Missing values: 11 | Undocumented template fields: 61

Unreferenced values: 5 (unknown)

Field variation does not prove branch or output coverage.

Phase known-inputs: failed | Attempts: 122

Phase robustness: passed | Attempts: 101

Errors: E033 (#e033)

Reproducing values (known-inputs):

```
{
  "image": {
    "pullPolicy": "\u001f"
  }
}
```