claude-windows / 42211f80-2169-4025-ad9d-99c1aa29ff70

Metadata

- Source: `claude-windows`
- Kind: `claude`
- Source file: `C:\Users\avidu\.claude\projects\C--Users-avidu-Projects-badminton-highlight-indexer\42211f80-2169-4025-ad9d-99c1aa29ff70\subagents\workflows\wf_c03ffa6c-cb8\agent-a0cd8b8584c34066e.jsonl`
- SHA-256: `d265ad94c8d7533a3eb812c0e99ee038e90bc0ea2f20d49481dcc5caa2146c80`
- Source modified: `2026-06-06T17:33:37+00:00`
- Imported at: `2026-07-05T16:48:28+00:00`
- project: `wf_c03ffa6c-cb8`
- session_id: `42211f80-2169-4025-ad9d-99c1aa29ff70`

Transcript

1. user (2026-06-06T17:32:34.151Z)

Ground the build in the user's EXISTING VLC setup. Search local disk for their Lua scripts: 'C:/Users/avidu/AppData/Roaming/vlc/lua' (extensions/ and intf/), 'C:/Program Files/VideoLAN/VLC/lua', and 'C:/Users/avidu/Projects/Annotation Setup' ? the user already runs a 'timeosd' Lua *interface* that overlays media time. Use Glob/Bash(dir/ls)/Read. Read the timeosd script if found and report: its path, the exact Lua call it uses to read playback time (and units), any VLC version hints, and confirmation that Lua scripting works on this VLC. If nothing is found, say so and report the standard Windows VLC lua paths to use.

2. assistant (2026-06-06T17:32:38.019Z)

I'll search the user's VLC setup locations for their Lua scripts, focusing on the timeosd interface script.

3. user (2026-06-06T17:32:38.550Z)

C:/Users/avidu/AppData/Roaming/vlc/lua\intf\timeosd.lua

4. user (2026-06-06T17:32:38.990Z)

C:/Program Files/VideoLAN/VLC/lua\http\custom.lua

5. user (2026-06-06T17:32:39.481Z)

No files found

6. user (2026-06-06T17:32:39.870Z)

C:/Users/avidu/AppData/Roaming/vlc\vlcrc.bak
C:/Users/avidu/AppData/Roaming/vlc\vlcrc.bak.beforelua
C:/Users/avidu/AppData/Roaming/vlc\lua\intf\timeosd.lua
C:/Users/avidu/AppData/Roaming/vlc\vlcrc
C:/Users/avidu/AppData/Roaming/vlc\vlc-qt-interface.ini
C:/Users/avidu/AppData/Roaming/vlc\ml.xspf

7. assistant (2026-06-06T17:32:43.421Z)

Found the timeosd interface script. Let me read it along with the VLC config to determine version hints and confirm Lua scripting is enabled.

8. user (2026-06-06T17:32:43.916Z)

```
--[[ timeosd.lua  --  Plan B: continuous media-time OSD overlay.

```

```
    Shows the current playback time (H:MM:SS.mmm) in the top-right corner,
    refreshed ~4x/second, by reading VLC's media clock directly. Used to
    cross-check rally start/end times against the video.

    This is a VLC Lua *interface* (not an extension) so it can run its own
    update loop. Install at:  %APPDATA%\vlc\lua\intf\timeosd.lua
    Run alongside the GUI with:  --extraintf=luaintf --lua-intf=timeosd
    (the marquee "$T" code is not expanded on this VLC build, hence this).
]]

-- Dedicated OSD channel so our message replaces itself instead of stacking.
local channel = 1
pcall(function() channel = vlc.osd.channel_register() end)

local function fmt(us)
    if not us or us < 0 then us = 0 end
    local total_ms = math.floor(us / 1000)   -- VLC "time" is in microseconds
    local ms  = total_ms % 1000
    local s   = math.floor(total_ms / 1000)
    local h   = math.floor(s / 3600)
    local m   = math.floor((s % 3600) / 60)
    local sec = s % 60
    if h > 0 then
        return string.format("%d:%02d:%02d.%03d", h, m, sec, ms)
    end
    return string.format("%d:%02d.%03d", m, sec, ms)
end

vlc.msg.info("[timeosd] media-time overlay started")

local logged = false
while true do
    pcall(function()
        local input = vlc.object.input()
        if input then
            local t = vlc.var.get(input, "time")
            if not logged then
                vlc.msg.info("[timeosd] first time read = " .. tostring(t) .. " us -> " .. fmt(t))
                logged = true
            end
            -- duration (0.4s) > loop period (0.25s) so the text never blinks out
            vlc.osd.message(fmt(t), channel, "top-right", 400000)
        end
    end)
    vlc.misc.mwait(vlc.misc.mdate() + 250000)  -- ~4 Hz
end
```

9. user (2026-06-06T17:32:44.699Z)

<system-reminder>[Truncated: PARTIAL view ? showing lines 1-2451 of 5310 total (46026 tokens, cap 25000). Call Read with offset=2452 limit=2451 for the next page, or Grep to find a specific section. Do NOT answer from this page alone if the answer may be further in the file.]</system-reminder>

```
###
###  vlc 3.0.16
###

###
### lines beginning with a '#' character are comments
###

[visual] # Visualizer filter
```

```
# Effects list (string)
#effect-list=spectrum

# Video width (integer)
#effect-width=800

# Video height (integer)
#effect-height=500

# FFT window (string)
#effect-fft-window=flat

# Kaiser window parameter (float)
#effect-kaiser-param=3.000000

# Show 80 bands instead of 20 (boolean)
#visual-80-bands=1

# Draw peaks in the analyzer (boolean)
#visual-peaks=1

# Enable original graphic spectrum (boolean)
#spect-show-original=0

# Draw the base of the bands (boolean)
#spect-show-base=1

# Base pixel radius (integer)
#spect-radius=42

# Spectral sections (integer)
#spect-sections=3

# V-plane color (integer)
#spect-color=80

# Draw bands in the spectrometer (boolean)
#spect-show-bands=1

# Show 80 bands instead of 20 (boolean)
#spect-80-bands=1

# Number of blank pixels between bands. (integer)
#spect-separ=1

# Amplification (integer)
#spect-amp=8

# Draw peaks in the analyzer (boolean)
#spect-show-peaks=1

# Peak extra width (integer)
#spect-peak-width=61

# Peak height (integer)
#spect-peak-height=1

[projectm] # libprojectM effect

# projectM preset path (string)
#projectm-preset-path=

# Title font (string)
#projectm-title-font=C:\WINDOWS\Fonts\arial.ttf
```

```
# Font menu (string)
#projectm-menu-font=C:\WINDOWS\Fonts\arial.ttf

# Video width (integer)
#projectm-width=800

# Video height (integer)
#projectm-height=500

# Mesh width (integer)
#projectm-meshx=32

# Mesh height (integer)
#projectm-meshy=24

# Texture size (integer)
#projectm-texture-size=1024

[goom] # Goom effect

# Goom display width (integer)
#goom-width=800

# Goom display height (integer)
#goom-height=500

# Goom animation speed (integer)
#goom-speed=6

[glspectrum] # 3D OpenGL spectrum visualization

# Video width (integer)
#glspectrum-width=400

# Video height (integer)
#glspectrum-height=300

[wall] # Wall video filter

# Number of columns (integer)
#wall-cols=3

# Number of rows (integer)
#wall-rows=3

# Active windows (string)
#wall-active=

# Element aspect ratio (string)
#wall-element-aspect=16:9

[panoramix] # Panoramix: wall with overlap video filter

# Number of columns (integer)
#panoramix-cols=-1

# Number of rows (integer)
#panoramix-rows=-1

# length of the overlapping area (in %) (integer)
#panoramix-bz-length=100

# height of the overlapping area (in %) (integer)
#panoramix-bz-height=100
```

```
# Attenuation (boolean)
#panoramix-attenuate=1

# Attenuation, begin (in %) (integer)
#panoramix-bz-begin=0

# Attenuation, middle (in %) (integer)
#panoramix-bz-middle=50

# Attenuation, end (in %) (integer)
#panoramix-bz-end=100

# middle position (in %) (integer)
#panoramix-bz-middle-pos=50

# Gamma (Red) correction (float)
#panoramix-bz-gamma-red=1.000000

# Gamma (Green) correction (float)
#panoramix-bz-gamma-green=1.000000

# Gamma (Blue) correction (float)
#panoramix-bz-gamma-blue=1.000000

# Black Crush for Red (integer)
#panoramix-bz-blackcrush-red=140

# Black Crush for Green (integer)
#panoramix-bz-blackcrush-green=140

# Black Crush for Blue (integer)
#panoramix-bz-blackcrush-blue=140

# White Crush for Red (integer)
#panoramix-bz-whitecrush-red=200

# White Crush for Green (integer)
#panoramix-bz-whitecrush-green=200

# White Crush for Blue (integer)
#panoramix-bz-whitecrush-blue=200

# Black Level for Red (integer)
#panoramix-bz-blacklevel-red=150

# Black Level for Green (integer)
#panoramix-bz-blacklevel-green=150

# Black Level for Blue (integer)
#panoramix-bz-blacklevel-blue=150

# White Level for Red (integer)
#panoramix-bz-whitelevel-red=0

# White Level for Green (integer)
#panoramix-bz-whitelevel-green=0

# White Level for Blue (integer)
#panoramix-bz-whitelevel-blue=0

# Active windows (string)
#panoramix-active=

[clone] # Clone video filter
```

```
# Number of clones (integer)
#clone-count=2

# Video output modules (string)
#clone-vout-list=

[yuv] # YUV video output

# device, fifo or filename (string)
#yuv-file=stream.yuv

# Chroma used (string)
#yuv-chroma=

# Add a YUV4MPEG2 header (boolean)
#yuv-yuv4mpeg2=0

[wgl] # WGL extension for OpenGL

# GPU affinity (integer)
#gpu-affinity=-1

[vmem] # Video memory output

# Width (integer)
#vmem-width=320

# Height (integer)
#vmem-height=200

# Pitch (integer)
#vmem-pitch=640

# Chroma (string)
#vmem-chroma=RV16

[vdummy] # Dummy video output

# Dummy image chroma format (string)
#dummy-chroma=

[gl] # OpenGL video output

# OpenGL extension (string)
#gl=

# Open GL/GLES hardware converter (string)
#glconv=

# Rendering intent for color conversion (integer)
#rendering-intent=1

# Display primaries (integer)
#target-prim=0

# Display gamma / transfer function (integer)
#target-trc=0

# Tone-mapping algorithm (integer)
#tone-mapping=3

# Tone-mapping parameter (float)
#tone-mapping-param=0.000000
```

```
# Highlight clipped pixels (boolean)
#tone-mapping-warn=0

# Dithering algorithm (integer)
#dither-algo=-1

# Dither depth override (0 = framebuffer depth) (integer)
#dither-depth=0

# Tone-mapping desaturation coefficient (float)
#tone-mapping-desat=0.500000

[glwin32] # OpenGL video output for Windows

# Open GL/GLES hardware converter (string)
#glconv=

# Rendering intent for color conversion (integer)
#rendering-intent=1

# Display primaries (integer)
#target-prim=0

# Display gamma / transfer function (integer)
#target-trc=0

# Tone-mapping algorithm (integer)
#tone-mapping=3

# Tone-mapping parameter (float)
#tone-mapping-param=0.000000

# Highlight clipped pixels (boolean)
#tone-mapping-warn=0

# Dithering algorithm (integer)
#dither-algo=-1

# Dither depth override (0 = framebuffer depth) (integer)
#dither-depth=0

# Tone-mapping desaturation coefficient (float)
#tone-mapping-desat=0.500000

[flaschen] # Flaschen-Taschen video output

# Flaschen-Taschen display address (string)
#flaschen-display=

# Width (integer)
#flaschen-width=25

# Height (integer)
#flaschen-height=20

[drawable] # Embedded window video

[directdraw] # DirectX (DirectDraw) video output

# Use hardware YUV->RGB conversions (boolean)
#directx-hw-yuv=1

# Overlay video output (boolean)
#directx-overlay=1

```

```
# Use video buffers in system memory (boolean)
#directx-use-sysmem=0

# Use triple buffering for overlays (boolean)
#directx-3buffering=1

# Name of desired display device (string)
#directx-device=

[direct3d9] # Direct3D9 video output

# Use hardware blending support (boolean)
#direct3d9-hw-blending=1

# Pixel Shader (string)
#direct3d9-shader=

# Path to HLSL file (string)
#direct3d9-shader-file=

[direct3d11] # Direct3D11 video output

# Use hardware blending support (boolean)
#direct3d11-hw-blending=1

[transform] # Video transformation filter

# Transform type (string)
#transform-type=90

[sharpen] # Sharpen video filter

# Sharpen strength (0-2) (float)
#sharpen-sigma=0.050000

[sepia] # Sepia video filter

# Sepia intensity (integer)
#sepia-intensity=120

[scene] # Scene video filter

# Image format (string)
#scene-format=png

# Image width (integer)
#scene-width=-1

# Image height (integer)
#scene-height=-1

# Filename prefix (string)
#scene-prefix=scene

# Directory path prefix (string)
#scene-path=

# Always write to the same file (boolean)
#scene-replace=0

# Recording ratio (integer)
#scene-ratio=50

[rotate] # Rotate video filter
```

```
# Angle in degrees (float)
#rotate-angle=30.000000

# Use motion sensors (boolean)
#rotate-use-motion=0

[puzzle] # Puzzle interactive game video filter

# Number of puzzle rows (integer)
#puzzle-rows=4

# Number of puzzle columns (integer)
#puzzle-cols=4

# Border (integer)
#puzzle-border=3

# Small preview (boolean)
#puzzle-preview=0

# Small preview size (integer)
#puzzle-preview-size=15

# Piece edge shape size (integer)
#puzzle-shape-size=90

# Auto shuffle (integer)
#puzzle-auto-shuffle=0

# Auto solve (integer)
#puzzle-auto-solve=0

# Rotation (integer)
#puzzle-rotation=0

# Game mode (integer)
#puzzle-mode=0

[postproc] # Video post processing filter

# Post processing quality (integer)
#postproc-q=6

# FFmpeg post processing filter chains (string)
#postproc-name=default

[posterize] # Posterize video filter

# Posterize level (integer)
#posterize-level=6

[motionblur] # Motion blur filter

# Blur factor (1-127) (integer)
#blur-factor=80

[mirror] # Mirror video filter

# Mirror orientation (integer)
#mirror-split=0

# Direction (integer)
#mirror-direction=0

[hqdn3d] # High Quality 3D Denoiser filter
```

```
# Spatial luma strength (0-254) (float)
#hqdn3d-luma-spat=4.000000

# Spatial chroma strength (0-254) (float)
#hqdn3d-chroma-spat=3.000000

# Temporal luma strength (0-254) (float)
#hqdn3d-luma-temp=6.000000

# Temporal chroma strength (0-254) (float)
#hqdn3d-chroma-temp=4.500000

[grain] # Grain video filter

# Variance (float)
#grain-variance=2.000000

# Minimal period (integer)
#grain-period-min=1

# Maximal period (integer)
#grain-period-max=48

[gradient] # Gradient video filter

# Distort mode (string)
#gradient-mode=gradient

# Gradient image type (integer)
#gradient-type=0

# Apply cartoon effect (boolean)
#gradient-cartoon=1

[gradfun] # Gradfun video filter

# Radius (integer)
#gradfun-radius=16

# Strength (float)
#gradfun-strength=1.200000

[gaussianblur] # Gaussian blur video filter

# Gaussian's std deviation (float)
#gaussianblur-sigma=2.000000

[fps] # FPS conversion video filter

# Frame rate (string)
#fps-fps=

[extract] # Extract RGB component video filter

# RGB component to extract (integer)
#extract-component=16711680

[erase] # Erase video filter

# Image mask (string)
#erase-mask=

# X coordinate (integer)
#erase-x=0
```

```
# Y coordinate (integer)
#erase-y=0

[deinterlace] # Deinterlacing video filter

# Streaming deinterlace mode (string)
#sout-deinterlace-mode=blend

# Phosphor chroma mode for 4:2:0 input (integer)
#sout-deinterlace-phosphor-chroma=2

# Phosphor old field dimmer strength (integer)
#sout-deinterlace-phosphor-dimmer=2

[croppadd] # Video cropping filter

# Pixels to crop from top (integer)
#croppadd-croptop=0

# Pixels to crop from bottom (integer)
#croppadd-cropbottom=0

# Pixels to crop from left (integer)
#croppadd-cropleft=0

# Pixels to crop from right (integer)
#croppadd-cropright=0

# Pixels to padd to top (integer)
#croppadd-paddtop=0

# Pixels to padd to bottom (integer)
#croppadd-paddbottom=0

# Pixels to padd to left (integer)
#croppadd-paddleft=0

# Pixels to padd to right (integer)
#croppadd-paddright=0

[colorthres] # Color threshold filter

# Color (integer)
#colorthres-color=16711680

# Saturation threshold (integer)
#colorthres-saturationthres=20

# Similarity threshold (integer)
#colorthres-similaritythres=15

[canvas] # Canvas video filter

# Output width (integer)
#canvas-width=0

# Output height (integer)
#canvas-height=0

# Output picture aspect ratio (string)
#canvas-aspect=

# Pad video (boolean)
#canvas-padd=1
```

```

[bluescreen] # Bluescreen video filter

# Bluescreen U value (integer)
#bluescreen-u=120

# Bluescreen V value (integer)
#bluescreen-v=90

# Bluescreen U tolerance (integer)
#bluescreen-ut=17

# Bluescreen V tolerance (integer)
#bluescreen-vt=17

[blendbench] # Blending benchmark filter

# Number of time to blend (integer)
#blendbench-loops=1000

# Alpha of the blended image (integer)
#blendbench-alpha=128

# Image to be blended onto (string)
#blendbench-base-image=

# Chroma for the base image (string)
#blendbench-base-chroma=I420

# Image which will be blended (string)
#blendbench-blend-image=

# Chroma for the blend image (string)
#blendbench-blend-chroma=YUVA

[ball] # Ball video filter

# Ball color (string)
#ball-color=red

# Ball speed (integer)
#ball-speed=4

# Ball size (integer)
#ball-size=10

# Gradient threshold (integer)
#ball-gradient-threshold=40

# Edge visible (boolean)
#ball-edge-visible=1

[antiflicker] # antiflicker video filter

# Window size (integer)
#antiflicker-window-size=10

# Softening value (integer)
#antiflicker-softening-size=10

[anaglyph] # Convert 3D picture to anaglyph image video filter

# Color scheme (string)
#anaglyph-scheme=red-cyan

```

```
[alphamask] # Alpha mask video filter

# Transparency mask (string)
#alphamask-mask=

[adjust] # Image properties filter

# Image contrast (0-2) (float)
#contrast=1.000000

# Image brightness (0-2) (float)
#brightness=1.000000

# Image hue (-180..180) (float)
#hue=0.000000

# Image saturation (0-3) (float)
#saturation=1.000000

# Image gamma (0-10) (float)
#gamma=1.000000

# Brightness threshold (boolean)
#brightness-threshold=0

[swscale] # Video scaling filter

# Scaling mode (integer)
#swscale-mode=2

[sapi] # Speech synthesis for Windows

# Voice Index (integer)
#sapi-voice=-1

[freetype] # Freetype2 font renderer

# Font (string)
#freetype-font=Arial

# Monospace Font (string)
#freetype-monofont=Courier New

# Font size in pixels (integer)
#freetype-fontsize=0

# Relative font size (integer)
#freetype-rel-fontsize=0

# Text opacity (integer)
#freetype-opacity=255

# Text default color (integer)
#freetype-color=16777215

# Force bold (boolean)
#freetype-bold=0

# Background opacity (integer)
#freetype-background-opacity=0

# Background color (integer)
#freetype-background-color=0

# Outline opacity (integer)
```

```
#freetype-outline-opacity=255

# Outline color (integer)
#freetype-outline-color=0

# Outline thickness (integer)
#freetype-outline-thickness=4

# Shadow opacity (integer)
#freetype-shadow-opacity=128

# Shadow color (integer)
#freetype-shadow-color=0

# Shadow angle (float)
#freetype-shadow-angle=-45.000000

# Shadow distance (float)
#freetype-shadow-distance=0.060000

# Use YUVP renderer (boolean)
#freetype-yuvp=0

# Text direction (integer)
#freetype-text-direction=0

[stream_out_transcode] # Transcode stream output

# Video encoder (string)
#sout-transcode-venc=

# Destination video codec (string)
#sout-transcode-vcodec=

# Video bitrate (integer)
#sout-transcode-vb=0

# Video scaling (float)
#sout-transcode-scale=0.000000

# Video frame-rate (string)
#sout-transcode-fps=

# Deinterlace video (boolean)
#sout-transcode-deinterlace=0

# Deinterlace module (string)
#sout-transcode-deinterlace-module=deinterlace

# Video width (integer)
#sout-transcode-width=0

# Video height (integer)
#sout-transcode-height=0

# Maximum video width (integer)
#sout-transcode-maxwidth=0

# Maximum video height (integer)
#sout-transcode-maxheight=0

# Video filter (string)
#sout-transcode-vfilter=

# Audio encoder (string)
```

```
#sout-transcode-aenc=

# Destination audio codec (string)
#sout-transcode-acodec=

# Audio bitrate (integer)
#sout-transcode-ab=96

# Audio language (string)
#sout-transcode-alang=

# Audio channels (integer)
#sout-transcode-channels=0

# Audio sample rate (integer)
#sout-transcode-samplerate=0

# Audio filter (string)
#sout-transcode-afilter=

# Subtitle encoder (string)
#sout-transcode-senc=

# Destination subtitle codec (string)
#sout-transcode-scodec=

# Destination subtitle codec (boolean)
#sout-transcode-soverlay=0

# Overlays (string)
#sout-transcode-sfilter=

# Number of threads (integer)
#sout-transcode-threads=0

# Picture pool size (integer)
#sout-transcode-pool-size=10

# High priority (boolean)
#sout-transcode-high-priority=0

[stats] # Writes statistic info about stream

# Output file (string)
#sout-stats-output=

# Prefix to show on output line (string)
#sout-stats-prefix=stats

[stream_out_standard] # Standard stream output

# Output access method (string)
#sout-standard-access=

# Output muxer (string)
#sout-standard-mux=

# Output destination (string)
#sout-standard-dst=

# Address to bind to (helper setting for dst) (string)
#sout-standard-bind=

# Filename for stream (helper setting for dst) (string)
#sout-standard-path=
```

```
# SAP announcing (boolean)
#sout-standard-sap=0

# Session name (string)
#sout-standard-name=

# Session description (string)
#sout-standard-description=

# Session URL (string)
#sout-standard-url=

# Session email (string)
#sout-standard-email=

[smem] # Stream output to memory buffer

# Time Synchronized output (boolean)
#sout-smem-time-sync=1

[setid] # Change the id of an elementary stream

# Elementary Stream ID (integer)
#sout-setid-id=0

# New ES ID (integer)
#sout-setid-new-id=0

# Elementary Stream ID (integer)
#sout-setlang-id=0

# Language (string)
#sout-setlang-lang=eng

[stream_out_rtp] # RTP stream output

# Destination (string)
#sout-rtp-dst=

# SDP (string)
#sout-rtp-sdp=

# Muxer (string)
#sout-rtp-mux=

# SAP announcing (boolean)
#sout-rtp-sap=0

# Session name (string)
#sout-rtp-name=

# Session category (string)
#sout-rtp-cat=

# Session description (string)
#sout-rtp-description=

# Session URL (string)
#sout-rtp-url=

# Session email (string)
#sout-rtp-email=

# Transport protocol (string)
```

```
#sout-rtp-proto=udp

# Port (integer)
#sout-rtp-port=5004

# Audio port (integer)
#sout-rtp-port-audio=0

# Video port (integer)
#sout-rtp-port-video=0

# Hop limit (TTL) (integer)
#sout-rtp-ttl=-1

# RTP/RTCP multiplexing (boolean)
#sout-rtp-rtcp-mux=0

# Caching value (ms) (integer)
#sout-rtp-caching=300

# SRTP key (hexadecimal) (string)
#sout-rtp-key=

# SRTP salt (hexadecimal) (string)
#sout-rtp-salt=

# MP4A LATM (boolean)
#sout-rtp-mp4a-latm=0

# RTSP session timeout (s) (integer)
#rtsp-timeout=60

# Username (string)
#sout-rtsp-user=

# Password (string)
#sout-rtsp-pwd=

[record] # Record stream output

# Destination prefix (string)
#sout-record-dst-prefix=

[mosaic_bridge] # Mosaic bridge stream output

# ID (string)
#sout-mosaic-bridge-id=Id

# Video width (integer)
#sout-mosaic-bridge-width=0

# Video height (integer)
#sout-mosaic-bridge-height=0

# Sample aspect ratio (string)
#sout-mosaic-bridge-sar=1:1

# Image chroma (string)
#sout-mosaic-bridge-chroma=

# Video filter (string)
#sout-mosaic-bridge-vfilter=

# Transparency (integer)
#sout-mosaic-bridge-alpha=255
```

```

# X offset (integer)
#sout-mosaic-bridge-x=-1

# Y offset (integer)
#sout-mosaic-bridge-y=-1

[es] # Elementary stream output

# Output access method (string)
#sout-es-access=

# Output muxer (string)
#sout-es-mux=

# Output URL (string)
#sout-es-dst=

# Audio output access method (string)
#sout-es-access-audio=

# Audio output muxer (string)
#sout-es-mux-audio=

# Audio output URL (string)
#sout-es-dst-audio=

# Video output access method (string)
#sout-es-access-video=

# Video output muxer (string)
#sout-es-mux-video=

# Video output URL (string)
#sout-es-dst-video=

[display] # Display stream output

# Enable audio (boolean)
#sout-display-audio=1

# Enable video (boolean)
#sout-display-video=1

# Delay (ms) (integer)
#sout-display-delay=100

[delay] # Delay a stream

# Elementary Stream ID (integer)
#sout-delay-id=0

# Delay of the ES (ms) (integer)
#sout-delay-delay=0

[stream_out_chromecast] # Chromecast stream output

# ? (string)
#sout-chromecast-ip=

# ? (integer)
#sout-chromecast-port=8009

# ? (boolean)
#sout-chromecast-video=1
```

```

# HTTP port (integer)
#sout-chromecast-http-port=8010

# Performance warning (integer)
#sout-chromecast-show-perf-warning=1

# Enable Audio passthrough (boolean)
#sout-chromecast-audio-passthrough=0

# Conversion quality (integer)
#sout-chromecast-conversion-quality=1

[stream_out_chromaprint] # Chromaprint stream output

# Duration of the fingerprinting (integer)
#duration=90

[bridge] # Bridge stream output

# ID (integer)
#sout-bridge-out-id=0

# Destination bridge-in name (string)
#sout-bridge-out-in-name=default

# Delay (integer)
#sout-bridge-in-delay=0

# ID Offset (integer)
#sout-bridge-in-id-offset=8192

# Name of current instance (string)
#sout-bridge-in-name=default

# Fallback to placeholder stream when out of data (boolean)
#sout-bridge-in-placeholder=0

# Placeholder delay (integer)
#sout-bridge-in-placeholder-delay=200

# Wait for I frame before toggling placeholder (boolean)
#sout-bridge-in-placeholder-switch-on-iframe=1

[prefetch] # Stream prefetch filter

# Buffer size (integer)
#prefetch-buffer-size=16384

# Read size (integer)
#prefetch-read-size=16777216

# Seek threshold (integer)
#prefetch-seek-threshold=16384

[subsdelay] # Subtitle delay

# Delay calculation mode (integer)
#subsdelay-mode=1

# Calculation factor (float)
#subsdelay-factor=2.000000

# Maximum overlapping subtitles (integer)
#subsdelay-overlap=3
```

```
# Minimum alpha value (integer)
#subsdelay-min-alpha=70

# Interval between two disappearances (integer)
#subsdelay-min-stops=1000

# Interval between appearance and disappearance (integer)
#subsdelay-min-start-stop=1000

# Interval between disappearance and appearance (integer)
#subsdelay-min-stop-start=1000

[rss] # RSS and Atom feed display

# Feed URLs (string)
#rss-urls=

# X offset (integer)
#rss-x=0

# Y offset (integer)
#rss-y=0

# Text position (integer)
#rss-position=-1

# Opacity (integer)
#rss-opacity=255

# Color (integer)
#rss-color=16777215

# Font size, pixels (integer)
#rss-size=0

# Speed of feeds (integer)
#rss-speed=100000

# Max length (integer)
#rss-length=60

# Refresh time (integer)
#rss-ttl=1800

# Feed images (boolean)
#rss-images=1

# Title display mode (integer)
#rss-title=-1

[remoteosd] # Remote-OSD over VNC

# VNC Host (string)
#rmtosd-host=myvdr

# VNC Port (integer)
#rmtosd-port=20001

# VNC Password (string)
#rmtosd-password=

# VNC poll interval (integer)
#rmtosd-update=1000
```

```
# VNC polling (boolean)
#rmtosd-vnc-polling=0

# Mouse events (boolean)
#rmtosd-mouse-events=0

# Key events (boolean)
#rmtosd-key-events=0

# Alpha transparency value (default 255) (integer)
#rmtosd-alpha=255

[mosaic] # Mosaic video sub source

# Transparency (integer)
#mosaic-alpha=255

# Height (integer)
#mosaic-height=100

# Width (integer)
#mosaic-width=100

# Mosaic alignment (integer)
#mosaic-align=5

# Top left corner X coordinate (integer)
#mosaic-xoffset=0

# Top left corner Y coordinate (integer)
#mosaic-yoffset=0

# Border width (integer)
#mosaic-borderw=0

# Border height (integer)
#mosaic-borderh=0

# Positioning method (integer)
#mosaic-position=0

# Number of rows (integer)
#mosaic-rows=2

# Number of columns (integer)
#mosaic-cols=2

# Keep aspect ratio (boolean)
#mosaic-keep-aspect-ratio=0

# Keep original size (boolean)
#mosaic-keep-picture=0

# Elements order (string)
#mosaic-order=

# Offsets in order (string)
#mosaic-offsets=

# Delay (integer)
#mosaic-delay=0

[marq] # Marquee display

# Text (string)
```

```
marq-marquee=$T

# Text file (string)
#marq-file=

# X offset (integer)
#marq-x=0

# Y offset (integer)
#marq-y=0

# Marquee position (integer)
marq-position=6

# Opacity (integer)
marq-opacity=255

# Color (integer)
marq-color=16776960

# Font size, pixels (integer)
marq-size=48

# Timeout (integer)
#marq-timeout=0

# Refresh period in ms (integer)
marq-refresh=1000

[logo] # Logo sub source

# Logo filenames (string)
#logo-file=

# X coordinate (integer)
#logo-x=-1

# Y coordinate (integer)
#logo-y=-1

# Logo individual image time in ms (integer)
#logo-delay=1000

# Logo animation # of loops (integer)
#logo-repeat=-1

# Opacity of the logo (integer)
#logo-opacity=255

# Logo position (integer)
#logo-position=-1

[audiobargraph_v] # Audio Bar Graph Video sub source

# X coordinate (integer)
#audiobargraph_v-x=0

# Y coordinate (integer)
#audiobargraph_v-y=0

# Transparency of the bargraph (integer)
#audiobargraph_v-transparency=255

# Bargraph position (integer)
#audiobargraph_v-position=-1
```

```
# Bar width in pixel (integer)
#audiobargraph_v-barWidth=10

# Bar Height in pixel (integer)
#audiobargraph_v-barHeight=400

[upnp] # Universal Plug'n'Play

# SAT>IP channel list (string)
#satip-channelist=auto

# Custom SAT>IP channel list URL (string)
#satip-channellist-url=

[sap] # Network streams (SAP)

# SAP multicast address (string)
#sap-addr=

# SAP timeout (seconds) (integer)
#sap-timeout=1800

# Try to parse the announce (boolean)
#sap-parse=1

# SAP Strict mode (boolean)
#sap-strict=0

[podcast] # Podcasts

# Podcast URLs list (string)
#podcast-urls=

[mpegvideo] # MPEG-I/II video packetizer

# Sync on Intra Frame (boolean)
#packetizer-mpegvideo-sync-iframe=0

[mux_ts] # TS muxer (libdvbpsi)

# Digital TV Standard (string)
#sout-ts-standard=dvb

# Video PID (integer)
#sout-ts-pid-video=100

# Audio PID (integer)
#sout-ts-pid-audio=200

# SPU PID (integer)
#sout-ts-pid-spu=300

# PMT PID (integer)
#sout-ts-pid-pmt=32

# TS ID (integer)
#sout-ts-tsid=0

# NET ID (integer)
#sout-ts-netid=0

# PMT Program numbers (string)
#sout-ts-program-pmt=
```

```
# Set PID to ID of ES (boolean)
#sout-ts-es-id-pid=0

# Mux PMT (requires --sout-ts-es-id-pid) (string)
#sout-ts-muxpmt=

# SDT Descriptors (requires --sout-ts-es-id-pid) (string)
#sout-ts-sdtdesc=

# Data alignment (boolean)
#sout-ts-alignment=1

# Shaping delay (ms) (integer)
#sout-ts-shaping=200

# Use keyframes (boolean)
#sout-ts-use-key-frames=0

# PCR interval (ms) (integer)
#sout-ts-pcr=70

# Minimum B (deprecated) (integer)
#sout-ts-bmin=0

# Maximum B (deprecated) (integer)
#sout-ts-bmax=0

# DTS delay (ms) (integer)
#sout-ts-dts-delay=400

# Crypt audio (boolean)
#sout-ts-crypt-audio=1

# Crypt video (boolean)
#sout-ts-crypt-video=1

# CSA Key (string)
#sout-ts-csa-ck=

# Second CSA Key (string)
#sout-ts-csa2-ck=

# CSA Key in use (string)
#sout-ts-csa-use=1

# Packet size in bytes to encrypt (integer)
#sout-ts-csa-pkt=188

[ps] # PS muxer

# DTS delay (ms) (integer)
#sout-ps-dts-delay=200

# PES maximum size (integer)
#sout-ps-pes-max-size=65500

[mux_ogg] # Ogg/OGM muxer

# Index interval (integer)
#sout-ogg-indexintvl=1000

# Index size ratio (float)
#sout-ogg-indexratio=1.000000

[mp4] # MP4/MOV muxer
```

```
# Create "Fast Start" files (boolean)
#sout-mp4-faststart=1

[avi] # AVI muxer

# Artist (string)
#sout-avi-artist=

# Date (string)
#sout-avi-date=

# Genre (string)
#sout-avi-genre=

# Copyright (string)
#sout-avi-copyright=

# Comment (string)
#sout-avi-comment=

# Name (string)
#sout-avi-name=

# Subject (string)
#sout-avi-subject=

# Encoder (string)
#sout-avi-encoder=VLC Media Player - 3.0.16 Vetinari

# Keywords (string)
#sout-avi-keywords=

[asf] # ASF muxer

# Title (string)
#sout-asf-title=

# Author (string)
#sout-asf-author=

# Copyright (string)
#sout-asf-copyright=

# Comment (string)
#sout-asf-comment=

# Rating (string)
#sout-asf-rating=

# Packet Size (integer)
#sout-asf-packet-size=4096

# Bitrate override (integer)
#sout-asf-bitrate-override=0

[rtsp] # Legacy RTSP VoD server

# MUX for RAW RTSP transport (string)
#rtsp-raw-mux=ts

# Maximum number of connections (integer)
#rtsp-throttle-users=0

# Sets the timeout option in the RTSP session string (integer)
```

```
#rtsp-session-timeout=5

[logger] # File logging

[gnutls] # GNU TLS transport layer security

# Use system trust database (boolean)
#gnutls-system-trust=1

# Trust directory (string)
#gnutls-dir-trust=

# TLS cipher priorities (string)
#gnutls-priorities=NORMAL

[audioscrobbler] # Submission of played songs to last.fm

# Username (string)
#lastfm-username=

# Password (string)
#lastfm-password=

# Scrobbler URL (string)
#scrobbler-url=post.audioscrobbler.com

[folder] # Folder meta data

# Album art filename (string)
#album-art-filename=

[lua] # Lua interpreter

# Lua interface (string)
lua-intf=timeosd

# Lua interface configuration (string)
#lua-config=

# Password (string)
#http-password=

# Source directory (string)
#http-src=

# Directory index (boolean)
#http-index=0

# TCP command input (string)
#rc-host=

# CLI input (string)
#cli-host=

# Host (string)
#telnet-host=localhost

# Port (integer)
#telnet-port=4212

# Password (string)
#telnet-password=

[file] # File logger
```

```
# Log to file (boolean)
#file-logging=0

# Log filename (string)
#logfile=

# Log format (string)
#logmode=text

# Verbosity (integer)
#log-verbose=-1

[console] # Console logger

[file] # Secrets are stored on a file without any encryption

# ? (string)
#keystore-file=

[skins2] # Skinnable Interface

# Skin to use (string)
#skins2-last=

# Config of last used skin (string)
#skins2-config=

# Systray icon (boolean)
#skins2-systray=1

# Show VLC on the taskbar (boolean)
#skins2-taskbar=1

# Enable transparency effects (boolean)
#skins2-transparency=0

# Use a skinned playlist (boolean)
#skinned-playlist=1

# Display video in a skinned window if any (boolean)
#skinned-video=1

[qt] # Qt interface

# Start in minimal view (without menus) (boolean)
#qt-minimal-view=0

# Systray icon (boolean)
#qt-system-tray=1

# Show notification popup on track change (integer)
#qt-notification=1

# Start VLC with only a systray icon (boolean)
#qt-start-minimized=0

# Pause the video playback when minimized (boolean)
#qt-pause-minimized=0

# Windows opacity between 0.1 and 1 (float)
#qt-opacity=1.000000

# Fullscreen controller opacity between 0.1 and 1 (float)
#qt-fs-opacity=0.800000

```

```
# Resize interface to the native video size (boolean)
#qt-video-autoresize=1

# Show playing item name in window title (boolean)
#qt-name-in-title=1

# Show a controller in fullscreen mode (boolean)
#qt-fs-controller=1

# Save the recently played items in the menu (boolean)
#qt-recentplay=1

# List of words separated by | to filter (string)
#qt-recentplay-filter=

# Continue playback? (integer)
#qt-continue=1

# Activate the updates availability notification (boolean)
#qt-updates-notif=1

# Number of days between two update checks (integer)
#qt-updates-days=3

# Ignore keyboard volume buttons. (boolean)
#qt-disable-volume-keys=1

# Embed the file browser in open dialog (boolean)
#qt-embedded-open=0

# Show advanced preferences over simple ones (boolean)
#qt-advanced-pref=0

# Show unimportant error and warnings dialogs (boolean)
#qt-error-dialogs=1

# Define the colors of the volume slider (string)
#qt-slider-colours=153;210;153;20;210;20;255;199;15;245;39;29

# Ask for network policy at start (boolean)
qt-privacy-ask=0

# Define which screen fullscreen goes (integer)
#qt-fullscreen-screennumber=-1

# Load extensions on startup (boolean)
#qt-autoload-extensions=1

# Display background cone or art (boolean)
#qt-bgcone=1

# Expanding background cone or art (boolean)
#qt-bgcone-expands=0

# Allow automatic icon changes (boolean)
#qt-icon-change=1

# Maximum Volume displayed (integer)
#qt-max-volume=125

# Fullscreen controller mouse sensitivity (integer)
#qt-fs-sensitivity=3

# When to raise the interface (integer)
#qt-auto-raise=1
```

```

[vc1] # VC1 video demuxer

# Frames per Second (float)
#vc1-fps=25.000000

[ts] # MPEG Transport Stream demuxer

# Digital TV Standard (string)
#ts-standard=auto

# Extra PMT (string)
#ts-extra-pmt=

# Trust in-stream PCR (boolean)
#ts-trust-pcr=1

# Set id of ES to PID (boolean)
#ts-es-id-pid=1

# CSA Key (string)
#ts-csa-ck=

# Second CSA Key (string)
#ts-csa2-ck=

# Packet size in bytes to decrypt (integer)
#ts-csa-pkt=188

# Separate sub-streams (boolean)
#ts-split-es=1

# Seek based on percent not time (boolean)
#ts-seek-percent=0

# Check packets continuity counter (boolean)
#ts-cc-check=1

# Only create ES on program sending data (boolean)
#ts-pmtfix-waitdata=1

# Try to generate PAT/PMT if missing (boolean)
#ts-patfix=1

# Try to fix too early PCR (or late DTS) (boolean)
#ts-pcr-offsetfix=1

[subtitle] # Text subtitle parser

# Frames per Second (float)
#sub-fps=0.000000

# Subtitle delay (integer)
#sub-delay=0

# Subtitle format (string)
#sub-type=auto

# Subtitle description (string)
#sub-description=

[rawvid] # Raw video demuxer

# Frames per Second (string)
#rawvid-fps=
```

```
# Width (integer)
#rawvid-width=0

# Height (integer)
#rawvid-height=0

# Force chroma (Use carefully) (string)
#rawvid-chroma=

# Aspect ratio (string)
#rawvid-aspect-ratio=

[rawdv] # DV (Digital Video) demuxer

# Hurry up (boolean)
#rawdv-hurry-up=0

[rawaud] # Raw audio demuxer

# Audio channels (integer)
#rawaud-channels=2

# Audio samplerate (Hz) (integer)
#rawaud-samplerate=48000

# FOURCC code of raw input format (string)
#rawaud-fourcc=s16l

# Forces the audio language (string)
#rawaud-lang=eng

[ps] # MPEG-PS demuxer

# Trust MPEG timestamps (boolean)
#ps-trust-timestamps=1

[playlist] # Playlist

# Skip ads (boolean)
#playlist-skip-ads=1

# Show shoutcast adult content (boolean)
#shoutcast-show-adult=0

[mp4] # MP4 stream demuxer

# M4A audio only (boolean)
#mp4-m4a-audioonly=0

[mod] # MOD demuxer (libmodplug)

# Noise reduction (boolean)
#mod-noisereduction=1

# Reverb (boolean)
#mod-reverb=0

# Reverberation level (integer)
#mod-reverb-level=0

# Reverberation delay (integer)
#mod-reverb-delay=40

# Mega bass (boolean)
```

```
#mod-megabass=0

# Mega bass level (integer)
#mod-megabass-level=0

# Mega bass cutoff (integer)
#mod-megabass-range=10

# Surround (boolean)
#mod-surround=0

# Surround level (integer)
#mod-surround-level=0

# Surround delay (ms) (integer)
#mod-surround-delay=5

[mkv] # Matroska stream demuxer

# Respect ordered chapters (boolean)
#mkv-use-ordered-chapters=1

# Chapter codecs (boolean)
#mkv-use-chapter-codec=1

# Preload MKV files in the same directory (boolean)
#mkv-preload-local-dir=1

# Seek based on percent not time (boolean)
#mkv-seek-percent=0

# Dummy Elements (boolean)
#mkv-use-dummy=0

# Preload clusters (boolean)
#mkv-preload-clusters=0

[mjpeg] # M-JPEG camera demuxer

# Frames per Second (float)
#mjpeg-fps=0.000000

[image] # Image demuxer

# ES ID (integer)
#image-id=-1

# Group (integer)
#image-group=0

# Decode (boolean)
#image-decode=1

# Forced chroma (string)
#image-chroma=

# Duration in seconds (float)
#image-duration=10.000000

# Frame rate (string)
#image-fps=10/1

# Real-time (boolean)
#image-realtime=0
```

```
[h26x] # H264 video demuxer

# Frames per Second (float)
#h264-fps=0.000000

# Frames per Second (float)
#hevc-fps=0.000000

[es] # MPEG-I/II/4 / A52 / DTS / MLP audio

# Frames per Second (float)
#es-fps=25.000000

[diracsys] # Dirac video demuxer

# Value to adjust dts by (integer)
#dirac-dts-offset=0

[demuxdump] # File dumper

# Dump module (string)
#demuxdump-access=file

# Dump filename (string)
#demuxdump-file=stream-demux.dump

# Append to existing file (boolean)
#demuxdump-append=0

[avi] # AVI demuxer

# Force interleaved method (boolean)
#avi-interleaved=0

# Force index creation (integer)
#avi-index=0

[adaptive] # Unified adaptive streaming for DASH/HLS

# Adaptive Logic (string)
#adaptive-logic=

# Maximum device width (integer)
#adaptive-maxwidth=0

# Maximum device height (integer)
#adaptive-maxheight=0

# Fixed Bandwidth in KiB/s (integer)
#adaptive-bw=250

# Use regular HTTP modules (boolean)
#adaptive-use-access=0

# Live Playback delay (ms) (integer)
#adaptive-livedelay=15000

# Max buffering (ms) (integer)
#adaptive-maxbuffer=30000

# Low latency (integer)
#adaptive-lowlatency=-1

[d3d9_filters] # Direct3D9 adjust filter
```

```
# Image contrast (0-2) (float)
#contrast=1.000000

# Image brightness (0-2) (float)
#brightness=1.000000

# Image hue (0-360) (float)
#hue=0.000000

# Image saturation (0-3) (float)
#saturation=1.000000

# Image gamma (0-10) (float)
#gamma=1.000000

# Brightness threshold (boolean)
#brightness-threshold=0

[d3d11_filters] # Direct3D11 adjust filter

# Image contrast (0-2) (float)
#contrast=1.000000

# Image brightness (0-2) (float)
#brightness=1.000000

# Image hue (0-360) (float)
#hue=0.000000

# Image saturation (0-3) (float)
#saturation=1.000000

# Image gamma (0-10) (float)
#gamma=1.000000

# Brightness threshold (boolean)
#brightness-threshold=0

[oldrc] # Remote control interface

# Show stream position (boolean)
#rc-show-pos=0

# Do not open a DOS command box interface (boolean)
#rc-quiet=0

# TCP command input (string)
#rc-host=

[ntservice] # Windows Service interface

# Install Windows Service (boolean)
#ntservice-install=0

# Uninstall Windows Service (boolean)
#ntservice-uninstall=0

# Display name of the Service (string)
#ntservice-name=VLC media player

# Configuration options (string)
#ntservice-options=

# Extra interface modules (string)
#ntservice-extraintf=
```

```
[netsync] # Network synchronization

# Network master clock (boolean)
#netsync-master=0

# Master server IP address (string)
#netsync-master-ip=

# UDP timeout (in ms) (integer)
#netsync-timeout=500

[gestures] # Mouse gestures control interface

# Motion threshold (10-100) (integer)
#gestures-threshold=30

# Trigger button (string)
#gestures-button=left

[dummy] # Dummy interface

# Do not open a DOS command box interface (boolean)
#dummy-quiet=0

[zvbi] # VBI and Teletext decoder

# Teletext page (integer)
#vbi-page=100

# Opacity (boolean)
#vbi-opaque=0

# Teletext alignment (integer)
#vbi-position=8

# Teletext text subtitles (boolean)
#vbi-text=0

# Presentation Level (integer)
#vbi-level=3

[x264] # H.264/MPEG-4 Part 10/AVC encoder (x264)

# Maximum GOP size (integer)
#sout-x264-keyint=250

# Minimum GOP size (integer)
#sout-x264-min-keyint=25

# Use recovery points to close GOPs (boolean)
#sout-x264-opengop=0

# Enable compatibility hacks for Blu-ray support (boolean)
#sout-x264-bluray-compat=0

# Extra I-frames aggressivity (integer)
#sout-x264-scenecut=40

# B-frames between I and P (integer)
#sout-x264-bframes=3

# Adaptive B-frame decision (integer)
#sout-x264-b-adapt=1
```

```
# Influence (bias) B-frames usage (integer)
#sout-x264-b-bias=0

# Keep some B-frames as references (string)
#sout-x264-bpyramid=normal

# CABAC (boolean)
#sout-x264-cabac=1

# Use fullrange instead of TV colorrange (boolean)
#sout-x264-fullrange=0

# Number of reference frames (integer)
#sout-x264-ref=3

# Skip loop filter (boolean)
#sout-x264-nf=0

# Loop filter AlphaC0 and Beta parameters alpha:beta (string)
#sout-x264-deblock=0:0

# Strength of psychovisual optimization, default is "1.0:0.0" (string)
#sout-x264-psy-rd=1.0:0.0

# Use Psy-optimizations (boolean)
#sout-x264-psy=1

# H.264 level (string)
#sout-x264-level=0

# H.264 profile (string)
#sout-x264-profile=high

# Interlaced mode (boolean)
#sout-x264-interlaced=0

# Frame packing (integer)
#sout-x264-frame-packing=-1

# Force number of slices per frame (integer)
#sout-x264-slices=0

# Limit the size of each slice in bytes (integer)
#sout-x264-slice-max-size=0

# Limit the size of each slice in macroblocks (integer)
#sout-x264-slice-max-mbs=0

# HRD-timing information (string)
#sout-x264-hrd=none

# Set QP (integer)
#sout-x264-qp=-1

# Quality-based VBR (integer)
#sout-x264-crf=23

# Min QP (integer)
#sout-x264-qpmin=10

# Max QP (integer)
#sout-x264-qpmax=51

# Max QP step (integer)
#sout-x264-qpstep=4
```

```

# Average bitrate tolerance (float)
#sout-x264-ratetol=1.000000

# Max local bitrate (integer)
#sout-x264-vbv-maxrate=0

# VBV buffer (integer)
#sout-x264-vbv-bufsize=0

# Initial VBV buffer occupancy (float)
#sout-x264-vbv-init=0.900000

# QP factor between I and P (float)
#sout-x264-ipratio=1.400000

# QP factor between P and B (float)
#sout-x264-pbratio=1.300000

# QP difference between chroma and luma (integer)
#sout-x264-chroma-qp-offset=0

# Multipass ratecontrol (integer)
#sout-x264-pass=0

# QP curve compression (float)
#sout-x264-qcomp=0.600000

# Reduce fluctuations in QP (float)
#sout-x264-cplxblur=20.000000

# Reduce fluctuations in QP (float)
#sout-x264-qblur=0.500000

# How AQ distributes bits (integer)
#sout-x264-aq-mode=1

# Strength of AQ (float)
#sout-x264-aq-strength=1.000000

# Partitions to consider (string)
#sout-x264-partitions=normal

# Direct MV prediction mode (string)
#sout-x264-direct=spatial

# Direct prediction size (integer)
#sout-x264-direct-8x8=1

# Weighted prediction for B-frames (boolean)
#sout-x264-weightb=1

# Weighted prediction for P-frames (integer)
#sout-x264-weightp=2

# Integer pixel motion estimation method (string)
#sout-x264-me=hex

# Maximum motion vector search range (integer)
#sout-x264-merange=16

# Maximum motion vector length (integer)
#sout-x264-mvrange=-1

# Minimum buffer space between threads (integer)
```

```
#sout-x264-mvrange-thread=-1

# Subpixel motion estimation and partition decision quality (integer)
#sout-x264-subme=7

# Decide references on a per partition basis (boolean)
#sout-x264-mixed-refs=1

# Chroma in motion estimation (boolean)
#sout-x264-chroma-me=1

# Adaptive spatial transform size (boolean)
#sout-x264-8x8dct=1

# Trellis RD quantization (integer)
#sout-x264-trellis=1

# Framecount to use on frametype lookahead (integer)
#sout-x264-lookahead=40

# Use Periodic Intra Refresh (boolean)
#sout-x264-intra-refresh=0

# Use mb-tree ratecontrol (boolean)
#sout-x264-mbtree=1

# Early SKIP detection on P-frames (boolean)
#sout-x264-fast-pskip=1

# Coefficient thresholding on P-frames (boolean)
#sout-x264-dct-decimate=1

# Noise reduction (integer)
#sout-x264-nr=0

# Inter luma quantization deadzone (integer)
#sout-x264-deadzone-inter=21

# Intra luma quantization deadzone (integer)
#sout-x264-deadzone-intra=11

# Non-deterministic optimizations when threaded (boolean)
#sout-x264-non-deterministic=0

# CPU optimizations (boolean)
#sout-x264-asm=1

# PSNR computation (boolean)
#sout-x264-psnr=0

# SSIM computation (boolean)
#sout-x264-ssim=0

# Quiet mode (boolean)
#sout-x264-quiet=0

# SPS and PPS id numbers (integer)
#sout-x264-sps-id=0

# Access unit delimiters (boolean)
#sout-x264-aud=0

# Statistics (boolean)
#sout-x264-verbose=0
```

```
# Filename for 2 pass stats file (string)
#sout-x264-stats=x264_2pass.log

# Default preset setting used (string)
#sout-x264-preset=

# Default tune setting used (string)
#sout-x264-tune=

# x264 advanced options (string)
#sout-x264-options=

[x26410b] # H.264/MPEG-4 Part 10/AVC encoder (x264 10-bit)

# Maximum GOP size (integer)
#sout-x26410b-keyint=250

# Minimum GOP size (integer)
#sout-x26410b-min-keyint=25

# Use recovery points to close GOPs (boolean)
#sout-x26410b-opengop=0

# Enable compatibility hacks for Blu-ray support (boolean)
#sout-x26410b-bluray-compat=0

# Extra I-frames aggressivity (integer)
#sout-x26410b-scenecut=40

# B-frames between I and P (integer)
#sout-x26410b-bframes=3

# Adaptive B-frame decision (integer)
#sout-x26410b-b-adapt=1

# Influence (bias) B-frames usage (integer)
#sout-x26410b-b-bias=0

# Keep some B-frames as references (string)
#sout-x26410b-bpyramid=normal

# CABAC (boolean)
#sout-x26410b-cabac=1

# Use fullrange instead of TV colorrange (boolean)
#sout-x26410b-fullrange=0

# Number of reference frames (integer)
#sout-x26410b-ref=3

# Skip loop filter (boolean)
#sout-x26410b-nf=0

# Loop filter AlphaC0 and Beta parameters alpha:beta (string)
#sout-x26410b-deblock=0:0

# Strength of psychovisual optimization, default is "1.0:0.0" (string)
#sout-x26410b-psy-rd=1.0:0.0

# Use Psy-optimizations (boolean)
#sout-x26410b-psy=1

# H.264 level (string)
#sout-x26410b-level=0
```

```
# H.264 profile (string)
#sout-x26410b-profile=high

# Interlaced mode (boolean)
#sout-x26410b-interlaced=0

# Frame packing (integer)
#sout-x26410b-frame-packing=-1

# Force number of slices per frame (integer)
#sout-x26410b-slices=0

# Limit the size of each slice in bytes (integer)
#sout-x26410b-slice-max-size=0

# Limit the size of each slice in macroblocks (integer)
#sout-x26410b-slice-max-mbs=0

# HRD-timing information (string)
#sout-x26410b-hrd=none

# Set QP (integer)
#sout-x26410b-qp=-1

# Quality-based VBR (integer)
#sout-x26410b-crf=23

# Min QP (integer)
#sout-x26410b-qpmin=10

# Max QP (integer)
#sout-x26410b-qpmax=51

# Max QP step (integer)
#sout-x26410b-qpstep=4

# Average bitrate tolerance (float)
#sout-x26410b-ratetol=1.000000

# Max local bitrate (integer)
#sout-x26410b-vbv-maxrate=0

# VBV buffer (integer)
#sout-x26410b-vbv-bufsize=0

# Initial VBV buffer occupancy (float)
#sout-x26410b-vbv-init=0.900000

# QP factor between I and P (float)
#sout-x26410b-ipratio=1.400000

# QP factor between P and B (float)
#sout-x26410b-pbratio=1.300000

# QP difference between chroma and luma (integer)
#sout-x26410b-chroma-qp-offset=0

# Multipass ratecontrol (integer)
#sout-x26410b-pass=0

# QP curve compression (float)
#sout-x26410b-qcomp=0.600000

# Reduce fluctuations in QP (float)
#sout-x26410b-cplxblur=20.000000
```

```
# Reduce fluctuations in QP (float)
#sout-x26410b-qblur=0.500000

# How AQ distributes bits (integer)
#sout-x26410b-aq-mode=1

# Strength of AQ (float)
#sout-x26410b-aq-strength=1.000000

# Partitions to consider (string)
#sout-x26410b-partitions=normal

# Direct MV prediction mode (string)
#sout-x26410b-direct=spatial

# Direct prediction size (integer)
#sout-x26410b-direct-8x8=1

# Weighted prediction for B-frames (boolean)
#sout-x26410b-weightb=1

# Weighted prediction for P-frames (integer)
#sout-x26410b-weightp=2

# Integer pixel motion estimation method (string)
#sout-x26410b-me=hex

# Maximum motion vector search range (integer)
#sout-x26410b-merange=16

# Maximum motion vector length (integer)
#sout-x26410b-mvrange=-1

# Minimum buffer space between threads (integer)
#sout-x26410b-mvrange-thread=-1
```

10. assistant (2026-06-06T17:32:49.071Z)

I have everything I need. The timeosd script is fully read, and the vlcrc confirms the VLC version (3.0.16 Vetinari) and that the Lua interface is configured (`lua-intf=timeosd`). Let me also verify the VLC install version and that Lua plugins are present in the install dir.

11. user (2026-06-06T17:32:52.928Z)

```
ProductVersion : 3,0,23,0
FileVersion    : 3.0.23
ProductName    : VLC media player

---lua plugin dll---

Name
----
liblua_plugin.dll
```

12. assistant (2026-06-06T17:32:58.412Z)

I have all the information needed. The user's timeosd interface script is found and fully read, VLC is confirmed installed with Lua support, and the version details are clear.

13. user (2026-06-06T17:33:27.696Z)

Structured output provided successfully

14. assistant (2026-06-06T17:33:36.927Z)

Done. The user's timeosd Lua interface was found, read, and validated.

Key findings:
- **Path**: `C:\Users\avidu\AppData\Roaming\vlc\lua\intf\timeosd.lua` (a Lua *interface*, so it runs its own ~4 Hz update loop)
- **Time read call**: `vlc.var.get(input, "time")` where `input = vlc.object.input()` ? returns **microseconds** (script divides by 1000 for ms)
- **VLC version**: running binary is **3.0.23**, though vlcrc was last written by **3.0.16 Vetinari** (both 3.0.x, same Lua API ? compatible)
- **Lua confirmed working**: `lua-intf=timeosd` is active in vlcrc, `liblua_plugin.dll` present
- **No "Annotation Setup" Lua dir** exists; standard Windows paths to use are `%APPDATA%\vlc\lua\{intf,extensions}` and `C:\Program Files\VideoLAN\VLC\lua`

One thing worth flagging for the build: the marquee `$T` time-code approach is set in vlcrc but does not expand on this build (which is exactly why the Lua interface exists) ? so don't ground new work on the marquee path.