Silitex®

High technology emulsion

ANTIFOAMS, CHEMICALS AND RAW MATERIALS FOR FOOD AND AGRICULTURAL APPLICATIONS

Silitex®

High technology emulsion

A company that grows and improves.

SILITEX is a dynamic, innovative and well-established Company. The founders, both strongly passionate about chemistry with a deep interest in chemical research and engineering, founded **SILITEX** in 1994 with the aim of developing and producing water-based polymer emulsions.

Today **SILITEX** is a modern industrial organization with two production plants and a commercial network that operates throughout the world. **SILITEX** core business is the development and manufacturing of high performance Antifoams, Chemical Additives and Surface Technologies.

SILITEX is constantly investing in its own growth: its yearly production capacity is 8K tons with the achievement of 10k tons expected in 2026: for this purpose an additional new site of over 5000 square meters was acquired to host new production plants and warehouses. **SILITEX** extensive on-site manufacturing capabilities and the High Tech Chemistry Lab are fully committed in constantly formulating innovative products based on customers' requirements, market demands and environmental standards.

Chemistry, nature and environment: our most important partners.



We strive to protect our planet: our efforts, time and resources have been invested to formulate Eco-friendly Antifoams that do as little as possible harm to the Environment



EMAS

PLANT BASED

PLANET FRIENDLY

KOSHER PRODUCTS 100%

HIA - 0100000029 هيا HIA HALAL حلال WWW.HALALINT.ORG

SISTEMI DI GESTIONE CERTIFICATI

CQY CERTIQUALITY

UNI EN ISO **9001:2015**
UNI EN ISO **14001:2015**
UNI EN ISO **45001:2023**

DIRECT FOOD CONTACT – E900
DIMETHICONE BASED ANTIFOAMS

100% CONCENTRATION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
SILIFOOD 1100 [C2429]	Compound	Simethicone	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR – EU Reg	Insoluble	Medium	Suitable for direct contact with food. It is based on food additives and it acts as a technological adjuvant. It is used in: fermentation and frying processes; production of jams, jellies and marmalades, soups and broth, non-alcoholic flavored drinks (fruit juice, syrups, energy drinks liquid or in powder), canned food, wine and beer, chewing gum; in dairy industries and confectionery (excluding chocolate).
SILIFOOD 1000 [PO340]	Compound	Simethicone	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR – EU Reg PHARMA Reg	Insoluble	High	Suitable for direct contact with food. It is based on food additives and it acts as a technological adjuvant. It is used in: fermentation and frying process; production of jams, jellies and marmalades, soups and broth, non-alcoholic flavored drinks (fruit juice, syrups, energy drinks liquid or in powder), canned food, wine and beer, chewing gum; in dairy industries and confectionery (excluding chocolate).

IN WATER EMULSION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
SILIFOOD 30 [C2194]	White Emulsion	Simethicone	33	Antifoam in water emulsion	0.05 – 0.5%	FDA – BFR EU Reg KOSHER	Soluble	Medium	Suitable for direct contact with food. It is based on food additives and it acts as a technological adjuvant. It is used in: fermentation and frying processes; production of jams, jellies and marmalades, soups and broth, non-alcoholic flavored drinks (fruit juice, cider), canned food, beer and chewing gum; in the manufacturing of pastry and bakery products and confectionery (excluding chocolate); in the dairy industries; in the bottling process; in the production of food supplements; in all manufacturing processes of fruits, vegetable, brine, fish and meat. In the agrochemical sector it is used as an additive for the preparation of the formulations. Also suitable in the paper industry for coating, production and recycling.
SILIFOOD 15 [C2426]	White Emulsion	Simethicone	15	Antifoam in water emulsion	0.05 – 0.5%	FDA – BFR EU Reg	Soluble	Low	Suitable for direct contact with food. It is based on food additives and it acts as a technological adjuvant. It is used in: fermentation and frying processes; production of jams, jellies and marmalades, soups and broth, non-alcoholic flavored drinks (fruit juice, cider), canned food, beer and chewing gum; in the manufacturing of pastry and bakery products and confectionery (excluding chocolate); in the dairy industries; in the bottling process; in the production of food supplements; in all manufacturing processes of fruits, vegetable, brine, fish and meat. In the agrochemical sector it is used as an additive for the preparation of the formulations. Also suitable in the paper industry for coating, production and recycling.
SILIFOOD 10 [C2239]	White Emulsion	Simethicone	13	Antifoam in water emulsion	0.05 – 0.5%	FDA – BFR EU Reg	Soluble	Low	Suitable for direct contact with food. It is based on food additives and it acts as a technological adjuvant. It is used in: fermentation and frying processes; production of jams, jellies and marmalades, soups and broth, non-alcoholic flavored drinks (fruit juice, cider), canned food, beer and chewing gum; in the manufacturing of pastry and bakery products and confectionery (excluding chocolate); in the dairy industries; in the bottling process; in the production of food supplements; in all manufacturing processes of fruits, vegetable, brine, fish and meat. In the agrochemical sector it is used as an additive for the preparation of the formulations. Also suitable in the paper industry for coating, production and recycling.

DIRECT FOOD CONTACT VEGETABLE BASED ANTIFOAMS

100% CONCENTRATION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
CPL 350 [B1347]	Compound	Fatty Acids of Vegetable Origin	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR EU Reg – KOSHER	Insoluble	Medium	Suitable for direct contact with food, it is used as food additive in the countries where it's allowed. It is employed in: ready cooked products; in the production of canned food; frying and bio-fermentation processes; in the production of yeast, sugar and beverages (beer); jam, marmalade and candied fruit; the washing processes of potatoes; paper production for food packaging.
FISIOREX FG [C2205]	Compound	Fatty Acids of Vegetable Origin	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR – EU Reg	Self Emulsifying	Medium	Suitable for direct contact with food, it is used as food additive in the countries where it's allowed. It is employed in: ready cooked products; the production of canned food; frying and bio-fermentation processes; in the production of yeast, sugar and beverages (beer); jam, marmalade and candied fruit; the washing processes of potatoes; paper production for food packaging.
CPL 350 E [C2493]	Compound	Fatty Acids of Vegetable Origin	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR – EU Reg	Self Emulsifying	Low	Suitable for direct contact with food, it is used as food additive in the countries where it's allowed. It is employed in: ready cooked products; the production of canned food; frying and bio-fermentation processes; in the production of yeast, sugar and beverages (beer); jam, marmalade and candied fruit; the washing processes of potatoes; paper production for food packaging.
CPL 350 ET [C2482]	Compound	Fatty Acids of Vegetable Origin	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR EU Reg – KOSHER	Self Emulsifying	High	Suitable for direct contact with food, it is used as food additive in the countries where it's allowed. It is employed in: ready cooked products; the production of canned food; frying and bio-fermentation processes; in the production of yeast, sugar and beverages (beer); jam, marmalade and candied fruit; the washing processes of potatoes; paper production for food packaging. It is used also in the manufacturing process of ice-cream.
CPL 350 ES [C2498]	Compound	Fatty Acids of Vegetable Origin	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR – EU Reg	Self Emulsifying	Medium	Suitable for direct contact with food. It is used in: bio-fermentation processes; the production of yeast and sugar; and distillation processes.

IN WATER EMULSION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
CPL 250 FOOD GRADE [C2062]	White Emulsion	Fatty Acids of Vegetable Origin	25 *	Antifoam in water emulsion	0.1 – 1%	FDA – BFR EU Reg KOSHER	Soluble	Low	Suitable for direct contact with food. It is based on food additives and it acts as a technological adjuvant. It is used in: fermentation and frying processes; production of jams, jellies and marmalades, soups and broth, non-alcoholic flavored drinks (fruit juice, cider), canned food, beer and chewing gum; pastry and bakery products and confectionery (excluding chocolate); dairy products; in the bottling process; production of food supplements; in all manufacturing processes of fruits, vegetable, brine, fish and meat. In the agrochemical sector it is used as an additive for the preparation of the formulations. Also suitable in the paper industry for coating, production and recycling.
CPL 330 ORGANIC [C2607]	White Emulsion	Fatty Acids of Vegetable Origin from Organic Farming	33	Antifoam in water emulsion	0.1 – 1%	FDA – BFR EU Reg	Soluble	Low	Suitable for direct contact with food. It is based on food additives that come from organic farming and it acts as a technological adjuvant. It is used in: fermentation and frying processes; production of jams, jellies and marmalades, soups and broth, non-alcoholic flavored drinks (fruit juice, cider), canned food, beer and chewing gum; pastry and bakery products and confectionery (excluding chocolate); dairy products; in the bottling process; production of food supplements; in all manufacturing processes of fruits, vegetable, brine, fish and meat. In the agrochemical sector it is used as an additive for the preparation of the formulations. Also suitable in the paper industry for coating, production and recycling.

*Available in different concentrations

DIRECT FOOD CONTACT GLYCOL BASED ANTIFOAMS

100% CONCENTRATION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
RIMAX 1000 FOOD [C2497]	Compound	Glycols	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR – EU Reg	Self Emulsifying	Medium	Suitable for direct contact with food. It is based on food additives and it acts as a technological adjuvant. It is used in: fermentation and frying processes; production of jams, jellies and marmalades, soups and broth, non-alcoholic flavored drinks (fruit juice, cider), canned food, beer and chewing gum; pastry and bakery products and confectionery (excluding chocolate); dairy products; in the bottling process; production of food supplements; in all manufacturing processes of fruits, vegetable, brine, fish and meat. In the agrochemical sector it is used as an additive for the preparation of the formulations. Also suitable in the paper industry for coating, production and recycling.

IN WATER EMULSION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
RIMAX 750 FOOD [C2496]	White Emulsion	Glycols	25 *	Antifoam in water emulsion	0.1 – 1%	FDA – BFR – EU Reg	Soluble	Low	Suitable for direct contact with food. It is based on food additives and it acts as a technological adjuvant. It is used in: fermentation and frying processes; production of jams, jellies and marmalades, soups and broth, non-alcoholic flavored drinks (fruit juice, cider), canned food, beer and chewing gum; pastry and bakery products and confectionery (excluding chocolate); dairy products; in the bottling process; production of food supplements; in all manufacturing processes of fruits, vegetable, brine, fish and meat. In the agrochemical sector it is used as an additive for the preparation of the formulations. Also suitable in the paper industry for coating, production and recycling.

*Available in different concentrations

INDIRECT FOOD CONTACT – E900 DIMETHICONE BASED ANTIFOAMS

100% CONCENTRATION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
STHOR 1000 [A058]	Compound	Dimethylpolysiloxane (E900)	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR	Insoluble	Medium	Suitable for indirect contact with food. It is used in: waterless system like oil; the washing processes of fruit and vegetable as long as it is rinsed or consumed without the peel; fermentation with indirect contact; P.E.T. production for food packaging.

IN WATER EMULSION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
SILIFOOD 3000 [A223]	White Emulsion	Dimethylpolysiloxane (E900)	33	Antifoam in water emulsion	0.1 – 1%	FDA – BFR	Soluble	High	Suitable for indirect contact with food. It the agrochemical sector it is used as an additive for the preparation agrochemical formulations and pesticides. Employed in the washing processes of vegetables and fruit; washing processes of bottles; agricultural applications; P.E.T. production for food packaging. Also suitable in the paper industry for coating and recycling.
SILIFOOD 3000 L [C2485]	White Emulsion	Dimethylpolysiloxane (E900)	33	Antifoam in water emulsion	0.1 – 1%	FDA – BFR	Soluble	Low	Suitable for indirect contact with food. It the agrochemical sector it is used as an additive for the preparation agrochemical formulations and pesticides. Employed in the washing processes of vegetables and fruit; washing processes of bottles; agricultural applications; P.E.T. production for food packaging. Also suitable in the paper industry for coating and recycling.
SILIFOOD 2000 [C1855]	White Emulsion	Dimethylpolysiloxane (E900)	20	Antifoam in water emulsion	0.1 – 1%	FDA – BFR	Soluble	Medium	Suitable for indirect contact with food. It the agrochemical sector it is used as an additive for the preparation agrochemical formulations and pesticides. Employed in the washing processes of vegetables and fruit; washing processes of bottles; agricultural applications; P.E.T. production for food packaging. Also suitable in the paper industry for coating and recycling.
SILIFOOD 1600 [C030]	White Emulsion	Dimethylpolysiloxane (E900)	16	Antifoam in water emulsion	0.1 – 1%	FDA – BFR	Soluble	High	Suitable for indirect contact with food. It the agrochemical sector it is used as an additive for the preparation agrochemical formulations and pesticides. Employed in the washing processes of vegetables and fruit; washing processes of bottles; agricultural applications; P.E.T. production for food packaging. Also suitable in the paper industry for coating and recycling.

INDIRECT FOOD CONTACT VEGETABLE BASED ANTIFOAMS

100% CONCENTRATION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
CPL 350 E [B359]	Compound	Fatty Acids of Vegetable Origin	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR	Self Emulsifying	Medium	Suitable for indirect contact with food. It is used in: washing processes of vegetable and potatoes as long as it is rinsed or consumed without the peel; manufacture of food related packaging; manufacture of products from fermentation reactions. Not compatible with filter membranes.
FISIOREX FDA [B2092]	Compound	Fatty Acids of Vegetable Origin	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR	Self Emulsifying	Medium	Suitable for indirect contact with food. It is used in: washing processes of vegetable and potatoes as long as it is rinsed or consumed without the peel; manufacture of food related packaging; manufacture of products from fermentation reactions. Compatible with filter membranes.
CPL 350 ET [B2020]	Compound	Fatty Acids of Vegetable Origin	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR KOSHER	Self Emulsifying	Low	Suitable for indirect contact with food. It is used in: washing processes of vegetable and potatoes as long as it is rinsed or consumed without the peel; manufacture of food related packaging; manufacture of products from fermentation reactions. Compatible with filter membranes.

IN WATER EMULSION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
CPL 250 [C1769]	White Emulsion	Fatty Acids of Vegetable Origin	25 *	Antifoam in water emulsion	0.1 – 1%	FDA – BFR	Soluble	Medium	Suitable for indirect contact with food. It the agrochemical sector it is used as an additive for the preparation of the formulations and pesticides. Employed in: manufacture of food related packaging; washing processes of vegetables and fruit; washing processes of bottles; agricultural applications; P.E.T. production for food packaging. Also suitable in the paper industry for coating and recycling.

INDIRECT FOOD CONTACT GLYCOL BASED ANTIFOAMS

100% CONCENTRATION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
CPL 3030 [PO538]	Compound	Glycols	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR	Insoluble	High	Suitable for indirect contact with food. It is used in washing processes of potatoes as long as it is rinsed or consumed without the peel and in the manufacture of product from fermentation reactions.

IN WATER EMULSION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
RIMAX 750 F [B241]	White Emulsion	Glycols	25 *	Antifoam in water emulsion	0.1 – 1%	FDA – BFR	Soluble	Medium	Suitable for indirect contact with food. It the agrochemical sector it is used as an additive for the preparation of the formulations and pesticides. Employed in: manufacture of food related packaging; washing processes of vegetables and fruit; washing processes of bottles; agricultural applications; P.E.T. production for food packaging. Also suitable in the paper industry for coating and recycling.

*Available in different concentrations

INDIRECT FOOD CONTACT ALCOHOL BASED ANTIFOAMS

100% CONCENTRATION

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
CPL 2907 [PO497]	Compound	EO/PO Alcohols	100	Anhydrous Antifoam	0.1 – 1%	FDA – BFR	Self Emulsifying	Medium	Suitable for indirect contact with food. It is used in washing processes of potatoes as long as it is rinsed or consumed without the peel; in the manufacture of products that come from fermentation reactions and in the treatment of the water resulting from food processes. It is also used in the manufacture of food related packaging.

ANTIFOAMS IN POWDER FOR DIRECT FOOD CONTACT

PRODUCT	ASPECT	ACTIVE MATERIAL	%	CARRIER	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	APPLICATION
POLIVEG [PV2729]	White Powder	Fatty Acids of Vegetable Origin	20	PREGELATINIZED CORN STARCH	Antifoam in Powder	0.1 – 1%	FDA – BFR – EU Reg	Soluble	Suitable for direct contact with food. It is employed in the production of fruit-based liquid drinks, liquid food supplements, non-alcoholic and carbonated drinks; in the manufacture of powder products such as food supplements, coffee, powder milk. It is used also in the production of protein powders and starches.
POLIFOOD 1500 S [PV2728]	White Powder	Dimethylpolysiloxane (E900)	15	PREGELATINIZED CORN STARCH	Antifoam in Powder	0.1 – 1%	FDA – BFR – EU Reg	Soluble	Suitable for direct contact with food. It is employed in the production of fruit-based liquid drinks, liquid food supplements, non-alcoholic and carbonated drinks; in the manufacture of powder products such as food supplements, coffee, powder milk. It is used also in the production of protein powders and starches.

RELEASE AGENTS - SLIDING AGENTS LUBRICANTS FOR DIRECT CONTACT WITH FOOD

SILICONE BASED

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
ALIFOOD 35 [C2494]	White Emulsion	Dimethylpolysiloxane (E900)	35 *	Release agent - sliding agent lubricant in water emulsion	It is used as it is or diluted in water	FDA – BFR – EU Reg	Soluble	Low	Suitable for direct contact with food. Used like release agent for baking and bread products and as a lubricant for machinery. Also used to polish foods and hard surfaces in direct contact with food.

VEGETABLE BASED

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
ALISOL 35 [C2495]	White Emulsion	Fatty Acids of Vegetable Origin	35 *	Release agent - sliding agent lubricant in water emulsion	It is used as it is or diluted in water	FDA – BFR – EU Reg	Soluble	Low	Suitable for direct contact with food. Used like release agent for baking and bread products and as a lubricant for machinery. Also used to polish foods and hard surfaces in direct contact with food.

*Available in different concentrations

RELEASE AGENTS - SLIDING AGENTS LUBRICANTS FOR INDIRECT CONTACT WITH FOOD

SILICONE BASED

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
ALISIL 35 [C1589]	White Emulsion	Dimethylpolysiloxane (E900)	35 *	Release agent - sliding agent lubricant in water emulsion	It is used as it is or diluted in water	FDA – BFR	Soluble	High	Suitable for indirect contact with food. Used like release and lubricant agent for processing and as a lubricant for machinery.

VEGETABLE BASED

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
ALIVEG 35 [E1942]	White Emulsion	Fatty Acids of Vegetable Origin	35 *	Release agent - sliding agent lubricant in water emulsion	It is used as it is or diluted in water	FDA – BFR	Soluble	Medium	Suitable for indirect contact with food. Used like release and lubricant agent for processing and as a lubricant for machinery.

*Available in different concentrations

RELEASE AGENTS - SLIDING AGENTS LUBRICANTS FOR DIRECT & INDIRECT CONTACT WITH FOOD

SYNTHETIC BASED

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
LUBROWHITE 2000 [PO234]	Compound	Pharmaceutical White Mineral Oil	100	Release agent - sliding agent lubricant in water emulsion	It is used as it is or diluted in water	FDA 172.878 and FDA 178.3620. The product complies with European Regulation 2011/10/CE-Food Chemical Codex-MOCA (Reg. (CE) 1935/2004)	Insoluble	Low	Suitable for direct/indirect contact with food. Used like release and lubricant agent for processing and as a lubricant for machinery.

SILICONE FLUIDS - PHARMA GRADE

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
SILICONE FLUID 1000 PHARMA [PO060]	Anhydrous Fluid	Dimethylpolysiloxane (E900) PHARMA GRADE	100	Silicone fluids, linear chain, polydimethylsiloxane (PDMS)	0.1 – 1%	The product meets the purity requirements of the monograph “Dimethicone” in the current version of the European and US Pharmacopoeia	Insoluble	1000 cSt	It is used in pharmaceutical industry like a release, lubricant and antistatic agent; in the production of paper intended for contact with drugs; in the production of cellophane as an anti-adhesive in the pharmaceutical sector and like an antifoam in the manufacture of drugs.
SILICONE FLUID 350 PHARMA [PO016]	Anhydrous Fluid	Dimethylpolysiloxane (E900) PHARMA GRADE	100	Silicone fluids, linear chain, polydimethylsiloxane (PDMS)	0.1 – 1%	The product meets the purity requirements of the monograph “Dimethicone” in the current version of the European and US Pharmacopoeia	Insoluble	350 cSt	It is used in pharmaceutical industry like a release, lubricant and antistatic agent; in the production of paper intended for contact with drugs; in the production of cellophane as an anti-adhesive in the pharmaceutical sector and like an antifoam in the manufacture of drugs.

SILICONE FLUIDS - FOOD GRADE

PRODUCT	ASPECT	ACTIVE MATERIAL	%	DESCRIPTION	DOSAGES	COMPLIANT TO	SOLUBILITY IN WATER	VISCOSITY	APPLICATION
SILICONE FLUID 5000 FOOD GRADE [PO017]	Anhydrous Fluid	Dimethylpolysiloxane (E900)	100	Silicone fluids, linear chain, polydimethylsiloxane (PDMS)	0.1 – 1%	FDA – BFR – EU Reg	Insoluble	5000 cSt	It is used in food industry as a release, lubricant and antistatic agent; it is used in the production of paper intended for food contact; in the production of cellophane; it is used also as an anti-adhesive and as an antifoam in frying process and in the manufacture of frying oil.
SILICONE FLUID 1000 FOOD GRADE [PO060]	Anhydrous Fluid	Dimethylpolysiloxane (E900)	100	Silicone fluids, linear chain, polydimethylsiloxane (PDMS)	0.1 – 1%	FDA – BFR – EU Reg	Insoluble	1000 cSt	It is used in food industry as a release, lubricant and antistatic agent; it is used in the production of paper intended for food contact; in the production of cellophane; it is used also as an anti-adhesive and as an antifoam in frying process and in the manufacture of frying oil.
SILICONE FLUID 350 FOOD GRADE [PO016]	Anhydrous Fluid	Dimethylpolysiloxane (E900)	100	Silicone fluids, linear chain, polydimethylsiloxane (PDMS)	0.1 – 1%	FDA – BFR – EU Reg	Insoluble	350 cSt	It is used in food industry as a release, lubricant and antistatic agent; it is used in the production of paper intended for food contact; in the production of cellophane; it is used also as an anti-adhesive and as an antifoam in frying process and in the manufacture of frying oil.
SILICONE FLUID 100 FOOD GRADE [PO019]	Anhydrous Fluid	Dimethylpolysiloxane (E900)	100	Silicone fluids, linear chain, polydimethylsiloxane (PDMS)	0.1 – 1%	FDA – BFR – EU Reg	Insoluble	100 cSt	It is used in food industry as a release, lubricant and antistatic agent; it is used in the production of paper intended for food contact; in the production of cellophane; it is used also as an anti-adhesive and as an antifoam in frying process and in the manufacture of frying oil.
SILICONE FLUID 50 FOOD GRADE [PO061]	Anhydrous Fluid	Dimethylpolysiloxane (E900)	100	Silicone fluids, linear chain, polydimethylsiloxane (PDMS)	0.1 – 1%	FDA – BFR – EU Reg	Insoluble	50 cSt	It is used in food industry as a release, lubricant and antistatic agent; it is used in the production of paper intended for food contact; in the production of cellophane; it is used also as an anti-adhesive and as an antifoam in frying process and in the manufacture of frying oil.

Silitex®
High technology emulsion

Ed. 01/2026

Viale Industria, 34
37044 Cologna Veneta (VR) Italy
Tel. (+39) 0442 411561
Fax (+39) 0442 411562
international@silitex.it
www.silitex.it