









GRANITE MANUFACTURED PRODUCTS BY CAMPOLONGHI GROUP



Environmental Product Declaration in accordance with ISO 14025:2006 and EN 15804+A2:2019



Programme: The International EPD® System www.environdec.com

Programme Operator: EPD® International AB Box 210 60, SE-100 31 Stockholm, Sweden EPD Registration Number S-P-04298

Date of publication 2021-07-13

Date of validity 2026-07-06



SUMMARY

GENERAL INFORMATIONS	3
TECHNIQUE, POWER, PASSION	4
PRODUCT DESCRIPTION AND CPC CODE	5
COMPANY PROFILE	6
CAMPOLONGHI GROUP	7
LET YOUR SENSES GUIDE YOU, CHOOSE THE BEAUTY	10
TO UNDERSTAND FULLY YOUR TECHNICAL, AESTHETIC AND DESIGN REQUIREMENTS	11
STUDY - System boundaries	12
ENVIRONMENTAL PERFORMANCE	16
• Production (A1-A3)	16
• End of life (Scenario 1)	19
• End of life (Scenario 2)	22
ACRONYMS	25
VERIFICATION AND REGISTRATION	26
REFERENCE	27







PRODUCT CATEGORY RULES (PCR)	→	2019:14 Version 1.11-CONSTRUCTION PRODUCTS (INTERNATIONAL EPD® System).
EPD made by	→	S4 S.r.l.
Web site	→	www.campolonghi.it
Third party verifier	→	DNV GL BUSINESS ASSURANCE ITALIA S.r.l.
UN CPC CODE	→	15130 "Granite, sandstone and other monumental or building stone".
Geographical scope	→	INTERNATIONAL (European for End of Life scenarios).
Product description	→	Artifacts in granite and ornamental stones in various processes and thicknesses.
Applications	→	The products covered by the study are intended for indoor and outdoor flooring or cladding, for the construction of architectural works and building constructions.
SCOPE OF APPLICATION OF THE LCA		The LCA analysis was conducted according to the ISO 14025, ISO 14040, ISO 4044 and EN 15804 standards. Both specific data from the production process and data

from the Ecoinvent 3.6 database were used.

The methods defined in the EN 15804 2012+ A2: 2019 standard were used as calculation and assessment methods for the impacts.

The LCA study covers the:

- production phases of raw materials and energy;
- transport of materials;
- production at company sites;
- end of life of the material.

The declared unit is 1m² of artifact in various thicknesses.






TECHNIQUE, POWER, PASSION

Since 1960 Campolonghi has combined skill and tradition with the latest machinery, to become the point of reference on the international market of quality stone products.









PRODUCT DESCRIPTION AND CPC CODE

PRODUCT

Marble and ornamental stone slabs in various processes and thicknesses for architectural works and building constructions.

CPC CODE

151- MONUMENTAL AND BUILDING STONES

COMPARABILITY

EPD of building materials may not be comparable except in accordance with EN 15804 + A2: 2019 standard.

YEAR OF STUDY

The data used refer to the calendar year 2019. Study carried out in the year 2021.

DECLARED UNIT

 1 m^2 of granite and ornamental stone slabs in thicknesses from 2 to 5 cm for interior and exterior flooring and cladding.

CAMPOLONGHI ITALIA S.p.A.

Via Aurelia Sud, 97 54038 MONTIGNOSO (MS), ITALIA

+39 0585 827011

+39 0585 827000


info@campolonghi.it

www.campolonghi.it



GRANITE

SHEET THICKNESS		20 mm	30 mm	40 mm	50 mm
Biogenic carbon in the product	kg/m2	0	0	0	0
Biogenic carbon in packaging	kg/m2	2.164	3.246	4.329	5.411



DECLARED UNIT from 2 cm to 5 cm


1 m² of granite slabs and ornamental stones in thicknesses from 2 to 5 cm for flooring and internal and external coatings



COMPANY PROFILE

The craftsmanship is combined with refined technology, tradition and wisdom, expressions of a region that over the centuries has been synonymous with the culture of marble, transforming itself into a living structure that can compete and dominate the international market. This is the essence of Campolonghi Group, a worldwide leader of high quality stone products with buildings using their products erected all over the globe.








CAMPOLONGHI ITALIA

CAMPOLONGHI GROUP

Headquartered in Montignoso, Tuscany, Campolonghi also has three other locations in Italy and an office in England. We own two quarries, La Facciata and Sponda, both located in the Torano basin, from which we extract the precious white Carrara marble. Campolonghi is one of the most important suppliers of marble and natural stone operating on the European market.

It is a partner of the world's leading design and architecture firms. It also has special relationships with the major suppliers of marble and natural stone on the market.







LET YOUR SENSES GUIDE YOU, CHOOSE THE BEAUTY

Precious materials suitable for any type of work or project, which make Campolonghi one of the most important names among the world suppliers of quality stone products.


Providing work carried out at the highest quality is the prerogative and pride of the Campolonghi Group.

Since the company was founded in 1960, Campolonghi has invested in the enhancement of quarries, exclusive materials and new production technologies, becoming today the reference point in the international market for quality stone products.










UNDERSTAND FULLY YOUR TECHNICAL, AESTHETIC AND DESIGN REQUIREMENTS

The materials can be inspected, giving you the opportunity to touch them with your hand and to personally evaluate their quality.

We are able to carry out every single project to perfection, providing all the experience and professionalism of those who, dfor over fifty years, have been supplying only high quality marble and natural stones, occupying a prominent place on the international scene.

We guarantee you **design support, technical evaluations and commercial advice**, in order to establish profitable long-term relationships.






STUDY System boundaries

This EPD is of the "cradle to gate with options" type and includes the mandatory modules A1 (Raw materials), A2 (Transport), A3 (Manufacturing) and the modules C1 (Deconstruction/ Demolition), C2 (Transport to waste processing), C3 (Waste processing), C4 (Disposal) and D (Reuse/Recovery/Recycling potential) in compliance with the requirements of the EN 15804:2012 + A2:2019 standard.







ENVIRONMENTAL PRODUCT DECLARATION






UPSTREAM

A1/A2

QUARRY OPERATIONS AND RAW MATERIAL **TRANSPORT**



CORE

A3

In this phase blocks are sawn, by diamond wire, in slabs of different thickness.

SAWING OF

BLOCKS



Slabs are finished superficially through process of sanding, polishing, flaming, water jet, etc.


SURFACE

PROCESS



Slabs are shaped and finished to the size requested by the final customer.

CUT TO SIZE



PACKAGING

Finished product, in various sizes and thicknesses, is packed, ready to be shipped to the final customer.

DOWNSTREAM

C1/C2/C3/C4/D







END OF LIFE

When a granite slab reaches its end of life it can undergo reuse, recycling or disposal.



System boundaries

Table 1- Modules included in the LCA

	Pı	roduct sta	ge	Cor	nstruc cess s	tion tage			Use	stage			End-of-life stage			Resource recovery stage	
	Raw material supply	Transport of raw materials	Manufacturing	Transport to customer	Installation	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	Decostruction/Demolition	Transport to waste processing	Waste processing	Disposal	Reuse/Recovery/Recycling potential
Module	A1	A2	А3	A 4	A5	B1	B2	В3	B4	B5	В6	В7	C1	C2	C3	C4	D
Declared Module	X	X	X	INA	INA	INA	INA	INA	INA	INA	INA	INA	X	X	X	X	X
Geography	GLO	GLO	ı	-	-	-	-	-	-	-	-	-	EU	EU	EU	EU	GLO
Specific data	>90%	>90%	>90%	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Variation products	Not applicable	Not applicable	Not applicable	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Variation sites	Not applicable	Not applicable	Not applicable	-	-	-	-	-	-	-	-	-	-	-	-	-	

X = included in the analysis

INA = Indicator Not Assessed



End of Life Scenario (C1-C2-C3-C4)

When a granite product reaches its end of life it can undergo reuse, recycling or disposal.

Two scenarios are assumed:

SCENARIO 1 - 100% Recovery (C1+C2+C3+D) SCENARIO 2 - 100% Disposal (C1+C2+C4+D)

The RSL (Reference Service Life), given the nature of the product and its intended use, is estimated to be equal to the lifetime of the installation building, equal to 50 years.

Cut-off


The environmental impacts related to personnel, infrastructures, production of materials not directly consumed in the production process were not included in the study. All process inputs and outputs for which data is available have been included in the calculation. Less than 1% of the total inputs/outputs of the system were subject to cut off.

Allocation rules

The allocation rules used, in accordance with the provisions of EN 15804 standard, are specific for each material, and the criterion used is the one identified as the most relevant to the type of processing performed.

Allocation criteria used were:

- allocation by processed surface (sawing processes, surface treatment, cutting);
- allocation by mass (transport, internal handling, packaging).





Production (A1-A3) Environmental impact of 1m² of Campolonghi granite slab - 2 to 5cm thick.



INDICATORS EN15804+A2		Granite 2cm	Granite 3cm	Granite 4cm	Granite 5cm
Impact category	Reference Unit	A1 - A3	A1 - A3	A1 - A3	A1 - A3
ADP (fossil)	MJ	6.85E+02	7.83E+02	8.95E+02	9.88E+02
ADP (minerals and metals)	kg Sb eq	1.50E-04	1.70E-04	2.00E-04	2.10E-04
AP	mol H+ eq	4.31E-01	5.12E-01	5.64E-01	6.72E-01
EP Freshwater	kg P eq	7.89E-03	8.47E-03	9.70E-03	9.82E-03
EP Marine	kg N eq	1.73E-01	1.98E-01	2.12E-01	2.46E-01
EP Terrestrial	mol N eq	9.22E+00	9.49E+00	9.63E+00	1.00E+01
GWP Biogenic	kg CO2 eq	-1.14E+01	-1.75E+01	-2.36E+01	-2.98E+01
GWP Fossil	kg CO2 eq	5.07E+01	5.75E+01	6.58E+01	7.20E+01
GWP Luluc	kg CO2 eq	1.72E-02	2.21E-02	2.63E-02	3.17E-02
GWP Total	kg CO2 eq	3.93E+01	4.00E+01	4.22E+01	4.22E+01
ODP	kg CFC11 eq	8.22E-06	9.61E-06	1.10E-05	1.25E-05
POCP	kg NMVOC eq	2.44E-01	3.18E-01	3.63E-01	4.65E-01
WDP	m³ depriv.	2.10E+01	2.43E+01	2.66E+01	3.10E+01





Production (A1-A3) Environmental impact of 1m² of Campolonghi granite slab - 2 to 5cm thick.

RESOURCE CONSUMPTION		Granite 2cm	Granite 3cm	Granite 4cm	Granite 5cm
Impact category	Reference Unit	A1 - A3	A1 - A3	A1 - A3	A1 - A3
PERT	MJ	2.50E+02	3.54E+02	4.63E+02	5.65E+02
PERM	MJ	7.36E+01	1.10E+02	1.47E+02	1.84E+02
PERE	MJ	1.76E+02	2.44E+02	3.16E+02	3.81E+02
PENRT	MJ	7.54E+02	8.55E+02	9.78E+02	1.07E+03
PENRM	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRE	MJ	7.54E+02	8.55E+02	9.78E+02	1.07E+03
SM	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FWT	m³	3.41E-01	4.07E-01	4.37E-01	5.33E-01





ENVIRONMENTAL PRODUCT DECLARATION



Production (A1-A3) Environmental impact of 1m² of Campolonghi granite slab - 2 to 5cm thick.

WASTE PRODUCTION		Granite 2cm	Granite 3cm	Granite 4cm	Granite 5cm
Impact category	Reference Unit	A1 - A3	A1 - A3	A1 - A3	A1 - A3
HWD	kg	1.43E-03	1.65E-03	1.89E-03	2.10E-03
NHWD	kg	7.09E+01	8.69E+01	9.69E+01	1.18E+02
RWD	kg	2.49E-03	3.10E-03	3.54E-03	4.30E-03
CRU	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EE	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ADDITIONAL INDICATORS		Granite 2cm	Granite 3cm	Granite 4cm	Granite 5cm
Impact category	Reference Unit	A1 - A3	A1 - A3	A1 - A3	A1 - A3
GWP-GHG	kg CO2 eq	4.98E+01	5.66E+01	6.47E+01	7.09E+01





16



End of life (Scenario 1) Environmental impacts of the end of life for 1m² of Campolonghi granite slabs - 1cm thick. The impacts of the end of life phase are dependent on the mass of the product, to find the impacts related to the other products included in the declaration it is necessary to multiply the values by the thickness in centimeters of the desired product.

INDICATORS EN15804+A2

www.environdec.com

Impact category	Reference Unit	C1	C2	C3	C4	D
ADP (fossil)	MJ	5.11E-01	1.93E+00	3.67E-01	0.00E+00	-2.59E+00
ADP (minerals and metals)	kg Sb eq	1.52E-08	2.92E-07	8.99E-08	0.00E+00	-2.13E-06
AP	mol H+ eq	1.66E-04	8.66E-04	3.97E-04	0.00E+00	-1.44E-03
EP Freshwater	kg P eq	1.14E-06	8.13E-06	2.26E-05	0.00E+00	-1.33E-04
EP Marine	kg N eq	6.15E-05	3.44E-04	1.94E-04	0.00E+00	-3.42E-04
EP Terrestrial	mol N eq	6.74E-04	3.75E-03	1.85E-03	0.00E+00	-4.13E-03
GWP Biogenic	kg CO2 eq	2.96E-05	2.61E-04	3.97E+00	0.00E+00	-4.13E-03
GWP Fossil	kg CO2 eq	3.78E-02	1.25E-01	4.13E-02	0.00E+00	-2.30E-01
GWP Luluc	kg CO2 eq	2.97E-06	3.46E-05	2.27E-05	0.00E+00	-2.96E-04
GWP Total	kg CO2 eq	3.79E-02	1.26E-01	4.01E+00	0.00E+00	-2.34E-01
ODP	kg CFC11 eq	8.08E-09	2.97E-08	2.68E-09	0.00E+00	-1.83E-08
POCP	kg NMVOC eq	1.93E-04	1.06E-03	4.58E-04	0.00E+00	-1.04E-03
WDP	m³ depriv.	1.17E-03	9.20E-03	-1.40E-02	0.00E+00	-4.39E-01





End of life (Scenario 1) Environmental impacts of the end of life for 1m² of Campolonghi granite slabs - 1cm thick. The impacts of the end of life phase are dependent on the mass of the product, to find the impacts related to the other products included in the declaration it is necessary to multiply the values by the thickness in centimeters of the desired product.

RESOURCE CONSUMPTION						
Impact category	Reference Unit	C1	C2	C3	C4	D
PERT	MJ	2.62E-03	2.34E-02	3.30E-02	0.00E+00	-2.97E-01
PERM	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERE	MJ	2.62E-03	2.34E-02	3.30E-02	0.00E+00	-2.97E-01
PENRT	MJ	5.15E-01	1.97E+00	4.51E-01	0.00E+00	-3.37E+00
PENRM	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRE	MJ	5.15E-01	1.97E+00	4.51E-01	0.00E+00	-3.37E+00
SM	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FWT	m^3	2.60E-06	5.24E-05	-3.85E-03	0.00E+00	-4.83E-04







End of life (Scenario 1) Environmental impacts of the end of life for 1m² of Campolonghi granite slabs - 1cm thick. The impacts of the end of life phase are dependent on the mass of the product, to find the impacts related to the other products included in the declaration it is necessary to multiply the values by the thickness in centimeters of the desired product.

WASTE PRODUCTION

Impact category	Reference Unit	C1	C2	C3	C4	D
HWD	kg	1.39E-06	4.76E-06	6.77E-07	0.00E+00	-6.40E-06
NHWD	kg	2.41E-02	2.61E-01	6.57E-02	0.00E+00	-1.91E-01
RWD	kg	3.58E-06	1.35E-05	1.74E-06	0.00E+00	-1.73E-05
CRU	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	kg	0.00E+00	0.00E+00	2.75E+01	0.00E+00	0.00E+00
MER	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EE	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ADDITIONAL INDICATORS

Impact category	Reference Unit	C1	C2	C3	C4	D
GWP-GHG	kg CO2 eq	3.75E-02	1.24E-01	3.96E-02	0.00E+00	-2.24E-01





End of life (Scenario 2) Environmental impacts of the end of life for 1m² of Campolonghi granite slab - 1cm thick. The impacts of the end of life phase are dependent on the mass of the product, to find the impacts related to the other products included in the declaration it is necessary to multiply the values by the thickness in centimeters of the desired product.

INDICATORS EN15804+A2

Impact category	Reference Unit	C1	C2	C3	C4	D
ADP (fossil)	MJ	5.11E-01	1.93E+00	0.00E+00	4.27E+00	0.00E+00
ADP (minerals and metals)	kg Sb eq	1.52E-08	2.92E-07	0.00E+00	3.90E-07	0.00E+00
AP	mol H+ eq	1.66E-04	8.66E-04	0.00E+00	1.72E-03	0.00E+00
EP Freshwater	kg P eq	1.14E-06	8.13E-06	0.00E+00	2.80E-05	0.00E+00
EP Marine	kg N eq	6.15E-05	3.44E-04	0.00E+00	6.62E-04	0.00E+00
EP Terrestrial	mol N eq	6.74E-04	3.75E-03	0.00E+00	6.88E-03	0.00E+00
GWP Biogenic	kg CO2 eq	2.96E-05	2.61E-04	0.00E+00	3.97E-04	0.00E+00
GWP Fossil	kg CO2 eq	3.78E-02	1.25E-01	0.00E+00	1.77E-01	0.00E+00
GWP Luluc	kg CO2 eq	2.97E-06	3.46E-05	0.00E+00	4.48E-05	0.00E+00
GWP Total	kg CO2 eq	3.79E-02	1.26E-01	0.00E+00	4.15E-00	0.00E+00
ODP	kg CFC11 eq	8.08E-09	2.97E-08	0.00E+00	6.17E-08	0.00E+00
POCP	kg NMVOC eq	1.93E-04	1.06E-03	0.00E+00	1.95E-03	0.00E+00
WDP	m³ depriv.	1.17E-03	9.20E-03	0.00E+00	1.66E-01	0.00E+00





End of life (Scenario 2) Environmental impacts of the end of life for 1m² of Campolonghi granite slab - 1cm thick. The impacts of the end of life phase are dependent on the mass of the product, to find the impacts related to the other products included in the declaration it is necessary to multiply the values by the thickness in centimeters of the desired product.

RESOURCE CONSUMPTION

Impact category	Reference Unit	C1	C2	C3	C4	D
PERT	MJ	2.62E-03	2.34E-02	0.00E+00	3.82E-02	0.00E+00
PERM	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PERE	MJ	2.62E-03	2.34E-02	0.00E+00	3.82E-02	0.00E+00
PENRT	MJ	5.15E-01	1.97E+00	0.00E+00	4.32E+00	0.00E+00
PENRM	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
PENRE	MJ	5.15E-01	1.97E+00	0.00E+00	4.32E+00	0.00E+00
SM	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
RSF	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
NRSF	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
FWT	m³	2.60E-06	5.24E-05	0.00E+00	2.53E-04	0.00E+00





21



End of life (Scenario 2) Environmental impacts of the end of life for 1m² of Campolonghi granite slab - 1cm thick. The impacts of the end of life phase are dependent on the mass of the product, to find the impacts related to the other products included in the declaration it is necessary to multiply the values by the thickness in centimeters of the desired product.

WASTE PRODUCTION

Impact category	Reference Unit	C1	C2	C3	C4	D
HWD	kg	1.39E-06	4.76E-06	0.00E+00	6.56E-06	0.00E+00
NHWD	kg	2.41E-02	2.61E-01	0.00E+00	2.77E+01	0.00E+00
RWD	kg	3.58E-06	1.35E-05	0.00E+00	2.71E-05	0.00E+00
CRU	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MFR	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
MER	kg	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
EE	MJ	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

ADDITIONAL INDICATORS

Impact category	Reference Unit	C1	C2	C3	C4	D
GWP-GHG	kg CO2 eq	3.75E-02	1.24E-01	0.00E+00	1.73E-01	0.00E+00





Acronyms

Environmental impacts:

ADP = Abiotic Depletion Potential (elements)

AP = Acidification Potential

EP* = Eutrophication Potential

[*The eutrophication potential (EP) is expressed in kg of P eq. To find the corrisponding value in PO4 eq multiply by the conversion factor 3.07]

GWP = Global Warming Potential

ODP = Ozone Depletion Potential

POCP = Photochemical Ozone Creation Potential

WDP = Water Deprivation Potential

Resource consumption:

PERT = Total use of renewable primary energy resources

PERM = Use of renewable primary energy resources used as raw materials

PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials

PENRT = Total use of non-renewable primary energy resources

PENRM = Use of non-renewable primary energy resources used as raw materials

PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials

SM = Use of secondary material

RSF = Use of renewable secondary fuels

NRSF = Use of non-renewable secondary fuels

FWT = Total use of net fresh water

Waste production:

HWD = Hazardous waste disposed

NHWD = Non-hazardous waste disposed

RWD = Radioactive waste disposed

 $\mathsf{CRU} = \mathsf{Components} \ \mathsf{for} \ \mathsf{reuse}$

MFR = Materials for recycling

MER = Materials for energy recovery

EE = Exported energy



23



VERIFICATION AND REGISTRATION

EPD of construction products may not be comparable if they do not comply with EN 15804:2012+A2:2019. Environmental Product Declaration within the same product category from different programs may not be comparable.

CEN standard EN15804 served as the core PCR

PCR		INTERNATIONAL EPD® System - PCR 2019:14 CONSTRUCTION PRODUCTS Version 1.11
PCR review was conducted by	———	The Technical Commitee of the International EPD® System. See www.environdec.com/TC for a list of members. Review chair: Claudia A. Peña, University of Concepción, Chile
Independent verification of the declaration and data, according to ISO 14025:2006		EPD Process Certification (Internal) EPD Verification (external)
Third party verifier		DNV GL BUSINESS ASSURANCE ITALIA S.r.I.
Accredited or approved by		Accredia

EPD is a voluntary certification scheme; a document that provides detailed information - objective and comparable - on the environmental impact of products or services, considering important variables such as: energy consumption and raw materials, atmospheric emissions, waste production and discharges into water. EPD, included among the community environmental policies, allows to obtain a voluntary international certification, useful for certifying the environmental performance of the goods being analyzed.





Reference

AIB - Association of Issuing Bodies (2020)

European Residual Mixes - Results of the calculation of Residual Mixes for the calendar year 2019 (Version 1.1, 2020-09-08)

De Ceuster, G., et al. (2009) TREMOVE Final Report. Model code v2.7b, 2009. European Commission, Brussels

Ecoinvent Centre (2007)

www.environdec.com

Ecoinvent data v3.6. Swiss Centre for Life Cycle Inventories, Dübendorf, Switzerland

EMEP/EEA air pollutant emission inventory guidebook 2016; '1.A.4 non-road mobile machinery'

IPCC, 2006
Guidelines for National Greenhouse Gas Inventories

ISPRA 2017, Istituto Superiore per la Protezione e la Ricerca Ambientale Rapporto Rifiuti Urbani, Edizione 2017; Rapporti 272/2017. ISBN 978-88-448-0852-5

LCA Study Report rev.01 del 10 maggio 2021 GRUPPO CAMPOLONGHI S.p.A.





EPD owner:

Campolonghi Italia S.p.A. • Via Aurelia Sud, 97 - 54038 Montignoso (MS), Italia info@campolonghi.it • www.campolonghi.it

Campolonghi MONTIGNOSO

HEADQUARTERS AND PROJECTS

Via Aurelia Sud 97, 54038 Montignoso (MS) ITALY Phone +39 0585 827011 • Fax +39 0585 827000 • info@campolonghi.it

Campolonghi AVENZA

SLAB WHOLESALE

Viale Zaccagna 6, 54033 Carrara (MS) ITALY Phone +39 0585 5079711 • Fax +39 0585 5079700 • sales@campolonghi.it



PROGRAM HOLDER AND PUBLISHER
The International EPD® System
Valhallavägen 81 SE-114 27 Stockholm, Sweden
info@environdec.com • www.environdec.com

LCA author:



Campolonghi STEN

STOCKYARD AND BLOCK DISTRIBUTOR

Via F. Compagni 53, 54037 Marina di Massa (MS) ITALY Phone +39 0585 53133 • Fax +39 0585 859411 • *info@gran.it - www.gran.it*

Campolonghi UK

RICHARD EDGECOMBE

Vernham House, Vernham Dean - Andover, Hampshire SP11 0LD - UK Phone +44 (0) 1264 737447 • redgecampo@aol.com

