

[ARS Home](#) » [Pacific West Area](#) » [Riverside, California](#) » [Agricultural Water Efficiency and Salinity Research Unit](#) » [Docs](#) » [Model](#) » ROSETTA Class Average Hydraulic Parameters

ROSETTA Class Average Hydraulic Parameters

The table below gives class-average values of the seven hydraulic parameters for the twelve USDA textural classes. Effectively, this table represents the first model of the hierarchical sequence. For the q_r , q_s , a , n and K_s parameters, the values have been generated by computing the average values for each textural class. For K_o and L the values were generated by inserting the class average values of q_r , q_s , a , n into Model C2 (see Rosetta's help file). This means that K_o and L are based on predicted parameters and may not be very reliable. The values in parentheses give the one standard deviation uncertainties of the class average values

Texture Class	N	-- qr -- cm ³ /cm ³		-- qs -- cm ³ /cm ³		-- log(a) -- log(1/cm)		-- log(n) -- log10		-- Ks -- log(cm/day)		-- Ko -- log(cm/day)		-- L --	
Clay	84	0.098	(0.107)	0.459	(0.079)	-1.825	(0.68)	0.098	(0.07)	1.169	(0.92)	0.472	(0.26)	-1.561	(1.39)
C loam	140	0.079	(0.076)	0.442	(0.079)	-1.801	(0.69)	0.151	(0.12)	0.913	(1.09)	0.699	(0.23)	-0.763	(0.90)
Loam	242	0.061	(0.073)	0.399	(0.098)	-1.954	(0.73)	0.168	(0.13)	1.081	(0.92)	0.568	(0.21)	-0.371	(0.84)
L Sand	201	0.049	(0.042)	0.390	(0.070)	-1.459	(0.47)	0.242	(0.16)	2.022	(0.64)	1.386	(0.24)	-0.874	(0.59)
Sand	308	0.053	(0.029)	0.375	(0.055)	-1.453	(0.25)	0.502	(0.18)	2.808	(0.59)	1.389	(0.24)	-0.930	(0.49)
S Clay	11	0.117	(0.114)	0.385	(0.046)	-1.476	(0.57)	0.082	(0.06)	1.055	(0.89)	0.637	(0.34)	-3.665	(1.80)
S C L	87	0.063	(0.078)	0.384	(0.061)	-1.676	(0.71)	0.124	(0.12)	1.120	(0.85)	0.841	(0.24)	-1.280	(0.99)
S loam	476	0.039	(0.054)	0.387	(0.085)	-1.574	(0.56)	0.161	(0.11)	1.583	(0.66)	1.190	(0.21)	-0.861	(0.73)
Silt	6	0.050	(0.041)	0.489	(0.078)	-2.182	(0.30)	0.225	(0.13)	1.641	(0.27)	0.524	(0.32)	0.624	(1.57)
Si Clay	28	0.111	(0.119)	0.481	(0.080)	-1.790	(0.64)	0.121	(0.10)	0.983	(0.57)	0.501	(0.27)	-1.287	(1.23)

Si C L	172	0.090	(0.082)	0.482	(0.086)	-2.076	(0.59)	0.182	(0.13)	1.046	(0.76)	0.349	(0.26)	-0.156	(1.23)
Si Loam	330	0.065	(0.073)	0.439	(0.093)	-2.296	(0.57)	0.221	(0.14)	1.261	(0.74)	0.243	(0.26)	0.365	(1.42)