

Summary report

Wellbore: 15/9-F-1 C

Period: 2014-03-30 00:00 - 2014-03-31 00:00

Status:	normal
Report creation time:	2018-05-03 13:51
Report number:	38
Days Ahead/Behind (+/-):	1.9
Operator:	Statoil
Rig Name:	MÆRSK INSPIRER
Drilling contractor:	Maersk Drilling
Spud Date:	2014-02-21 14:30
Wellbore type:	
Elevation RKB-MSL (m):	54.9
Water depth MSL (m):	91
Tight well:	Y
HPHT:	Y
Temperature (I):	
Pressure (I):	
Date Well Complete:	2014-03-15

Dist Drilled (m):	-999.99
Penetration rate (m/h):	-999.99
Hole Dia (I):	
Pressure Test Type:	formation integrity test
Formation strength (g/cm3):	1.6
Dia Last Casing (I):	

Depth at Kick Off mMD:	
Depth at Kick Off mTVD:	
Depth mMd:	4094
Depth mTVD:	3180.5
Plug Back Depth mMD:	
Depth at formation strength mMD:	3059
Depth At Formation Strength mTVD:	2874.4
Depth At Last Casing mMD:	4087.1
Depth At Last Casing mTVD:	3178

Summary of activities (24 Hours)

RIH with Torque tool and M/U 10 3/4" Tieback Adapter. POOH.
Re-ran Tieback string. RIH with Torque tool and M/U 10 3/4" Tieback Adapter. POOH.
M/U Adjustable sub setting tool and RIH with same. Sat Hanger.
Attempted to POOH with Adjustable sub setting tool. No go. Attempted to free string by applying overpull. No go.
Evaluated situation and decided to release Tieback Adapter. Applied overpull and torque and managed to free Adapter.
POOH and L/D Hanger with stuck Adjustable sub setting tool / 5 1/2" DP joint inside.

Summary of planned activities (24 Hours)

Wait for equipment. Measure equipment and make new tally.
Re-run 10 3/4" Tieback.

Equipment Failure Information

Start time	Depth mMD	Depth mTVD	Sub Equip - Syst Class	Operation Downtime (min)	Equipment Repaired	Remark
00:00	102		pipe handling equ syst -- elevator	0	00:00	Broken coupling on elevator
00:00	0		miscellaneous equ syst -- other	0	00:00	Not tested

Drilling Fluid

Sample Time	21:00
Sample Point	Active pit
Sample Depth mMD	4094
Fluid Type	NaCl brine
Fluid Density (g/cm3)	1.03
Funnel Visc (s)	-999.99
Mf (I)	
Pm (I)	
Pm filtrate (I)	
Chloride (I)	
Calcium (I)	
Magnesium (I)	
Ph	
Excess Lime (I)	
Solids	
Sand (I)	
Water (I)	
Oil (I)	
Solids (I)	
Corrected solids (I)	
High gravity solids (I)	
Low gravity solids (I)	
Viscometer tests	
Plastic visc. (mPa.s)	-999.99
Yield point (Pa)	-999.99
Filtration tests	
Pm filtrate (I)	
Filtrate Lthp (I)	
Filtrate Hthp (I)	
Cake thickn API (I)	
Cake thickn HPHT (I)	
Test Temp HPHT (I)	
Comment	