

## **IPWEA or AFPA Specification**

### **Asphalt**

- Asphalt test result on the day
- Site QA
  - Drawing
  - Running sheet/ placement record
  - Foreman's report
  - Asphalt docket
- Coring only if requested by the client

### **Spray seal/ prime**

- Spray sheet

Assume the following as a minimum for project works. Some clients like to follow the MRWA spec even if it's smaller so always ask:

## **MRWA Spec**

An ITP (Inspection and Test plan) are generally created at the start of a project. They are a trigger form for onsite hold and witness points based on the spec.

### **Asphalt**

- ITP (project only)
- Asphalt test result on the day
- Bitumen test certificate (sometimes requested, sometimes not).
- Site QA
  - Drawing
  - Running sheet/ placement record
  - Foreman's report
  - Asphalt docket
  - Straight edge report
- Coring – Usually it's 10x cores per lot. PSP is 6x cores per lot
  - If the area is smaller, we can always request for less. Just always check with the site team/ client

### **Spray seal/ prime**

- ITP( project only)
- Spray sheet
- Bitumen test result
- Loading docket (if requested)
- Aggregate test result