

Historical introduction



Contact us

Web:www.ultimheat.co.th

Cat21-2-2-1

Because of permanent improvement of our products, drawings, descriptions, features used on these data sheets are for guidance only and can be modified without prior advice



Historical introduction to electric flexible heating elements also under the following names:

In the medical field: Thermal Bands, Electric Compress, Thermal Knee Brace, Thermaplasma, Thermoplasma.

In household appliances: Electric footmuff, Flexible bed warmer, Bed warmer, Foot warmer, Heating pad, Heating blanket, Heating blanket, Heating blanket, Heating net, Heating mantle, Heating blanket, Heating carpet, Heating footstools, Heating mat, Heated wall hang, Electric thermophile.

In industry and horticulture: Heating cord, Thermophilic electrothermal wires, Heating strips, Heating fabric, Heavy duty fabric, Heating strips.

In the automotive and aeronautics fields: Car heater, Heated overalls, Heated gloves, Heated vest, Heated knitwear, Heated clothes.

Part one: Emergence and evolution of flexible heating elements

The arrival of these devices in the very last years of the 19th century is linked to the convergence of several technological developments:

- The development of medical science, and the study of the effects of heat on the treatment of certain diseases (particularly rheumatism and neuralgia)
- The weaving of asbestos threads in braids around a heating wire
- The progress of wire drawing techniques, making it possible to produce threads with small diameters, to the order of a tenth of a millimeter
- Improvement of refining processes for nickel and its alloys, making it malleable.
- The development of domestic electrical distribution.

Weaving asbestos, which was named "bright flax" or "salamander wool" by old alchemists, had been known of since ancient times. The arrival of gas heaters in the second half of the 19th century, developed the use of wicks or tufts in heated homes. (1857 Marini, Industrial Engineering).


For a long time, asbestos was the only "textile" resistant to the temperature of heating resistance wires. Around 1882, the Bender and Martini factories in Turin started to produce flexible asbestos braids . (October 1892 Asbestos in Italy, Industrial Engineering)

1887: Mr. Geoffroy [Saint Hilaire] has succeeded in braiding an incombustible asbestos cloth around the metal wires that insulates them, and has made it impossible for them to catch fire, even when the current is high enough to melt them.

(1887 Dictionary of Electricity and Magnetism, Etymological, Historical, Theoretical, Technical by Ernest Jacquez)

In 1892, asbestos was used as insulation around the electric heating wires of electric soldering irons (1892 Nature, electric heating), and the first electric heaters were made from platinum wires surrounded by asbestos. (1896 Teymon, journal of useful knowledge N° 46).

Although the first asbestos-insulated electric heaters had only fixed and rigid heating elements, the availability of braided and flexible asbestos made it possible to develop flexible heating elements.



Asbestos cord braided by Bender and Martini (October 1892, Asbestos in Italy, Industrial Engineering)

Nickel is malleable and therefore can only be stretched when it is pure. For a long while, it was a laboratory curiosity without being applied industrially. The discovery of nickel mines in New Caledonia by Jules Garnier, who patented a refining process and built a plant in Septeme in the Bouches du Rhone region alongside Henri Marbeau, made it possible to produce 98% pure nickel as early as 1878. (1938 Nickel Story by Joseph Dhavernas, Ultimheat Museum). The industrial development of its use took place when soldiers noticed an increase in armor resistance when nickel was added to steel, and when some

states replaced silver and copper with nickel.

Henri Marbeau's founding of the "Fonderie de Nickel et Métaux Blancs" factory in Lizy sur Ourcq, which in 1884 became "Le Ferro Nickel", made it possible to produce malleable nickel for heating elements. (1884 Le Ferro Nickel, Ultimheat Museum)



Historical introduction


From the very beginning of electric heating, we have been preoccupied with incorporating resistors into fabrics and supplying them with a power current, so as to make them caloric, due to the rise in temperature produced in them.

"However, a few tests were carried out to create fabrics; firstly, electrical conductors were fixed to the surface of ordinary flame-retardant fabrics, and these wires were woven together with those of an asbestos fabric. As a result, devices such as heating rheostats for high temperature, and heated carpets and wall coverings were produced". (1910 Industrial Review: Monthly Technical and Economic Review)

1893-1913: The arrival of heated fabric for medical use

It seems that the first "flexible" heating fabrics were used in 1893 by Dr. S. Salaghi, Professor of Physics at the Faculty of Medicine in Bologna. They were showcased at the International Medical Exhibition held in Rome in 1894, for the International Congress of Medicine. They were powered from the country's national grid, and a switch allowed them to operate at various power levels.

Dr. S. Salaghi named them 'electrical thermoplasts'.




Thermoplasma by Dr. S. Salaghi (1893). Available in an oval shape (A) for trunk heating, and in long strips (F) for head-to-toe applications.

The first tests on heated fabric were made in France by Charles Camichel, while he was a lecturer at the Faculty of Sciences of Lille, from 1895 to 1900, where he taught industrial electricity. The results of the tests he conducted were satisfactory, but the weight and stiffness of the heating fabric prevented them from being applied to clothes making. On the other hand, the insulation was often imperfect, creating possible danger, or the resistance to wear was insufficient, or the metal of the heating element rusted quickly. As a result of all these disadvantages, the idea of industrially manufacturing heated fabric was abandoned as it was seen as insufficiently practical.

These devices used heating wire sewn onto an asbestos support or onto canvas formed by a resistant wire frame, insulated with asbestos, and covered with a simple cloth.

Producing heated fabrics that came into contact with the skin came with major constraints: the surface temperature could not exceed 60-70°C, which occurred when the maximum power was around 0.04 W/cm². This required the use of heating wires with a high linear resistance, which was obtained by decreasing the diameter of the wires as much as possible. The consequence of this was the use of long heating wires. For an average power of 50 watts at 110 volts, using the lowest diameter of existing wires on the market (0.1 mm), it was necessary to use about 20 m of tinned iron wire (the most common resistive wire available at the time), 15m if it was constantan, and up to 110m for copper.

One example of the heating fabric of this era, which was invented by the American John Emory Meek, under patent No. 540398 dated June 4, 1895, described a rudimentary weaving method using asbestos warp and weft yarns in conductive metal.



June 4, 1895, U.S. Patent No. 540398, John Emory Meek in Denver, for Johns Manufacturing Cy of New York, described a heating fabric whose warp yarns (E) are made of asbestos, and weft yarns (B) made of conductive metal, with a second asbestos interlayer weft (D). The two ends of the heating element (F) do not include a heating wire.

In 1896 Camille Herrgott (1), a civil engineer, began making heating blankets and clothing. An only child, at the age of 3 he lost his father, Camille Herrgott, who was an engineer for the Forges d'Audincourt company. His mother left Audincourt with her son for Le Valdoie where her sister-in-law Joséphine Hergott, wife of Michel Page, founder of Ets Page, lived in Valdoie. There they built, amongst other equipment, copper drawing machines.

(Directory of the Historical Society of the Thann-Guebwiller regions, 1985 T16, by Joseph Baumann), (1) (Joseph, Michel, Camille Herrgott born August 31, 1870 in Audincourt Doubs, died July 16, 1942 in Valdoie, Territoire-de-Belfort. Married in Valdoie, April 19, 1904 at the age of 34 to Marie Agathe Thérèse Riss (1881-1971) with whom he had 4 children in 1905, 1906, 1909, and 1916)

In 1897 calorific equipment was not very well known in Paris, although a few interesting experiments were made around the Place de Cligny area.

In London, a similar device called an electric compress was being used, which in fact was simply an asbestos mattress which patients found worked well.

(Report from the Paris City Council on the electrification and evolution of electrical appliances, 1897)




Historical introduction

After 5 years of development from 1896 to 1901, in January 1902 in France, England and Germany, and in the US in August of that year, Camille Herrgott, filed a patent for heated fabric that he named 'electric Thermophile', a term that remained in use for over 30 years.

These patents described **two basic features** of all flexible heating elements made thereafter:

The first, which was used on heating cords, describes the method of winding heating wire on a textile insulating core, making it possible to increase the length of heating wire per meter of heating cord. Up until this point, the technique of winding a very fine and very resistant thread on a single insulating wire (asbestos), produced a heating wire that was too big and too rigid for weaving, and it was only possible to apply it on fabrics such as metal wires. In 1910, after many developments, this technique made it possible to produce a heating cord with a very small diameter, consisting of a flat braid of pure nickel thread spiraled around a woolen core. This heating wire then received two spiral wraps, wound in opposite directions, formed from thin fabric guipures. In this way, a flexible thread could be obtained, which did not buckle, and where the traction went against the wool threads and the outer guipures, and not via the thermal threads.


This technique of manufacturing heating cords went on to be universally used in heated blankets in the middle of the 20th century.




Heating cord (patented by Camille Herrgott, 1901). A = heating wire; B = textile core; C = outside wrapping wound in the opposite direction of the heating wire

The second innovation of this patent consisted in manual or mechanical fabric weaving using a non-combustible wire support chain and a heat-resistant wire frame.

This technique was not new (see Meek patent above), but until then the heating wire loops in the heads and selvedges, through their wear, caused short circuits and cut-outs. Camille Hergott, using his coiled heating wire, stopped the thermal wires outside these areas. He created the current leads with special wires, one in each selvedge, placed after weaving. This assembly made it possible to make circuit clusters in 'shunt' or in series. The heating wires were woven between two layers of insulating weft wire. As early as 1904, this technique made it possible to produce carpets and blankets, as well as medical equipment. They were equipped with a thermal safety unit, consisting of a eutectic fuse at 70°C. The use of nickel, which he substituted around 1910 for other metal wires, particularly those of iron, made the whole system stainless and rustproof. It took all the technical expertise of an engineer from a wire drawing plant to make nickel wire with a 0.1mm diameter (Even today, the commercial stretching of nickel wire does not drop below 0.025 mm in diameter). In this section, a length of approximately 20m of nickel heating wire was required to achieve a 50W resistance, which could cover a heating fabric surface of 350x350mm. In addition, pure nickel, whose resistivity greatly increases with temperature, gave the system a self-regulating function. It is indeed easy to calculate that the power of a 50 watt nickel heating element at room temperature drops to 36W at 100°C and 26W at 200°C.



Variation of nickel resistivity according to temperature: self-regulating effect.
(1945 Modern Electrotechnical Materials, Ultimheat Museum)



m, n: Detail of the connections on the supply wires in the selvedges.
This technique is still used today in electrical tracing (patented by Camille Herrgott in 1901).



Historical introduction

In 1902, Dr. Jules Larat at the Paris Children's Hospital, was the first in France to use a heating fabric for medical applications:

"The thermoplasma consists of two separate parts; a heating pad and a control unit. The unit has a lever and a series of contacts that allow a gradual change from 40 to 100°C. A small indicator lamp lights up as soon as the current passes, and increases in brightness as a portion of the heat being developed in the compress. The latter is mounted on a flexible wire, and it is easy to apply the heating pad in the evening when going to bed. It can be kept on all night without the temperature varying in any way. There are many applications of this device, the only drawback of which is that it can only be operated economically where electric lighting is already present. It can be used in all cases where heat therapy is required: rheumatism, neuralgia, etc. (Report of the Academy of Medicine, session dated January 21st, 1902.)


The heating element itself is formed of mica blades wound with a calculated resistance wire. The blades are interconnected by an insulated flexible wire and protected by a wrap of asbestos cloth and a bag of fleece and silk. The purpose of these wraps is to distribute heat evenly over the entire surface of the compress and avoid cooling. The latter can be made for all kinds of purposes: slippers, knee pads, belts, bands, etc. (Fashion and beauty, December 1902)

In January 1902, Larat created the Larat and Dutar General Partnership in order to operate a medication system called « Dr. Larat's Thermoplasma ».


In April 1903, as a result of the descriptions given on these new applications, the company of the former Parvillé brothers and Co., known for their electric heating and cooking appliances, exhibited a range of electric appliances for medicine, including an electric thermoplasma or poultice compress, consisting of an incombustible asbestos cloth, in the folds of which a resistant conductor was placed. The appliance included the thermoplasma itself and a regulator.

The regulator was connected through a marble socket and a green flexible wire to a bayonet cap, which was introduced to replace the incandescent lamp.


The thermoplasma was then connected to the regulator by a wire. Position 0 was stop, positions 1, 2, 3 and 4 corresponded to 4 different degrees of heat, gradually increasing from No. 1 (minimum) to No. 4 (maximum). This apparatus also came in the form of a heating mat.




'Thermoplasme Parvillé' 1903. Dimensions 25cm x 35 cm Power: "Less than that of 5 candle lamps" or about 50 watts (at this time). The surface charge was around 0.06 W / cm 2.



By 1904, Camille Hergott had commercially released heating carpets and electric blankets using the technology of his inventions (1904, La Nature, Ultimheat Collection)



Inside view of the heating mat, top left - wires crossed by the current, bottom right – power socket (1904, La Nature, Ultimheat collection)



In England in 1906, RF Lafoon put forward the concept of adjusting the power by placing parallel warning lamps on the resistors (Patent dated October 13)



Historical introduction

The heated fabrics of Camille Hergott were, from then on, widely discussed in the scientific press which looked at future developments in "Electrically heated clothing". Mr Hergott, from Valdoie-Belfort, has just created heated fabrics which, if the public is interested, could revolutionize the art of dressing and heating oneself. It consists of fabric heated through electricity running through it or rather through a network of wires cleverly inserted into the fabric. I do, however, have hope of seeing these fabrics appear one day in real clothing, which in my opinion would have serious economic advantages, since it would no longer be a question of heating up the rather considerable volume of air contained in a room, but only the much smaller area around the body. In trams, we would only need to attach a patch to a bench to feel gentle and comforting heat. And why not on the street as well? We could invent a kind of small platform with an electric motor, connected to a plug, to keep people warm" (The New Labor Regulations: Health and Safety in Commerce and Industry, 1906)

In 1907, during the annual exhibition of medical devices in Paris, from April 3 to 5, Georges André Félix Goisot exhibited flexible appliances for electrical heating (Medical Electricity Archives, April 10, 1907). The first tests of his heating fabrics showed how delicate his single-conductor heating wires were, and he filed a patent the same year, describing cords composed of several conductors, although these had already been patented by Hergott.

In 1909, the techniques developed by Camille Hergott earned him a gold medal at the International Exhibition of East France in Nancy, and in May 17, 1910, a praiseworthy report presented by D'Arsonval to the Academy of Sciences (Weekly Reports from Sessions of the Academy of Sciences, 1910-05-17, p 1234). He handed the distribution and manufacture of household appliances to Paz and Silva (Paris) and those for medical use to G. Gaiffe (Paris).

He kept the manufacture of equipment for industrial use (drying filters, mobile conveyor belts) at La Sablière at Valdoie, near Belfort.



Heated clothing for medical use by Hergott, 1910 (Medical electricity archives, August 25, 1910)
Here we can clearly see the existence of sewn heating cord patches.

Uses of heated fabric for medical use developed, and in 1913, the following was written: "I used the Hergott electric heating system sold by Gaiffe and Paz and Silva. These "Hergott thermophilic" fabrics, presented to the Academy of Sciences by D'Arsonval, studied by Bergonié, from Bordeaux, with all his recognized skill, have recently been the subject of a glowing report by Daniel Berthelot at the French Society for Encouraging National Industry. They have the dual advantage of acting as heat insulators in the same way as clothes and blankets, and of being heat generators whose action is completely regular. The fine pure nickel wires which make up the heating elements were wound on a textile core and wrapped in a covering. The system is large enough for its constituent parts to be knitted by hand or mechanically woven. The heating part is lined with an ordinary woolen knit that protects it and is also used to hold the wires bringing current to the resistor. Due to the nature of the metal wires through which the current travels, their resistivity increases considerably with temperature. The thermophiles themselves are their own regulator: the more they heat, the less electricity they consume. The experiments of Daniel Berthelot achieved absolute safety when operating these devices. He has introduced various measures that prevent short-circuits and irregular heating from occurring. As for the heat produced by the Hergott fabrics, it could vary from 40 to 150 degrees, according to Berthelot. I used these heating compresses a number of times and I have always obtained extremely satisfactory results."

Collection of past papers on surgery and orthopedics 1913-11



Contact us

Web:www.ulimheat.co.th

Cat21-2-2-7

Historical introduction

1912-1917: The beginning of household warming blankets, industrial heating fabrics, and electrical household heating fabrics

In 1912, 10 years after the patents of Camille Hergott, and 8 years after the commercialization of his blankets, an American doctor named Sidney I Russel created a flexible mattress heater, called the "underblanket" which credited him in the USA as the "inventor of electric blankets."

That same year, 1912, Camille Hergott received a silver-gilt medal from the Society for the Encouragement of National Industry, to reward him for the many years he spent developing heating fabrics. (Bulletin of the National Society for the Encouragement of National Industry, February¹ 1913, P218.)

1913 Most of the reported difficulties were overcome by Belfort engineer Mr C Hergott. The fabric he invented triumphed over all the tests imposed on him by the reporter in charge of his technical examination. He also performed impressively in the practical tests carried out in a Bordeaux hospital, under the direction of Professor Bergonié. Mr. Daniel Berthelot noted the clear superiority of Hergott's fabric on tests involving a weft of electrical conductors or an asbestos frame supporting spiral wires. The conductors are an integral part of the fabric, and their presence does not reduce any of its indispensable flexibility. The metal chosen to make them is pure nickel, whose resistance to oxidation is well known. Between two neighboring wires, the potential difference is too small to risk a short-circuit, and the insulation ensures that water sprinkled on the fabric does not create any abnormal heating. To prevent any possible accident, the inventor also chose not to extend the conductive network to the edges of the fabric, so that any wear would not lead the metal to become exposed. Finally, ordinary sockets allow the fabric to connect to 110 or 220 volts, as would be the case for a simple lamp.

Report submitted by Mr. Daniel Berthelot to the Society for the Encouragement of National Industry, (Bulletin of the National Society for the Encouragement of National Industry, February¹ 1913, P218)

1924 Le Correspondant: monthly magazine covering religion, philosophy, and politics

<https://gallica.bnf.fr/ark:/12148/bpt6k415185c/f882.item.r=%22C%20Herrgott%22.textImage>

1914-1918: Military clothing for heating and their post-war automotive applications

In 1914, Camille Hergott was awarded a major prize in Lyon.

When the first world war broke out, he was 44 years old. The class of 1890, which he belonged to, was called up in 1915.


L'Ouest éclair, November 14, 1915 "German guards heated with electricity" On November 13 in Zurich, the Leipziger Neuste reported on a curious invention by German professors Bech and Chroter: Electric heating used to keep guards warm.

This invention consists of briefs and vests with insulated conductive flexible wire. These threads do not prevent freedom of movement, and the weight of the underpants is only increased by 850 grams. They are coated with waterproof fabric, which insulates the source of the electric power, which keeps the guards warm. This power source is not on the person, therefore it is not necessary to use a portable battery, such as those found in small

electric lamps. The guard is connected to a small electrical power unit, found in all advanced positions, and wire refractors are used for high-voltage obstacles. The guard using it reroutes a small wire that connects the generator, whose power is reduced by the transformer. It is calculated that it is very easy to use this method at 500 meters. A contact allows the guard to operate or stop the current if the heat becomes excessive. The cost of these briefs and the whole system is 125 Francs.

L'Ouest éclair, November 17, 1915.

Dear Mr. Director, I am reading an article in today's Ouest-Eclair entitled "German Guards Heated with Electricity." I cannot help but speak up when I see Professors Bech and Chroten claiming that they invented devices that were being made in France a few years before I left for Tunisia, which was around 1907. At that time, one of our friends, Mr. Hergott, an engineer from Chaudet-Page, in Valdoie (near Belfort), was manufacturing heating mats for apartments, warming blankets and heating vests that could be used in parks or by a river bank, even several hundred meters from the electricity source. All these fabrics were incombustible and have effectively been used. Mr. Hergott told me that he had filed patents in France and Germany, and that he had sold some of his appliances to Parisian stores.



November 1916 Paz & Silva Electric Poultice
Compress by Camille Hergott

During the 1st World War, developments in aircraft performance, e.g.



Historical introduction

flying at higher altitudes, particularly above 4,000 to 5,000 meters, gave rise to the need for heated clothing. In April 1918, heated suits were part of a pilot's equipment. Unlike heated medical clothing made before the war by Camille Hergott, they were powered by low voltage. This was the specialist field of manufacturer G. Goisot (Boulevard Gouyon, Saint Cyr in Paris).

"Also, during the last war, we used clothes and underwear heated by electricity. This heating is produced by threads sewn under fabric sheaths inside clothes. These wires are slightly heated. This mode of heating is essential for keeping all parts of men active during cold weather. The main items of clothing were gloves, slippers, helmets, knee pads and bibs. Cars, to their favour, employ this system, as the two wires that conduct the current produced by the dynamo to the wireless devices are used for heated clothing" 1920 Sciences and voyages N° 26.


In April 1916, André Aimé Lemercier filed a patent in France (No. 468588) and in the USA for electric heated gloves and other heated clothing. He was the son of Charles François Ernest Lemercier who, before 1910, specialized in clothing for aviators. At the end of the war, he joined forces with his brother Henri Gaston to create the company Lemercier brothers. Because of their original trades, they were the first to create electrically heated fabrics before making other household electrical appliances. With their expertise in aviation, the Lemercier brothers continued until the end of the Second World War to manufacture heated suits for aviators, and had a textile business manufacturing parachutes.

Lemercier's involvement in the field of heated fabric had begun in 1913, according to Henry Letorey in his work "I offer you health, cheerfulness, and well-being; I am the electricity fairy", published in 1923, which describes Lemercier as having more than 10 years of experience in that area.

The application of Camille Hergott's fabric has not produced all the results expected from his work. In fact, his fabric has only been used to make blankets or heated mats, and during the war, he mainly made "overalls" for aviators.

1924 Le Correspondant: monthly magazine covering religion, philosophy, and politics.

In January 1919, drawing on his military experience, Georges Goisot published a 12-page catalog of flexible electrical heating devices. It includes heated mats for offices and lounges, beanbags, cushions, bed covers, compresses, belts, neck warmers, knee pads, gloves, slippers, etc. all heated by electricity. (January 4, 1919, General electricity review)



Electric heated clothes (1920 Sciences et voyages N° 26)



1919 G. Goisot heated gloves (Ultimheat catalog)




1919 Heating gloves proposed by Electric Equipment (Automobilia, the car for armies, October 15, 1919)



Historical introduction

1918-1940 Extension of electro-domestic applications

The end of the 1st World War was marked by a shortage of coal, due to damage to French mines in the Nord / Pas de Calais region, and the rising price of imported coal. This benefited electric heater manufacturers. Georges Goisot's flexible appliances were soon imitated. At the fair of Lyon in March 1917, Parisian manufacturer L. Brianne had already presented heated mats and electric compresses (1917 Catalog of the Lyon Fair, Ultimheat Museum)




1920 L. Brianne, 350x350mm heated mat, 10 rue Allibert founded in 1890, Paris (Ultimheat catalog)

At the fair in Lyon in March 1919, at booth #8, group 10, the George Fox Electricity Heater factory exhibited its new devices for medical, industrial and domestic use, such as: Compresses, slippers, knee pads, blinkers and gloves, hidden or visible heaters and burners, soldering irons, workshop irons, household and travel irons, curling irons, bed heaters, foot warmers, kettles, stoves, cigarette lighters, heating mats, etc., as well as the well-received "Thermo-Fox" liquid heater. (General Electricity Review, March 15, 1919)

At the same fair, the "Company for the Manufacture of Electric Heaters and Domestic Appliances" (Calor), located at the time at 200 rue Boileau in Lyon, did not exhibit thermoplasme or heating blankets, but announced that it "manufactures all electrical appliances imported before the war." In October 1919, at the autumn fair, it announced sales of 300,000 appliances.

At the end of 1919, the Lemercier Brothers Company was created, which developed "Thermaplasm", and launched an advertising campaign in Parisian newspapers. "In these restrictive times, electric thermaplasma with a safety regulator is necessary in any interior. For healthy people, it will replace bed heaters that go cold. For the sick or the weak, it will protect against flu thanks to its reactive action" (Le Figaro, January 4, 1920, and the Petit Journal of the French Social Party, January 1).




Footmuffs, Electric Blankets, Thermaplasm (1922 Lemercier)

For Camille Herrgott, the situation was becoming difficult; his 15-year-old patents fell into the public domain in 1916. During the war, while his uncle Henri Chaudel, head of the factory was called up, production at the Valdoie factory was devoted solely to the war industry (grenades, shells, mixing of smokeless powders, and fasteners). There was no room to develop heated blankets. On 9 September 1918, Henri Chaudel died in action. His son Edmond replaced him, assisted by Camille Hergott. At the end of the war, the activity of the plant was mainly devoted to the urgent production of major supplies for the drying of flooded mine shafts. Under pressure from strong competition, with reduced manufacturing possibilities, he abandoned heated blankets around 1921. The flexible medical heating fabrics and clothing, from Gaiffe-Gallot and Pilon in Paris, were abandoned around 1923.

In 1921-22, while sanatoriums were being developed, they brought a need for medical blankets that would allow patients to stay longer in the open air, which in turn led to an arrival of new manufacturers such as Victor Russenberger (making compresses, bed warmers, heating mats, and later known for his switches), Albert Bourgain (Fulgator Heating Mat), Fare, and Calor.



1921 Fulgator heating mat produced by Albert Bourgain



1921 range of flexible heating elements from Fare (Ultimheat Catalog)



Historical introduction

"Little known before the war, the electric heating of clothing has grown considerably in recent years. It can now be said that in cars, it is no longer necessary to suffer from the cold, even on the longest of winter journeys. During the war, the air force needed effective protection against Siberian temperatures (-40° to -50°) for pilots navigating at high altitudes. As a result of this necessity, an industry was born which created and developed a series of devices that increase the comfort of an activity that many see only as a means of transport, whereas heating wire is a good conductor for the heating parts, inside of which it becomes very resistant, i.e. long and thin, which gives it all the flexibility necessary for use in clothes. Well insulated, and made of stainless metal with high-resistivity, this wire is only a few hundredths of a millimeter in diameter (10 to 11 hundredths), depending on its nature: nickel or nickel silver. It is several meters in length, thus creating many curves in the fabric. However, the fabric is not so specialized, and application is so easy that a factory can convert an ordinary blanket into a heating blanket in a few hours." (L'Ouest Eclair, dated May 15, 1922)




1923 advertising for Calor thermoplastic


In 1922 Calor began to produce its Thermoplasma that was presented as follows: "The reason for the superiority of our fabric is that we have been able to weave our resistance threads directly onto the machine. This process allows us to introduce you to devices with undeniable advantages, that had remained unknown until now. The absence of asbestos and the impermeable insulation covering the "Calor" fabrics make them fully resistant to humidity. It is designed for all voltages from 12 to 220 volts without any increase in price. It cannot be used as a bed warmer". (1923 Calor)

1925 Charles Mildé and sons (Heated carpets. Consumption: 30 Watts). We can deliver all heated blankets operating at any voltage. We manufacture blankets for apartments (operating at 110 volts), cars and aircraft (operating at 12 or 16 volts).

The technology developed for the thermoplasma gave rise to two other Calor products using flexible heating elements: the heated mat and the bottle warmer. (Catalog Calor 1926 Ultimheat Museum)




1926 Calor Thermoplasma with a switch on the cord (Catalog Calor 1926, Ultimheat Museum)




1926 Calor Heated Mat (Catalog Calor 1926, Ultimheat Museum)



Historical introduction



1926 Calor Flexible Bottle Warmer with Switch on Cord (Catalog Calor 1926, Ultimheat Museum)




1930 Heated blanket, 120 x 80 cms, about 50W. It is very practical, and can be left connected for hours in a covered bed (Bazar d'électricité, G Cochet) The switch on the power cable is identical to the switches on the lighting cables

1930, USA, The first electric blanket is made available for sale by Samson United Corporation



In January 1929, Abkin, who had just patented a model of electric blanket, began manufacturing and distributing it. He would then present it for the first time at the Salon des Arts Ménagers in Paris in 1930, under the brand Perfecta. It is described as 'peerless' (Picture from 1931)



The following passage on personal heating is from 1932: Heated fabrics in the form of carpets, slippers, blankets, knitwear, jackets, ... where the heating resistance (50 watts) is insulated by two asbestos wires, woven between two layers of fabric (1932 Boll, Electricity to the City and Countryside)

Historical introduction

.. 1932 Alsthom and La Cie Générale d'électricité propose thermoplasts; Lemercier thermoplasts and carpets.

N°	Dimensions en cm.	Consommation en watts.	Prix.
17787	18×25	20	81. »
17788	25×32	30	95. »
17789	30×40	40	108. »
17791	40×40	60	122. »

COUVERTURES CHAUFFANTES ÉLECTRIQUES

Modèles recommandés, ne demandant ni réglage ni entretien.

N° 17794 A. 120×80% (110 à 250 volts). Prix 390. »
N° 17794 B. 80×60% (110 à 250 volts). Prix 290. »

Tous nos modèles sont livrés, complètement équipés, avec câble de 2 mètres et prise de courant.

Modèles pour usages médicaux, pour chaises longues, chirurgicales, avec limiteur de température, et types spéciaux : **Prix sur demande.**

1933 Bouchery displays electric poultice compresses, heated mats and electric blankets in its catalog

1939-1945:

- Restrictions in use and production in France,
- Development in England and the USA

1939: World War II and the years that followed brought fuel restrictions and shortages, reviving interest in electric blankets, which were particularly economical in terms of electric power, as well as in all electric bed-warmer systems. However, due to lack of raw materials, particularly nickel and chrome, which were necessary materials for heating wires, production of electric blankets ceased. Furthermore, from June 6, 1943, the sale of electric heaters, blankets, bedheaters and thermoplasts was prohibited except with ration cards.

ET^{TS} ROGER MARCHAND
103 à 109, RUE OLIVIER-DE-SERRES - PARIS-XV^e
Téléphone : VAUGIRARD 21-80 — R. C. SEINE 446.755

Appareils de Chauffage Electrique

MARQUE DÉPOSÉE 213349

Radiateurs paraboliques — Bouilloires
Chauffe-lit à accumulation

1941 Roger Marchand Storage Sleeper (Mastier, Domestic Electric Heating)

Tolectro
CLIN ET CIE

USINE A CHARTRES
56, rue de Reverdy. Tél. 13-02.
DÉPÔT A PARIS
14, avenue de la République
— Tél. : Rog. 59-45.

RADIATEURS obscurcs et paraboliques
BOUILLOIRES
CAFETIERES
CHAUFFE-LIT
CHAUFFE-PIEDS
TAPIS-CHAUFFANT
FERS À REPASSER
CUISINIÈRES
RÉCHAUDS
GRILLE-VIANDE

B.C. Chartres

1941 Tolectro heated mats (Mastier, Domestic Electric Heating)

1941 (7 February), while supply restrictions were starting to be applied, Chaluvia Electrical Appliances, 33 rue Bergère in Paris, offered an "Ideal" electric bed heater and electric compress.

1942 The use of nickel for the manufacture of most heating elements is banned in France, forcing the metallurgical company Imphy to develop a new nickel-free resistive alloy: RCR



Historical introduction

Conformément au vœu exprimé par l'Office de Répartition des Fers, Fontes et Aciers, l'impérieuse nécessité d'économiser le nickel a conduit les Aciéries d'IMPHY à mettre au point un alliage sans nickel répondant aux mêmes conditions d'emploi que le RNC.0 ou le RNC.00. Ce but a été atteint avec la nuance RCR que nous présentons dans cette notice. Cet alliage utilisable jusqu'à 600° se substitue au RNC.0 ou RNC.00 sans qu'il y ait lieu pratiquement de modifier les sections et les longueurs calculées pour ces alliages austénitiques.


Document from Imphy 1942, RCR alloy (Ultimheat Museum)

June 1943: Prohibition of sale. An order of June 5 (OJ of 9 June) declared it forbidden for companies to sell directly to the public, offer for sale, rent or exchange, bed heaters, foot warmers, heating pads (electric compresses), electric blankets, or heated mats, except with ration coupons.

Outside of France, research on electrically heated suits for fighter pilots during the war improved safety and allowed manufacturers to make thinner and easier-to-fold blankets. One in particular was American company General Electric, one of the largest manufacturers of electric blankets. In 1945, it started advertising its automatic blanket, highlighting the link with its wartime manufacture of "warm" suits for pilots fighting around Japan. French manufacturer Lemercier developed a heated "aviation" suit, which was standardized after the war, and so did its competitor Airaile.

1945-1960. Post-war. Sales of electric blankets explode resulting from coal shortages. Arrival of safety thermostats and timers in heating blankets and compresses.

In 1946, only a few manufacturers could restart production quickly: Airaile in Angers (blankets, compresses, military and civilian heating clothing), Calor in Lyon (thermoplasts), Suzor in Boulogne sur Seine, (thermoplasts, heating fabrics) and Verpillat (heated blankets) in Lyon.



1947 Suzor Thermoplasma. Heating compress with 3 heat levels controlled by 3 switch positions. Total safety by double thermostat, and padded interior ensuring very regulated heating power: 50 watts Dimensions: 250 X 320 mm Available in 110 or 220 volts (Ultimheat catalog)

The Thermoplasma distributes beneficial heat by simply applying it on the diseased part. It replaces the old-fashioned, inconvenient and messy compress. It acts effectively against colds, bronchitis, pleurisies, flu,



Historical introduction

indigestion, etc...

It has an easily reachable and adjustable switch, which can be set at 3 different temperatures. Small notches make it possible to know the position of the switch with respect to the different heating levels, and to adjust them, even in the dark.

Automatic temperature regulators. Two automatically functioning temperature controllers ensure maximum safety in case the device is forgotten about while connected to the current. The "Calor Electric Thermoplasm" recommended by the Medical Corps has its place in the family pharmacy, as well as for necessary medical applications (Calor catalogue, 1947, Ultimheat Museum).



The 3-meter-long cord is equipped with a marbled Bakelite switch, which can be easily operated by the patient with one hand and provides three degrees of temperature and an off switch. Position 0: Off Position I: Low Position 2: Medium. Position 3: strong.

Once the desired temperature is achieved, it will automatically remain constant. This is thanks to two thermostats or temperature regulators that instantly stop the current during excessive heat, and restore it as soon as the temperature returns to normal. Thermor heating pad 1949

In 1949, the manufacturer Angevinois Airaile, whose experience in heated fabrics and heated military clothing dates back more than 25 years, decided to open an office at 27 Avenue Mozart in Paris.

He exhibited heated blankets and thermoplasts from 50 to 180W at the Paris fair in 1949, and in Metz the same year (where he received a major prize),

These products use "compound" aviation type heating cords composed of multiple self-regulating pure nickel fibers, coiled on a textile core with high mechanical strength and insulated by overguiding. They are equipped with precision thermostats that automatically limit heating, even if the user forgets that they are connected. Particularly advanced compared to its competitors, these thermostats were accelerated by additional resistance. Power is set with a rotary switch with three contact positions and two bipolar cutoffs.

It also offers a 40-watt heating vest, which is a sort of sleeveless bib. They are quite wide, made of strong cotton canvas, and are available in different voltages from 6 to 220V, for rural, agricultural and industrial applications (various Air-Aile catalogs from 1949, and Ultimheat catalogs from 1951).

Between 1950 and 1960 in a booming market, the competition became fierce between many manufacturers of heated blankets and thermoplasts. Here is a non-exhaustive list of them:

Abkin (A.), 95, boulevard Sout, Paris 12th. (Perfecta brand)

AEM ., 5, rue de la Procession, Paris.

AirAile, 1 bis, rue J.-P.-Timbaud, Issy-les-Moulineaux (Seine).

Amplelec, (marque Morphée)

Area (A.) Grand-Gallargues (Gard).

Armand (M.), Digne (B.-A.).

Astoria, 26, r. St-Charles, Schiltigheim (Bas-Rhin).

Baugas et Cie, Chemillé (M.-et-L.)

Barrière (A.), 282 boulevard Voltaire, Paris 11ème. Latest product: The latest electric blanket is made of silicone glass fabric (Tentation brand)

Bois (M.), 2, rue Condorcet, Cachan (Seine).

Botteau, 37, rue Cambronne, Paris.

Buga (Ets), Obernai (Bas-Rhin).

Calor, place A. Courtois, Lyon.

Camulco

Chromex, (1953)15 rue du Port, Le Mans (Sarthe).

Coillard (R.), pl. de la République, Cours (Rhône).

Constellation, 16 ter, rue Censier, Paris.

Covex

C.R.E.O. rue de la Barillerie, Le Mans (Sarthe).

Degois (Jean), (then Raymond Degois) Jidé brand (1949 ca, 1962) The heating cord makes it possible to make a heating blanket very easily without electrical knowledge. The net bed warmer, very light, compact and easily



Historical introduction

transportable. Unbreakable resistor, spiral curled by patented process. The heated blanket. Comfortable. High quality wool. Guaranteed security. The creator of the electric blanket resistor, 66, Rue Francois-Chénieux Limoges (Hte Vienne)

Despont, 276, rue de Belleville, Paris.

Elefo, Obernai (Bas-Rhin).

Eletex, 27, r. Ferrandière, Lyon.

Euphorie, (1950, 1955) 71 rue Hippolyte-Kahn, Lyon-Villeurbanne. The Euphorie workshops released 25,000 heated blankets this season, with more than 20 years of experience).

Fox, 64, bd de Ménilmontant, Paris. (Thermoplasts only).

Gautier (A.), 7, rue de la Mignonne, St-Rambert (Rhône).

Petit (G.), (Gelux brand), 6, Place Léon Deubel, Paris 16th (with 80-20 Chrome Nickel resistance).

Gervaiseau, 151, av. Georges-Durand, Le Mans. (Thermoplasts only), bimetallic thermostat patent in March 1957 (Evo-Stop).

Guérillot (Pierre), (Filecho electronics brand) Safety electric bed-warmer, Heating mat for cars and trucks, Antifreeze heating radiator for pipes, Heating cushions and thermoplasts, Floor heating (Chassis), Heating vests for motorcycles and tractors.

Pierre Guerillot filed a patent in 1951 for a flexible heating fabric composed of two PVC sheets with a sheet of bare heating threads incorporated between them. This was the predecessor to the future flexible industrial fabrics made of silicone. 305 rue de Belleville, Paris 19th.

Hawai, 16, rue Léopold-Bellan, Paris.

Hudson France, 29, rue de l'Hôtel-de-Ville, Lyon.

Hornung, 12, quai St-Nicolas, Strasbourg (thermoplasts only)

Hydro-Electrique A.M.C., Arpajon sur Cère (Cantal).

Irga, 5, rue du Parchemin, Strasbourg.

Jema Fully removable heating blanket, with a thermostatic regulator that makes the product very safe. Beautiful Merino, all colors (180 x 120 and 140x120), 46 rue de Paradis, Paris 10th

Jost (J.), Beblenheim (Ht-Rhin). Thermoplasts only

Kalliste, Covers with self-regulating resistances

Lampargent, 25, rue Claude-Terrasse, Paris.

Manufacture de tissus thermiques 1, rue Girard, Vienne (Isère).

Mennerset (PA), wholesale distributors, Andalouse brand, 38 Chapeau Rouge, Bordeaux

Philibert et Maury, 14 rue Bèchevelin, Lyon.

Floor (Ateliers P.), 93 rue Oberkampf, Paris 11th. Company founded in 1900, resistant cords for heating blankets and cushions

Rachline (Ets), 39, boulevard Ornano, St-Denis (Seine) (Heating mattresses)

Radialaine, Le Mans

Central Electric Heaters, St-Pourçain-sur-Sioule (Allier).

Raveleau (A.), La Grange-St-Pierre, Poitiers. (Equator brand)

Rhoneclair, (1954) rue de Chauffailles, Cours (Rhône).

Rossi-Paret, 49, rue Victor-Hugo, Vienne (Isère).

Seecta, 3, rue Royet, Caluire (Rhône).

Sibéria wool and cotton heating blankets with 3 heat settings (Lower Alps)

Solis France (1955 ca), 12 rue Guillaume Tell, Mulhouse.

Thermel, 33, rue du Hochât, Châteauroux. (California Brand)

Thermodor, 12, rue Victor-Bonhommet, Le Mans

Tisselec, 66 avenue Félix Faure, Lyon.

Treselle (Fernand.), Mark Ellesert Securematic. With thermostats and 3 settings; 12, rue Godefroy St-Hilaire, Lille.

Electro-Rivoli, (Vedette brand) 1, rue de l'Yser Grenoble, then around 1961, 19 rue de l'Ordre, Lyon 3rd.

In 1955 Calor began manufacturing thermostatic blankets under US licensing. Its temperature is adjustable, and its new thermostats fully prevent overheating. (1955 advertising Calor Collection Ultimheat)

One of the criticisms of the heating blankets of that time was that the user might fall asleep, leaving their blanket on the maximum power setting, which could cause burns in certain cases. The years 1956-1957 would therefore see different devices appearing, incorporating functions to automatically stop heating after a certain period.



Historical introduction

In 1957, Jidé unveiled the "Jidéstop," a timer that automatically switched off heated blankets. Coupatan then put an equivalent product on the market , and Calor released its "Tempomatic". Chromex followed in 1958 with its "Stop Index". Also in 1958, Jidé changed its timer to have two stages of heating, with the blanket automatically switching to lower power after a certain amount of time (Patent 1.198174).

On January 1, 1957, the USE-APEL quality marking was introduced by the Technical Union of Electricity, for electric blankets. This was necessary due to the dangerous products produced in the immediate post-war period, and the numerous accidents which resulted from them.

The old NFC 6023 standard, which covered blankets and thermoplasms (which contained only simple and limited technical requirements such as wire crossover, resistance to bending, heat and moisture, and a single thermostat) was replaced by standards NF C 73-147 (for heated blankets) and NF C 73-123 (for thermo-plasmas).

Vedette and Kalliste were the first manufacturers to obtain the USE-APEL mark.

These new standards created two categories based on the type of heating element:

- La MINUTERIE Jidéstop coupe le courant de votre couverture chauffante après écoullement du temps choisi entre 10 minutes et 1 heure. Elle vous procure donc une sécurité absolue.
- Jidéstop est particulièrement recommandée pour les enfants et les personnes âgées.

Réf. 12-1 : 2.650 fr.




- blankets intended to be powered with very low voltage. " (Equipement ménager 1961).
A temperature regulator became mandatory for thermoplasms, and at least two regulators were required for blankets, which were now subject to more than 15 different tests to check their operational safety.



1959 Calor launches its Textomatic Warming Blanket, featuring a continuous temperature control system with an energy meter. It added the "Tempomatic" option, an automatic shut-off timer, to its simple blankets



Historical introduction



1960 Calor Tempomatic (Ultimateat catalog)


1980 Chromex offers all its heated blankets in water resistant versions and with the NF "Flame Resistant" label.

Mattress heaters


1957 We are beginning to find systems on the market that are placed under the user and not on top of them. These items must be equipped with a fastener system and be rigid enough not to fray and fold on themselves. The heated cover for the Grizzli mattress is made up of an integrated resistor between two layers of fabric. The lower fabric serves as a support for the resistor that is fixed by a patented weaving process. The upper fabric is glued (gutted) on top, by another patented process. The resistor is multi-stranded made from chrome nickel coated in a special heat-resistant plastic. This is a new modern process that allows the product to be washed, and therefore, it also works in water.

It has two heat settings, and an extension with a switch. Its thermostat is waterproof and fully insulated.

(1957 Thermal fabrics factory, Ultimheat Museum)



Grizzli heated blanket (1957 Manufacture of thermal fabrics, Ultimheat Museum)



Jidé bed warmer (1957) Its heating cords were covered with two layers of cotton: Guipe and braid) and plastic cladding. (Jidé Catalog 1957, Ultimheat Museum)



Historical introduction

Silicone insulation

The flexible heating cords at the time lacked a varnish to make them watertight. The cords were then coated with textile insulation (cotton, wool etc..) but there was no varnish flexible enough to make them waterproof. In 1939, PVC began to replace rubber as insulation for domestic electrical cables. In 1949, while PVC production was still in its infancy in France, Sarl Lyon Tisselec, led by Maurice-Pierre Marchal, added a flexible PVC and polyethylene type varnish around the heating cords. This solution guaranteed a certain resistance to moisture and good flexibility. However, the temperature resistance of the PVC was insufficient to be used on a wire charged to 7W/m.

Invented by Dow Corning in the US shortly before the Second World War, and made public in 1944, silicone rubber was initially reserved for military applications. Rhône Poulenc began experimentally producing silicone (Rhodorsil) in Lyon in 1948, and then opened its Saint Fons factory near Lyon in 1954. This elastomer was first used to impregnate braided fiberglass sleeving, allowing small electric motors to operate at a higher temperature. This glass silk withstood heat very well. Its silicone impregnation gave it good impermeability and resistance to many chemical agents. (1954 Meci, Ultimheat catalog)

As early as 1954, silicone-impregnated glass braid insulation was manufactured by Silisol.

-Shortly after, when rapid vulcanization mixtures were developed for direct extrusion on electrical conductors, silicone heating wires started to appear. Vulcanized silicone combines extreme flexibility with excellent temperature resistance (up to 200-250°C), and good electrical insulation allows it to make heating wires that are particularly suitable for blankets and flexible heating elements. This technique replaced neoprene insulation that had just started appearing in heated blankets and flexible heating elements.

In 1958, although costly, silicone insulated heating cables were widely used in the USA for defrosting refrigerators, removing snow, and other similar applications. This is because silicone is resistant to the high temperature of the heating core, resistant to cold, and has excellent sealing qualities. However, its lack of mechanical strength forced manufacturers to develop cables covered with a flexible metal braid for some applications. This turned out to be the origin of industrial electrical tracing.

Even before 1959, the company Electrofil in Joinville proposed isolated resistive silicone wires (Silastic). At the time, the heating cables of blankets were all made by winding small diameter heating wires onto a cotton core, and this did not withstand the very high temperature necessary for the continuous vulcanization of the silicone. The replacement of this cotton core with a glass filament core allowed this manufacturing to take place. This technique is still used today.

In 1960, a new technical solution appeared - the use of uninsulated heating wires, sandwiched between sheets of silicone elastomers and reinforced with glass fibers, and then vulcanized. The assembly then formed a waterproof sheet. The manufacturer Méneret wrote at the time: "All our heating blankets are equipped with special resistors insulated under totally invisible channels.."



1965 Thomson heating blankets with insulated glass filament resistors and self-regulating heating wires on a glass filament core

a company created 2 years earlier. Shortly after this takeover, Flexelec ended production of insulated silicone heating wires.

Historical introduction

Cables and heating cords. First applications in horticulture and the early stages of antifreeze heat tracing


Around 1925, a Norwegian engineer named C. Jacobsen noticed that the snow had melted and that the vegetation was clearly visible all along underground power lines. From there came the idea of using heating wires to increase the growth rate of crops. Thus, this branch of heating was born, which progressed rapidly because of its numerous technical and economic advantages, and which quickly attracted German, Dutch and French horticulturists.

From the beginning of 1929, experiments on electrically heating the soil for vegetable production were carried out at the Fontaines School of Agriculture in Saone et Loire (Ruling by the general council of Saone et Loire, August 1929)

In Holland, the first heated cables for horticultural use were installed as an experiment during the winter of 1929-1930 in The Hague, Delft and Rotterdam. They had been produced by the Swedish company Sievert de Sundyberg. They consisted of a 0.73 mm diameter resistor wire, with a linear resistance of 1.10 ohm per current meter. Two coils of asbestos helically wound in the opposite direction, then a layer of impregnated paper, and finally a 1.3 mm thick lead sheath, ensured the insulation and mechanical protection of the resistor wires. The outer diameter of this heating cable was 4.7 mm. The lead sheath, with a linear resistance of 0.13 ohm, also acted as a return current conductor. For this purpose, the free end of the cable was welded to the resistor wire. Each 50m long cable, can be charged up to 5 A or 22W/m (1931 BIP Information and Electricity propaganda N 37)

In countries with a harsh climate, such as the Scandinavian countries and Germany, heated cables buried at 30 centimeters maintained the temperature of greenhouse layers. The current at night could be set to a very low rate, and the savings in heating costs are estimated to be around at 75% (Le Temps, April 27, 1932)

1936 To speed up the growth of early vegetables, horticulturists are making use of layers of crops covered with glass. Successful experiments with electrically heated layers was well received in various regions of France and abroad. For this purpose, controlled trials were carried out in Nice from February 1 to 15 May 1935. The heating cable consisted of a cable reinforced with a nickeline conductor, and was 12/10 mm in diameter. The power input was about 3 kW, or about 200 watts per square meter of land area. [NB: Nickeline was an alloy of copper, zinc and nickel, similar to nickel silver, and manufactured by the German company Obermaier] (1936 BIP No. 93, Ultimheat Museum)



1: slag, 2: sand, 3: heated cable, 4 meshing, 5: potting soil 6: temperature limiter (1936 BIP # 93, Ultimheat Museum)

Horticultural applications using electric layer heating developed rapidly in France, and this type of heating cable was quickly standardized with two main French suppliers: Câbles de Lyon and Alsthom, using a straight heating wire. There was also a Dutch supplier, the Hollandse Draad in Kabelfabriek (Draka) from Amsterdam, that used spiral heating wire around an asbestos core.

Heating cables were a very special solution to the problem of heated parts, and they have since been widely adopted in the agricultural field for heating crops. However, these cables can be used industrially for relatively low voltages and low temperatures (up to 80°C on the cable surface), particularly in order to spread the heat as evenly as possible. There are currently three types of heating cables, which are listed below in alphabetical order:

- A / Starting from the center to the periphery, the Alsthom cable comprises a resistant nickel-chromium wire

Historical introduction


with two impregnated cotton pads, a triple asbestos braid, a wrap of impregnated paper, pure lead casing and, in some cases, an additional sheath or strip of striated electrolytic zinc was added to avoid electrolysis resulting from stray currents. The diameter of the bare lead cable is approximately 6 mm and the resistivity may vary from 0.5 to 2 ohms per meter (in general, an amount equal to 1 ohm per meter is chosen). The maximum specific power is 30 W per meter or about 33 m.

- B / The Câblerie de Lyon cable was made of a resistant wire insulated by layers of asbestos and tar paper and wrung out. The whole system was coated in a lead sheath and protected against chemical corrosion by special treatment (sulphurization), and then covered with impregnated paper and strapping armor. The specific power varies from 25 to 40 W / m in general.

- C / The Draka cable (produced in Holland) is normally comprised of a nickel-chromium wire rolled on an asbestos core (product made from asbestos) and surrounded by a mixture (of which we do not know the composition), which forms the electrical insulator and thermal conductor. The whole system is covered with a layer of pure lead. In some cases the cable is armed, the lead casing is asphalted, wrapped in impregnated paper, and then reinforced with 2 layers of strips, asphalted again and finally wrapped with impregnated paper. The outside diameter of the unarmed lead wire is 4.15 to 6.5 mm. The specific power is usually 30 W / m.

Heating cables have three interesting advantages in particular: ease of use; resistance to certain chemical agents (pure lead sheath); low price (for example, a 1kW cable is currently worth about half the price of a magnesia-coated tube with the same power).

(1938 Protected Elements, Gautheret, Ultimheat Museum)




Alsthom heating cables, Câblerie de Lyon, Draka (1938 protected elements, Gautheret, Ultimheat Museum)

1938 The heating cable is deemed the heating device that best meets the needs of horticulture. It consists of a high-resistance alloy conductor (nickeline, nichrome, nickel, constantan), insulated with several layers of asbestos and impregnated paper, and mechanically protected by a lead sheath covered with an anti-corrosive coating, and sometimes double coated with a steel strip. The metric resistance of the cable to be installed depends on the length needed to obtain an equal distribution of the desired heat on a given surface.

Manufacturers are building cable types of various strengths, ranging from 0.15 to 2.55 ohms/m, to meet all needs.

(1938 modern technology, electrical horticulture applications).



A, Combinié étanche avec compiteur; — B, Compiteur; — C, Horloge de commande du compiteur; — D, Combinié de départ; — E, Horloge de commande du chauffage; — F, Lampe témoins indiquant si la couche est en chauffage; — G, Tube d'acier pour arrivée; — H, Tube d'acier pour départ vers la couche; — I, Vers la ligne d'aménage serre; — J, Chassis vitré; — K, Thermosat; — L, Plante; — M, Boîte de raccordement; — N, Terre de culture (25 cm); — O, Grillage de protection des câbles; — P, Sable (10 cm); — Q, Mâcheron (25 cm); — R, Câble chauffants.

Horticultural plant heated with electricity
(1938 modern technique, electrical heating
applications for horticulture.)




Historical introduction

In 1956, 2,500 French farms were equipped with it, with a total installed power of about 5000kW, and an annual consumption (exclusively at night) of 3 to 4 million kWh.

(Heating using buried flexible cables. 1956 Electric horticulture heating (Ultimheat Museum)

In 1957, the EDF manual describes electric heating applications in horticulture. Recommended values range from 150 to 200 W/m² for outdoor awnings and 80 to 120 W/m² for greenhouse shelves.



Electric heating of the ground, with the arrival of heating cables (1957, EDF Manual, Ultimheat Museum)

Various applications of heating cables

The appearance in 1929-1930 and the development of heating cables for horticultural use gave rise to other applications. Waterproof and Coated with a mechanical protective lead casing, they could easily be used on their own. It was no longer necessary to have them integrated into an envelope like the heating wires of fabrics and small household equipment. The lead shield kept the cable flexible while providing some temperature resistance. Insulator technology evolved to have a higher temperature resistance and that gradually increased the range of applications.

As early as 1938, some industrial achievements had already been made with some of these heating cables, such as drying ovens for glazed wire, heated water pipes to prevent freezing, tanks for photographic solutions, and paraffin tanks. These cables were then used in low-temperature heating for liquids and air, such as in drying ovens, chamber-ovens, walls and heated floors
(1938 Protected Elements, Gautheret)

In 1946, the E Clin Company in Chartres (Toilectro) filed a patent (FR928369) for heating cardboard for ceilings and heating panels. It seems that no production followed this patent.

This heated ceiling concept led to several experiments. It seems that the first one took place in 1950 in Basel, where a store was equipped with a ceiling made with 14.4 kW heating cables drawn in copper tubes, placed 12 cm apart, and embedded in the ceiling plaster. The ceiling temperature did not exceed 45°C.
(ASE Bulletin, 2 September 1950, 1951 BIP N 153 Arts ménagers)

1963 saw the first French example of domestic heating: a heating cable embedded in the floor. It was presented at the international construction exhibition by the company Panélac. It worked by thermal accumulation during "off-peak hours" (1963 Domestic equipment N92, Ultimheat Museum)

In 1966, as with heat blankets, silicone modified the design of flexible industrial heating cables and fabrics. On the market, we began to find heating cables consisting of a single or double Fe-Ni-Cr or nickel-silver resistor wire, electrically protected by sheaths or braids of glass wool, or glass wool and silicone rubber.

For industrial applications (drying ovens, liquid heating) and agricultural heat tracing, these heating cables were mechanically protected by flexible sheathing made from either lead, steel or copper. Their diameter ranged from 4 to 9 mm, for a linear resistance of 0.25 to 100 Ω per meter, and a general power of 30 to 40 W/m. (1966 Electric Heating elements, Ultimheat Museum)

The development of self-regulating polyethylene-carbon cables in the late 1960s opened a new path for the electric heat tracing market, after their initial applications in domestic warming blankets stagnated.

A few years later in 1975, tests for pavement heating with heating cables were tested in the Cher region (Official Journal of 14 January 1976)



Historical introduction

Flexible heating cords, with PVC, silicone, PTFE or polyolefin insulation, using resistive or self-regulating metal conductors, became an important new branch of electric heating, with new opportunities opening up as new products emerged. Examples included heating cords for refrigerated windows, heat tracing heated cables, pipe anti-freeze systems, road de-icing, roof snow removal, frost protection for meters, and domestic electric floor heating.

Glass filament and high-temperature flexible heating elements, with fiberglass insulation for high temperature applications.

The appearance of a new insulating "textile" material that could be woven - glass filament, revolutionized the manufacture of flexible heating elements. Invented and first produced in the USA by Owens Corning in 1937, it appeared in France in 1938. But it was only around 1952-1954 that this fiber was produced industrially under license in France. This flexible fiber, (also called glass silk because the diameter of the filaments was similar to that of silk), is formed from molten glass at 1300°C. It is then extruded and stretched into filaments (strands) with an average diameter between 5 to 9 microns combined into single threads of 100 to 600 filaments. These single wires are then grouped and "twisted" to form cords that make up the core of the flexible heating elements, or the wrapping of the electrical wires.

Glass filament was an excellent electrical insulator, and was non-flammable and resistant to high temperatures. It was also braided and woven and as soon as it appeared, it was used for the production of sheets and fabrics. In short cut form, it was used to reinforce molded plastics. As early as 1948, glass fabrics were used by Tentation in the manufacture of electric blankets, just as some American manufacturers were already doing. It also rapidly replaced many asbestos applications, including the conductor core around which the conductor wires of the heating cords were spiraled.



Bundles of glass filament strands forming a single wire (Manufacture of glass filament, around 1960, lesson from the textile school of Verviers in Belgium, Ultimheat Museum)



1948 prospectus of the Tentation brand, produced by the Barrière Company (Ultimheat Museum)


Around 1960, high-temperature flexible heating elements, containing a nickel-chromium or nickel resistor enclosed in glass fabric, were introduced onto the French market. This technique allowed a maximum temperature of 550°C.

In this way, ribbons or bands were then produced, as well as simple fabrics of various shapes which could be made to fit any surface by assembling the simple fabrics in the required fashion.

Because of their flexibility and temperature resistance, they were used for heating autoclaves, tanks, ponds, tubes, pipes and laboratory equipment (Fig. 2.1).

Significantly more powerful than household electric blanket cords, some bands could provide a surface power of 0.4 up to 1.25 W/cm².

By replacing the glass with quartz, it was possible to reach 800°C (1966 Heating elements, Ultimheat Museum)



Fabrics and flexible heating fabrics made of glass cloth
(1966 Electric Heating elements, Ultimheat Museum)

Shortly before 1966, industrial heating elements made of a graphite deposit on glass fabric started to appear on



Historical introduction

the market. The resistor consisted of a mesh network of extremely fine bundles of glass fibers, and a network covered with a layer of colloidal graphite with regular thickness. The resulting fabric was flexible and its electrical resistance could be adjusted according to the thickness of the deposit. The maximum allowable temperature was approximately 220°C, and regarding the carbon fiber heating elements which subsequently appeared, the temperature coefficient was slightly negative.

One of the longstanding applications of these fiberglass fabrics and chrome nickel heating wires was the laboratory flask heater. It was then knitted, often by hand in order to produce semi-circular heating elements.



1913-1980 High temperature asbestos-woven heated fabrics

At the end of 1913, the company E. Clin et Compagnie was founded in Paris. Its activity was based on weaving flexible heating elements with an asbestos and weft chain made of resistant heating wire. This was a technology similar to that of Camille Hergott. However, it was intended more for use with high temperatures. For this purpose it used looms for making trimmings. Most of the heating fabrics developed under the brand Toilectro were used in rigid electrical appliances requiring high temperatures such as radiators, toasters, and stoves. As they were easy to bend, they were also used in devices such as coffee makers and accumulation bed heaters to cover around tanks for heating liquids.

These heating fabrics were formed by a frame made from constantan or nickel-chromium, and a chain of asbestos wire. The wires were spaced as in a sieve that created ventilation and so produced excellent thermal efficiency. A canvas stretched vertically in the open air reached a temperature of about 100°C, for a consumption of 0.4 watts per cm² and 250°C for 2 watts per cm². At 3W/cm² the wires would redden and destroy the asbestos.


In 1921, Clin patented heating fabrics in which the canvas, insulated between slats of mica, was mounted in a metal frame. This formed a rigid system which allowed a maximum output of 5 watts per cm². (Information from the Toilectro catalog, 1939)

Clin also produced a range of semi-flexible heating mats, with a lower surface power of 0.04W/cm² (50W for 35cms x 35cms).

The manufacture of these resistors, widely used in household electric radiators and convectors, continued without technical modifications until the years 1980-85. In addition to its low cost, this resistance was particularly quiet, with no dilation noise. The main manufacturers were Clin (Toilectro), La Toile Electronique, Noirot and Thomson.



E. Clin and Cie advertisement in the General Electricity Review, 1922




Toilectro asbestos heating fabric (catalog 1931). In May 12, 1921, E. Clin made a patent for electric canvas with reinforcement by mica plates (577486)



Historical introduction


Because of permanent improvement of our products, drawings, descriptions, features used on these data sheets are for guidance only and can be modified without prior advice



1939 Asbestos-woven elements (Noirot Catalog 1939, Ultimheat Museum)



Unarmed heating cables with asbestos core, for industrial applications (Noirot Catalog 1939, Ultimheat Museum)



Heating fabric with asbestos chain, usable up to 450°C (1950 Ohmewatt)


ÉLÉMENTS TISSÉS RÉSISTANTS, CHAUFFANTS POUR TOUTES APPLICATIONS							
Radiateur	Nombre de voiles	Type	Puissance par voile	Trame en %	Chaine	Borderie en %	Observations
R 200	1	R 400	600	210	245	35	Bordure métallique
R 315	3	R 400	600	180	245	35	x
R 316	3	R 402	600	180	245	35	x
R 325	5	R 404	650	210	240	35	x
R 330	5	R 404	1.000	120	245	35	x
R 335	3	R 405	850	300	245	35	x
R 340	5	R 405	850	320	245	35	x
R 345	5	R 405	1.000	320	245	35	x
R 346	3	R 400	1.000	380	245	35	x
R 350	5	R 400	1.000	320	245	35	x
Simplex 2	2	R 400	1.000	220	245	35	x
Simplex 3	3	R 401	600	156	245	35	x
Simplex 4	4	R 402	600	220	245	35	x
R 403	3	R 403	600	120	245	22	x
R 410	3	R 410	600	120	245	22	x
R 415	5	R 400	1.000	320	245	35	x
R 420	5	R 400	1.000	320	245	35	x
R 425	—	R 402	600	320	245	35	x
R 430	—	R 403	600	210	245	35	x
R 435	—	R 403	600	210	245	35	x
R 440	—	R 403	600	320	245	35	x
Quadrilatère verre	—	175 et 200	475	78	20	20	x
Bloc mürte	—	750	410	170	25	25	x
Bloc mürte	—	900 et 1100	900	170	25	25	x

Asbestos Heating Fabric (1960 Toile-électronique, Ultimheat Museum)

"Asbestos has great flexibility, good vibration resistance and is not brittle. A mixture (commercial grade) of 85% asbestos and 15% textile (cotton, fibran) is often used with a maximum temperature of 250°C. There are also two other qualities conducive to higher temperatures (450 and 800°C). In a practical sense, asbestos is used mainly for temperatures which do not exceed 450°C, or 600°C in exceptional circumstances, if used on the item. Asbestos is mainly used in the form of canvas, with the chain forming the insulation and the frame forming the electric heating part.

The chain is made up of a large number of fine asbestos threads. The warp threads are spaced according to the desired application. The makeup of the frame varies greatly, depending on its dimensions and the desired application. The following metals are most often used: nickel chromium, constantan, and nickel alloys, most often in the form of wires, and sometimes ribbons or cords. The section of the wires is small, for example from 0.10 to 1.30 mm. When the conductor must be in the upper section, the wires are grouped parallel to one another. The frame arrangement can be very different, depending on the intended use of the element. For example, it could be a single circuit comprising a single wire or several wires grouped in parallel, with the conductors being regularly spaced (or not), multiple circuits, which supply three-phase or two-phase power, or a possible grouping in series or in parallel, etc. These canvases have an asbestos wire border that is thicker than the chain, and often of lesser quality. In the manufacture of fabrics, the only limit is the size of the loom, the width of its frame, usually 20 to 800 mm. The elements delivered are relatively small in surface for mechanical and practical reasons (spare parts), with regards to the possibilities of the weaving looms (exceptional maximum of 1 m²). Asbestos has low electrical insulation, so the canvases are usually attached to their supports by soapstone or porcelain barrels, mica slices, etc. In some cases, they support the resistors and are themselves held in place by a metal frame. Another important application is that of heating cords, consisting of a calibrated asbestos bead on which the metal conductor is wound and covered (or not) with asbestos braiding or other insulating substances". (1966 Electric Heating elements, Ultimheat Museum)





Asbestos heating fabric, and asbestos heating cord and braid (Electric heating elements, 1966, Ultimheat Museum)

In August 1977, awareness of the danger of asbestos led to a first decree on the protection of workers exposed to asbestos dust, followed by a total ban of asbestos in France in 1997. As a result, these types of heating elements disappeared from the market.

Plasticized fabrics and heating ribbons


Developed in 1940 with rubber insulation, these flexible fabrics were quickly put to use for de-icing aircraft wings.

In the early 1960s, following the development of PVC and silicone elastomers, the first flexible heating elements for industrial use appeared in the form of ribbons and plates. Most of its insulation was made by a polymerized or vulcanized elastomer resin around a heating wire. The elastomers used were PVC, silicone, and sometimes neoprene.

There were also woven canvases, which were made with a sheet with an asbestos chain and a Ni-Cr or constantan frame, embedded in a silicone gel. These flexible blocks were manufactured 2.5 to 5 mm thick, in rectangular format (up to 0.90 x 0.20 m) or square format (up to 0.50 x 0.50 m), with variable power densities, from 0.4 to 1 W / cm². Their maximum temperature was 250°C.

Over the years, their technology evolved, and they were made using two strips of fiberglass-reinforced silicone, vulcanized together by sandwiching a sheet of heating wires.

This technique is now widely used industrially for heating flat surfaces, cylindrical drums and heating drums.



Rubancalor heating tape, manufactured by RAS, girdles not only the ceilings but also the wall bases (1958 Rambert, Le chauffage, Ultimheat Museum)



Historical introduction

During the same period, heating strips were also formed consisting of parallel conductors, embedded in a polyvinyl strap, constituting a 13 mm wide ribbon, and allowing a specific power of 20-25 W/m up to 100°C.
(1966 Electric heating elements)

Because of permanent improvement of our products, drawings, descriptions, features used on these data sheets are for guidance only and can be modified without prior advice



Silicone heaters, heat-tracing tape, foil for heating surfaces and drums (Ultimheat catalog, 2012)



Contact us

Web: www.ultimheat.co.th

Cat21-2-2-27


Historical introduction

Part two: Technological evolution of heating elements

Metal heating wires

When Camille Hergott developed his first flexible heating elements, his research focused around nickel conductors. He made this choice because of the high temperature coefficient, making it rustproof and self-regulating (thanks to its double resistivity between 20 and 200°C). Other metals used at the end of the 19th century for heating elements were platinum (expensive), iron (oxidizable), nickel silver (low temperature coefficient), copper (very low resistivity).

Ferro-nickels, which appeared shortly thereafter, made it possible to limit the length of the heating wires required, because they had greater resistivity. The most resistive alloy used for heating elements was 30% iron and 70% nickel. Its resistivity varied little with temperature (temperature coefficient of temperature 0.0009°C i.e. 5 times less than pure nickel at 0.0054). They were basically rustproof at high temperatures, and so were mainly used in stoves, radiators, and toasters.



Variation in resistivity: curve versus nickel content in ferro-nickel alloys (La Nature, 1934, Nickel alloys and their applications, P215)

The development of nickel alloys from 1900 to 1940 gave rise to nickel-chromium resistive alloys and multiple copper-nickel alloys. As for ferro-nickels, high resistivity and temperature resistance were the main parameters for using these products. The alloys also had to have a low temperature coefficient, such as constantan and Driver-Harris Advance, so that their characteristics were not affected by temperature. Their use in heating blankets and thermoplasms required the addition of a temperature-limitation system.



1930 Electric compresses with Advance heating elements
(Drivers Harris, 1930 catalog, Ultimheat Museum)

Propriétés	RNG-1	RNG-2	RNG-3
Résistivité à 15°	100 ± 4 microohms/ cm^2	111 ± 4 microohms/ cm^2	102 ± 4 microohms/ cm^2
Coefficient de température de la résistivité, valeur moyenne entre	$0.30 \pm 0.35 \times 10^{-3}$	$0.10 \pm 0.15 \times 10^{-3}$	$0.05 \pm 0.08 \times 10^{-3}$
Pouvoir thermoelectrique par rapport au cuivre	$+2 \pm 2.5$ microvolts par degré	0 ± 0.7 microvolts par degré	$+3 \pm 6$ microvolts par degré
Densité	8.05	8.25	8.45
Point de fusion	1.450°	1.450°	1.475°
Température limite d'emploi	$600-700^\circ$	$900-1.000^\circ$	$1.100-1.250^\circ$
Applications	Rhétostats, Chauffage aux températures moyennes, Machine électrique, Chauffage domestique.	Radiateurs, Chauffage aux températures élevées, Fours à traitements, Appareils de mesure.	Radiateurs, Chauffage aux températures très élevées, Appareils de laboratoires, Réfractaires de mesures.



Historical introduction

Because of permanent improvement of our products, drawings, descriptions, features used on these data sheets are for guidance only and can be modified without prior advice

1933 Imphy's mills offer resistive wires in 3 different nickel-chromium alloys, which they call RNC 1, 2 and 3 (Resistive Nickel Chrome). RNC1 was well suited for heating blankets. It had a large increase in resistivity relating to temperature, which provided a self-regulating effect (0.0030 to 0.0035 $\Omega / \Omega / ^\circ C$)

Around 1934, Driver Harris produced a 28% iron and 72% nickel alloy with a high temperature coefficient, called Hytemco. (High Temperature Coefficient). This alloy had a temperature coefficient of 0.0048 to 0.0053 $\Omega / \Omega / ^\circ C$, making it very close to pure nickel. But its resistivity was twice as high, which made it possible to reduce the length of the necessary wires. Used in heated blankets, it provided an important self-regulating function.

Over the years, Harris developed a range of alloys with a high temperature coefficient, in particular:

- 99 alloy: (99.8% pure nickel): 0.006 $\Omega / \Omega / ^\circ C$
- Nickel grade A: 0.005 $\Omega / \Omega / ^\circ C$
- Nickel grade E: 0.0045 $\Omega / \Omega / ^\circ C$
- Permanickel: 0.0036 $\Omega / \Omega / ^\circ C$
- Alloy 152: 0.0035 $\Omega / \Omega / ^\circ C$
- Alloy 146: 0.0032 $\Omega / \Omega / ^\circ C$

Similar alloys were developed by other metallurgists under the names Alloy 120, MWS-120, Balco, HAI-380, NIFE 5200, Kanthal 70, Alloy K70, Nifethal 70; Pelcoloy.

In 2015, Driver Harris's Hytemco ferronickel alloys, now called PTC alloys, were standardized in China (Standard JB/T 12515-2015) according to their temperature coefficient, to allow a better approach to creating self-stabilizing temperatures in heated blankets. Depending on the model, their temperature coefficient varies from 0.003 to 0.00465 $\Omega / \Omega / ^\circ C$.

Alloy code*	Nominal composition%		
	Fe	Or	Mn
P-4650	18.0	82.0	-
P-4350	19.0	81.0	-
P-4050	20.0	80.0	-
P-3750	21.0	79.0	-
P-3550	20.2	79.0	0.8
P-3350	22.0	78.0	-
P-3150	23.0	77.0	-
P-3000	21.5	77.0	1.5

Table of the composition of nickel alloys with PTC effect (Standard JB/T 1215-2015)

* The 4 digits after the letter P give the nominal value of the temperature coefficient. For example 4650 = means 0.004650 $\Omega / \Omega / ^\circ C$

Manufacturing methods of blanket heating cords

In 1949, Léonard Julien Degois of Limoges, studying the reasons why the blanket's heating wires would break, developed a new method of winding the heating conductor on a textile core. He proposed double-winding in opposite directions, so that the windings would intersect. The cords no longer buckled. He went on to implement this technique at Jidé, which was founded soon after, manufacturing heating blankets. With this invention he came to be known as "the inventor of heat blanket resistors"

Fig.1





Fig.2



1949 heating wire with crossed winding (Léonard Julien Degois patent)




Contact us

Web: www.ultimheat.co.th

Cat21-2-2-29

Historical introduction

Fig.1



As early as 1949, Tissélec filed a first patent for a heating cord whose outer covering (3) was covered with a rubber, pvc or polyethylene type elastomer (4) in order to improve insulation, particularly in cases where the cover was wet. (Patent FR 982675 registered on June 13, 1951)

Around 1955 in France, Hytemco self-regulating alloys were first released from several heat blanket manufacturers. This eliminated the need for safety thermostats. In 1958, one of the largest French manufacturers, Electro-Rivoli (Vedette brand), stated that its regulation system was run by Swedish self-regulators (Most likely Kanthal 70, also known as Nifethal 70).

From then on, the two different systems both existed in thermoplasms and heated blankets.

- The first used low temperature coefficient, like nickel chrome 80/20 or copper-nickel, connected to temperature limiting thermostats.
 - The second used heating wires with a high temperature coefficient, very close to nickel, such as Hytemco, Balco and Kanthal 70, which did not require a thermostat. Pure nickel, which was used originally, lost its appeal. This was because of its resistivity, which required the use of twice as much wire.
- The technical choice of manufacturers between these two solutions was purely economical, and they are still in use today.

In the 1960s, most of the heated blankets used a 7W/m heating cable and most of the manufacturers changed from chrome-nickel or nickel wires to self-regulating wires.



1960 ca. Guipage workshop for heating cords used in electric blankets (Ultimheat Museum)



1960 ca. Calor heating cord, diameter 1.7 mm, single nickel chromium heating wire, diameter 0.08 mm, on a slightly twisted cotton core to prevent buckling (Ultimheat collection)



1960 ca. "Self-regulating" heating cord from the brand Ellesert, diameter 1.2mm. The central core is a straight cotton thread surrounded by a guipure consisting of two 0.1 mm diameter cotton threads wound with a 0.8mm



Historical introduction

Because of permanent improvement of our products, drawings, descriptions, features used on these data sheets are for guidance only and can be modified without prior advice
pitch. There is then a 3 0.067 mm nickel conductor guipure wound with a 0.8mm pitch in the opposite direction. This keeps the whole unit from looping (Ultimheat Collection)



1962 ca, Jidé brand heating cord. Sewn directly onto one of the sides of the heating blanket, no longer between two fabrics, it has four spiral nickel conductors on a cotton core, which are then covered with a very fine wrapping, and then with a cotton braid. The unit is not waterproof and very combustible.



Measuring heated blanket surface temperature (1960 ca, Vedette, Ultimheat Museum)



Flexible, PVC-insulated heating wire with a very small diameter (2 mm), single conductor diameter 0.11mm copper alloy (probably nickel silver), wound on polyester core dia 0.5mm, used on a General Electric heating blanket (England), around 1962 . The unit is very combustible. (Ultimheat Collection)

In 2019, heating blanket heating cords are composed of a fiberglass core (sometimes polyester fiber), surrounded by a spiral heating wire. The system is then covered by flexible insulation, based on high temperature PVC, resistant to 100°C. This solution is the least expensive and the most common. A more professional and almost incombustible solution consists of a fiberglass core, a spiral heating wire and silicone elastomer insulation resistant up to over 200°C.

Self-regulating polymer heating cables with positive temperature coefficient

In 1962, an important discovery was made at Douglas Aircraft laboratories (US Pat. No. 3,238,355) on polymers and, in particular, on polyethylene loaded with carbon nanoparticles, which is a semiconductor at ambient temperatures. It was found that this material, at a temperature of around 70°C, saw its resistivity rise sharply as a quasi-electrical insulator

("Electrical Properties of Black Carbon Filled Polyethylene", Polymer Engineering and Science, Jun. 1978, vol. 18, No. 8, pp. 649-653. "Polyethylene / Carbon Black Switching Materials", Journal of Applied Polymer Science, vol. 22, 1163-1165, 1978, Wiley & Sons, NY)

As early as 1966, General Electric engineers Phillip A. Sanford and William P. Somers devised flexible conductors using this property to make resistors for heated blankets. This eliminated the need for safety limiters, as the heating pad adjusted its power automatically as soon as the temperature became too high. The most comfortable power for the heating cords in ambient temperature was found to be 3 to 3.8 watts per meter.



Contact us

Web:www.ultimheat.co.th

Cat21-2-2-31

Historical introduction

Fig. 2.




Fig. 4.




Fig. 5.





Fig. 6



1966 First self-regulating heating cords for electric blankets
(US Pat. No. 3410984, Phillip Sanford, for General Electric)

Depending on the composition of the polymer, its percentage of carbon particles and its thickness, it was possible to obtain different stabilization temperatures. However, in addition to its cost, the lack of flexibility of this highly charged 27% carbon polymer made the heating cords relatively stiff, and lacking the flexibility required for heating blankets.

In addition, two major technical problems quickly emerged that prevented commercialization. The first was related to the high contact resistance between the conductors and the polyethylene semiconductor, due to the difficulty of joining the two. The second problem was the poor stability of the heating element, which had lower resistivity, presumably because of the high operating temperature and thermal cycles. It took more than 10 years to resolve, and it was not until 1980 that Sunbeam, the American heating blanket manufacturer, filed patent 4271350 for a reliable version of heating cables with a positive temperature coefficient. In this

technical evolution, the heating cord underwent a thermal annealing cycle at a temperature of 150°C. This was greater than the melting temperature of polyethylene, which required a high-temperature over-sheathing of thermoplastic elastomer and special precautions so that the conductors did not touch during annealing. Sunbeam's various versions of electric blanket applications also improved the flexibility of the heating cord.

At the beginning of 1984, Sunbeam heating blankets using this type of conductor, without thermostats, appeared on the American market.

This technology continues to be used almost exclusively by Sunbeam in the USA. It allows production of blankets with high calorific value, but, although reduced, the original defects are still present, such as lack of flexibility, and loss of heating power following aging of the PTC polymer.

Carbon fiber resistors


Known since 1860 from the work of British chemist Joseph Wilson Swan, it was in 1879 that carbon fiber first came into commercial use, when Thomas Edison produced it from bamboo fiber to make incandescent light bulbs.

Carbon, in the form of graphite electrodes, was also widely used in film projectors and industrial furnaces.

Carbon filaments were used on incandescent lamps until the mid-1930s, before being gradually replaced by tungsten filament lamps that appeared around 1910.

The manufacture of carbon fiber bundles for industrial uses required a period of about fifteen years of development to find new production techniques. These fibers only started being used in the 1970s. It allowed the development of carbon fiber composite laminates and resins, which remains its most popular application, but also that of resistive electrical conductors.

The first low-voltage carbon fiber heating blankets appeared around 2008. Variable according to the manufacturing process, carbon fiber has a resistivity ranging from 900 $\mu\Omega \cdot \text{cm}$ to 1650 $\mu\Omega \cdot \text{cm}$ (which explains the differences in resistivity between manufacturers). This resistivity is about 10 times higher with 80/20 nickel chromium (112 $\mu\Omega \cdot \text{cm}$). Its temperature coefficient is close to zero. The carbon conductors are mostly made by 1000°C carbonization of viscose or polyacronitrile filaments (PAN). The current diameter of the filaments is 7



1881 carbon filament lamp, improved methods of connecting the filament to the electrodes (English Patent No. 4.202 of 29 September 1881, by Joseph Wilson Swan)



Historical introduction

microns. Before carbonization, they are cut into wires that have between 1,000 to 48,000 filaments. These wires designated by the letter K, preceded by a number giving the number of thousands of filaments (1K, 3K, 6K, 12K, 24K, 36K, 48K). Conductor resistance in Ohms per meter is inversely proportional to the number of filaments, and varies from 500 Ohms per meter for the 1K cable to 10 Ohms per meter for the 48K cable (approximate values according to the manufacturers). Of course, the diameter of the cable increases with the number of filaments. A 3K insulated silicone cable will be around 2mm in outer diameter, while a 48K cable will be 5.5mm.


In domestic heating blankets, which have a power around 50 to 150W, there are limiting factors, such as the diameter of the cable and the length necessary for a good distribution of heat. Flexibility, even with silicone insulation, becomes too limited when the application requires cables with a large number of filaments. In industrial applications, the high electrical resistance in Ohms/m makes applications in powers above 300W difficult, requiring parallel wiring of multiple heating elements.

For these reasons, the main standard applications for flexible carbon fiber wires are in electric underfloor heating, where the usual values of 200W/m² are possible to achieve, and flexibility and resistance to repeated flexing are not within the critical parameters. The connections are also a handicap, because it is difficult to connect carbon fibers with copper-connecting conductors because the filaments are fragile and can break when crimping terminals, and then cannot be soldered. In most cases, silver-charged and expensive conductive resins are required to make these connections.

Since carbon has no self-regulating action, it is also necessary to provide a temperature limitation system when being used for heating.

In these applications, carbon fiber is also sometimes produced in the form of felt, ribbon or filaments introduced when manufacturing the fabrics.

The latest edition of standard IEC 60335-2-17 of 2012 on heating blankets expressly provides carbon as a heating element, in the form of conductive wires or electrically conductive textiles.



Philips filament lightbulb (1930,
Philips Electric Omnim catalog,
Ultimheat Museum)



2019 Carbon fiber heating wire, with PVC insulation, in 12K and 24K (Ultimheat collection)

Recent technological developments of flexible heating conductors.

- Polymer ribbons with conductive plating: these ribbons are spiraled around a fiberglass core. With their extreme flexibility, they can create small diameter cords that can be incorporated into fabric manufacturing
- Metallic micrometric tapes wrapped around a core of cotton, synthetic fiber or fiberglass: They also allow the creation of cords with a very small diameter (up to 0.27mm), which can be easily integrated into fabrics (2004)
- Self regulating silicones: these silicones comprise a filler in carbon nanoparticles, similar to PE and PP (US Patent: 6.734.250 of August 17, 2000 Shin Etsu chemical).
- Polymeric fibers with surfaces metalized by plasma or electroplating.



Historical introduction


Part three: Adjustment and temperature control

Power adjustment by switches

During early medical applications of electric blankets at the end of the 19th century, there appeared to be a need for heat regulation. The first solution put into practice was to use several heating circuits, and to connect them according to the desired temperature. The oldest ones, made from Bakelite, only connected one or two resistors using a pear-shape switch, similar to that used for lighting.

The first three-switch heating models appeared in the 1930s
(Bouchery Catalog, 1933)

The simplest models of electric blankets, up into the 1960s, often had no switches at all. The instructions simply asked the user to unplug it when the bed was warm. The fierce competition of the years 1960-1970 forced many manufacturers to install switches on the power cable. As well as having an off switch, the rotary switches also had switches with 3 power levels, while requiring only two standardized heating elements. The early 1970s saw the replacement of rotary switches with more aesthetically pleasing slide switches.



1921 On/off switch on thermoplasme (Fare Catalog, Ultimheat collection) 1924 Switch for flexible wires (Patent Arzens75051). In 1933 Calor develops a similar model with snap-off technology

Fig.1.





Fig.2.



Until 1925, Calor used a simple switch on some of its flexible heating fabrics (Thermoplasts, bottle warmers), and then advanced to a multi-position setting switch on its thermoplasts.



1929 Calor Thermoplasma with adjustment (Advertising)

Fig. 1



Fig. 2





Fig. 3



In January 1943, the Parisian Roger Marcel Cuche invented a 5-position rotary switch, including 3 heating levels, with a design that was universally used on electric blankets for more than 30 years. The 0 position at each end of the slider avoids user errors, especially at night. (French patent 890417A)




Historical introduction



1947 Switch with 4 setting positions for thermoplastics. The 4 positions would then become 5, with a stop on each side to avoid positioning errors at night
(Calor spare parts catalog, 1947, Ultimheat Museum)

1955 ca. 5-position rotary switch similar to the Cuche model, but with snap-off switch (German manufacture LW Lohmann and Welschehold GmbH & Co. at Meinerzhagen) Ultimheat Collection

3 or 4-position slide switches replaced the rotating model and became the standard for electric blankets from the 1970s



Three-way slide switch (1961 Calor)



Calor switch, 3-speed and slide-off position (Ultimheat collection, circa 1961)



3-position heating switch and 2-position stop switch on heating blanket. Intermediate model between rotary systems and slide systems (1970 ca. Gitem Ultimheat collection)



Three-position and stop slide switch, circa 1990 (Ultimheat collection)


Historical introduction

Power adjustment by energy metering

The problem of continuously setting the power was reminiscent of similar issues with electric hotplates, which were being developed at more or less the same time. There was no electrical or electromechanical solution to temperature measurement inside the heating blanket, as the setting was outside it in a control unit. The first models of this type, which were intended for electric stove tops, were made in England by Sunvic in July 1938. By 1936, one company had introduced a heated quilt with an automatic temperature control. A bedside thermostat responded to temperature changes in the room and cycled the blanket on and off accordingly. These early electric blankets also included several safety thermostats which would switch the blanket off if a portion of it became dangerously heated.

In 1942, Leonard W. Cook of General Electric USA, the largest manufacturer in the US at the time, invented the temperature control system that would become the most common for heating blankets. US Patent 2,383,291 was accepted in 1945.

As with Sunvic's energy meter, the control system included a bimetallic strip heated by a small, low-watt electric resistor, mounted alongside the main resistor. The setting, which worked based on the distance from which the bimetal warped in order to actuate contact, allowed the main resistor's power to be set remotely by varying heating cycles. This system was also sensitive to room temperature.




System for regulating the power of bimetallic heating blankets and additional resistance in the casing (1942, Cook patent)



Exclusive G-E Bedside Control—set it once a season—for the nightlong warmth you want. At bedtime, just turn blanket on. If room temperature changes, Control adjusts automatically! Bed (and you) stay comfortably cozy all night—every night!

1946: General Electric's advertisement for their new temperature control system




In 1954, Maurice Pierre Marchal working at Tisselec, filed a patent for a bimetallic switch. This product used a small series resistor (No. 22) on the heating blanket and slowly heated a bimetallic strip (5). The aim of this invention was to create a heat timer that automatically turns off heat after a certain duration. Marchal completely failed to achieve gradual heating control, although his system came very close to this idea.

Around 1960, French heating blankets were fitted with control units mounted on the equipment power cable, based on General Electric's Cook system.

Airale named it Variotherm and Calor made it available in its high-end appliances, highlighting its setting and sensitivity to room temperature.


Historical introduction




1961 "Textor  e" Control unit, General Electric USA adjustable system, sensitive to temperature variations, but still with a slow cut-off (Catalog Calor 1961, Ultimheat Museum)



1970 ca. GEC power setting (General Electric, England) on an English heating blanket. Anticipated resistance is clearly visible above the bimetal and slow breaker (Ultimheat Collection).



1972 ca. Power control box made by Jid   in Limoges under the brand Jid  stat. **The most successful of all systems.** Very small in size, it is adjustable, and is incorporated in the electrical plug. This is the only model with a snap magnet contact. It was not surpassed by electromechanical systems until the current era. (Ultimheat Collection)



1995: An American power meter heating blanket, similar to that developed more than 50 years earlier by Cook in 1942. Exterior view and view of the internal bimetal has a slow breaker with anticipated resistance. The only notable development in this model is that it includes a noise filter (Collection Ultimheat)

From the 1990s, the miniaturization of electronic components made it possible to make smaller setting systems. These incorporated not only the on-off switch, power control, and temperature control, but also dimming functions and "on" and "off" timer functions.



2019 Continuous Electronic Power Control Blanket Control Unit (Ultimheat Collection)



2019 Continuous Electronic Power Control Blanket Control Unit (Ultimheat Collection)



2019 Control unit for temperature-controlled heating blankets with digital display via a thermistor probe incorporated into the heated area (Ultimheat Collection)


Temperature limiters

The first example of a temperature limiter in a flexible heating element was developed by Camille Hergot in 1902. It consisted of a conductive portion of the current made of fusible alloy at 70°C. This solution led to the disuse of this device.


In 1912, William Hoffmann of Detroit (USA) put forward a patent for a flexible heating circuit with two different control systems: a bimetallic system, which provided temperature regulation, and a safety switch system which worked by combining a low temperature alloy welded to 2 blades. It seemed unlikely that this patent would be followed by actual manufacturing, because the design of the thermostat did not allow for proper operation.



Historical introduction



1912 Hoffmann fusible alloy limiter for heating blanket (US Patent 1096916).
The fusible alloy welds together blades M and N





1912 Hoffmann Bimetallic Thermostat for Warming Blanket (US Patent 1096916) J is a bimetallic blade riveted at both ends. The electrical contact is supposed to open between blade J, deforming when the temperature rises, and set screw K

During the years that followed, and up to the Second World War, despite the existence of some patents, there is no mention of temperature limiters in manufacturers' records. It is simply stated that the heating blanket must be turned off when the bed is hot, and must not be operated continuously.


From the 1930s, the development of bimetallic manufacturing techniques in the USA allowed the manufacture of small temperature limiters. The low breaking power required in these applications (between 50 and 150W) meant that they could be made much smaller.

In the years 1955-1970 the size of the market (between 300,000 and 600,000 heating blankets produced per year in France) led engineers to find specific technical solutions.




In November 10, 1941 in Saint Louis, Laurence Howard filed a patent (US 2,328,342) for a miniature slow-breaking heating blanket thermostat and protective housing, including a device for protecting against wire tearing (for the company Knapp Monarch de Saint Louis).

In 1944, engineer Sidney Arthur Singleton, on behalf of heating blanket manufacturer Thermega Ltd in London, developed a miniature snap-action limiter for heated blankets (1944, May 3, British Patent 609,082, registered in the USA in 1948).



1944 Thermega fast break limiter for heating blankets



1947 Thermoplasma Calor, view of the heating part with its two protected sheath thermostats (RT) and its 3-position switch (IRT). (Cat Ultimheat)



Historical introduction

Thermostats and temperature limiters became mandatory in heating blankets because of the changes brought by NFC 73-147 in 1957. It required at least two of them in models using conventional non-self-regulating resistors. Their role was to avoid overheating, especially if the cover (or thermoplasma) was folded over itself, or covered by a quilt. These thermostats were subject to a major technical restriction - they had to have a low temperature range (from 1 to 2°C) to ensure that the cover heated up again once the defect was eliminated. This restriction made it technically impossible to achieve using small-size snap limiters. The only devices that met these criteria were slow-break limiters, which combined small size with a small temperature range. In 1955, when Calor put its heating blankets on the market under American licensing, they were slow-acting limiters, working perfectly in the 110V network in the USA where they were used. These limiters were protected from dust, moisture and insulating felt particles by a small waterproof PVC bag, and this caused them to create radio interference. The gradual transition from 110 to 220V in the 1960s only increased interference.




Fig. 1





Fig. 3

In 1957, Maurice Georges Moïse Gervaiseau, a thermoplastics manufacturer (151 Georges Durand Avenue, Le Mans), developed a compact bimetallic thermostat, under the brand name Evo-Stop, in a closed unit with an improved slow breaker, in order to overcome the problem of radio interference and was specifically intended for heating blankets. (Patent 1169253)

Another problem with temperature limiters was their conductors' mechanical resistance to traction. In 1958, to overcome this defect, Maurice Pierre Marchal of Tisselec, proposed to completely wind the conductors around the thermostat.



1958 Installation method of the limiters to prevent weld breaks on the thermostat (Patent Tisselec 1.204.242)

1960 Rhonéclair releases its heating blankets with 2 thermostats with NF-USE-APEL marking, and also a line without thermostats, and therefore without the NF mark.



Calor slow-break heating blanket temperature limiter, calibrated at 80°C (circa 1960). Note the waterproof PVC sleeve welded on the wires and the loop made by the electrical conductors passing through a hole in each terminal- this is to eliminate tensile stresses on the wire (Ultimheat Collection)




Slow-breaking heating blanket temperature limiter, used in conjunction with an English power control system made by GEC (General Electric Company). It is covered with a waterproof PVC sleeve, welded to the wires. Around 1970 (Ultimheat Collection)




Historical introduction

The 1960s and 1970s saw the emergence of many miniature snap switch temperature limiters, made by companies such as Augé and Cie and Imphy (France), Texas Instruments (USA), Portage Electric, (USA), and Uchiya (Japan), but their success was very limited in the field of domestic blankets, because their temperature ranges were too great.


In 1959, engineers Walther H. Moksu and Henri David Epstein of Texas Instruments USA filed a patent (3104296) for a miniature snap thermostat. This model was the first of a large line of devices of this type - the SL11 series. But despite its small size, and its tight assembly, it was seldom used for electric blankets, and found its market in engine coils.



Patent Plan 3104296 and prototype of the SL11 series (1960, Ultimheat Collection)




1961 bimetallic miniature snap switch for heat blankets,
joint patent of Sté Auge et Cie and Imphy sa No. FR1296066 (France)



1963 Portage Electric miniature snap-off limiter (US Patent 3443259). Its main feature was to adjust the set point by a small bump in the casing (No. 14), which was taken up by most manufacturers.


In 1966, Texas Instrument's engineer Richard T. Audette developed the most simple to produce snap-off temperature limiter, which was marketed as the 7 AM series. This model combined both miniaturization and low temperature ranges. It is now manufactured by multiple manufacturers, including waterproof versions.




1966 Patent of Richard T. Audette for Texas Instrument (US Patent 3,430,177)



Historical introduction




1978 Uchiya develops the miniature limiter 8X5, (22.7x4.4x 6.8mm) with snap-off, for blanket heaters. Its waterproof version became the UP32 model (Ultimheat Museum Catalog)



1980 ca Uchiya UP32 waterproof bimetallic limiter on Gitem private label heating blanket. (Ultimheat Collection)


In 1964 Portage Electric developed its slow-breaking E model, similar in appearance to the B and C models in its range. As the applications in heating blankets developed, in 1984 it created a specific model for this application, which was flat, with a crimp terminal at each end - the A1 model. This one was approved by UL specifically for heated blankets in June 1991. Then the model E, with a new design, in 1991.



Portage Electric Slow-Breaking Thermostat Models, 1963 (Glenn Wehl US Patent No. 3,223,808)



E-type Slow-breaking Electric Portage Thermostat (1991)



2019 Snap-off temperature limiter for heating transformer, derived from the 1966 Texas Instruments 7AM model, usable at 230V, in plastic waterproof casing. Temperature range of 5 to 8°C. Type V7AM. (Ultimheat Collection)

Because of permanent improvement of our products, drawings, descriptions, features used on these data sheets are for guidance only and can be modified without prior advice

