JOICode Side-by-Side Report · qwen25_coder_14b

Side-by-side GT vs Generated JOICode report for **qwen25_coder_14b**. This report is rendered from row-level benchmark outputs and is print-friendly for PDF export.

ROWS	AVG DET	DET PASS	GT EXACT	AVG PROMPT TOKENS
20	87.6197	75.0%	0.0%	8562.0

AVG COMPLETION TOKENS	AVG LLM LATENCY	P50 LLM LATENCY	PEAK VRAM	OOM COUNT
57.4	6.504s	5.870s	31.121 GB	0

RUN METADATA

Results Dir	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/model_suite_20260423_222827
Output Dir	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/model_suite_20260423_222827/side_by_side_report_qwen25_coder_14b
Suite	paper_local5
Genome	/home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/best_genome.json
Created At	2026-04-23T22:28:27.265338
Categories	1, 2
Limit/Category	10
Rows	1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40

TOP FAILURE REASONS

gt_mismatch	20
arg_type	7
gt_receiver_coverage	3
gt_service_coverage	3
dataflow	3
semantic	2
numeric_grounding	2
enum_grounding	1

CONTEXT + CATEGORIES

service_retrieval_fallback	10
connected_devices_only	10
Category 1	10
Category 2	10

MODEL RUNTIME SNAPSHOT

MODEL	RESOLVED MODEL	WORKER PYTHON	CANDIDATE K	REPAIR ATTEMPTS
Qwen2.5-Coder-14B-Instruct	/home/mgjeong/.cache/huggingface/hub/models--Qwen--Qwen2.5-Coder-14B-Instruct/snapshots/aedcc2d42b622764e023cf882b6652e646b95671	/home/mgjeong/miniconda3/envs/l/bin/python	1	0

DET PROFILE
worker

ROW DETAILS

Row 1 · Category 1

GT name: - | Output name: SwitchDishwasherToDryMode

Switch the dishwasher to dry mode.

식기세척기를 건조 모드로 설정해줘.

Retrieval cats: Dishwasher, LaundryDryer, DimmerSwitch, Dehumidifier, Switch, AirPurifier, RiceCooker, AirConditioner, Oven, Humidifier

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
96.0656	Yes	No	0.9531	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	10956

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
52	11008	21.056s	24.415s	522.7889

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
30.805 GB	No	service_retrieval_fallback	10	used

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#Dishwasher).Dishwasher_SetDishwasherMode("dry")
```

GENERATED JOICODE

cron="" · period=0

```
(#Dishwasher).dishwasher_setdishwashermode(dry)
```

FAILURE REASONS

arg_type | gt_mismatch

LINE DIFF

GT	Generated
(#Dishwasher).Dishwasher_SetDishwasherMode("dry")	(#Dishwasher).dishwasher_setdishwashermode(dry)

Row 2 · Category 1

GT name: - | Output name: AddTimeToOven

Add 5 minutes to the oven.

오븐의 작동 시간을 5분 늘려줘.

Retrieval cats: Oven, RiceCooker, MenuProvider, Dishwasher, LaundryDryer, Clock, AirConditioner, Button, TemperatureSensor, Door

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
94.6897	Yes	No	0.9379	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	11448

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
48	11496	6.357s	9.699s	1808.5140

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
30.955 GB	No	service_retrieval_fallback	10	used

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#Oven).Oven_AddMoreTime(300)
```

GENERATED JOICODE

cron="" · period=0

```
(#Oven).oven_addmoretime(300)
```

FAILURE REASONS

gt_mismatch | semantic

LINE DIFF

GT	Generated
(#Oven).Oven_AddMoreTime(300)	(#Oven).oven_addmoretime(300)

Row 3 · Category 1

GT name: -

Start the rice cooker on cooking mode for 30 minutes.

밥솥을 조리 모드로 30분 작동시켜.

Output name: StartRiceCookerInCookingModeFor30Minutes

Retrieval cats: RiceCooker, Oven, Dishwasher, RobotVacuumCleaner, FaceRecognizer, AudioRecorder, CarbonDioxideSensor, MenuProvider, Charger, Siren

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
47.8113	No	No	0.4789	0.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
0.0000	1.0000	0.0000	0.0000	10773

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
88	10861	8.296s	11.579s	1309.2167

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
30.753 GB	No	service_retrieval_fallback	10	used

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#RiceCooker).RiceCooker_SetCookingParameters("cooking", 1800)
```

GENERATED JOICODE

cron="" · period=0

```
(#RiceCooker).ricecooker_setricecookermode(cooking)
delay(1800000)
(#RiceCooker).ricecooker_addmoretime(30)
```

FAILURE REASONS

arg_type · enum_grounding · gt_mismatch · gt_receiver_coverage · gt_service_coverage · numeric_grounding

LINE DIFF

GT	Generated
(#RiceCooker).RiceCooker_SetCookingParameters("cooking", 1800)	(#RiceCooker).ricecooker_setricecookermode(cooking)
	delay(1800000)
	(#RiceCooker).ricecooker_addmoretime(30)

Row 4 · Category 1

GT name: - | Output name: SetSirenToEmergencyMode

Set the siren to emergency mode.

사이렌을 응급모드로 울려줘.

Retrieval cats: Siren, SoundSensor, AudioRecorder, Speaker, Pump, Oven, Safe, ArmRobot, RiceCooker, PressureSensor

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
95.2115	Yes	No	0.9423	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	10920

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
48	10968	6.190s	9.557s	1771.7757

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
30.797 GB	No	service_retrieval_fallback	10	used

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#Siren).Siren_SetSirenMode("emergency")
```

GENERATED JOICODE

cron="" · period=0

```
(#Siren).siren_setsirenmode(emergency)
```

FAILURE REASONS

arg_type | gt_mismatch

LINE DIFF

GT	Generated
(#Siren).Siren_SetSirenMode("emergency")	(#Siren).siren_setsirenmode(emergency)

Row 5 · Category 1

GT name: - | Output name: SetSpeakerVolume

Set the speaker volume to 30.

스피커의 볼륨을 30으로 설정해줘.

Retrieval cats: Speaker, SoundSensor, AudioRecorder, Siren, Television, Pump, PressureSensor, AirPurifier, CloudServiceProvider, LevelControl

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
98.5891	Yes	No	0.9578	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	11580

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
43	11623	6.149s	9.411s	1890.1031

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
30.997 GB	No	service_retrieval_fallback	10	used

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#Speaker).Speaker_SetVolume(30)
```

GENERATED JOICODE

cron="" · period=0

```
(#Speaker).speaker_setvolume(30)
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
(#Speaker).Speaker_SetVolume(30)	(#Speaker).speaker_setvolume(30)

Row 6 · Category 1

GT name: - | Output name: TurnTVChannelDown

Turn the TV channel down by one.

TV 채널을 하나 내려줘.

Retrieval cats: Television, DimmerSwitch, Speaker, TapDialSwitch, Dishwasher, Camera, Switch, LevelControl, Valve, Dehumidifier

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
97.8224	Yes	No	0.9645	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	11684

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
45	11729	6.329s	9.621s	1853.3618

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
31.023 GB	No	service_retrieval_fallback	10	used

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#Television).Television_ChannelDown()
```

GENERATED JOICODE

cron="" · period=0

```
(#Television).television_channeldown()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
(#Television).Television_ChannelDown()	(#Television).television_channeldown()

Row 7 · Category 1

GT name: -

Output name: SwitchTVToChannel7

Switch the TV to channel 7.

TV로 7번 채널을 틀어줘.

Retrieval cats: Television, Switch, TapDialSwitch, LevelControl, DimmerSwitch, Valve, Dishwasher, Speaker, Camera, ColorControl

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
97.4224	Yes	No	0.9645	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	11558

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
46	11604	6.357s	9.941s	1825.2745

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
30.986 GB	No	service_retrieval_fallback	10	used

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#Television).Television_SetChannel(7)
```

GENERATED JOICODE

cron="" · period=0

```
(#Television).television_setchannel(7)
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
(#Television).Television_SetChannel(7)	(#Television).television_setchannel(7)

Row 8 · Category 1

GT name: - | Output name: AnnounceTemperatureThroughSpeaker

Announce the temperature through the speaker.

현재 온도를 스피커로 알려줘.

Retrieval cats: Speaker, TemperatureSensor, AirConditioner, WeatherProvider, AudioRecorder, SoundSensor, PresenceVitalSensor, AirQualitySensor, Siren, Television

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
69.9000	No	No	0.7217	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	0.2000	1.0000	1.0000	12004

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
76	12080	8.174s	11.494s	1477.8205

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
31.121 GB	No	service_retrieval_fallback	10	used

TOP-K
10

GT JOICODE

cron="" · period=0

```
temp = (#TemperatureSensor).TemperatureSensor_Temperature

(#Speaker).Speaker_Speak("현재 온도는 " + temp + "도입니다")
```

GENERATED JOICODE

cron="" · period=0

```
(#TemperatureSensor).temperaturesensor_temperature() => (#Speaker).speaker_speak("The current temperature is ") + (#TemperatureSensor).temperaturesensor_temperature() + " degrees Celsius"
```

FAILURE REASONS

dataflow gt_mismatch

LINE DIFF

GT	Generated
temp = (#TemperatureSensor).TemperatureSensor_Temperature	(#TemperatureSensor).temperaturesensor_temperature() => (#Speaker).speaker_speak("The current temperature is ") + (#TemperatureSensor).temperaturesensor_temperature() + " degrees Celsius"
(#Speaker).Speaker_Speak("현재 온도는 " + temp + "도입니다")	

Row 9 · Category 1

GT name: - | Output name: TellOutdoorTemperatureThroughSpeaker

Retrieval cats: Speaker, TemperatureSensor, WeatherProvider, AirConditioner, SoundSensor, AudioRecorder, AirQualitySensor, Siren, PresenceVitalSensor, AirPurifier

Tell me the outdoor temperature through the speaker.

외부 온도를 스피커로 출력해줘.

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
62.5190	No	No	0.6895	0.5000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
0.5000	0.0000	1.0000	1.0000	11929

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
75	12004	8.145s	11.437s	1473.7514

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
31.096 GB	No	service_retrieval_fallback	10	used

TOP-K
10

GT JOICODE

cron="" · period=0

```
temp = (#WeatherProvider).WeatherProvider_TemperatureWeather

(#Speaker).Speaker_Speak("외부 온도는 " + temp + "도입니다")
```

GENERATED JOICODE

cron="" · period=0

```
(#WeatherProvider).weatherprovider_getweatherinfo().split(",")[0].let(temp =>
(#Speaker).speaker_speak("The outdoor temperature is " + temp + " degrees Celsius."))
```

FAILURE REASONS

arg_type | dataflow | extraneous | gt_mismatch | gt_receiver_coverage | gt_service_coverage

LINE DIFF

GT	Generated
temp = (#WeatherProvider).WeatherProvider_TemperatureWeather	(#WeatherProvider).weatherprovider_getweatherinfo().split(",")[0].let(temp => (#Speaker).speaker_speak("The outdoor temperature is " + temp + " degrees Celsius."))
(#Speaker).Speaker_Speak("외부 온도는 " + temp + "도입니다")	

Row 10 · Category 1

GT name: - | Output name: TellHumidityThroughSpeaker

Tell me the current humidity through the speaker.

현재 습도를 스피커로 말해줘.

Retrieval cats: Speaker, HumiditySensor, SoundSensor, WeatherProvider, AirQualitySensor, AudioRecorder, Humidifier, AirPurifier, Plug, Charger

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
69.9000	No	No	0.8701	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	0.2000	1.0000	1.0000	11342

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
62	11404	7.166s	10.434s	1591.4039

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
30.925 GB	No	service_retrieval_fallback	10	used

TOP-K
10

GT JOICODE

cron="" · period=0

```
hum = (#HumiditySensor).HumiditySensor_Humidity

(#Speaker).Speaker_Speak("현재 습도는 " + hum + "%입니다")
```

GENERATED JOICODE

cron="" · period=0

```
(#HumiditySensor).humiditysensor_humidity() -> (#Speaker).speaker_speak("The current humidity is ") + str()
```

FAILURE REASONS

dataflow | gt_mismatch

LINE DIFF

GT	Generated
hum = (#HumiditySensor).HumiditySensor_Humidity	(#HumiditySensor).humiditysensor_humidity() -> (#Speaker).speaker_speak("The current humidity is ") + str()
(#Speaker).Speaker_Speak("현재 습도는 " + hum + "%입니다")	

Row 31 · Category 2

GT name: - | Output name: SetLivingRoomLightToYellow | Retrieval cats: -

Set the living room light to yellow.

거실 조명을 노란색으로 설정해줘.

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
60.1324	No	No	0.6265	0.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
0.0000	1.0000	1.0000	1.0000	7893

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
60	7953	5.591s	8.018s	1422.3375

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
29.892 GB	No	connected_devices_only	2	skipped_connected_devices_present

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#LivingRoom #Light).ColorControl_SetColor("255|255|0")
```

GENERATED JOICODE

cron="" · period=0

```
(#LivingRoom #Light).light_movetorgb(255, 255, 0)
```

FAILURE REASONS

gt_mismatch | gt_receiver_coverage | gt_service_coverage

LINE DIFF

GT	Generated
(#LivingRoom #Light).ColorControl_SetColor("255|255|0")	(#LivingRoom #Light).light_movetorgb(255, 255, 0)

Row 32 · Category 2

GT name: - | Output name: CaptureMeetingRoomImage | Retrieval cats: -

Capture an image of the meeting room with the camera.

카메라로 회의실 사진을 촬영해줘.

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
97.4466	Yes	No	0.9693	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	5402

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
44	5446	3.844s	6.176s	1416.9377

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
29.146 GB	No	connected_devices_only	2	skipped_connected_devices_present

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#MeetingRoom #Camera).Camera_CaptureImage()
```

GENERATED JOICODE

cron="" · period=0

```
(#MeetingRoom #Camera).camera_captureimage()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
(#MeetingRoom #Camera).Camera_CaptureImage()	(#MeetingRoom #Camera).camera_captureimage()

Row 33 · Category 2

GT name: - | Output name: SetLivingRoomLightBrightness | Retrieval cats: -

Set the brightness of the living room light to 80%.

거실 조명의 밝기를 80%로 설정해줘.

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
96.8163	Yes	No	0.9633	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	7187

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
53	7240	4.951s	7.324s	1462.4490

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
29.680 GB	No	connected_devices_only	2	skipped_connected_devices_present

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#LivingRoom #Light).Light_MoveToBrightness(80, 0)
```

GENERATED JOICODE

cron="" · period=0

```
(#LivingRoom #Light).light_movetobrightness(80, 0)
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
(#LivingRoom #Light).Light_MoveToBrightness(80, 0)	(#LivingRoom #Light).light_movetobrightness(80, 0)

Row 34 · Category 2

GT name: - | Output name: SetDehumidifiersToAIDryingMode | Retrieval cats: -

Set all dehumidifiers in the lab to AI drying mode.

연구실 제습기를 모두 AI건조모드로 설정해줘.

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
92.5321	Yes	No	0.9664	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	5424

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
63	5487	4.814s	7.223s	1139.7769

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
29.154 GB	No	connected_devices_only	3	skipped_connected_devices_present

TOP-K
10

GT JOICODE

cron="" · period=0

```
all(#Lab #Dehumidifier).Dehumidifier_SetDehumidifierMode("AIDrying")
```

GENERATED JOICODE

cron="" · period=0

```
all(#Lab #Dehumidifier).dehumidifier_setdehumidifiermode(AIDrying)
```

FAILURE REASONS

arg_type | gt_mismatch | semantic

LINE DIFF

GT	Generated
all(#Lab #Dehumidifier).Dehumidifier_SetDehumidifierMode("AIDrying")	all(#Lab #Dehumidifier).dehumidifier_setdehumidifiermode(AIDrying)

Row 35 · Category 2

GT name: - | Output name: SetLivingRoomLightHueAndSaturation | Retrieval cats: -

Set the hue of the living room light to 240 and the saturation to 80.

거실 조명의 색조는 240, 채도는 80으로 맞춰줘.

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
97.0965	Yes	No	0.9526	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	7186

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
62	7248	5.435s	7.808s	1333.4805

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
29.679 GB	No	connected_devices_only	2	skipped_connected_devices_present

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#LivingRoom #Light).Light_MoveToHueAndSaturation(240, 80)
```

GENERATED JOICODE

cron="" · period=0

```
(#LivingRoom #Light).light_movetohueandsaturation(240, 80)
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
(#LivingRoom #Light).Light_MoveToHueAndSaturation(240, 80)	(#LivingRoom #Light).light_movetohueandsaturation(240, 80)

Row 36 · Category 2

GT name: -

Set all robot vacuum cleaners with even tags to auto mode.

Output name: SetAllEvenRobotVacuumCleanersToAutoMode

짝수 태그 로봇 청소기를 모두 자동 모드로 설정해줘.

Retrieval cats: -

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
93.8098	Yes	No	0.9477	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	4715

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
66	4781	4.666s	7.072s	1024.7123

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
28.939 GB	No	connected_devices_only	2	skipped_connected_devices_present

TOP-K
10

GT JOICODE

cron="" · period=0

```
all(#Even #RobotVacuumCleaner).RobotVacuumCleaner_SetRobotVacuumCleanerModeMode("auto")
```

GENERATED JOICODE

cron="" · period=0

```
all(#Even #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode(auto)
```

FAILURE REASONS

arg_type gt_mismatch

LINE DIFF

GT	Generated
all(#Even #RobotVacuumCleaner).RobotVacuumCleaner_SetRobotVacuumCleanerModeMode("auto")	all(#Even #RobotVacuumCleaner).robotvacuumcleaner_setrobotvacuumcleanermodemode(auto)

Row 37 · Category 2

GT name: - | Output name: LockAllDoorLocks | Retrieval cats: -

Lock all door locks.

모든 도어락을 잠궈줘.

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
97.0170	Yes	No	0.8034	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	4614

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
58	4672	4.256s	6.617s	1097.7186

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
28.913 GB	No	connected_devices_only	2	skipped_connected_devices_present

TOP-K
10

GT JOICODE

cron="" · period=0

```
all(#DoorLock).DoorLock_Lock()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Back #DoorLock).doorlock_lock()
all(#Front #DoorLock).doorlock_lock()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
all(#DoorLock).DoorLock_Lock()	all(#Back #DoorLock).doorlock_lock()
	all(#Front #DoorLock).doorlock_lock()

Row 38 · Category 2

GT name: - | Output name: SetSector1ACTargetTemperature | Retrieval cats: -

Set the target temperature of the air conditioner in Sector1 to 18 degrees.

구역1의 에어컨의 목표 온도를 18도로 설정해줘.

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
95.2985	Yes	No	0.9597	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	0.5000	1.0000	4906

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
56	4962	4.269s	6.622s	1162.4148

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
28.999 GB	No	connected_devices_only	2	skipped_connected_devices_present

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#Sector1 #AirConditioner).AirConditioner_SetTargetTemperature(18)
```

GENERATED JOICODE

cron="" · period=0

```
(#Sector1 #AirConditioner).airconditioner_settargettemperature(18.0)
```

FAILURE REASONS

gt_mismatch | numeric_grounding

LINE DIFF

GT	Generated
(#Sector1 #AirConditioner).AirConditioner_SetTargetTemperature(18)	(#Sector1 #AirConditioner).airconditioner_settargettemperature(18.0)

Row 39 · Category 2

GT name: - | Output name: ChangeAirPurifierMode | Retrieval cats: -

Change the air purifier in the bedroom to sleep mode.

안방의 공기청정기를 수면모드로 바꿔줘.

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
94.8460	Yes	No	0.9492	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	4621

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
56	4677	4.169s	6.556s	1121.7441

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
28.915 GB	No	connected_devices_only	2	skipped_connected_devices_present

TOP-K
10

GT JOICODE

cron="" · period=0

```
(#Bedroom #AirPurifier).AirPurifier_SetAirPurifierMode("sleep")
```

GENERATED JOICODE

cron="" · period=0

```
(#Bedroom #AirPurifier).airpurifier_setairpurifiermode(sleep)
```

FAILURE REASONS

arg_type | gt_mismatch

LINE DIFF

GT	Generated
(#Bedroom #AirPurifier).AirPurifier_SetAirPurifierMode("sleep")	(#Bedroom #AirPurifier).airpurifier_setairpurifiermode(sleep)

Row 40 · Category 2

GT name: - | Output name: CloseAllValvesInKitchen | Retrieval cats: -

Close all valves in the kitchen.

주방의 모든 벨브를 닫아줘.

DET	PASS	GT EXACT	SIMILARITY	GT SERVICE COV.
97.4676	Yes	No	0.9735	1.0000

RECEIVER COV.	DATAFLOW	NUMERIC	ENUM	PROMPT TOKENS
1.0000	1.0000	1.0000	1.0000	5099

COMPLETION TOKENS	TOTAL TOKENS	LLM LATENCY	PIPELINE	TOK/S
47	5146	3.857s	6.195s	1334.3013

PEAK VRAM	OOM	SNIPPET SOURCE	DEVICE COUNT	RETRIEVAL
29.056 GB	No	connected_devices_only	3	skipped_connected_devices_present

TOP-K
10

GT JOICODE

cron="" · period=0

```
all(#Kitchen #Valve).Valve_Close()
```

GENERATED JOICODE

cron="" · period=0

```
all(#Kitchen #Valve).valve_close()
```

FAILURE REASONS

gt_mismatch

LINE DIFF

GT	Generated
`all(#Kitchen #Valve).Valve_Close()`	`all(#Kitchen #Valve).valve_close()`

Generated from /home/mgjeong/Desktop/llm/JOILang-Server/gpt_mg/version0_15_update20260413/results/model_suite_20260423_222827/row_comparison.csv. PDF export uses headless Chrome when available.