

SIMULATING A POSITRON CONVERTER IN BMAD

Authors, Cornell University, Ithaca, NY, 14850, USA

Abstract

Abstract

INTRODUCTION

Electron-positron accelerators require a source of positrons. The standard method of obtaining positrons for use in an accelerator is through the use of a positron converter. This is typically a slab of heavy metal, such as tungsten, located in a linear branch of the accelerator. The converter is bombarded with electrons with energies of order ~ 100 MeV. The electrons emit photons via Bremsstrahlung, which in turn decay to e^+e^- pairs:

$$e^- + Z \rightarrow e^- + Z + \gamma \rightarrow e^- + Z + e^- + e^+.$$

The electrons are then quickly filtered off with a magnet, effectively "converting" a beam of incoming electrons into a beam of outgoing positrons.

There is some discussion in the literature regarding the Bremsstrahlung energy spectrum in various materials, as well as the energy spectra of the e^+e^- secondaries. However, there is no closed form, analytical solution that describes the kinematics of the emitted e^+ in terms of the kinematics of the incoming e^- and the physical properties of the converter.

Previous attempts have also been made at developing numerical models of a positron converter. However, these results have been highly specialized, and have been completely standalone solutions. There has also been a recent demand for modelling the transfer of spin from the incoming beam of electrons to the outgoing beam of positrons.

In response, the authors have developed a positron converter model for use with the *Bmad* accelerator toolkit. Our model is designed to be as flexible as possible, accomadating any converter material and thickness. The model can even be extended to support other kinds of incoming and outgoing particles, and is not limited to taking electrons in and sending positrons out. The model is also fast to use within *Bmad*, with the expensive physics calculations performed only once as the converter model is being developed.

This converter model enables *Bmad* users to optimize the design of lattices that contain positron converters. This was not previously possible, as there was no way to simulate the effects of a converter within *Bmad*.

THE CONVERTER MODEL

The physical processes that occur in the positron converter to produce the Bremsstrahlung photons and subsequent positrons are governed by quantum electrodynamics. The details of these interactions are not critical when only the aggregate behavior of the converter is of interest. Therefore, the converter's behavior is modelled with a probability distribution, which describes the overall distribution of the




Figure 1: Positron converter coordinate system (side view).

produced positrons in terms of the target and incoming electron's properties.

Coordinate System

Consider an electron incident on the upstream face of a positron converter of thickness T , with momentum p_-c perpendicular to the face of the converter as depicted in 1. Positrons produced in the converter emerge from the downstream face with some radial displacement r and at an angle θ relative to the horizontal, as depicted in 2. The direction of the radial displacement defines for each outgoing positron an \hat{x} and \hat{y} axis, with \hat{x} taken in the same direction as \mathbf{r} , and \hat{y} taken so that $(\hat{x}, \hat{y}, \mathbf{s})$ is a right-handed orthogonal coordinate system.

By symmetry, θ must be uniformly distributed from 0 to 2π . Therefore, the kinematic properties of the produced positrons which must be modelled are its radial displacement and outgoing momentum. The outgoing momentum \mathbf{p}_+c is described in terms of its magnitude, p_+c , and its slopes along the \hat{x} and \hat{y} directions:

$$\frac{dx}{ds} = \frac{p_x}{p_s} \quad (1)$$

$$\frac{dy}{ds} = \frac{p_y}{p_s}. \quad (2)$$

Probability Distributions

Positrons produced in the converter are described by the distribution

$$P\left(p_+c, r, \frac{dx}{ds}, \frac{dy}{ds}\right) \quad (3)$$

which indicates the probability that an outgoing positron will have a given momentum and radial displacement. P is normalized to account for the efficiency of positron produc-




Figure 2: Positron converter coordinate system (view of the downstream face).

tion:

$$\int P \left(p_{+c}, r, \frac{dx}{ds}, \frac{dy}{ds} \right) d(p_{+c}) dr d\left(\frac{dx}{ds}\right) d\left(\frac{dy}{ds}\right) = \frac{N_{+}}{N_{-}}, \quad (4)$$

where N_{+} is the total number of positrons produced, and N_{-} is the number of electrons incident upon the converter. To make the problem easier to grapple with, P is decomposed into two subdistributions,

$$P \left(p_{+c}, r, \frac{dx}{ds}, \frac{dy}{ds} \right) = P_1(p_{+c}, r) P_2 \left(\frac{dx}{ds}, \frac{dy}{ds}; p_{+c}, r \right) \quad (5)$$

which are normalized to N_{+}/N_{-} and 1 respectively. Note that P_2 depends on p_{+c} and r , so that the shape of P_2 may vary with p_{+c} and r .

Using Geant[1], a large number of electrons incident upon the converter are simulated, and the produced positrons and their kinematics are recorded. The produced positrons are binned into a two-dimensional histogram by their p_{+c} and r values. This histogram gives an approximation of P_1 . For P_2 , fits are performed to $\frac{dx}{ds}$ and $\frac{dy}{ds}$ for the positrons in each (p_{+c}, r) bin. These fits yield $P_2 \left(\frac{dx}{ds}, \frac{dy}{ds}; p_{+c}, r \right)$. Examples of the P_1 and P_2 distributions obtained from the Geant simulation are shown in Figures 3 and 4 respectively.

SPIN TRACKING

Polarization transfer from the incoming electrons to the outgoing positrons has also been modelled. Any incoming polarization S_{-} may be specified, and histograms describing S_x , S_y , and S_z of the produced positrons as functions of p_{+c} and r are produced. The authors have found that only the longitudinal polarization of the incoming electrons is ever transferred to the produced positrons; the produced positrons




Figure 3: $P_1(p_{+c}, r)$ for incoming electrons with $p_{-c} = 300$ MeV and a tungsten target of thickness $T = 6.35$ mm.




Figure 4: $P_2 \left(\frac{dx}{ds}, \frac{dy}{ds}; p_{+c}, r \right)$ for incoming electrons with $p_{-c} = 300$ MeV and a tungsten target of thickness $T = 6.35$ mm, and outgoing positrons with $p_{+c} = 5.58$ MeV and $r = 0.38$ mm. The purple points indicate data obtained directly from the Geant simulation, while the green curve shows the fit to the data.

always have S_x and S_y essentially zero regardless of the incoming electron polarization. As an example, Figure 5 illustrates S_z as a function of p_{+c} and r for incoming electron with momentum $p_{-c} = 300$ MeV.

- Discuss 2016 PRL
- Compare our simulation output to their experimental results

THE BMAD CONVERTER ELEMENT

- Describe how simulation output is read into Bmad
- Discuss Bmad's scheme for generating positrons from simulation output
- Compare Bmad/Geant distributions?




Figure 5: Positron S_z as a function of p_{+c} and r for incoming electrons with $p_{-c} = 300$ MeV and a tungsten target of thickness $T = 6.35$ mm.

APPLICATIONS

- CESR Linac lattice
- Optimizations could include
 - Tuning quad/solenoid strengths
 - Tuning element positions
- Discuss increase in yield due to optimizations that were made possible by the converter element?

CONCLUSION

ACKNOWLEDGMENTS

Many thanks to Vardan Khachatryan for getting us up and running with Geant.

REFERENCES

- [1] S. Agostinelli *et al.*, “Geant4—a simulation toolkit,” *Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment*, vol. 506, no. 3, pp. 250–303, 2003, issn: 0168-9002. doi: [https://doi.org/10.1016/S0168-9002\(03\)01368-8](https://doi.org/10.1016/S0168-9002(03)01368-8). <http://www.sciencedirect.com/science/article/pii/S0168900203013688>