

CCK E&M Problem: Susceptibility  
2007-Jul-14

A dielectric solid is approximated by a lattice of conducting spheres, radius  $R$ , with number density  $n$  ( $\text{m}^{-3}$ ). Assuming  $nR^3 \ll 1$ , what is the electric susceptibility  $\chi_e$  of the material?