



ONE PL $\frac{1}{4} \times \frac{7}{16} \times 10-0\frac{1}{8}$ pl400
GRADE: A36

General Notes

*Structural steel shall conform to ASTM-A992.

*Structural SQR/RND.tubing conform to ASTM A500 Grade C

*Pipe shall conform to ASTM A53, Grade B.

*Channels, Angles and plates shall conform to A36.

*All bolts shall be $\frac{3}{4}$ " High strength in accordance with ASTM A325 (UNO)

*Welding Electrodes for Carbon steel :E70xx

*Structural members are to be shop primer (U.N.O).

*Surface Preparation-SSPC-SP3 UNO.

*If welds exposed to view, should be ground smooth.

1	0	FOR FABRICATION	11-14-2025
# of Copies	Revision/ Issue	Destination	Date

IRON FABRICATION SERVICES, LLC.

3029 M. Street, NW, Suite 202
Washington, DC 20007
Tel: 202-800-5599
Fax: 202-478-0303

Project Name and Address

MARYLAND AVENUE

Location: 1250 MARYLAND AVENUE SW
WASHINGTON, DC 20024

Contractor:

BALFOUR BEATTY

Approved for Fabrication by:	Signature

Contract #	224009	Drawing #	pl400
------------	--------	-----------	-------

Contract Item: PLATE

Ref:
SOW -11:F-11.00-F-11.07

Date 01/ 23/ 2025	Drawing Title: PLATE
Scale VARIES	

HOLE: $\frac{13}{16}$ Ø (U.N.O)