CERAMIC SMD CRYSTAL







5.0 X 3.2 X 1.1mm

ABM3B

ABM3B

- Fundamental mode.
- · Suitable for reflow.
- Tight Stability available.
- Ceramic package and metal lid assures high precision and reliability.
- Seam sealing.

FEATURES:

> APPLICATIONS:

- Cellular telephones, Pagers.
- Communication and Test equipment.
- High Density applications.
- PCMCIA and wireless applications.

STANDARD SPECIFICATIONS:

PARAMETERS			
ABRACON P/N	ABM3B Series		
Frequency Range	8.0MHz - 50.0MHz (Fundamental 50.1MHz - 125MHz (3rd overtone)		
Operation Mode	Fundamental or 3rd overtone		
Operating Temperature	- 10°C to + 60°C (see options)		
Storage Temperature	- 40°C to + 85°C		
Frequency Tolerance @ 25°C	± 50 ppm max. (see options)		
Frequency Stability over the Operating Temperature			
(Ref to $+25^{\circ}$ C)	± 50 ppm max. (see options)		
Equivalent Series Resistance	See table 1		
Shunt Capacitance C0	7 pF max.		
Load Capacitance CL	18 pF (see options)		
Drive Level	100 μW max., 10 μW typical		
Aging (First Year) @ 25°C ± 3°C	± 5ppm max.		
Insulation Resistance	$500 \mathrm{M}\Omega$ min at $100 \mathrm{Vdc} \pm 15 \mathrm{V}$		

TABLE 1- Standard ESR

Frequency (MHz)	$\mathbf{ESR}(\Omega)$ max	Frequency (MHz)	ESR(Ω max)
8.000 - 9.999 (Fund.)	200	16.000 - 50.000 (Fund.)	50
10.000 -11.999 (Fund.)	100	50.001 - 80.000 (3rd OT)	60
12.000 - 15.999 (Fund.)	70	80.001 - 125.000 (3rd OT)	80



CERAMIC SMD CRYSTAL

ABM3B







5.0 X 3.2 X 1.1mm

ABM3B

OPTIONS AND PART IDENTIFICATION: (Left blank if standard)



OUTLINE DIMENSIONS:



Note: Due to the availability of raw materials, this part may be manufactured with the chamfer on pin 4. Be advised that this does not affect the electrical characteristics of the crystal in any way.

Dimension: Inches (mm)





CERAMIC SMD CRYSTAL


ABM3B






5.0 X 3.2 X 1.1mm

REFLOW PROFILE:



TAPE & REEL:



Dimension: mm

ATTENTION: Abracon Corporation's products are COTS – Commercial-Off-The-Shelf products; suitable for Commercial, Industrial and, where designated, Automotive Applications. Abracon's products are not specifically designed for Military, Aviation, Aerospace, Life-dependant Medical applications or any application requiring high reliability where component failure could result in loss of life and/or property. For applications requiring high reliability and/or presenting an extreme operating environment, written consent and authorization from Abracon Corporation is required. Please contact Abracon Corporation for more information.



