

LER-ratio fits: $p_L^{\alpha-\text{CM}}/p_L^{\text{MWPM}} = 1 + a + bp$ and $p_L^{\text{CM}}/p_L^{\text{MWPM}} = 1 + a + bp + c \ln(1/p)/p$

d	$1 + a$	b	$c \text{ (} 10^{-6} \text{)}$	R_α^2	R_{CM}^2
3	0.86	9	1.1	0.743	0.835
5	0.55	30	6.8	0.960	0.978
7	0.31	48	4.4	0.906	0.855

Optimal reweighting strength fit: $\alpha^*(p) = \alpha_0 / (1 + (p_0/p)^k)$

d	α_0	$p_0 \text{ (} 10^{-4} \text{)}$	k	R^2
3	0.94	4	1.4	0.985
5	1.00	10	1.0	0.950
7	0.99	8	1.2	0.981