


PLAN · four cavities 104 × 104 · walls 8

SECTION A-A



3° draft on every cavity wall so the clay releases.
Rough with a 6 mm end mill, finish with a 3 mm ball nose.
Seal with two coats of shellac before the first press.

Four-tile press mold	
18 mm MDF · blank 240 × 240	Scale 1 : 2
CNC router	Level · Advanced