

P2WW-3790-09ENZ0


---

# **Fujitsu Scanner Control SDK**

**Version 2.3 L20**

**Reference Manual (Separate Volume)**

---



- No part of the Product may be copied, reproduced, distributed, or transmitted in any form or for any purpose without the permission of PFU Limited.
- The contents and specifications of this Product may be revised for improvement without prior notice.
- Customer shall assume all responsibilities for the use of and results obtained from the Product and manual.
- Should Customer have any questions concerning the contents of the Product, please feel free to contact our office.

## **Introduction**

This manual describes the Fujitsu Scanner Control SDK functions that are available for each device, which is a separate manual from the "Fujitsu Scanner Control SDK Reference Manual".

Refer to "Getting Started" for trademarks and abbreviations.

**<Contents>**

**Introduction..... II**

**1. Properties Enabled According to Devices : PaperStream IP (TWAIN)..... 1**

**2. Properties Enabled According to Devices : FUJITSU TWAIN32..... 16**

1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900 fi-7800	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480 fi-7460	fi-7280 fi-7260	fi-7240	fi-7180 fi-7160	fi-7140	fi-7030	fi-6800 fi-64xx	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
AdjustRGB	TRUE	Used	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	
	FALSE	Not Used	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	
AdjustRGBB	1~255	128	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	
AdjustRGBG	1~255	128	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	
AdjustRGBR	1~255	128	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	
ADTCThreshold	1~255	83	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
AIQCNotice	TRUE	Used	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	N/A	N/A	N/A	○	N/A	N/A	
	FALSE	Not Used	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	N/A	N/A	N/A	○	N/A	N/A	
AIQCResult	TRUE	Detected	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	N/A	N/A	N/A	○	N/A	N/A	Property for value reference purposes only
	FALSE	Not detected	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	N/A	N/A	N/A	○	N/A	N/A	
AutoBorderDetection	TRUE	Detected	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	To scan with a flatbed scanner, a black document pad is required.
	FALSE	Not detected	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
AutoBright	TRUE	Automatic adjustment is performed.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	FALSE	Automatic adjustment is not performed.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
AutomaticColorBackground	0	Include Backgroud Color	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Ignore Backgroud Color	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
AutomaticColorSensitivity	-7~7	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
AutomaticRotateMode	0	Standard	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Custom	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
AutomaticSenseMedium	FALSE	Automatic switching is performed.	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	N/A	N/A	N/A	○	○	N/A	N/A	N/A	N/A	
	TRUE	Automatic switching is not performed.	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	N/A	N/A	N/A	○	○	N/A	N/A	N/A	N/A	
AutoProfile	0	Disabled	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Enabled	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
AutoProfileSensitivity	1~5	3	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
AutoSeparation	0	OFF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1	ON	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900 fi-7800	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480 fi-7460	fi-7280 fi-7260	fi-7240	fi-7180 fi-7160	fi-7140	fi-7030	fi-6800 fi-64xx	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
Background	0	NO	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Yes	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	Automatic	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
BackgroundColor	0	OFF	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	○	○	○	○	○	N/A	
	1	ON	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	○	○	○	○	○	N/A	
BackgroundSmoothing	0	None	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Automatic	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	White	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
BackgroundSmoothness	0~10	5	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
BackgroundThreshold	0~100	50	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
BarcodeDetection	TRUE	Used	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	FALSE	Not Used	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
BarcodeDirection	0	Horizontal	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Vertical	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	Horizontal & Vertical	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
BarcodeMaxSearchPriorities	1~20	1	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
BarcodeNotDetectionNotice	TRUE	Used	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	FALSE	Not Used	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
BarcodeRegionLeft	0~	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
BarcodeRegionLength	0~	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
BarcodeRegionTop	0~	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
BarcodeRegionWidth	0~	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	

1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480	fi-7280	fi-7240	fi-7180	fi-7140	fi-7030	fi-6800	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
BarcodeType	0~	511 Sets the type of barcode that is detected. If detection of multiple barcodes is set, set the total setting value.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	EAN 8	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2(10)	EAN 13	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4(100)	Code 3 of 9	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	8(1000)	Code 128	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	16(10000)	ITF	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	32(100000)	UPC-A	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	64(1000000)	Codabar	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	128(10000000)	PDF417	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	256(100000000)	QR code	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	512(1000000000)	Data Matrix	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1024(10000000000)	Aztec Code	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
Binding	0	Side	○	○	○	○	N/A	○	○	○	○	○	○	○	○	○	N/A	○	○	○	N/A	
	1	Height	○	○	○	○	N/A	○	○	○	○	○	○	○	○	○	N/A	○	○	○	N/A	
BlankPageIgnoreAreaSize	0~16	16	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
BlankPageNotice	0	OFF	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	1	ON	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
BlankPageResult	0	Not Detected	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	Property for value reference purposes only
	1	Detected	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
BlankPageSkip	0	Not Skipped	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	1~11	Higher values result in higher likelihood of skipping.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
BlankPageSkipMode	0	Sensitivity	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	1	Black & White Dots Ratio	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
BlankPageSkipTabPage	0	All Pages	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	○	○	○	○	○	N/A	
	1	Skip Tab Pages	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	○	○	○	○	○	N/A	
Brightness	1~255	128	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
CarrierSheetClippingMode	0	Content	N/A	N/A	○	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1	Edge	N/A	N/A	○	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2	Driver Setting	N/A	N/A	○	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480	fi-7260	fi-7240	fi-7180	fi-7140	fi-7030	fi-6800	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
CharacterExtraction	TRUE	Used	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	FALSE	Not Used	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
CharacterExtractionMethod	1	ReversedTypeExtraction	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	HalftoneRemoval	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4	StampRemoval	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
CharacterThickness	0~10	5	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
CloseSourceUI	TRUE	ON	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	FALSE	OFF	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
ColorReproduction	0	Contrast	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	
	1	Hue	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	
ColorReproductionBrightness	1~255	128	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	
ColorReproductionContrast	1~255	128	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	
ColorReproductionCustomGamma	0.1~10.0	1.0	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	
ColorReproductionHighlight	1~255	255	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	
ColorReproductionShadow	0~254	0	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	
CompressionType	0	No (not compressing)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	When set to “2”, this property operates in the same way when it is set to “3”.
	1	MH compression	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	MR compression K Factor 2	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	3	MR compression K Factor 4	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4	MMR compression	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	5	JPEG compression	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	6	Old JPEG compression	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
Contrast	1~255	128	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
CropMarginSize	-5~5	0	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	
CropPriority	0	Speed	N/A	○	○	○	N/A	○	○	○	○	○	○	N/A	○	○	N/A	○	○	○	N/A	
	1	Accuracy	N/A	○	○	○	N/A	○	○	○	○	○	○	N/A	○	○	N/A	○	○	○	N/A	
CustomGamma	0.1~10	2.2	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
CustomPaperLength	1~the physical length of the device	1	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
CustomPaperWidth	1~the physical width of the device	1	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
CustomResolution	50~600	300	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
Deskew	0	Edge	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	To scan with a flatbed scanner, a black document pad is required.
	1	Documents	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	OFF	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
DeskewBackground	0	None	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Background	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
DeskewMode	0	OFF	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	ON	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	



1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480	fi-7260	fi-7240	fi-7180	fi-7140	fi-7030	fi-6800	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
DigitalEndorser	FALSE	Used	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	TRUE	Not Used	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
DigitalEndorserCountDirection	0	Add	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Del	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
DigitalEndorserCounter	0~99999999	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
DigitalEndorserCountStep	0	None	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	1Step	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	2Step	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
DigitalEndorserDirection	0	Top to Bottom	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Left to Right	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
DigitalEndorserString	40 alphanumeric characters or less	%05ud	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
DigitalEndorserXOffset	0~the output enable area for the digital endorser	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
DigitalEndorserYOffset	0~the output enable area for the digital endorser	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
DivideLongPage	TRUE	Divides long pages	N/A	N/A	N/A	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	FALSE	Does not divide long pages	N/A	N/A	N/A	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
DTCSensitivity	0~100	50	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
EdgeFiller	0	Off	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Black	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	White	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
EdgeFillerBottom	0~	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
EdgeFillerLeft	0~	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
EdgeFillerRight	0~	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
EdgeFillerTop	0~	0	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
EdgeRepair	FALSE	Not repaired	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	○	○	○	○	○	○	
	TRUE	repaired	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	○	○	○	○	○	○	
Endorser	TRUE	Used	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	When Endorser or Imprinter option is installed
	FALSE	Not Used	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
EndorserCountDirection	0	Add	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
	1	Del	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
EndorserCounter	-1	the endorser counter does not operate for printing	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
	0~99999999	0	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	

1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900 fi-7800	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480 fi-7460	fi-7280 fi-7260	fi-7240	fi-7180 fi-7160	fi-7140	fi-7030	fi-6800 fi-64xx	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
EndorserCountStep	0	None	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	When Endorser or Imprinter option is installed
	1	1Step	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
	2	2Step	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
EndorserDialog	0	OFF	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
	1	ON	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
EndorserDirection	1	ToUnder	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
	3	ToUpper	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
EndorserFont	0	Horizontal standard font	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
	1	Vertical standard font	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
	2	Horizontal narrow font	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
	3	Horizontal bold font	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
	4	Vertical bold font	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
EndorserOffset	0~the printable area for the digital endorser	0	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
EndorserString	40 alphanume ric characters or less	%05ud	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	N/A	
ErrorCode			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
FadingCompensation	0	No compensation is performed.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1~5	Higher values result in higher likelihood of compensation.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
FileCounter	-1	the serial number setting is not used	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	0~65535	1	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
FileCounter1	-1	the serial number setting is not used	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
FileCounter2			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
FileCounter3	0~65535	1	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
FileName	string	empty character string	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
FileName1	string	empty character string	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
FileName2			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
FileName3			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
FileType	0	Bitmap file	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	TIFF file	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	Multipage TIFF file	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	3	JPEG file	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4	PDF file	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	5	Multipage PDF file	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	6	Multi-image output	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	7	Auto color detection	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	

1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480	fi-7280	fi-7240	fi-7180	fi-7140	fi-7030	fi-6800	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
Filter	0	Green	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Red	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	Blue	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	3	None	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4	White	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	99	Custom1	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	100	Custom2	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	101	Custom3	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	102	Custom4	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	5	Saturation	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	6	Specified by device	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
FilterSaturationSensitivity	0~100	50	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
FrontBackDetection	0	None	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1	Swap	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2	Swap and Remove Back Side	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FrontBackMergingEnabled	TRUE	Merges the front and back sides.	○	○	○	○	N/A	○	○	○	○	○	○	○	○	○	N/A	○	○	○	N/A	
	FALSE	Does not merge the front and back sides.	○	○	○	○	N/A	○	○	○	○	○	○	○	○	○	N/A	○	○	○	N/A	
FrontBackMergingLocation	0	Upper	○	○	○	○	N/A	○	○	○	○	○	○	○	○	○	N/A	○	○	○	N/A	
	1	Lower	○	○	○	○	N/A	○	○	○	○	○	○	○	○	○	N/A	○	○	○	N/A	
	2	Left	○	○	○	○	N/A	○	○	○	○	○	○	○	○	○	N/A	○	○	○	N/A	
	3	Right	○	○	○	○	N/A	○	○	○	○	○	○	○	○	○	N/A	○	○	○	N/A	
FrontBackMergingRotation	0	None	○	○	○	○	N/A	○	○	○	○	○	○	○	○	○	N/A	○	○	○	N/A	
	2	R180	○	○	○	○	N/A	○	○	○	○	○	○	○	○	○	N/A	○	○	○	N/A	
FrontBackMergingTarget	0	All	○	N/A	○	○	N/A	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1	Short	○	N/A	○	○	N/A	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2	Long	○	N/A	○	○	N/A	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FrontBackMergingTargetMode	1	Custom	○	N/A	○	○	N/A	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2	CardSize	○	N/A	○	○	N/A	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
FrontBackMergingTargetSize	1~	1	○	N/A	○	○	N/A	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Gamma	0	None	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Soft	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	Sharp	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	3	Gamma Pattern File	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4	Custom	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	5	Bright	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	6	Standard	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
GammaFile			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	

1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480	fi-7260	fi-7240	fi-7180	fi-7140	fi-7030	fi-6800	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
Halftone	0	None	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	For dark photo images	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	For a mixture of dark letters and photos	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	3	For light photo images	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4	For a mixture of light letters and photos	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	5	Download (Specifies the halftone pattern file.)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	6	Error diffusion method	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
HalftoneFile			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
Highlight	1~255	230	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
HwCompression	FALSE	Non-compression forwarding is not done.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	TRUE	Non-compression forwarding is done.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
ImageScanner			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Property for value reference purposes only
Indicator	TRUE	Show	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	FALSE	Not Show	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
IsExistsFB	TRUE	FB Supported	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	N/A	N/A	N/A	○	○	N/A	N/A	N/A	○	Property for value reference purposes only
	FALSE	FB Unsupported	○	○	○	N/A	N/A	○	○	N/A	N/A	○	○	○	○	N/A	N/A	○	○	○	N/A	
JobControl	0	None	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	*When the JobControlMode property is set to "0".
	1	Include and Continue	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	2	Include and Stop	N/A	○*	N/A	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	○*	○*	○*	○*	○*	N/A	N/A	
	3	Exclude and Continue	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	4	Exclude and Stop	N/A	○*	N/A	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	○*	○*	○*	○*	○*	N/A	N/A	
JobControlMode	0	Special Document	N/A	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	
	1	Patch Code Document	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
JpegQuality	0	Compression level 1	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Compression level 2	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	Compression level 3	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	3	Compression level 4	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4	Compression level 5	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	5	Compression level 6	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	6	Compression level 7	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
LengthDetection	0	None	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	1	Length	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	2	Length& OerverScan	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
LongPage	TRUE	Scans long documents	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	FALSE	Does not scan long documents	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	

1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480	fi-7280	fi-7240	fi-7180	fi-7140	fi-7030	fi-6800	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
Mirroring	TRUE	Uses Flip Horizontal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	FALSE	Does not use Flip Horizontal	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
MultiFeed	0	Disabled	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	1	Device setting	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	
	2	Detects difference in thickness/detects overlapping	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	3	Detects difference in length	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	4	Detects difference in length and thickness/detects overlapping and difference in length	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
MultiFeedModeChangeSize	0~	0	○	N/A	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
MultiFeedNotice	TRUE	Used	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	N/A	N/A	N/A	○	N/A	N/A	
	FALSE	Not Used	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	N/A	N/A	N/A	○	N/A	N/A	
MultiFeedResult	TRUE	Detected	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	N/A	N/A	N/A	○	N/A	N/A	Property for value reference purposes only
	FALSE	Not detected	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	N/A	N/A	N/A	○	N/A	N/A	
MultiStreamDefaultValueMode	0	OFF	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	ON	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
MultiStreamFileNameMode	0	OFF	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	ON	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
MultiStreamMode	0	OFF	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	2 MultiImage	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	3 MultiImage	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
NoiseRejection	0	Disabled	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1~20	Higher values result in more noise removal	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
NoiseRemoval	0	Disabled	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	FJTWAIN only Please use NoiseRejection in PaperStream IP.
	1	Removes dust of 2 x 2 dot matrix or smaller	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2	Removes dust of 3 x 3 dot matrix or smaller	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3	Removes dust of 4 x 4 dot matrix or smaller	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4	Removes dust of 5 x 5 dot matrix or smaller	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Orientation	0	Portrait	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Landscape	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
Outline	0	None	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	It is a mapping in PaperStream IP in Sharpness as for the value.
	1	Low (Outline emphasis)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	Medium (Outline emphasis)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	3	High (Outline emphasis)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4	Outline smoothing (Binary )	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	5	Edge extraction(Binary )	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	6	De-Screen level 1(RGB)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	7	De-Screen level 2(RGB)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	8	De-Screen level 3(RGB)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
		De-Screen level 4(RGB)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	

1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900 fi-7800	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480 fi-7460	fi-7280 fi-7260	fi-7240	fi-7180 fi-7160	fi-7140	fi-7030	fi-6800 fi-64xx	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
OverScan	0	OFF	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	1	ON	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
OverWrite	0	OFF(Mode0)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	ON	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	Confirm(Mode0)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	3	OFF(Mode1)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4	Confirm(Mode1)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
PageCount			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Property for value reference purposes only
PageNumber			○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	Property for value reference purposes only
PaperProtection	0	OFF	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	N/A	N/A	N/A	N/A	N/A	N/A	
	1	ON	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	N/A	N/A	N/A	N/A	N/A	N/A	
	2	Hardware Setting	N/A	N/A	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3	Driver Setting	N/A	○	○	○	○	○	○	○	○	○	○	N/A	○	N/A	N/A	N/A	N/A	N/A	N/A	



1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480	fi-7280	fi-7240	fi-7180	fi-7140	fi-7030	fi-6800	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
PaperSize	0	A3	N/A	○	N/A	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	○	○	○	○	○	N/A	*ShowSourceUI "FALSE" only
	1	A4	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	2	A5	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	3	A6	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4	B4(JIS)	N/A	○	N/A	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	○	○	○	○	○	N/A	
	5	B5(JIS)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	6	B6(JIS)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	7	Letter	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	8	Legal	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	9	Executive	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	10	Double Letter	N/A	○	N/A	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	○	○	○	○	○	N/A	
	11	PostCard	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	12	Photo	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	13	Card	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	14(99)	Custom	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	15	C4	N/A	○	N/A	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	○	○	○	○	○	N/A	
	16	C5	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	17	C6	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	18	B4(ISO)	N/A	○	N/A	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	○	○	○	○	○	N/A	
	19	B5(ISO)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	20	B6(ISO)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	21	8.5 x 17inch	○	N/A	○	N/A	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	22	8.5 x 34inch	○	N/A	○	N/A	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	23	8.5 x 106.3inch	○	N/A	○	N/A	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	24	8.5 x 125inch	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	25	8.5 x 160inch	○	N/A	○	N/A	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	26	8.5 x 215inch	○	N/A	○	N/A	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	27	8.5 x 220inch	○	N/A	○	N/A	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	28	11.7 x 17inch	N/A	N/A	N/A	N/A	N/A	N/A	○*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	○	N/A	
	29	11.7 x 34inch	N/A	N/A	N/A	N/A	N/A	N/A	○*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	○	N/A	
	30	12 x 17inch	N/A	○	N/A	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	
	31	12 x 34inch	N/A	○	N/A	○	○	○	○	N/A	N/A	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	
	32	12 x 125inch	N/A	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	○	○	○	○	○	N/A	N/A	
	33	MaxSize	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	34	12 x 106.3inch	N/A	N/A	N/A	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	35	12 x 160inch	N/A	N/A	N/A	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	36	12 x 215inch	N/A	N/A	N/A	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	37	12 x 220inch	N/A	○	N/A	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480	fi-7280	fi-7240	fi-7180	fi-7140	fi-7030	fi-6800	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
PaperSupply	0	Flatbed	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	N/A	N/A	N/A	○	○	N/A	N/A	N/A	○	It is a mapping in each value. 「4」→「10」 「5」→「11」 「6」→「12」 「7」→「48」
	1	ADF	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	2	ADF(Duplex)	○	○	○	○	N/A	○	○	○	○	○	○	○	○	○	N/A	○	○	○	N/A	
	3	ADF(Back Side)	○	○	○	○	N/A	○	○	○	○	○	○	○	○	○	N/A	○	○	○	N/A	
	4	CarrierSheet(A3)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5	CarrierSheet(DL)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6	CarrierSheet(B4)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7	CarrierSheet	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	10	ADF(CarrierSheet Spread A3)	○	N/A	○	N/A	N/A	N/A	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	~		○	N/A	○	N/A	N/A	N/A	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	49	ADF(CarrierSheet Clipping Duplex Custom)	○	N/A	○	N/A	N/A	N/A	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
PatchCodeDetection	FALSE	Patch code detection is performed.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	TRUE	Patch code detection is not performed.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
PatchCodeDirection	0	Horizontal	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Vertical	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	Horizontal & Vertical	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
PatchCodeType	0~	303 (All)  Sets the type of patch code that is detected. If detection of multiple patch codes is set, set the total setting value of the types.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Patch 1	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2(10)	Patch 2	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4(100)	Patch 3	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	8(1000)	Patch 4	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	32(100000)	Patch 6	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	256(100000000)	Patch T	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
PatternRemoval	0	OFF	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Standard	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	Advanced	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	3	Strong	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
PixelType	0	Black & White	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Grayscale	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	RGB Color	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	3	Auto color detection	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4	Switching by code sheets	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
PreFiltering	TRUE	Enables the ball point pen filtering mode	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	FALSE	Disables the ball point pen filtering mode.	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	



## 1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values

N/A :Not void value

[illegible]

1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480	fi-7260	fi-7240	fi-7180	fi-7140	fi-7030	fi-6800	fi-64xx	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
SDTCSensitivity	1~3	2	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
SEE	0	Do not apply selectable edge enhancement	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Apply selectable edge enhancement	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
SelectOutputSize	0	Margin	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1	Scanning area	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
Shadow	0~254	10	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
Sharpness	0	None	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	4:Edge extraction(Binary)
	1	Low (Outline emphasis)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	Medium (Outline emphasis)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	3	High (Outline emphasis)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	4	Edge extraction(Binary)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	5	Smoothing level 1(Binary) /De-Screen level 1 (Grayscale/RGB)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	6	Smoothing level 2(Binary) /De-Screen level 2 (Grayscale/RGB)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	7	Smoothing level 3(Binary) /De-Screen level 3 (Grayscale/RGB)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	8	Smoothing level 4(Binary) /De-Screen level 4 (Grayscale/RGB)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
ShowSourceUI	TRUE	Display the UI	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	FALSE	Do not display UI	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
SilentMode	TRUE	Silent mode	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	FALSE	Normal mode	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
SimpleSlicePatternRemoval	TRUE	Pattern is removed.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	FALSE	Pattern is not removed.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
SkipBlackPage	0	Do not skip	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	It is a mapping in the BlankPageSkip property as for the value. 「1,2」→「1」 「3,4」→「2」 「5」→「3」 「6」→「4」 「7」→「5」 「8」→「6」 「9」→「7」 「10」→「8」 「11」→「9」 「12,13」→「10」 「14-50」→「11」
	1~50	The ratio of white dots in the black page by 0.1% increments. The maximum 5.0% can be specified.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
SkipWhitePage	0	Do not skip	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	1~50	The ratio of black dots in the white page by 0.1% increments when the PixelType property is set to "0 - Black & White." The maximum 5.0% can be specified.	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	

1. Properties Enabled According to Devices : PaperStream IP (TWAIN)

○ :Valid values  
N/A :Not void value

Property	values	Meaning, or Default	fi-800R	fi-7900	fi-7300NX	fi-7700	fi-7700S	fi-7600	fi-7480	fi-7260	fi-7280	fi-7240	fi-7180	fi-7140	fi-7030	fi-6800	fi-64xx	fi-6770	fi-6750S	fi-6670	fi-5950	fi-5530C2	fi-65F	Remarks
Smoothing	TRUE	Enable smoothing mode	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	FALSE	Disable smoothing mode	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
SourceCurrentScan	TRUE	Scan with the source current value	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	FALSE	Scan with the value set in the OCX property	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
sRGB	FALSE	Disable	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	TRUE	Enable	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
SynchronizationDigitalEndorse r	FALSE	Disable	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	○	○	N/A	
	TRUE	Enable	N/A	○	N/A	N/A	N/A	○	○	N/A	N/A	○	○	N/A	○	N/A	N/A	○	○	○	○	○	N/A	
Threshold	-2	Dynamic Threshold (iDTC) binary mode	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	-1	Automatic (advanced) binary mode	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	0	Automatic (simple) binary mode	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1~255	128	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
ThresholdCurve	0	Very light (for OCR)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1	Light (for OCR)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	2	Normal 1 (for OCR)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	3	Normal 2 (for OCR)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	4	Dark (for OCR)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	5	Very dark (for OCR)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	6	Normal (for images)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	7	Darkest (for images)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
TwainDS		○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○		
TwainDSAnyPort	0	Does not lock the data source name	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Locks the data source name	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
UndefinedScanning	TRUE	Scan an undefined length	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	FALSE	Do not scan an undefined length	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
Unit	0	Inches (inch)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	1	Centimeters (cm)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
	2	Pixels (Pixel)	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	
VerticalLineReduction	FALSE	Disable	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	
	TRUE	Enable	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	N/A	

2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
  - ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
  - :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
  - :Properties or values which are valid only when the option is installed.
- \*1 E :When Endorser or Imprinter option is installed
- \*2 I :When the image processing board is installed
- \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
AdjustRGB	TRUE	Used	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	FALSE	Not Used	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
AdjustRGBB	1~255	128	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
AdjustRGBG	1~255	128	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
AdjustRGBR	1~255	128	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
ADTCThreshold	1~255	83	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
AIQCNotice	TRUE	Used	●	—	●	N/A	N/A	N/A	N/A	N/A	—	N/A	●	—	●	N/A	—	N/A	
	FALSE	Not Used	●	—	●	N/A	N/A	N/A	N/A	N/A	—	N/A	●	—	●	N/A	—	N/A	
AIQCResult	TRUE	Detected	●	—	●	N/A	N/A	N/A	N/A	N/A	—	N/A	●	—	●	N/A	—	N/A	Property for value reference purposes only
	FALSE	Not detected	●	—	●	N/A	N/A	N/A	N/A	N/A	—	N/A	●	—	●	N/A	—	N/A	
AutoBorderDetection	TRUE	Detected	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	To scan with a flatbed scanner, a black document pad is required.
	FALSE	Not detected	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
AutoBright	TRUE	Automatic adjustment is performed.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	FALSE	Automatic adjustment is not performed.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
AutomaticColorBackground	0	Include Background Color	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Ignore Background Color	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
AutomaticColorSensitivity	−7~7	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
AutomaticRotateMode	0	Standard	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Custom	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
AutomaticSenseMedium	FALSE	Automatic switching is performed.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	TRUE	Automatic switching is not performed.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
AutoProfile	0	Disabled	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Enabled	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
AutoProfileSensitivity	1~5	3	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
AutoSeparation	0	OFF	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	ON	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
Background	0	NO	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
	1	Yes	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
	2	Automatic	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
BackgroundColor	0	OFF	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	1	ON	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
BackgroundSmoothing	0	None	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Automatic	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	White	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BackgroundSmoothness	0~10	5	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BackgroundThreshold	0~100	50	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	

2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
- ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
- :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
- :Properties or values which are valid only when the option is installed.
- \*1 E :When Endorser or Imprinter option is installed
- \*2 I :When the image processing board is installed
- \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
BarcodeDetection	TRUE	Used	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	FALSE	Not Used	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BarcodeDirection	0	Horizontal	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Vertical	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	Horizontal & Vertical	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BarcodeMaxSearchPriorities	1~20	1	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BarcodeNotDetectionNotice	TRUE	Used	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	FALSE	Not Used	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BarcodeRegionLeft	0~	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BarcodeRegionLength	0~	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BarcodeRegionTop	0~	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BarcodeRegionWidth	0~	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BarcodeType		511																	
	0~	Sets the type of barcode that is detected. If detection of multiple barcodes is set, set the total setting value.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	EAN 8	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2(10)	EAN 13	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	4(100)	Code 3 of 9	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	8(1000)	Code 128	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	16(10000)	ITF	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	32(100000)	UPC-A	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	64(1000000)																		
	128(10000000)	PDF417	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	256(100000000)	QR code	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
Binding	0	Side	○	—	N/A	○	N/A	N/A	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	1	Height	○	—	N/A	○	N/A	N/A	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	0~16	16	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BlankPageIgnoreAreaSize	0	OFF	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	ON	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BlankPageNotice	0	Not Detected	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	Property for value reference purposes only
	1	Detected	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BlankPageResult	0	Not Skipped	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	PaperStream IP Only Please use SkipBlackPage and SkipWhitePage in FJTWAIN.
	1~11	Higher values result in higher likelihood of skipping.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	



2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
- ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
- :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
- :Properties or values which are valid only when the option is installed.
  - \*1 E :When Endorser or Imprinter option is installed
  - \*2 I :When the image processing board is installed
  - \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
BlankPageSkipMode	0	Sensitivity	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Black & White Dots Ratio	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
BlankPageSkipTabPage	0	All Pages	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Skip Tab Pages	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
Brightness	1~255 (128)	Binary (Black and White)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	○	—	N/A	
		Halftone (Halftone = 1 - 6)	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
		Automatic separation (AutoSeparation = 1)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		Selectable edge enhancement(SEE = 1)	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
		Grayscale	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
CarrierSheetClippingMode	0	Content	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Edge	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	Driver Setting	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
CharacterExtraction	TRUE	Used	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	FALSE	Not Used	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
CharacterExtractionMethod	1	ReversedTypeExtraction	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	HalftoneRemoval	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	4	StampRemoval	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
CharacterThickness	0~10	5	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
CloseSourceUI	TRUE	ON	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	FALSE	OFF	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
ColorReproduction	0	Contrast	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Hue	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
ColorReproductionBrightness	1~255	128	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
ColorReproductionContrast	1~255	128	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
ColorReproductionCustomGamma	0.1~10.0	1.0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
ColorReproductionHighlight	1~255	255	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
ColorReproductionShadow	0~254	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
CompressionType	0	No (not compressing)	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	1	MH compression	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	2	MR compression K Factor 2	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	3	MR compression K Factor 4	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	4	MMR compression	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	5	JPEG compression	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
Contrast	1~255	128	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	5~5	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
CropMarginSize	0	Speed	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
CropPriority	1	Accuracy	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
CustomGamma	0.1~10	2.2	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
CustomPaperLength	1~the physical length of the device	1	◎	—	N/A	◎	N/A	◎	N/A	◎	—	N/A	◎	—	N/A	◎	—	N/A	
CustomPaperWidth	1~the physical width of the device	1	◎	—	N/A	◎	N/A	◎	N/A	◎	—	N/A	◎	—	N/A	◎	—	N/A	

2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
- ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
- :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
- :Properties or values which are valid only when the option is installed.
  - \*1 E :When Endorser or Imprinter option is installed
  - \*2 I :When the image processing board is installed
  - \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
CustomResolution	50~600 (300)	Maximum black and white	○600	—	N/A	○600	N/A	○600	N/A	○600	—	N/A	○600	—	N/A	○600	—	N/A	
		Maximum grayscale	○600	—	N/A	○600	N/A	○600	N/A	○600	—	N/A	○600	—	N/A	○600	—	N/A	
		Maximum color	○600	—	N/A	○600	N/A	○600	N/A	○600	—	N/A	○600	—	N/A	○600	—	N/A	
		Minimum	○50	—	N/A	○50	N/A	○50	N/A	○50	—	N/A	○50	—	N/A	○50	—	N/A	
Deskew	0 1 2	Units	○1	—	N/A	○1	N/A	○1	N/A	○1	—	N/A	○1	—	N/A	○1	—	N/A	
		Edge	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		Documents	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		OFF	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
DeskewBackground	0 1	None	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		Background	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
DeskewMode	0 1	OFF	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		ON	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
DigitalEndorser	FALSE TRUE	Used	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		Not Used	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
DigitalEndorserCountDirection	0 1	Add	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		Del	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
DigitalEndorserCounter	0~99999999	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
DigitalEndorserCountStep	0 1 2	None	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		1Step	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		2Step	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
DigitalEndorserDirection	0 1	Top to Bottom	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		Left to Right	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
DigitalEndorserString	40 alphanumeric characters or less	%05ud	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
DigitalEndorserXOffset	0~the output enable area for the digital endorser	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
DigitalEndorserYOffset	0~the output enable area for the digital endorser	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
DivideLongPage	TRUE FALSE	Divides long pages	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		Does not divide long pages	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
DTCsensitivity	0~100	50	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	

2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
  - ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
  - :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
  - :Properties or values which are valid only when the option is installed.
- \*1 E :When Endorser or Imprinter option is installed
- \*2 I :When the image processing board is installed
- \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
EdgeFiller	0	Off	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Black	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	White	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
EdgeFillerBottom	0~	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
EdgeFillerLeft	0~	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
EdgeFillerRight	0~	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
EdgeFillerTop	0~	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
EdgeRepair	FALSE	Not repaired	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
	TRUE	repaired	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
Endorser	TRUE	Used	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	When Endorser or Imprinter option is installed
	FALSE	Not Used	●	□	N/A	●	N/A	●	N/A	●	□	N/A	●	□	N/A	●	□	N/A	
EndorserCountDirection	0	Add	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
	1	Del	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
EndorserCounter	−1	the endorser counter does not operate for printing	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
	0~	0	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
	16777215		N/A			N/A		N/A		N/A			N/A			N/A		N/A	
EndorserCountStep	0	None	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
	1	1Step	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
	2	2Step	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
EndorserDialog	0	OFF	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
	1	ON	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
EndorserDirection	1	ToUnder	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
	3	ToUpper	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
EndorserFont	0	Horizontal standard font	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
	1	Vertical standard font	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
	2	Horizontal narrow font	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
	3	Horizontal bold font	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
	4	Vertical bold font	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
EndorserOffset	0~the printable area for the digital endorser	0	N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
EndorserString	40 alphanumeric characters or less		N/A	□	N/A	N/A	N/A	N/A	N/A	N/A	□	N/A	N/A	□	N/A	N/A	□	N/A	
		Maximum number of single byte characters	N/A	40	N/A	N/A	N/A	N/A	N/A	N/A	40	N/A	N/A	40	N/A	N/A	40	N/A	
ErrorCode			●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	



2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
- ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
- :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
- :Properties or values which are valid only when the option is installed.
  - \*1 E :When Endorser or Imprinter option is installed
  - \*2 I :When the image processing board is installed
  - \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
FadingCompensation	0	No compensation is performed.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1~5	Higher values result in higher likelihood of compensation.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
FileCounter	—1	the serial number setting is not used	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	0~65535	1	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
FileCounter1	—1	the serial number setting is not used	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
FileCounter2	0~65535	1	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
FileCounter3																			
FileName	string	empty character string	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
FileName1	string	empty character string	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
FileName2																			
FileName3																			
FileType	0	Bitmap file	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	1	TIFF file	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	2	Multipage TIFF file	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	3	JPEG file	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	4	PDF file	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	5	Multipage PDF file	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	6	Multi-image output	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	7	Auto color detection	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
Filter	0	Green	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	1	Red	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	2	Blue	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	3	None	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	4	White	N/A	—	N/A	○	N/A	○	N/A	○	—	N/A	N/A	—	N/A	N/A	—	N/A	
	99	Custom1	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
	100	Custom2	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
	101	Custom3	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
	102	Custom4	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
	5	Saturation	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	6	Specified by device	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
FilterSaturationSensitivity	0~100	50	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
FrontBackDetection	0	None	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Swap	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	Swap and Remove Back Side	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
FrontBackMergingEnabled	TRUE	Merges the front and back sides.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	FALSE	Does not merge the front and back sides.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
FrontBackMergingLocation	0	Upper	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Lower	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	Left	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	3	Right	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
FrontBackMergingRotation	0	None	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	R180	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
FrontBackMergingTarget	0	All	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Short	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	Long	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
FrontBackMergingTargetMode	1	Custom	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	CardSize	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
FrontBackMergingTargetSize	1~	1	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	

2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
- ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
- :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
- :Properties or values which are valid only when the option is installed.
- \*1 E :When Endorser or Imprinter option is installed
- \*2 I :When the image processing board is installed
- \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
Gamma	0	None	○ * Black & white / grayscale	—	N/A	○ * Black & white / grayscale	N/A	○ * Black & white / grayscale	N/A	○ * Black & white / grayscale	—	N/A	○ * Black & white / grayscale	—	N/A	○ * Black & white	—	N/A	
	1	Soft	○ * Black & white / grayscale	—	N/A	○ * Black & white / grayscale	N/A	○ * Black & white / grayscale	N/A	○ * Black & white / grayscale	—	N/A	○ * Black & white / grayscale	—	N/A	N/A	—	N/A	
	2	Sharp	○ * Black & white / grayscale	—	N/A	○ * Black & white / grayscale	N/A	○ * Black & white / grayscale	N/A	○ * Black & white / grayscale	—	N/A	○ * Black & white / grayscale	—	N/A	N/A	—	N/A	
	3	Gamma Pattern File	○ * Black & white / grayscale	—	N/A	○ * Black & white / grayscale	N/A	○ * Black & white / grayscale	N/A	○ * Black & white / grayscale	—	N/A	○ * Black & white / grayscale	—	N/A	N/A	—	N/A	
	4	Custom	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	5	Bright	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	6	Standard	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
GammaFile			○ * Black & white / grayscale	—	N/A	○ * Black & white / grayscale	N/A	○ * Black & white / grayscale	N/A	○ * Black & white / grayscale	—	N/A	○ * Black & white / grayscale	—	N/A	N/A	—	N/A	
Halftone	0	None	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	1	For dark photo images	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	2	For a mixture of dark letters and	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	3	For light photo images	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	4	For a mixture of light letters and photos	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	5	Download (Specifies the halftone pattern file.)	○	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	○	—	N/A	
	6	Error diffusion method	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
HalftoneFile			○	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	○	—	N/A	
Highlight	1~255	230	○ *Grayscale / color	—	N/A	○ *Grayscale / color	N/A	○ *Grayscale / color	N/A	○ *Grayscale / color	—	N/A	○ *Grayscale / color	—	N/A	○ *Grayscale / color	—	N/A	

2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
- ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
- :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
- :Properties or values which are valid only when the option is installed.
- \*1 E :When Endorser or Imprinter option is installed
- \*2 I :When the image processing board is installed
- \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
HwCompression	FALSE	Non-compression forwarding is not done.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	TRUE	Non-compression forwarding is done.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
ImageScanner			●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	Property for value reference purposes only
Indicator	TRUE	Show	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	FALSE	Not Show	●	●	●	●	●	●	●	●	●	●	●	—	●	●	—	●	
IsExistsFB	TRUE	FB Supported	N/A	—	N/A	○	○	○	○	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	Property for value reference purposes only
	FALSE	FB Unsupported	○	—	○	N/A	N/A	N/A	N/A	○	—	○	○	—	○	○	—	○	
JobControl	0	None	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
	1	Include and Continue	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
	2	Include and Stop	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
	3	Exclude and Continue	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
	4	Exclude and Stop	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
JobControlMode	0	Special Document	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Patch Code Document	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
JpegQuality	0	Compression level 1	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	1	Compression level 2	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	2	Compression level 3	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	3	Compression level 4	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	4	Compression level 5	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	5	Compression level 6	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
LengthDetection	0	None	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Length	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	Length& OerverScan	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
LongPage	TRUE	Scans long documents	○ *Black & white, grayscale, color 125inch (3175mm)	—	N/A	○ *Black & white, grayscale, color 125inch (3175mm)	N/A	○ *Black & white, grayscale, color 125inch (3175mm)	N/A	○ *Black & white, grayscale, color 125inch (3175mm)	—	N/A	○ *Black & white, grayscale, color 125inch (3175mm)	—	N/A	○ *Black & white, grayscale, color 34.0inch (863.6mm)	—	N/A	
	FALSE	Does not scan long documents	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
Mirroring	TRUE	Uses Flip Horizontal	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	FALSE	Does not use Flip Horizontal	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
MultiFeed	0	Disabled	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	1	Device setting	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
	2	Detects difference in thickness/detects overlapping	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	3	Detects difference in length	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	4	Detects difference in length and thickness/detects overlapping and difference in length	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	

2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
- ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
- :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
- :Properties or values which are valid only when the option is installed.
- \*1 E :When Endorser or Imprinter option is installed
- \*2 I :When the image processing board is installed
- \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
MultiFeedModeChangeSize	0~	0	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
MultiFeedNotice	TRUE	Used	○	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	○	—	N/A	N/A	—	N/A	
	FALSE	Not Used	○	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	○	—	N/A	N/A	—	N/A	
MultiFeedResult	TRUE	Detected	○	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	○	—	N/A	N/A	—	N/A	Property for value reference purposes only
	FALSE	Not detected	○	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	○	—	N/A	N/A	—	N/A	
MultiStreamDefaultValueMode	0	OFF	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	ON	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
MultiStreamFileNameMode	0	OFF	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	ON	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
MultiStreamMode	0	OFF	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	2 MultiImage	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	3 MultiImage	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
NoiseRejection	0	Disabled	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1~20	Higher values result in more noise removal	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
NoiseRemoval	0	Disabled	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Removes dust of 2 x 2 dot matrix or smaller	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	Removes dust of 3 x 3 dot matrix or smaller	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	3	Removes dust of 4 x 4 dot matrix or smaller	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	4	Removes dust of 5 x 5 dot matrix or smaller	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
Orientation	0	Portrait	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
	1	Landscape	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
Outline			Black & white / color			Black & white / color		Black & white / color		Black & white / color			Black & white / color			Black & white / color			
	0	None	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	1	Low (Outline emphasis)	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	2	Medium (Outline emphasis)	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	3	High (Outline emphasis)	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	4	Outline smoothing (Binary )	○/N/A	—	N/A	○/N/A	N/A	○/N/A	N/A	○/N/A	—	N/A	○/N/A	—	N/A	○/N/A	—	N/A	
	5	Edge extraction(Binary ) De-Screen level 1 (RGB)	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	N/A/○	—	N/A	
	6	De-Screen level 2 (RGB)	N/A/○	—	N/A	N/A/○	N/A	N/A/○	N/A	N/A/○	—	N/A	N/A/○	—	N/A	N/A/○	—	N/A	
	7	De-Screen level 3 (RGB)	N/A/○	—	N/A	N/A/○	N/A	N/A/○	N/A	N/A/○	—	N/A	N/A/○	—	N/A	N/A/○	—	N/A	
	8	De-Screen level 4 (RGB)	N/A/○	—	N/A	N/A/○	N/A	N/A/○	N/A	N/A/○	—	N/A	N/A/○	—	N/A	N/A/○	—	N/A	
OverScan	0	OFF	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
	1	ON	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
OverWrite	0	OFF(Mode0)	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	1	ON	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	2	Confirm(Mode0)	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	3	OFF(Mode1)	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	4	Confirm(Mode1)	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	

2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
- ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
- :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
- :Properties or values which are valid only when the option is installed.
  - \*1 E :When Endorser or Imprinter option is installed
  - \*2 I :When the image processing board is installed
  - \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
PageCount			●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	Property for value reference purposes only
PageNumber			●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	Property for value reference purposes only
PaperProtection	0	OFF	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	1	ON	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	2	Hardware Setting	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	3	Driver Setting	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	



2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
  - ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
  - :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
  - :Properties or values which are valid only when the option is installed.
- \*1 E :When Endorser or Imprinter option is installed
- \*2 I :When the image processing board is installed
- \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
PaperSize			Length / width			Length / width		Length / width		Length / width			Length / width			Length / width			
	0	A3	○/N/A	—	N/A	○/N/A	N/A	○/N/A	N/A	○/N/A	—	N/A	○/N/A	—	N/A	○/N/A	—	N/A	
	1	A4	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	2	A5	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	3	A6	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	4	B4(JIS)	○/N/A	—	N/A	○/N/A	N/A	○/N/A	N/A	○/N/A	—	N/A	○/N/A	—	N/A	○/N/A	—	N/A	
	5	B5(JIS)	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	6	B6(JIS)	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	7	Letter	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	8	Legal	○/N/A	—	N/A	○/N/A	N/A	○/N/A	N/A	○/N/A	—	N/A	○/N/A	—	N/A	○/N/A	—	N/A	
	9	Executive	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	10	Double Letter	○/N/A	—	N/A	○/N/A	N/A	○/N/A	N/A	○/N/A	—	N/A	○/N/A	—	N/A	○/N/A	—	N/A	
	11	PostCard	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	12	Photo	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	13	Card	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	14(99)	Custom	○/○	—	N/A	○/○	N/A	○/○	N/A	○/○	—	N/A	○/○	—	N/A	○/○	—	N/A	
	15	C4	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	16	C5	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	17	C6	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	18	B4(ISO)	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	19	B5(ISO)	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	20	B6(ISO)	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	21	8.5 x 17inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	22	8.5 x 34inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	23	8.5 x 106.3inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	24	8.5 x 125inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	25	8.5 x 160inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	26	8.5 x 215inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	27	8.5 x 220inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	28	11.7 x 17inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	29	11.7 x 34inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	30	12 x 17inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	31	12 x 34inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	32	12 x 125inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	33	MaxSize	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	34	12 x 106.3inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	35	12 x 160inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	36	12 x 215inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	
	37	12 x 220inch	N/A/N/A	—	N/A	N/A/N/A	N/A	N/A/N/A	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	N/A/N/A	—	N/A	

2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
- ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
- :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
- :Properties or values which are valid only when the option is installed.
  - \*1 E :When Endorser or Imprinter option is installed
  - \*2 I :When the image processing board is installed
  - \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
PaperSupply	0	Flatbed	N/A	—	N/A	○	N/A	○	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	ADF	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	2	ADF(Duplex)	○	—	N/A	○	N/A	N/A	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	3	ADF(Back Side)	○	—	N/A	○	N/A	N/A	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	4	CarrierSheet(A3)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	5	CarrierSheet(DL)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	6	CarrierSheet(B4)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	7	CarrierSheet	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	10	ADF(CarrierSheet Spread A3)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	11	ADF(CarrierSheet Spread DL)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	12	ADF(CarrierSheet Spread B4)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	13	ADF(CarrierSheet Spread Auto)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	14~49	ADF(CarrierSheet Clipping All) ~ ADF(CarrierSheet Clipping Duplex Custom)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
PatchCodeDetection	FALSE	Patch code detection is performed.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	TRUE	Patch code detection is not performed.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
PatchCodeDirection	0	Horizontal	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Vertical	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	Horizontal & Vertical	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
PatchCodeType	303 (All)		N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	0~	Sets the type of patch code that is detected. If detection of multiple patch codes is set, set the total setting value of the types.																	
	1	Patch 1																	
	2(10)	Patch 2																	
	4(100)	Patch 3																	
	8(1000)	Patch 4																	
	32(100000 )	Patch 6																	
PatternRemoval	256(10000 0000)	Patch T	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	0	OFF	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Standard	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	Advanced	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	3	Strong	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
PixelType	0	Black & White	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	1	Grayscale	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	2	RGB Color	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	3	Auto color detection	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	4	Switching by code sheets	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
PreFiltering	TRUE	Enables the ball point pen filtering mode	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	FALSE	Disables the ball point pen filtering mode.	●	●	●	●	●	●	●	●	●	●	●	—	N/A	●	—	N/A	

2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
- ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
- :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
- :Properties or values which are valid only when the option is installed.
  - \*1 E :When Endorser or Imprinter option is installed
  - \*2 I :When the image processing board is installed
  - \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
PunchHoleRemoval	0	Do not remove	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	White	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	Background color	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
PunchHoleRemovalMode	0	Standard	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Advanced	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
RegionLeft	0~	0	◎	—	N/A	◎	N/A	◎	N/A	◎	—	N/A	◎	—	N/A	◎	—	N/A	
RegionLength	0~	0	◎	—	N/A	◎	N/A	◎	N/A	◎	—	N/A	◎	—	N/A	◎	—	N/A	
RegionTop	0~	0	◎	—	N/A	◎	N/A	◎	N/A	◎	—	N/A	◎	—	N/A	◎	—	N/A	
RegionWidth	0~	0	◎	—	N/A	◎	N/A	◎	N/A	◎	—	N/A	◎	—	N/A	◎	—	N/A	
Report	0	OFF	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	1	Display	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	2	File	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	3	Display+File	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
ReportFile			●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
Resolution	0	200x200 dpi	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	1	240x240 dpi	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	2	300x300 dpi	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	3	400x400 dpi	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	4	500x500 dpi	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	5	600x600 dpi	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	6	700x700 dpi	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	7	800x800 dpi	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	9	1200x1200 dpi	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	99	Custom	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
Reverse	TRUE	Apply the black and white inversion / color inversion process	○	—	N/A	○ *Black & white, grayscale	N/A	○ *Black & white, grayscale	N/A	○ *Black & white, grayscale	—	N/A	○	—	N/A	○	—	N/A	
	FALSE	Do not apply the black and white inversion / color inversion process	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
Rotation	0	None	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
	1	R90	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
	2	R180	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
	3	R270	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
	4	Automatic	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
ScanContinue	TRUE	Continue scanning	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	FALSE	Finish scanning	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
ScanContinueMode	0	Manual	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Automatic	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
ScanCount	-1		●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	1~32767		●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
ScanMode	0	Normal Scan	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Assist Scan	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
ScanTo	0	File	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	1	Dib Handle	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	2	Memory	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	



2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
- ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
- :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
- :Properties or values which are valid only when the option is installed.
- \*1 E :When Endorser or Imprinter option is installed
- \*2 I :When the image processing board is installed
- \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
SDTCSensitivity	1~3	2	○	—	○	N/A	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
SEE	0	Do not apply selectable edge enhancement	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
	1	Apply selectable edge enhancement	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	N/A	—	N/A	
SelectOutputSize	0	Margin	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Scanning area	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
Shadow	0~254	10	○ *Grayscale / color	—	N/A	○ *Grayscale / color	N/A	○ *Grayscale / color	N/A	○ *Grayscale / color	—	N/A	○ *Grayscale / color	—	N/A	○ *Grayscale / color	—	N/A	
Sharpness	0	None	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	PaperStream IP Only Please use Outline in FJTWAIN.
	1	Low (Outline emphasis)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	TRUE	Medium (Outline emphasis)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	3	High (Outline emphasis)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	4	Edge extraction(Binary )	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	5	Smoothing level 1(Binary) /De-Screen level 1 (Grayscale/RGB)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	6	Smoothing level 2(Binary) /De-Screen level 2 (Grayscale/RGB)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	7	Smoothing level 3(Binary) /De-Screen level 3 (Grayscale/RGB)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	8	Smoothing level 4(Binary) /De-Screen level 4 (Grayscale/RGB)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
ShowSourceUI	TRUE	Display the UI	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	FALSE	Do not display the UI	●	●	●	●	●	●	●	●	●	●	●	—	●	●	●	●	
SilentMode	TRUE	Silent mode	●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
	FALSE	Normal mode	●	●	●	●	●	●	●	●	●	●	●	—	●	●	●	●	
SimpleSlicePatternRemoval	TRUE	Pattern is removed.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	FALSE	Pattern is not removed.	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
SkipBlackPage	0	Do not skip	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
	1~15	The ratio of white dots in the black page by 0.2% increments. The maximum 3.0% can be specified.	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
SkipWhitePage	0	Do not skip	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
	1~15	The ratio of black dots in the white page by 0.2% increments when the PixelType property is set to "0 - Black & White." The maximum 3.0% can be specified.	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
Smoothing	TRUE	Enable smoothing mode	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	FALSE	Disable smoothing mode	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
SourceCurrentScan	TRUE	Scan with the source current value	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
	FALSE	Scan with the value set in the OCX property	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
sRGB	FALSE	Disable	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	TRUE	Enable	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	

2. Properties Enabled According to Devices : FUJITSU TWAIN32

- :Properties which are independent from models and are valid for all models
  - ◎ :Properties which are independent from models, however, with restrictions on usable values (independent from whether the option is present)
  - :Valid values
- N/A :Not void value
- :Properties which are independent from whether the option is installed or not.
  - :Properties or values which are valid only when the option is installed.
- \*1 E :When Endorser or Imprinter option is installed
- \*2 I :When the image processing board is installed
- \*3 S :When the Image Processing Software Option is installed

Property	values	Meaning, or Default	fi-6800			fi-6770		fi-6750S		fi-6670			fi-5950			fi-5530C2			Remarks
				*1 E	*3 S		*3 S		*3 S		*1 E	*3 S		*1 E	*3 S		*1 E	*3 S	
SynchronizationDigitalEndorser	FALSE	Disable	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	TRUE	Enable	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
Threshold	1~255 (128)	Binary (Black & White)	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
		Halftone (Halftone = 1 ~ 6)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		Automatic separation (AutoSeparation = 1)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		Selectable edge enhancement (SEE = 1)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		Grayscale	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
		Color	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	—1	Automatic (advanced) binary mode	○	—	N/A	○	—	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	—2	Dynamic Threshold (iDTC) binary	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	0	Automatic binarization (simple or complete)	○Simple	—	N/A	○Simple	N/A	○Simple	N/A	○Simple	—	N/A	○Simple	—	N/A	○Simple	—	N/A	
ThresholdCurve	0	Very light (for OCR)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Light (for OCR)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	2	Normal 1 (for OCR)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	3	Normal 2 (for OCR)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	4	Dark (for OCR)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	5	Very dark (for OCR)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	6	Normal (for images)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	7	Darkest (for images)	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
TwainDS			●	—	○	●	○	●	○	●	—	○	●	—	○	●	—	○	
TwainDSAnyPort	0	Does not lock the data source name	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	1	Locks the data source name	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
UndefinedScanning	TRUE	Scan an undefined length	○	—	N/A	○	N/A	○	N/A	○	—	N/A	○	—	N/A	○	—	N/A	
	FALSE	Do not scan an undefined length	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
Unit	0	Inches (inch)	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
	1	Centimeters (cm)	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
	2	Pixels (Pixel)	●	—	N/A	●	N/A	●	N/A	●	—	N/A	●	—	N/A	●	—	N/A	
VerticalLineReduction	FALSE	Disable	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	
	TRUE	Enable	N/A	—	N/A	N/A	N/A	N/A	N/A	N/A	—	N/A	N/A	—	N/A	N/A	—	N/A	

---

Fujitsu Scanner Control SDK  
Reference Manual (Separate Volume)

First Edition September 2021

© PFU Limited 2021

---