


TPV102 200 m p=1 Prakash-Clifton (v* 1 m/s, L 0.01 m) with Kelvin-Voigt damping eta_bar 0.1
(node scaling, h_e = 6V/A, beta_e = eta (1/3) h_e/(p c_s)), Frontera job 7995743 (RED) vs SCEC DRDG3D (--) and PyLith (:), 0-12 s.
Arrival = first h-slip-rate > 1 mm/s. Noise RMS = residual after a centred 0.1 s moving average, arrival+0.5 s .. 12 s.


station	arrival (s) d/DRDG	final slip (m) d/DRDG	peak V (m/s) d/DRDG	sn noise d/DRDG	tau_h noise d/DRDG	tau_v noise d/DRDG
flt_0_3	3.106 / 3.148	8.219 / 8.229	2.87 / 3.53	0.047 / 0.012	0.032 / 0.011	0.039 / 0.009
flt_0_7.5	0.569 / 0.571	9.318 / 9.355	4.31 / 4.28	0.091 / 0.014	0.130 / 0.131	0.049 / 0.013
flt_0_12	3.088 / 3.078	6.003 / 5.997	2.94 / 3.54	0.044 / 0.012	0.043 / 0.020	0.049 / 0.012
flt_9_7.5	4.589 / 4.715	6.320 / 6.308	3.78 / 5.29	0.044 / 0.015	0.031 / 0.018	0.047 / 0.054
flt_12_3	6.110 / 6.294	5.823 / 5.997	4.99 / 7.32	0.051 / 0.035	0.028 / 0.035	0.036 / 0.133
flt_12_12	6.041 / 6.250	4.193 / 4.235	4.89 / 7.20	0.068 / 0.040	0.041 / 0.098	0.042 / 0.050
flt_n9_7.5	4.563 / 4.713	6.319 / 6.308	3.58 / 5.32	0.084 / 0.016	0.046 / 0.020	0.071 / 0.049
flt_n12_3	6.129 / 6.296	5.830 / 5.997	5.01 / 8.14	0.067 / 0.047	0.040 / 0.046	0.043 / 0.144
flt_n12_12	6.106 / 6.247	4.258 / 4.235	4.68 / 7.25	0.046 / 0.038	0.035 / 0.086	0.056 / 0.050


medians vs DRDG3D (damped run):
  arrival - DRDG3D   -0.141 s   (per-station range -0.209 .. +0.010)
  final slip   -0.12 %   (range -2.90 .. +0.55)
  peak h-slip-rate   -31.8 %   (range -38.4 .. +0.8)
  noise RMS (MPa)   sigma_n 0.051 vs 0.016, tau_h 0.040 vs 0.035, tau_v 0.047 vs 0.050



TPV102 200 m p=1 PC, Kelvin-Voigt eta_bar 0.1 - station flt_0_3 vs DRDG3D / PyLith
DRDG3D
PyLith
200m p1 KV eta 0.1 (7995743)
slip (m): h solid, v thin
slip rate (m/s): h solid, v thin
|Normal Stress| (MPa)
Shear Stress tau_strike (MPa)
Shear Stress tau_dip (MPa)
t (s)



TPV102 200 m p=1 PC, Kelvin-Voigt eta_bar 0.1 - station flt_0_7.5 vs DRDG3D / PyLith
DRDG3D
PyLith
200m p1 KV eta 0.1 (7995743)
slip (m): h solid, v thin
slip rate (m/s): h solid, v thin
|Normal Stress| (MPa)
Shear Stress tau_strike (MPa)
Shear Stress tau_dip (MPa)
t (s)



TPV102 200 m p=1 PC, Kelvin-Voigt eta_bar 0.1 - station flt_0_12 vs DRDG3D / PyLith
DRDG3D
PyLith
200m p1 KV eta 0.1 (7995743)
slip (m): h solid, v thin
slip rate (m/s): h solid, v thin
|Normal Stress| (MPa)
Shear Stress tau_strike (MPa)
Shear Stress tau_dip (MPa)
t (s)



TPV102 200 m p=1 PC, Kelvin-Voigt eta_bar 0.1 - station flt_9_7.5 vs DRDG3D / PyLith
DRDG3D
PyLith
200m p1 KV eta 0.1 (7995743)
slip (m): h solid, v thin
slip rate (m/s): h solid, v thin
|Normal Stress| (MPa)
Shear Stress tau_strike (MPa)
Shear Stress tau_dip (MPa)
t (s)


TPV102 200 m p=1 PC, Kelvin-Voigt eta_bar 0.1 - station flt_12_3 vs DRDG3D / PyLith
DRDG3D
PyLith
200m p1 KV eta 0.1 (7995743)
slip (m): h solid, v thin
slip rate (m/s): h solid, v thin
|Normal Stress| (MPa)
Shear Stress tau_strike (MPa)
Shear Stress tau_dip (MPa)
t (s)


TPV102 200 m p=1 PC, Kelvin-Voigt eta_bar 0.1 - station flt_12_12 vs DRDG3D / PyLith
DRDG3D
PyLith
200m p1 KV eta 0.1 (7995743)
slip (m): h solid, v thin
slip rate (m/s): h solid, v thin
|Normal Stress| (MPa)
Shear Stress tau_strike (MPa)
Shear Stress tau_dip (MPa)
t (s)


TPV102 200 m p=1 PC, Kelvin-Voigt eta_bar 0.1 - station flt_n9_7.5 vs DRDG3D / PyLith
DRDG3D
PyLith
200m p1 KV eta 0.1 (7995743)
slip (m): h solid, v thin
slip rate (m/s): h solid, v thin
|Normal Stress| (MPa)
Shear Stress tau_strike (MPa)
Shear Stress tau_dip (MPa)
t (s)


TPV102 200 m p=1 PC, Kelvin-Voigt eta_bar 0.1 - station flt_n12_3 vs DRDG3D / PyLith
DRDG3D
PyLith
200m p1 KV eta 0.1 (7995743)
slip (m): h solid, v thin
slip rate (m/s): h solid, v thin
|Normal Stress| (MPa)
Shear Stress tau_strike (MPa)
Shear Stress tau_dip (MPa)
t (s)


TPV102 200 m p=1 PC, Kelvin-Voigt eta_bar 0.1 - station flt_n12_12 vs DRDG3D / PyLith
DRDG3D
PyLith
200m p1 KV eta 0.1 (7995743)
slip (m): h solid, v thin
slip rate (m/s): h solid, v thin
|Normal Stress| (MPa)
Shear Stress tau_strike (MPa)
Shear Stress tau_dip (MPa)
t (s)