

Ciclope: micro Computed Tomography to Finite Elements

Gianluca Iori¹, Fulvia Taddei², Enrico Schileo², Gianluigi Crimi², Giulia Fraterrigo², and Martino Pani³

¹ Synchrotron-light for Experimental Science and Applications in the Middle East, Jordan ² Orthopaedic Institute, Bologna, Italy ³ School of Mechanical and Design Engineering, University of Portsmouth, UK ¶ Corresponding author

DOI: 10.xxxxxx/draft

Software

- Review
- Repository
- Archive

Editor: Open Journals

Reviewers:

- @openjournals

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License (CC BY 4.0)

Summary

The Python package ciclope processes computed tomography images to generate finite element models. The aim of ciclope is to provide fully open-source, reproducible pipelines for simulating the mechanical properties of bone using the finite element method.

Statement of need

Tissue level micro Finite Element (microFE) models derived from laboratory or synchrotron micro Computed Tomography (microCT) volumetric data can provide non-destructive assessments of the bone mechanical properties. The technique is used to investigate the effect of pathologies, treatment and remodelling on the mechanical response of bone at the tissue level, and is applied both to human and animal samples. Linear elastic microFE simulations are implemented to back-calculate the tissue elastic modulus (Bayraktar et al., 2004), understand deformation mechanisms (Zaui et al., 2005), or predict failure (Pistoia et al., 2002) of trabecular bone, as well as to estimate the stiffness of whole bones from small animals (Oliviero et al., 2020). Different pipelines for the generation of microFE models of trabecular bone have been proposed (Cox et al., 2022; Fernández et al., 2022; Megías et al., 2022; Verhulp et al., 2008). Nevertheless, the validation and comparison of results across studies is hindered by the use of proprietary or non-open-source software, and by the general absence of reproducible FE pipelines. We present the Python package ciclope: a fully open-source pipeline from microCT data preprocessing to microFE model generation, solution and postprocessing.

Design

Ciclope is composed of a core library of modules for FE model generation (ciclope.core), and a library of utilities for image and FE model pre- and postprocessing (ciclope.utils) that can be imported and used within Python. Additionally, the ciclope.py script generated during package installation allows to launch microCT-to-FE pipelines directly from the commandline.




Figure 1: Design of ciclope, and application to a pipeline for FE model generation from microCT data.

A pipeline for the generation and solution of a FE model derived from 3D microCT data is shown in the central part of figure Figure 1. **Image preprocessing:** a microCT dataset is loaded in Python and segmented to isolate bone voxels and background. A connectivity check is performed to remove spurious disconnected structures. The 3D image can be smoothed, rotated, cropped and resampled to lower resolution. Embedding layers and steel caps can be added to simulate experimental conditions of mechanical testing. **Meshing:** ciclope allows to create several types of FE meshes. Image voxels can be directly converted to 8-node, hexahedral brick elements with the voxelFE.py module. Alternatively, meshes of 4-node tetrahedra can be generated calling CGAL (The CGAL Project, 2022) through the tetraFE.py module. Finally, the trussFE.py module allows to generate a mesh of 2-node beam elements, where each beam represents a single trabecula, and has a local trabecular thickness associated to it. **FE model generation:** the mesh is converted to an .INP input file for the FE solver. Within this process, the user can define the model material properties and the type of FE analysis (i.e. boundary conditions, analysis type and steps, requested outputs) through separate .TMP template files. Libraries of material_properties and input_templates are provided. Additional CalculiX user examples and templates are available online (CalculiX Examples, 2022). For voxel-FE model generation, different material mapping strategies can be used: uniform tissue material properties (elastic modulus and poisson ratio) can be applied to all bone voxels. Alternatively, the local image intensity (voxel grey values) can be converted to heterogeneous material properties using a mapping law defined by the user.

The ciclope ecosystem

Ciclope relies on several other tools for 3D image and FE processing:

- Voxel and tetrahedra mesh exports are performed with meshio (Schlömer, 2022a).
- Tetrahedra meshes are generated with pygalmesh, a Python frontend to CGAL (Schlömer, 2022b).
- High-resolution surface meshes for visualization are generated with PyMCubes (Neila, 2022).
- The FE input files (.INP) generated by ciclope can be solved using the free software CalculiX (Dhont, 2022) or Abaqus.
- For data and FE results visualization, ciclope relies on itkwidgets (Itkwidgets, 2022), ParaView (ParaView, 2022), and ccx2paraview (CalculiX to Paraview Converter (Frd to Vtk/Vtu), 2022).

Examples

Ciclope contains a library of Jupyter notebooks of example applications in the field of computational biomechanics [Figure 2](#). The main use case is a pipeline for the generation of microFE models from microCT scans of trabecular bone. The simulation (linear-elastic) of a mechanical compression test is used to back-calculate the apparent elastic modulus of trabecular bone. This procedure is demonstrated using hexahedra (voxel, [Figure 2A](#)), tetrahedra ([Figure 2B](#)), and beam finite elements ([Figure 2C](#)). Two approaches for the local mapping of material inhomogeneities are illustrated using voxel and tetrahedra FE. Each example can be run within Jupyter or executed from the commandline with the `ciclope.py` script. Ciclope can be applied to microCT scans other than trabecular bone, such as whole teeth ([Figure 2D](#)), or metal foams ([Figure 2E](#)).




Figure 2: MicroFE models of trabecular bone generated from 3D microCT data with ciclope. Hexahedra (A), tetrahedra (B) and truss (C) finite element models generated with the `voxelFE.py`, `tetraFE.py`, and `trussFE.py` modules, respectively.

Acknowledgements

We acknowledge support from the community for Open and Reproducible Musculoskeletal Imaging Research ([ORMIR](#)) and from Dr. Serena Bonaretti in particular. Ciclope was partially developed during the Jupyter Community Workshop “Building the Jupyter Community in Musculoskeletal Imaging Research” sponsored by [NUMFocus](#).

References

- Bayraktar, H. H., Morgan, E. F., Niebur, G. L., Morris, G. E., Wong, E. K., & Keaveny, T. M. (2004). Comparison of the elastic and yield properties of human femoral trabecular and cortical bone tissue. *Journal of Biomechanics*, 37(1), 27–35. [https://doi.org/10.1016/S0021-9290\(03\)00257-4](https://doi.org/10.1016/S0021-9290(03)00257-4)
- CalculiX examples*. (2022). CALCULIX. <https://github.com/calculix/examples>
- CalculiX to Paraview converter (frd to vtk/vtu)*. (2022). CALCULIX. <https://github.com/calculix/ccx2paraview>
- Cox, J. M., Smith, J. D., Meulen, M. C. H. van der, & Cole, J. H. (2022). *Heterogeneous Tissue Modulus Improved Prediction of Mechanical Behavior in Osteoporotic Vertebral Cancellous Bone*. bioRxiv. <https://doi.org/10.1101/2021.11.30.470675>
- Dhont, G. (2022). *CalculiX: A Three-Dimensional Structural Finite Element Program*. <http://www.dhondt.de/>
- Fernández, M. P., Sasso, S. J., McPhee, S., Black, C., Kanczler, J., Tozzi, G., & Wolfram, U. (2022). Nonlinear micro finite element models based on digital volume correlation

- 95 measurements predict early microdamage in newly formed bone. *Journal of the Mechanical*
 96 *Behavior of Biomedical Materials*, 105303. <https://doi.org/10.1016/j.jmbbm.2022.105303>
- 97 *Itkwidgets*. (2022). Insight Software Consortium. [https://github.com/InsightSoftwareConsortium/](https://github.com/InsightSoftwareConsortium/itkwidgets)
 98 [itkwidgets](https://github.com/InsightSoftwareConsortium/itkwidgets)
- 99 Megías, R., Vercher-Martínez, A., Belda, R., Peris, J. L., Larrainzar-Garijo, R., Giner, E.,
 100 & Fuenmayor, F. J. (2022). Numerical modelling of cancellous bone damage using an
 101 orthotropic failure criterion and tissue elastic properties as a function of the mineral
 102 content and microporosity. *Computer Methods and Programs in Biomedicine*, 219, 106764.
 103 <https://doi.org/10.1016/j.cmpb.2022.106764>
- 104 Neila, P. M. (2022). *PyMCubes*. <https://github.com/pmneila/PyMCubes>
- 105 Oliviero, S., Owen, R., Reilly, G. C., Bellantuono, I., & Dall'Ara, E. (2020). Optimization of
 106 the failure criterion in micro-Finite Element models of the mouse tibia for the non-invasive
 107 prediction of its failure load in preclinical applications. *Journal of the Mechanical Behavior*
 108 *of Biomedical Materials*, 104190. <https://doi.org/10.1016/j.jmbbm.2020.104190>
- 109 *ParaView*. (2022). <https://www.paraview.org/>
- 110 Pistoia, W., Rietbergen, B. van, Lochmüller, E.-M., Lill, C. A., Eckstein, F., & Rügsegger, P.
 111 (2002). Estimation of distal radius failure load with micro-finite element analysis models
 112 based on three-dimensional peripheral quantitative computed tomography images. *Bone*,
 113 30(6), 842–848. [https://doi.org/10.1016/S8756-3282\(02\)00736-6](https://doi.org/10.1016/S8756-3282(02)00736-6)
- 114 Schlömer, N. (2022a). *Meshio: Tools for mesh files*. <https://doi.org/10.5281/zenodo.1173115>
- 115 Schlömer, N. (2022b). *Pygalmesh: Python interface for CGAL's meshing tools*. <https://doi.org/10.5281/zenodo.5564818>
- 116
- 117 The CGAL Project. (2022). *CGAL User and Reference Manual* (5.5 ed.). CGAL Editorial
 118 Board. <https://doc.cgal.org/5.5/Manual/packages.html>
- 119 Verhulp, E., Rietbergen, B. van, Müller, R., & Huiskes, R. (2008). Indirect determination of
 120 trabecular bone effective tissue failure properties using micro-finite element simulations.
 121 *Journal of Biomechanics*, 41(7), 1479–1485. [https://doi.org/10.1016/j.jbiomech.2008.02.](https://doi.org/10.1016/j.jbiomech.2008.02.032)
 122 [032](https://doi.org/10.1016/j.jbiomech.2008.02.032)
- 123 Zael, R., Yeni, Y. N., Bay, B. K., Dong, X. N., & Fyhrie, D. P. (2005). Comparison of the
 124 Linear Finite Element Prediction of Deformation and Strain of Human Cancellous Bone
 125 to 3D Digital Volume Correlation Measurements. *Journal of Biomechanical Engineering*,
 126 128(1), 1–6. <https://doi.org/10.1115/1.2146001>