VIKISEWS

HOMEWORK: ANALYZING GARMENT DESIGNS FOR HACKING

/MASTER OF PATTERN HACKING/

2024

/master of pattern hacking/

Based on the studied material, you need to analyze and interpret the garment designs shown below. Use the following algorithm to describe each design:

1. Garment type (blouse, dress, blazer, coat, skirt, trousers, etc.).
2. Silhouette (determine the garment volume and shape which create a particular silhouette: fitted-waist, close-fitting, semi-fitted, A-line, O-shape, or straight).
3. Sleeve type (set-in, raglan, grown-on, combined).
4. Vertical and horizontal seam lines (princess seams, waist seam, underbust seam, yoke seam, etc.).
5. Construction and decorative elements that do not affect the basic pattern choice.
6. Fabric used to sew the garment: type, weight, and possible fiber content. At online or physical stores, choose suitable fabrics and attach their photos. Specify the fiber content and fabric weight.

EXAMPLE

1. Dress.
2. Close-fitting silhouette. The dress fits close to the body at the bust, waist, and hips.
3. Set-in, one-piece sleeves.
4. The vertical seam lines include side seams and a center front seam. As for the horizontal lines, there is an underbust front seam. The bust dart is transferred to the underbust seam gathering. The bottom part of the dress follows the contours of the body due to the bias cut (i.e. the pieces are cut at a 45-degree angle to the grain) and a fitted side edge line.
5. Elements that do not affect the basic pattern choice: a V-neckline, a sleeve with a gathered cap and a shaped hemline, sleeve hem flounces.
6. Blouse and dress-weight fabric. Medium-weight and fluid. Fiber content: dress-weight viscose or blended silk + viscose, lightweight satin + elastane. Opaque, appr. weight 120–170 g/m^2.

For the dress, one should choose dress-weight fabrics that are medium-weight, soft, low-stretch, and opaque. The fiber content can include natural fibers, artificial fibers, blends, or synthetics.

Recommended fabrics: satin, cady, natural or artificial silk, dress-weight viscose.

Fiber content: 55% polyester, 45% rayon (viscose)
Width: 150 cm / 59"
Weight: 150 g/m²

32 milky white pearl shank buttons, 10 mm (3/8") in diameter.

Alternative: shank button blanks to make fabric-covered buttons.

1. Coat.

2. Fitted-waist silhouette. The coat fits close to the body at the bust and waist and features additional volume at the hips due to soft waist pleats at the bottom part of the coat.

3. Set-in, one-piece, shirt sleeves. Dropped shoulders. Additional volume along the elbow line due to the sleeve hem tapered with darts. Above-wrist sleeve length.

4. The vertical seam lines include side seams, princess seams, and center front edges. As for the horizontal lines, there is a waist seam that ensures a fitted-waist silhouette.

5. Elements that do not affect the basic pattern choice: closure. It is an off-center, double-breasted closure with buttons and buttonholes. Open neckline, notched collar.

Coating fabrics with the following properties are suitable for the coat:

- medium-weight and pliable
- the fiber content can include natural fibers (wool, cashmere, alpaca, mohair), blends (wool + cashmere + polyester, wool + alpaca + viscose, wool + mohair + polyamide)
- recommended fabrics: wool, alpaca, cashmere, mohair.

The fabric should have a smooth or short-napped surface.

Main fabric

Properties of the chosen fabric:

Fiber content: 80% wool, 15% polyamide, 5% cashmere

Width: 150 cm / 59"

Weight: 460 g/m²

Lining fabric

The lining fabric should be made of artificial fibers (viscose), blends (viscose + elastane, viscose + polyester), or synthetics (polyester, polyester + elastane).

Properties of the chosen fabric:

Fiber content: 50% viscose, 50% nylon

Width: 145 cm / 57”

Weight: 90 g/m²

Interfacing

Woven interfacing

Fiber content: 50% viscose, 50% polyester

Width: 150 cm / 59”

Weight: 70 g/m²

Four buttons, 2.5–3 cm (1–1 1/8”) in diameter