
Chess v1 — Plan Checklist (solver, actual)



Phase 1 — Initial crosscuts

	Raw board	Species	Blank	Length	Off Cut
☐	BM1 (98 1/16″)	Brown Maple	BM1A	32 3/8″	65 9/16″
☐	BC1 (48 1/16″)	Cherry	BC1A	38 7/8″	9 1/16″
☐	BW1 (54 5/16″)	Walnut	BW1A	32 3/8″	21 13/16″

Spare — do not cut: BC2 (Cherry, 48 1/16″), BW2 (Walnut, 54 5/16″), BM2 (Brown Maple, 47 15/16″).

Phase 2 — Rips

Phase 2.1 — BM1A — Brown Maple

BM1A (32 3/8″ x 8 7/16″ x 13/16″)




	Rip	Rip size	Final width	Length	Pieces planned
☐	1	2 5/16″ (2.31″)	2¼″ (2.25″)	32 3/8″	16 1/8″x2
☐	2	2 5/16″ (2.31″)	2¼″ (2.25″)	32 3/8″	16 1/8″x2

Board width 8 7/16″ = used 4½″ + loss ⅜″ + margin 3 9/16″.

Phase 2.2 — BC1A — Cherry

BC1A (38 7/8″ x 7 3/16″ x 13/16″)



	Rip	Rip size	Final width	Length	Pieces planned
☐	1	2 5/16″ (2.31″)	2¼″ (2.25″)	38 7/8″	12 7/8″x3

Board width 7 3/16″ = used 2¼″ + loss 3/16″ + margin 4¾″.

Margin crosscuts — BC1A margin slab, length 38 7/8″:

	Child blank	Length
☐	BC1A1	12 7/8″

	Child blank	Length
☐	BC1A2	16⅛″

Rip the child boards next, in the order above, before the next parent board.

Phase 2.3 — BC1A1 — Cherry

BC1A1 (12⅞″ x 4¾″ x ¹³⁄₁₆″)



	Rip	Rip size	Final width	Length	Pieces planned
☐	1	2⁵⁄₁₆″ (2.31″)	2¼″ (2.25″)	12⅞″	12⅞″
☐	2	1³⁄₁₆″ (1.19″)	1⅛″ (1.12″)	12⅞″	12⅞″

Board width 4¾″ = used 3⅜″ + loss ⅜″ + margin 1″.

Phase 2.4 — BC1A2 — Cherry

BC1A2 (16⅛″ x 4¾″ x ¹³⁄₁₆″)



	Rip	Rip size	Final width	Length	Pieces planned
☐	1	1³⁄₁₆″ (1.19″)	1⅛″ (1.12″)	16⅛″	16⅛″
☐	2	1³⁄₁₆″ (1.19″)	1⅛″ (1.12″)	16⅛″	16⅛″

Board width 4¾″ = used 2¼″ + loss ⅜″ + margin 2⅛″.

Phase 2.5 — BW1A — Walnut

BW1A (32⅜″ x 6¼″ x ¹³⁄₁₆″)



	Rip	Rip size	Final width	Length	Pieces planned
☐	1	2⁵⁄₁₆″ (2.31″)	2¼″ (2.25″)	32⅜″	16⅛″x2
☐	2	2⁵⁄₁₆″ (2.31″)	2¼″ (2.25″)	32⅜″	16⅛″x2

Board width 6¼″ = used 4½″ + loss ⅜″ + margin 1⅜″.

Phase 3 — Plane by width

Phase 3.1 — Gang — Plane to 2¼″ — planer setting 2¼″ (6 strips) — requires a gang

Requires a gang — tape strips together; total thickness 4⅞″ ≥ 2¼″.

	Species	Count
☐	Brown Maple	2 strips
☐	Cherry	2 strips
☐	Walnut	2 strips

Phase 3.2 — Gang — Plane to 1⅛″ — planer setting 1⅛″ (3 strips) — requires a gang

Requires a gang — tape strips together; total thickness 2⁷⁄₁₆″ ≥ 1⅛″.

	Species	Count
☐	Cherry	3 strips

Phase 4 — Crosscut components

Phase 4.1 — Crosscut grouping — by length

Length	Species	Final width	Pieces
12⅞″	Cherry	2¼″ (2.25″)	4
12⅞″	Cherry	1⅛″ (1.12″)	1
16⅛″	Brown Maple	2¼″ (2.25″)	4
16⅛″	Cherry	1⅛″ (1.12″)	2
16⅛″	Walnut	2¼″ (2.25″)	4

Totals: 12⅞″ ×5, 16⅛″ ×10.

Phase 4.2 — BM1A — Brown Maple

Cuts	Strip	Species	Final width	Pieces	Off Cut
☐☐	1	Brown Maple	2¼″ (2.25″)	16⅛″x2	0″ ⚠
☐☐	2	Brown Maple	2¼″ (2.25″)	16⅛″x2	0″ ⚠

Phase 4.3 — BC1A — Cherry

Cuts	Strip	Species	Final width	Pieces	Off Cut
☐☐☐	1	Cherry	2¼″ (2.25″)	12⅞″x3	0″ ⚠

Phase 4.4 — BC1A1 — Cherry

Cuts	Strip	Species	Final width	Pieces	Off Cut
☐	1	Cherry	2¼″ (2.25″)	12⅞″	0″ ⚠
☐	2	Cherry	1⅛″ (1.12″)	12⅞″	0″ ⚠

Phase 4.5 — BC1A2 — Cherry

Cuts	Strip	Species	Final width	Pieces	Off Cut
☐	1	Cherry	1⅛″ (1.12″)	16⅛″	0″ ⚠
☐	2	Cherry	1⅛″ (1.12″)	16⅛″	0″ ⚠

Phase 4.6 — BW1A — Walnut

Cuts	Strip	Species	Final width	Pieces	Off Cut
☐☐	1	Walnut	2¼″ (2.25″)	16⅛″x2	0″ ⚠
☐☐	2	Walnut	2¼″ (2.25″)	16⅛″x2	0″ ⚠

Total: 9 strips, 15 component pieces.

Phase 5 — Panel glue-ups

Phase 5.1 — Panel A

16⅛″ x 10⅛″ x 2¼″ - 5 components - x1 duplicates

Panels	Order	Species	Width	Component
☐	1	Cherry	1⅛″ (1.12″)	CB

Panels	Order	Species	Width	Component
☐	2	Walnut	2¼″ (2.25″)	W
☐	3	Brown Maple	2¼″ (2.25″)	M
☐	4	Walnut	2¼″ (2.25″)	W
☐	5	Brown Maple	2¼″ (2.25″)	M

Phase 5.2 — Panel B

16⅛″ x 10⅛″ x 2¼″ - 5 components - x1 duplicates

Panels	Order	Species	Width	Component
☐	1	Cherry	1⅛″ (1.12″)	CB
☐	2	Brown Maple	2¼″ (2.25″)	M
☐	3	Walnut	2¼″ (2.25″)	W
☐	4	Brown Maple	2¼″ (2.25″)	M
☐	5	Walnut	2¼″ (2.25″)	W

Phase 5.3 — Panel C

12⅞″ x 10⅛″ x 1⅛″ - 5 components - x1 duplicates


Panels	Order	Species	Width	Component
☐	1	Cherry	2¼″ (2.25″)	CT
☐	2	Cherry	2¼″ (2.25″)	CT
☐	3	Cherry	2¼″ (2.25″)	CT
☐	4	Cherry	2¼″ (2.25″)	CT
☐	5	Cherry	1⅛″ (1.12″)	CTH

Phase 6 — Slices

2½″ thick (1½″ after flattening)

	Slice	From panel	Slice Count
☐	C	C	7 x 1 = 7
☐	A	A	9 x 1 = 9
☐	B	B	9 x 1 = 9

Phase 7 — Column Glue Ups



Board	Column	Slices
☐	Column 1	01 ☐C 02 ☐A 03 ☐B 04 ☐A 05 ☐B 06 ☐A 07 ☐B 08 ☐A 09 ☐B 10 ☐C
☐	Column 2	01 ☐C* 02 ☐B* 03 ☐A* 04 ☐B* 05 ☐A* 06 ☐B* 07 ☐A* 08 ☐B* 09 ☐A* 10 ☐C*

Phase 8 — Final Glue Up

Board	Columns	Size
☐	Column 1 + Column 2	20¼″ × 20¼″ × 1½″

Phase 9 — Finishing

Final dimensions: 20¼″ × 20¼″ × ½″

Edge trims: left 0″, right 0″, top 0″, bottom 0″

Board	Width trim	Length trim	Flatten	Sanding (grits)	Oil	Wax
☐	20¼″ → 20¼″	20¼″ → 20¼″	1½″ → ½″	☐80 ☐120 ☐220 ☐320	☐	☐