
Plaid v2 — Plan Checklist (hand, actual)



Phase 1 — Initial crosscuts

	Raw board	Species	Blank	Length	Off Cut
☐	BM1 (98 1/16″)	Brown Maple	BM1A	48 1/8″	49 13/16″
☐	BM1 ↩	Brown Maple	BM1B	35 5/8″	14 1/16″
☐	BW1 (54 5/16″)	Walnut	BW1A	48 1/8″	6 1/16″
☐	BW2 (54 5/16″)	Walnut	BW2A	48 1/8″	6 1/16″

Boards to be stripped in their entirety, no Phase 1 crosscut: BC1 (Cherry, 48 1/16″), BC2 (Cherry, 48 1/16″).

Spare — do not cut: BM2 (Brown Maple, 47 15/16″).

Phase 2 — Rips

Phase 2.1 — BM1A — Brown Maple

BM1A (48 1/8″ x 8 7/16″ x 13/16″)



	Rip	Rip size	Final width	Length	Pieces planned
☐	1	1 9/16″ (1.56″)	1 1/2″ (1.50″)	48 1/8″	15 7/8″x3
☐	2	1 9/16″ (1.56″)	1 1/2″ (1.50″)	48 1/8″	15 7/8″x3
☐	3	1 9/16″ (1.56″)	1 1/2″ (1.50″)	48 1/8″	15 7/8″x3
☐	4	13/16″ (0.81″)	3/4″ (0.75″)	48 1/8″	15 7/8″x3
☐	5	13/16″ (0.81″)	3/4″ (0.75″)	48 1/8″	15 7/8″x3
☐	6	5/16″ (0.31″)	1/4″ (0.25″)	48 1/8″	15 7/8″x3
☐	7	5/16″ (0.31″)	1/4″ (0.25″)	48 1/8″	15 7/8″x3

Board width 8 7/16″ = used 6 1/2″ + loss 1 5/16″ + margin 5/8″.

Phase 2.2 — BM1B — Brown Maple

BM1B (35 5/8″ x 8 7/16″ x 13/16″)



	Rip	Rip size	Final width	Length	Pieces planned
☐	1	1 9/16″ (1.56″)	1 1/2″ (1.50″)	35 5/8″	15 7/8″x2
☐	2	13/16″ (0.81″)	3/4″ (0.75″)	35 5/8″	15 7/8″, 17 3/4″
☐	3	13/16″ (0.81″)	3/4″ (0.75″)	35 5/8″	15 7/8″x2
☐	4	13/16″ (0.81″)	3/4″ (0.75″)	35 5/8″	15 7/8″x2
☐	5	5/16″ (0.31″)	1/4″ (0.25″)	35 5/8″	15 7/8″, 17 3/4″
☐	6	5/16″ (0.31″)	1/4″ (0.25″)	35 5/8″	15 7/8″, 17 3/4″
☐	7	5/16″ (0.31″)	1/4″ (0.25″)	35 5/8″	15 7/8″x2
☐	8	5/16″ (0.31″)	1/4″ (0.25″)	35 5/8″	15 7/8″x2
☐	9	5/16″ (0.31″)	1/4″ (0.25″)	35 5/8″	15 7/8″x2
☐	10	5/16″ (0.31″)	1/4″ (0.25″)	35 5/8″	15 7/8″x2
☐	11	5/16″ (0.31″)	1/4″ (0.25″)	35 5/8″	15 7/8″x2
☐	12	5/16″ (0.31″)	1/4″ (0.25″)	35 5/8″	15 7/8″x2

Board width 8 7/16″ = used 5 3/4″ + loss 2 1/4″ + margin 7/16″.

Phase 2.3 — BC1A — Cherry

BC1A (48 1/16″ x 7 3/16″ x 13/16″)



	Rip	Rip size	Final width	Length	Pieces planned
☐	1	1 9/16″ (1.56″)	1 1/2″ (1.50″)	48 1/16″	15 7/8″x3
☐	2	1 9/16″ (1.56″)	1 1/2″ (1.50″)	48 1/16″	15 7/8″x3
☐	3	1 9/16″ (1.56″)	1 1/2″ (1.50″)	48 1/16″	15 7/8″x3
☐	4	13/16″ (0.81″)	3/4″ (0.75″)	48 1/16″	15 7/8″x3
☐	5	13/16″ (0.81″)	3/4″ (0.75″)	48 1/16″	15 7/8″x3

Board width 7 3/16″ = used 6″ + loss 15/16″ + margin 1/4″.

Phase 2.4 — BC2A — Cherry

BC2A (48 1/16″ x 6 1/2″ x 13/16″)



	Rip	Rip size	Final width	Length	Pieces planned
☐	1	1 9/16″ (1.56″)	1 1/2″ (1.50″)	48 1/16″	15 7/8″x3
☐	2	13/16″ (0.81″)	3/4″ (0.75″)	48 1/16″	15 7/8″x3
☐	3	13/16″ (0.81″)	3/4″ (0.75″)	48 1/16″	15 7/8″x3
☐	4	13/16″ (0.81″)	3/4″ (0.75″)	48 1/16″	15 7/8″x3
☐	5	13/16″ (0.81″)	3/4″ (0.75″)	48 1/16″	15 7/8″x3
☐	6	13/16″ (0.81″)	3/4″ (0.75″)	48 1/16″	15 7/8″x2

Board width 6 1/2″ = used 5 1/4″ + loss 1 1/8″ + margin 1/8″.

Phase 2.5 — BW1A — Walnut

BW1A (48⅛″ x 6¼″ x ¹³⁄₁₆″)



	Rip	Rip size	Final width	Length	Pieces planned
☐	1	3¹⁄₁₆″ (3.06″)	3″ (3.00″)*	48⅛″	17¾″x2
☐	2	¹³⁄₁₆″ (0.81″)	¾″ (0.75″)	48⅛″	15⅞″x3
☐	3	¹³⁄₁₆″ (0.81″)	¾″ (0.75″)	48⅛″	15⅞″x3
☐	4	¹³⁄₁₆″ (0.81″)	¾″ (0.75″)	48⅛″	15⅞″x3

Board width 6¼″ = used 5¼″ + loss ¾″ + margin ¼″.

Phase 2.6 — BW2A — Walnut

BW2A (48⅛″ x 6¹⁄₁₆″ x ¹³⁄₁₆″)



	Rip	Rip size	Final width	Length	Pieces planned
☐	1	¹³⁄₁₆″ (0.81″)	¾″ (0.75″)	48⅛″	15⅞″x3
☐	2	¹³⁄₁₆″ (0.81″)	¾″ (0.75″)	48⅛″	15⅞″x3
☐	3	¹³⁄₁₆″ (0.81″)	¾″ (0.75″)	48⅛″	15⅞″x3
☐	4	¹³⁄₁₆″ (0.81″)	¾″ (0.75″)	48⅛″	15⅞″x3
☐	5	¹³⁄₁₆″ (0.81″)	¾″ (0.75″)	48⅛″	15⅞″x3

Board width 6¹⁄₁₆″ = used 3¾″ + loss ¹⁵⁄₁₆″ + margin 1⅜″.

Phase 3 — Plane by width

Phase 3.1 — Gang — Plane to 3″ — planer setting 3″ (2 components) — requires a gang

ERROR — Gang insufficient: 3″ width needs 4 pieces at ¹³⁄₁₆″ to reach 3″, but only 1 strip(s) total ¹³⁄₁₆″ and 2 component(s) total 1⅝″. Do not plane singly.

Crosscut first:

Cuts	Board	Strip	Species	Pieces	Off Cut
☐☐	BW1A	1	Walnut	17¾″x2	12⅜″

Plane as gang:

	Species	Count
☐	Walnut	2 components

Phase 3.2 — Gang — Plane to 1½″ — planer setting 1½″ (8 strips) — requires a gang

Requires a gang — tape strips together; total thickness 6½″ ≥ 1½″.

	Species	Count
☐	Brown Maple	4 strips
☐	Cherry	4 strips

Phase 3.3 — Gang — Plane to ¾″ — planer setting ¾″ (20 strips)

	Species	Count
☐	Brown Maple	5 strips
☐	Cherry	7 strips
☐	Walnut	8 strips

Phase 3.4 — Gang — Plane to ¼″ — planer setting ¼″ (10 strips)

	Species	Count
☐	Brown Maple	10 strips

Phase 4 — Crosscut components

Phase 4.1 — Crosscut grouping — by length

Length	Species	Final width	Pieces
15⅞″	Brown Maple	1½″ (1.50″)	11
15⅞″	Brown Maple	¾″ (0.75″)	11
15⅞″	Brown Maple	¼″ (0.25″)	20
15⅞″	Cherry	1½″ (1.50″)	12
15⅞″	Cherry	¾″ (0.75″)	20
15⅞″	Walnut	¾″ (0.75″)	24
17¾″	Brown Maple	¾″ (0.75″)	1
17¾″	Brown Maple	¼″ (0.25″)	2

Totals: 15⅞″ ×98, 17¾″ ×3.

Phase 4.2 — BM1A — Brown Maple

Cuts	Strip	Species	Final width	Pieces	Off Cut
☐☐☐	1	Brown Maple	1½″ (1.50″)	15⅞″x3	⅛″
☐☐☐	2	Brown Maple	1½″ (1.50″)	15⅞″x3	⅛″
☐☐☐	3	Brown Maple	1½″ (1.50″)	15⅞″x3	⅛″
☐☐☐	4	Brown Maple	¾″ (0.75″)	15⅞″x3	⅛″
☐☐☐	5	Brown Maple	¾″ (0.75″)	15⅞″x3	⅛″
☐☐☐	6	Brown Maple	¼″ (0.25″)	15⅞″x3	⅛″
☐☐☐	7	Brown Maple	¼″ (0.25″)	15⅞″x3	⅛″

Phase 4.3 — BM1B — Brown Maple

Cuts	Strip	Species	Final width	Pieces	Off Cut
☐☐	1	Brown Maple	1½″ (1.50″)	15⅞″x2	3⅝″
☐☐	2	Brown Maple	¾″ (0.75″)	15⅞″, 17¾″	1¾″
☐☐	3	Brown Maple	¾″ (0.75″)	15⅞″x2	3⅝″
☐☐	4	Brown Maple	¾″ (0.75″)	15⅞″x2	3⅝″
☐☐	5	Brown Maple	¼″ (0.25″)	15⅞″, 17¾″	1¾″
☐☐	6	Brown Maple	¼″ (0.25″)	15⅞″, 17¾″	1¾″
☐☐	7	Brown Maple	¼″ (0.25″)	15⅞″x2	3⅝″
☐☐	8	Brown Maple	¼″ (0.25″)	15⅞″x2	3⅝″
☐☐	9	Brown Maple	¼″ (0.25″)	15⅞″x2	3⅝″
☐☐	10	Brown Maple	¼″ (0.25″)	15⅞″x2	3⅝″
☐☐	11	Brown Maple	¼″ (0.25″)	15⅞″x2	3⅝″
☐☐	12	Brown Maple	¼″ (0.25″)	15⅞″x2	3⅝″

Phase 4.4 — BC1A — Cherry

Cuts	Strip	Species	Final width	Pieces	Off Cut
☐☐☐	1	Cherry	1½″ (1.50″)	15⅞″x3	1/16″
☐☐☐	2	Cherry	1½″ (1.50″)	15⅞″x3	1/16″
☐☐☐	3	Cherry	1½″ (1.50″)	15⅞″x3	1/16″
☐☐☐	4	Cherry	¾″ (0.75″)	15⅞″x3	1/16″
☐☐☐	5	Cherry	¾″ (0.75″)	15⅞″x3	1/16″

Phase 4.5 — BC2A — Cherry

Cuts	Strip	Species	Final width	Pieces	Off Cut
☐☐☐	1	Cherry	1½″ (1.50″)	15⅞″x3	1/16″
☐☐☐	2	Cherry	¾″ (0.75″)	15⅞″x3	1/16″
☐☐☐	3	Cherry	¾″ (0.75″)	15⅞″x3	1/16″
☐☐☐	4	Cherry	¾″ (0.75″)	15⅞″x3	1/16″
☐☐☐	5	Cherry	¾″ (0.75″)	15⅞″x3	1/16″
☐☐	6	Cherry	¾″ (0.75″)	15⅞″x2	16 1/16″

Phase 4.6 — BW1A — Walnut

Cuts	Strip	Species	Final width	Pieces	Off Cut
☐☐☐	2	Walnut	¾″ (0.75″)	15⅞″x3	⅛″
☐☐☐	3	Walnut	¾″ (0.75″)	15⅞″x3	⅛″
☐☐☐	4	Walnut	¾″ (0.75″)	15⅞″x3	⅛″

Strip 1 (3″) already crosscut in Phase 3 gang, not repeated here.

Phase 4.7 — BW2A — Walnut

Cuts	Strip	Species	Final width	Pieces	Off Cut
□□□	1	Walnut	¾″ (0.75″)	15⅞″x3	⅛″
□□□	2	Walnut	¾″ (0.75″)	15⅞″x3	⅛″
□□□	3	Walnut	¾″ (0.75″)	15⅞″x3	⅛″
□□□	4	Walnut	¾″ (0.75″)	15⅞″x3	⅛″
□□□	5	Walnut	¾″ (0.75″)	15⅞″x3	⅛″

Total: 39 strips, 103 component pieces. (2 pieces crosscut in Phase 3 gang, not repeated in Phase 4.)

Phase 5 — Panel glue-ups

Phase 5.1 — Panel S x5

15⅞″ x 7¼″ x ¾″ - 9 components - x5 duplicates

Panels	Order	Species	Width	Component
□□□□□	1	Brown Maple	¾″ (0.75″)	Me
□□□□□	2	Cherry	¾″ (0.75″)	C2
□□□□□	3	Brown Maple	1½″ (1.50″)	M1
□□□□□	4	Cherry	¾″ (0.75″)	C2
□□□□□	5	Brown Maple	¼″ (0.25″)	Md
□□□□□	6	Cherry	¾″ (0.75″)	C2
□□□□□	7	Brown Maple	1½″ (1.50″)	M1
□□□□□	8	Cherry	¾″ (0.75″)	C2
□□□□□	9	Brown Maple	¼″ (0.25″)	Md

Phase 5.2 — Panel ML x3

15⅞″ x 7¼″ x ¾″ - 9 components - x3 duplicates

Panels	Order	Species	Width	Component
□□□	1	Brown Maple	¾″ (0.75″)	Me
□□□	2	Walnut	¾″ (0.75″)	W2
□□□	3	Cherry	1½″ (1.50″)	C1
□□□	4	Walnut	¾″ (0.75″)	W2
□□□	5	Brown Maple	¼″ (0.25″)	Md
□□□	6	Walnut	¾″ (0.75″)	W2
□□□	7	Cherry	1½″ (1.50″)	C1
□□□	8	Walnut	¾″ (0.75″)	W2
□□□	9	Brown Maple	¼″ (0.25″)	Md

Phase 5.3 — Panel MR x3

15⅞″ x 7″ x ¾″ - 8 components - x3 duplicates

Panels	Order	Species	Width	Component
☐☐☐	1	Brown Maple	¾″ (0.75″)	Me
☐☐☐	2	Walnut	¾″ (0.75″)	W2
☐☐☐	3	Cherry	1½″ (1.50″)	C1
☐☐☐	4	Walnut	¾″ (0.75″)	W2
☐☐☐	5	Brown Maple	¼″ (0.25″)	Md
☐☐☐	6	Walnut	¾″ (0.75″)	W2
☐☐☐	7	Cherry	1½″ (1.50″)	C1
☐☐☐	8	Walnut	¾″ (0.75″)	W2

Phase 5.4 — Panel H

17¾″ x 7¼″ x ¼″ - 5 components - x1 duplicates

Panels	Order	Species	Width	Component
☐	1	Brown Maple	¾″ (0.75″)	Me
☐	2	Walnut	3″ (3.00″)	W1
☐	3	Brown Maple	¼″ (0.25″)	Md
☐	4	Walnut	3″ (3.00″)	W1
☐	5	Brown Maple	¼″ (0.25″)	Md

Phase 6 — Slices


1¾″ thick (1½″ after flattening)

	Slice	From panel	Slice Count
☐	S-L	S	4 x 5 = 20
☐	S-R	S	4 x 5 = 20
☐	ML	ML	8 x 3 = 24
☐	MR	MR	8 x 3 = 24
☐	H-L	H	5 x 2 = 10
☐	H-R	H	5 x 2 = 10

Phase 7 — Slice rips

	Slice	Rip to	Count
☐	H-L	¼″	10
☐	H-R	¼″	10

Phase 8 — Column Glue Ups



Board	Column	Slices
☐☐	Column 1	01 ☐S-L 02 ☐ML 03 ☐ML 04 ☐S-L 05 ☐H-L 06 ☐S-L 07 ☐ML 08 ☐ML 09 ☐S-L 10 ☐H-L 11 ☐S-L 12 ☐ML 13 ☐ML 14 ☐S-L 15 ☐H-L 16 ☐S-L 17 ☐ML 18 ☐ML 19 ☐S-L 20 ☐H-L 21 ☐S-L 22 ☐ML 23 ☐ML 24 ☐S-L
☐☐	Column 2	01 ☐S-R* 02 ☐MR* 03 ☐MR* 04 ☐S-R* 05 ☐H-R* 06 ☐S-R* 07 ☐MR* 08 ☐MR* 09 ☐S-R* 10 ☐H-R* 11 ☐S-R* 12 ☐MR* 13 ☐MR* 14 ☐S-R* 15 ☐H-R* 16 ☐S-R* 17 ☐MR* 18 ☐MR* 19 ☐S-R* 20 ☐H-R* 21 ☐S-R* 22 ☐MR* 23 ☐MR* 24 ☐S-R*

Phase 9 — Final Glue Up

Board	Columns	Size
☐	Column 1 + Column 2	14¼″ × 16″ × 1½″
☐	Column 1 + Column 2	14¼″ × 16″ × 1½″

Phase 10 — Finishing

Final dimensions: 14″ × 16″ × 1¼″

Board	Width trim	Length trim	Flatten	Sanding (grits)	Oil	Wax
☐	14¼″ → 14″	16″ → 16″	1½″ → 1¼″	☐80 ☐120 ☐220 ☐320	☐	☐
☐	14¼″ → 14″	16″ → 16″	1½″ → 1¼″	☐80 ☐120 ☐220 ☐320	☐	☐