

ALU-ALU RAW MATERIAL COST REPORT

EXECUTIVE SUMMARY - REVISION 11

SELLING PRICE	FINAL RM COST	BASE COST (M2)	IDEAL COST (KG)	STD WASTAGE	GROSS MARGIN
Rs 535.00	Rs 440.34	Rs 104.68	Rs 415.41	Rs 24.92	17.69%
Rs/kg	Rs/kg Consumed	0.25199 kg Yield	100% Efficiency	+6.00% Loss	Rs 94.66/kg

1. MATERIAL CONTRIBUTION & COST BREAKDOWN				
MATERIAL SPECIFICATION	GSM	RATE (RS)	COST (RS/M2)	COST (RS/KG)
OPA 25 um (1.15 g/cm3)	28.75 (11.41%)	260.00	7.48	29.66 (7.14%)
Aluminium foil 8021 50 um (2.71 g/cm3)	135.50 (53.77%)	560.00	75.88	301.12 (72.49%)
PVC 60 um (1.35 g/cm3)	81.00 (32.14%)	220.00	17.82	70.72 (17.02%)
Adhesive Calculated via 50kg mix/Tonne	6.74 (2.67%)	-	3.50	13.91 (3.35%)
Total Output Yield & Base Cost	251.99 (100.00%)		Rs 104.68	Rs 415.41 (100.00%)

2. ADHESIVE FORMULATION (100:15:100)	
Mixing Ratio:	100:15:100 equates to a total batch size of 215 kg of wet mixture.
Consumption Metric:	Exactly 50 kg of wet mixture produces 1 Tonne (1,000 kg) of finished output.
Equivalent Impact:	Dry GSM applied to the foil structure is ~6.74 GSM.

COMPONENT	MIX (KG)	RATE (RS/KG)	TOTAL COST (RS)
KUB130	100	420	42,000
Hardener (Neo Force)	15	420	6,300
Ethyl acetate	100	115	11,500
Batch Total (Wet Mixture)	215	278.14 (Avg)	59,800