



Unit 1109, 11/F, Dominion Centre 43-59 Queen's Road East Wanchai Hong Kong Ph no +852 2174 8485

SPECIFICATION LOW AROMATIC WHITE SPIRIT (GRADE B)

PROPERTIES	UNIT	LIMITATION		TECT METHOD
		MIN	MAX	TEST METHOD
		BRIGHT & CLEAR, FREE FROM		
APPEARANCE		SUSPENDED MATTER		VISUAL
DENSITY @ 15 °C		0.7900	0.800	ASTM D1298
IBP	°C	155	160	ASTM D86
DRY POINT	°C	235	240	ASTM D86
AROMATIC CONTENT	VOL %	12	20	ASTM D1319
FLASH POINT (COC)	°C	45	55	ASTM D93
COLOUR SAYBOLT		+26	+30	ASTM D156
SULFUR CONTENT	PPMWT	10	30	ASTM D4294