

Contents

1	Useful formulas	3
1.1	Guassian Integrals	3
1.2	Fourier Transform of Delta Function	3
1.3	Euler Integral	3
1.3.1	Euler Integral of The First Kind: Beta Function	3
1.3.2	Euler Integral of The Second Kind: Gamma Function	4
1.4	Baker-Campbell-Hausdorff Formula	5
1.5	Feynman Result	6
1.6	Laguerre Polynomials	6
1.7	Cramer's Rule	6
1.8	Simple Impurity Model at Zero Temperature	6
1.9	Green's Function for Simple Cubic Lattice	8
2	Coherent States	9
2.1	Boson Coherent States	9
2.2	Grassmann Algebra	10
2.3	Fermion Coherent States	10
3	Linear Response	13
3.1	Perturbations Depending on Time	13
3.2	Fermi Golden Rule	14
3.3	The Generalized Susceptibility	14
3.4	The Fluctuation Dissipation Theorem	15
3.5	Kubo Greenwood Formula	16
3.6	Green Kubo Formula	17
4	Small Polaron	19
4.1	Holstein Model	19
4.2	Weak Coupling Limit	19
4.3	Atomic Limit (Zero Temperature)	20
4.4	Atomic Limit (Finite Temperature)	21
4.5	The Impurity Analogy for A Single Electron	23
4.5.1	The Zero Temperature Formalism	24
4.5.2	The Finite Temperature Formalism	25
4.5.3	Dynamical Mean Field	26
5	Physical Constants	29

Chapter 1

Useful formulas

1.1 Guassian Integrals

For a positive number a ,

$$\int_{-\infty}^{\infty} dx e^{-ax^2} = \sqrt{\frac{\pi}{a}}, \quad \int \frac{dz^* dz}{2\pi i} e^{-z^* a z} = \frac{1}{a} \quad . \quad (1.1.1)$$

For real multi-dimensional integrals,

$$\int \frac{dx_1 \cdots dx_n}{(2\pi)^{\frac{n}{2}}} e^{-\frac{1}{2} \sum_{ij} x_i A_{ij} x_j + \sum_i x_i J_i} = [\det A]^{-\frac{1}{2}} e^{\frac{1}{2} \sum_{ij} J_i A_{ij}^{-1} J_j} \quad . \quad (1.1.2)$$

For complex multi-dimensional integrals,

$$\int \left(\prod_{i=1}^n \frac{dz_i^* dz_i}{2\pi i} \right) e^{-\sum_{ij} z_i^* H_{ij} z_j + \sum_i (J_i^* z_i + z_i^* J_i)} = [\det H]^{-1} e^{\sum_{ij} J_i^* H_{ij}^{-1} J_j} \quad . \quad (1.1.3)$$

For Grassmann variables integrals,

$$\int \left(\prod_{i=1}^n d\eta_i^* d\eta_i \right) e^{-\sum_{ij} \eta_i^* H_{ij} \eta_j + \sum_i (\xi_i^* \eta_i + \eta_i^* \xi_i)} = [\det H] e^{\sum_{ij} \xi_i^* H_{ij}^{-1} \xi_j} \quad . \quad (1.1.4)$$

1.2 Fourier Transform of Delta Function

The δ function can be expressed as

$$\delta(x - \alpha) = \frac{1}{2\pi} \int_{-\infty}^{\infty} e^{ip(x-\alpha)} dp. \quad (1.2.1)$$

1.3 Euler Integral

1.3.1 Euler Integral of The First Kind: Beta Function

Euler integral of the first kind: the Beta function:

$$B(a, b) = \int_0^1 x^{a-1} (1-x)^{b-1} dx. \quad (1.3.1)$$

The Beta function has the following properties:

- (i) Substitute x with $x = 1 - t$ and it is easy to get

$$B(a, b) = B(b, a). \quad (1.3.2)$$

(ii) When $b > 1$, integrate by parts (note that $x^a = x^{a-1} - x^{a-1}(1-x)$)

$$\begin{aligned}
 B(a, b) &= \int_0^1 (1-x)^{b-1} d\frac{x^a}{a} \\
 &= \frac{x^a(1-x)^{b-1}}{a} \Big|_0^1 + \frac{b-1}{a} \int_0^1 x^a(1-x)^{b-2} dx \\
 &= \frac{b-1}{a} \int_0^1 x^{a-1}(1-x)^{b-2} dx - \frac{b-1}{a} \int_0^1 x^{a-1}(1-x)^{b-1} dx \\
 &= \frac{b-1}{a} B(a, b-1) - \frac{b-1}{a} B(a, b),
 \end{aligned} \tag{1.3.3}$$

thus

$$B(a, b) = \frac{b-1}{a+b-1} B(a, b-1). \tag{1.3.4}$$

For $a > 1$, it is similar that

$$B(a, b) = \frac{a-1}{a+b-1} B(a-1, b). \tag{1.3.5}$$

Let n be a positive integer,

$$B(n, a) = B(a, n) = \frac{1 \cdot 2 \cdot 3 \cdots (n-1)}{a \cdot (a+1) \cdot (a+2) \cdots (a+n-1)}. \tag{1.3.6}$$

Let m, n be two positive integers,

$$B(m, n) = \frac{(n-1)!(m-1)!}{(m+n-1)!}. \tag{1.3.7}$$

(iii) Substitute x with $x = \frac{y}{1+y}$, here y is a new variable runs from 0 to ∞ , then

$$B(a, b) = \int_0^\infty \frac{y^{a-1}}{(1+y)^{a+b}} dy. \tag{1.3.8}$$

(iv) If $b = 1-a$ and $0 < a < 1$ then

$$B(a, 1-a) = \int_0^\infty \frac{y^{a-1}}{1+y} dy, \tag{1.3.9}$$

this is also a Euler integral,

$$B(a, 1-a) = \frac{\pi}{\sin a\pi} \quad (0 < a < 1), \tag{1.3.10}$$

especially we have

$$B\left(\frac{1}{2}, \frac{1}{2}\right) = \pi. \tag{1.3.11}$$

1.3.2 Euler Integral of The Second Kind: Gamma Function

Euler integral of the second kind: the Gamma function is defined as

$$\Gamma(a) = \int_0^\infty x^{a-1} e^{-x} dx. \tag{1.3.12}$$

The Euler-Gauss formula:

$$\Gamma(a) = \lim_{n \rightarrow \infty} n^a \frac{1 \cdot 2 \cdot 3 \cdots (n-1)}{a \cdot (a+1) \cdot (a+2) \cdots (a+n-1)}. \tag{1.3.13}$$

The Gamma Function has the following properties:

(i) For $a > 0$, $\Gamma(a)$ is smooth.

(ii) Integrate by parts we shall get

$$\Gamma(a+1) = a\Gamma(a), \quad (1.3.14)$$

repeat this formula

$$\Gamma(a+n) = (a+n-1)(a+n-2)\cdots(a+1)\Gamma(a). \quad (1.3.15)$$

Let n be a positive integer, then

$$\Gamma(n+1) = n! \quad . \quad (1.3.16)$$

(iii) If $a \rightarrow +0$ then

$$\Gamma(a) = \frac{\Gamma(a+1)}{a} \rightarrow +\infty. \quad (1.3.17)$$

If $a > n+1$ the

$$\Gamma(a) > n! \quad . \quad (1.3.18)$$

(iv) Relation to Beta function:

$$B(a, b) = \frac{\Gamma(a)\Gamma(b)}{\Gamma(a+b)}. \quad (1.3.19)$$

(v) if $0 < a < 1$ then

$$\Gamma(a)\Gamma(1-a) = \frac{\pi}{\sin a\pi}, \quad (1.3.20)$$

and

$$\Gamma\left(\frac{1}{2}\right) = \sqrt{\pi}. \quad (1.3.21)$$

(vi)

$$\prod_{\nu=1}^{n-1} \Gamma\left(\frac{\nu}{n}\right) = \frac{(2\pi)^{\frac{n-1}{2}}}{\sqrt{n}}. \quad (1.3.22)$$

(vii) Raabe's formula:

$$\int_a^{a+1} \ln \Gamma(t) dt = \frac{1}{2} \ln 2\pi + a \ln a - a, \quad a > 0, \quad (1.3.23)$$

in particular, if $a = 0$ then

$$\int_0^1 \ln \Gamma(t) dt = \frac{1}{2} \ln 2\pi. \quad (1.3.24)$$

(viii) Legendre formula:

$$\Gamma(a)\Gamma\left(a + \frac{1}{2}\right) = \frac{\sqrt{\pi}}{2^{2a-1}} \Gamma(2a). \quad (1.3.25)$$

1.4 Baker-Campbell-Hausdorff Formula

Baker-Campbell-Hausdorff Formula is

$$e^A B e^{-A} = \sum_{n=0}^{\infty} \frac{1}{n!} [A, B]_n = B + [A, B] + \frac{1}{2} [A, [A, B]] + \frac{1}{6} [A, [A, [A, B]]] + \cdots, \quad (1.4.1)$$

this formula can be proved by defining $B(\tau) = e^{\tau A} B e^{-\tau A}$ and formally integrating its equation of motion $dB/d\tau = [A, B(\tau)]$.

1.5 Feynman Result

The Feynman result reads

$$e^{A+B} = e^A e^B e^{-\frac{1}{2}[A,B]}, \quad (1.5.1)$$

which is true only if $[A, B]$ commutes with both A and B .

To prove it, recall that

$$e^{\tau(A+B)} = e^{\tau A} T_\tau \exp \left[\int_0^\tau d\tau' e^{-\tau' A} B e^{\tau' A} \right] \quad (1.5.2)$$

and evaluate the integral for $\tau = 1$.

1.6 Laguerre Polynomials

The Laguerre polynomials are solution of Laguerre's equation:

$$xy'' + (1-x)y' + ny = 0, \quad (1.6.1)$$

where n is non-negative integer. The Laguerre polynomials is

$$L_n(x) = \frac{e^x}{n!} \frac{d^n}{dx^n} (e^{-x} x^n) = \sum_{k=0}^n \frac{(-x)^k}{k!} \frac{n!}{k!(n-k)!}. \quad (1.6.2)$$

The generating function is

$$\frac{e^{-xt/(1-t)}}{1-t} = \sum_{n=0}^{\infty} L_n(x) t^n. \quad (1.6.3)$$

1.7 Cramer's Rule

Consider a system of n linear equations of n unknowns, represented in matrix multiplication form:

$$Ax = b, \quad (1.7.1)$$

where the $n \times n$ matrix A has a nonzero determinant, and the vector $x = (x_1, \dots, x_n)^T$ is the column vector of the variables. Then Cramer's rule states that the system has a unique solution, whose individual values are given by:

$$x_i = \frac{\det A_i}{\det A}, \quad (1.7.2)$$

where A_i is the matrix formed by replacing the i -th column of A by the column vector b .

1.8 Simple Impurity Model at Zero Temperature

The Hamiltonian of simple impurity model is defined as

$$H = \sum_k \varepsilon_k c_k^\dagger c_k + \sum_k V_k (c_k^\dagger d + d^\dagger c_k) + \varepsilon_0 d^\dagger d, \quad (1.8.1)$$

let $H = H_0 + V$, where

$$H_0 = \sum_k \varepsilon_k c_k^\dagger c_k + \varepsilon_0 d^\dagger d, \quad V = \sum_k V_k (c_k^\dagger d + d^\dagger c_k). \quad (1.8.2)$$

The Green's function is

$$G(t) = -i \langle 0 | T d(t) d^\dagger | 0 \rangle = -i \langle 0 | d(t) d^\dagger | 0 \rangle, \quad (1.8.3)$$

apply Fourier transform on it, then

$$G(\omega) = \langle 0 | d \frac{1}{\omega + i0 - H} d^\dagger | 0 \rangle. \quad (1.8.4)$$

Notice that

$$\begin{aligned} \frac{1}{\omega - H} &= \frac{1}{\omega - H_0} + \frac{1}{\omega - H_0} V \frac{1}{\omega - H} \\ &= \frac{1}{\omega - H_0} + \frac{1}{\omega - H_0} V \frac{1}{\omega - H_0} + \frac{1}{\omega - H_0} V \frac{1}{\omega - H_0} V \frac{1}{\omega - H}, \end{aligned} \quad (1.8.5)$$

the second term produce just 0, thus

$$\begin{aligned} G(\omega) &= \langle 0 | d \frac{1}{\omega - H_0} d^\dagger | 0 \rangle + \langle 0 | d \frac{1}{\omega - H_0} V \frac{1}{\omega - H_0} V \frac{1}{\omega - H} d^\dagger | 0 \rangle \\ &= \frac{1}{\omega - \varepsilon_0} + \frac{1}{\omega - \varepsilon_0} \langle 0 | d V \frac{1}{\omega - H_0} V \frac{1}{\omega - H} d^\dagger | 0 \rangle \\ &= \frac{1}{\omega - \varepsilon_0} + \frac{1}{\omega - \varepsilon_0} \langle 0 | d \sum_k d^\dagger c_k \frac{V_k^2}{\omega - H_0} c_k^\dagger d \frac{1}{\omega - H} d^\dagger | 0 \rangle \\ &= \frac{1}{\omega - \varepsilon_0} + \frac{1}{\omega - \varepsilon_0} \sum_k \frac{V_k^2}{\omega - \varepsilon_k} G(\omega). \end{aligned} \quad (1.8.6)$$

Therefore

$$G^{-1}(\omega) = \omega - \varepsilon_0 - \sum_k \frac{V_k^2}{\omega - \varepsilon_k}, \quad (1.8.7)$$

it can be written as

$$G^{-1}(\omega) = \omega - \varepsilon_0 - \int_{-\infty}^{\infty} d\varepsilon \frac{\Delta(\varepsilon)}{\omega - \varepsilon}, \quad (1.8.8)$$

where

$$\Delta(\varepsilon) = \sum_k V_k^2 \delta(\varepsilon - \varepsilon_k). \quad (1.8.9)$$

Now consider V is in site representation:

$$V = \sum_i (t_{io} c_i^\dagger d + t_{oi} d^\dagger c_i), \quad (1.8.10)$$

then we have that

$$\begin{aligned} G(\omega) &= \frac{1}{\omega - \varepsilon_0} + \frac{1}{\omega - \varepsilon_0} \sum_{ij} t_{oi} t_{jo} \langle 0 | d d^\dagger c_i \frac{1}{\omega - H_0} c_j^\dagger d \frac{1}{\omega - H} d^\dagger | 0 \rangle \\ &= \frac{1}{\omega - \varepsilon_0} + \frac{1}{\omega - \varepsilon_0} \sum_{ij} t_{oi} t_{jo} G_{ij}^{(o)}(\omega) G(\omega), \end{aligned} \quad (1.8.11)$$

thus

$$G^{-1}(\omega) = \omega - \varepsilon_0 - \sum_{ij} t_{oi} t_{jo} G_{ij}^{(o)}(\omega), \quad (1.8.12)$$

where $G_{ij}^{(o)}$ is the Green's function with one site removed.

1.9 Green's Function for Simple Cubic Lattice

The first Brillouin zone for the simple cubic lattice is the cube

$$-\pi/a \leq k_x < \pi/a, \quad -\pi/a \leq k_y < \pi/a, \quad -\pi/a \leq k_z < \pi/a, \quad (1.9.1)$$

where a is the lattice constant. The diagonal matrix element of Green's function is

$$G(\omega) = \frac{a^3}{(2\pi)^3} \int_{-\pi/a}^{\pi/a} dk_x \int_{-\pi/a}^{\pi/a} dk_y \int_{-\pi/a}^{\pi/a} dk_z \frac{1}{\omega - 2t(\cos k_x a + \cos k_y a + \cos k_z a)}, \quad (1.9.2)$$

introducing the variable $x = k_x a, y = k_y a, z = k_z a$ we obtain

$$G(\omega) = \frac{1}{(2\pi)^3} \int_{-\pi}^{\pi} dx \int_{-\pi}^{\pi} dy \int_{-\pi}^{\pi} dz \frac{1}{\omega - 2t(\cos x + \cos y + \cos z)}. \quad (1.9.3)$$

This function can be expressed by complete elliptic integral. The complete elliptic integral of the first kind $K(k)$ as complex function of the complex modulus k is defined by

$$K(k) = \int_0^{\pi/2} d\theta (1 - k^2 \sin^2 \theta)^{-\frac{1}{2}}, \quad (1.9.4)$$

this function is an even function and $K(k^*) = K(k)^*$.

After the integration over y and z , the integral (1.9.3) yields

$$G(\omega) = \frac{1}{2\pi^2 t} \int_0^{\pi} k K(k) dx, \quad (1.9.5)$$

where

$$k = \frac{4t}{\omega - 2t \cos x}. \quad (1.9.6)$$

For simple cubic lattice, $\text{Re} G$ is an odd function of ω and $\text{Im} G$ is an even function:

$$\text{Re } G(\omega) = -\text{Re } G(\omega), \quad \text{Im } G(\omega) = \text{Im } G(\omega), \quad (1.9.7)$$

hence we have only to consider the range $0 \leq \omega \leq 6t$ in the following. The Green's function can be calculated numerically, when $0 < \omega < 2t$,

$$\begin{aligned} \text{Re } G(\omega) &= -\frac{1}{2\pi^2 t} \int_0^{\cos^{-1}(\omega/2t)} dx K\left(\frac{1}{|k|}\right) + \frac{1}{2\pi^2 t} \int_{\cos^{-1}(\omega/2t)}^{\pi} K\left(\frac{1}{k}\right), \\ \text{Im } G(\omega) &= \frac{1}{\pi^2} \int_0^{\pi} dx K\left(\frac{\sqrt{k^2 - 1}}{k}\right), \end{aligned} \quad (1.9.8)$$

when $2t \leq \omega < 6t$,

$$\begin{aligned} \text{Re } G(\omega) &= \frac{1}{2\pi^2 t} \int_0^{\cos^{-1}[(\omega-4t)/2t]} dx K\left(\frac{1}{k}\right) + \frac{1}{2\pi^2 t} \int_{\cos^{-1}[(\omega-4t)/2t]}^{\pi} dx K(k), \\ \text{Im } G(\omega) &= \frac{1}{2\pi^2 t} \int_0^{\cos^{-1}[(\omega-4t)/2t]} dx K\left(\frac{\sqrt{k^2 - 1}}{k}\right). \end{aligned} \quad (1.9.9)$$

Chapter 2

Coherent States

Coherent states is defined as the eigenstates of annihilation operator:

$$a_\alpha |\phi\rangle = \phi_\alpha |\phi\rangle. \quad (2.0.1)$$

2.1 Boson Coherent States

Boson coherent states:

$$|\phi\rangle = e^{\sum_\alpha \phi_\alpha a_\alpha^\dagger} |0\rangle, \quad \langle\phi| = \langle 0| e^{\sum_\alpha \phi_\alpha^* a_\alpha} \quad , \quad (2.1.1)$$

where ϕ_α is complex number.

The overlap of two coherent states:

$$\langle\phi|\phi'\rangle = e^{\sum_\alpha \phi_\alpha^* \phi'_\alpha} \quad . \quad (2.1.2)$$

The overcompleteness in the Fock space:

$$\int \left(\prod_\alpha \frac{d\phi_\alpha^* d\phi_\alpha}{2\pi i} \right) e^{-\sum \phi_\alpha^* \phi_\alpha} |\phi\rangle \langle\phi| = 1, \quad (2.1.3)$$

where

$$\frac{d\phi_\alpha^* d\phi_\alpha}{2\pi i} = \frac{d(\text{Re}\phi_\alpha) d(\text{Im}\phi_\alpha)}{\pi} \quad . \quad (2.1.4)$$

The trace of an operator A in Fock space can be written as

$$\text{Tr} A = \int \left(\prod_\alpha \frac{d\phi_\alpha^* d\phi_\alpha}{2\pi i} \right) e^{-\sum \phi_\alpha^* \phi_\alpha} \langle\phi| A |\phi\rangle \quad . \quad (2.1.5)$$

The average particle number of a coherent state is

$$\bar{N} = \frac{\langle\phi| N |\phi\rangle}{\langle\phi|\phi\rangle} = \frac{\langle\phi| \sum_\alpha a_\alpha^\dagger a_\alpha |\phi\rangle}{\langle\phi|\phi\rangle} = \sum_\alpha \phi_\alpha^* \phi_\alpha, \quad (2.1.6)$$

and the variance is

$$\sigma^2 = \frac{\langle\phi| N^2 |\phi\rangle}{\langle\phi|\phi\rangle} - \bar{N}^2 = \bar{N} \quad . \quad (2.1.7)$$

2.2 Grassmann Algebra

The Grassmann numbers is defined to be anticommuting numbers:

$$\xi_\alpha \xi_\beta + \xi_\beta \xi_\alpha = 0, \quad \xi_\alpha^2 = 0 \quad . \quad (2.2.1)$$

The conjugation of a Grassmann number is defined as

$$(\xi_\alpha)^* = \xi_\alpha^*, \quad (\xi_\alpha^*)^* = \xi_\alpha \quad . \quad (2.2.2)$$

If λ is a complex number,

$$(\lambda \xi_\alpha)^* = \lambda^* \xi_\alpha, \quad (2.2.3)$$

and for any product of Grassmann numbers:

$$(\xi_1 \cdots \xi_n)^* = \xi_n^* \xi_{n-1}^* \cdots \xi_1^* \quad , \quad (2.2.4)$$

and for combinations of Grassmann variables and creation and annihilation operators

$$\xi a + a \xi = 0, \quad (\xi a)^\dagger = a^\dagger \xi^* \quad . \quad (2.2.5)$$

Because of property (2.2.3),

$$f(\xi) = f_0 + f_1 \xi, \quad A(\xi^*, \xi) = a_0 + a_1 \xi + \bar{a}_1 \xi^* + a_{12} \xi^* \xi, \quad (2.2.6)$$

in particular,

$$e^{-\lambda \xi} = 1 - \lambda \xi \quad . \quad (2.2.7)$$

A derivative can be defined for Grassmann variable function,

$$\frac{\partial}{\partial \xi}(\xi^* \xi) = \frac{\partial}{\partial \xi}(-\xi \xi^*) = -\xi^* \quad . \quad (2.2.8)$$

And a integral can be defined as

$$\int d\xi 1 = 0, \quad \int d\xi \xi = 1, \quad \int d\xi^* 1 = 0, \quad \int d\xi^* \xi^* = 1, \quad (2.2.9)$$

to remember,

$$\int d\xi = \frac{\partial}{\partial \xi}, \quad \int d\xi^* = \frac{\partial}{\partial \xi^*} \quad . \quad (2.2.10)$$

2.3 Fermion Coherent States

Fermion Coherent States is defined as

$$|\xi\rangle = e^{-\sum_\alpha \xi_\alpha a_\alpha^\dagger} |0\rangle = \prod_\alpha (1 - \xi_\alpha a_\alpha^\dagger) |0\rangle, \quad (2.3.1)$$

we can verify that $a_\alpha |\xi\rangle = \xi_\alpha |\xi\rangle$ by using

$$\xi_\alpha |0\rangle = \xi_\alpha (1 - \xi_\alpha a_\alpha^\dagger) |0\rangle \quad . \quad (2.3.2)$$

Similarly, the adjoint of the coherent states is

$$\langle \xi | = \langle 0 | e^{-\sum_\alpha a_\alpha \xi_\alpha^*} = \langle 0 | e^{\sum_\alpha \xi_\alpha^* a_\alpha} \quad . \quad (2.3.3)$$

The overlap of two coherent states is

$$\langle \xi | \xi' \rangle = \prod_\alpha (1 + \xi_\alpha^* \xi'_\alpha) = e^{\sum_\alpha \xi_\alpha^* \xi'_\alpha} \quad . \quad (2.3.4)$$

The closure relation can be written as

$$\int \left(\prod_{\alpha} d\xi_{\alpha}^* d\xi_{\alpha} \right) e^{-\sum_{\alpha} \xi_{\alpha}^* \xi_{\alpha}} |\xi\rangle \langle \xi| = 1 \quad . \quad (2.3.5)$$

The trace of an operator A in Fock space can be written as

$$\text{Tr} A = \int \left(\prod_{\alpha} d\xi_{\alpha}^* d\xi_{\alpha} \right) e^{-\sum_{\alpha} \xi_{\alpha}^* \xi_{\alpha}} \langle -\xi | A | \xi \rangle, \quad (2.3.6)$$

note the anti periodic condition here.

Chapter 3

Linear Response

3.1 Perturbations Depending on Time

We now seek the solution of the perturbed equation

$$i\hbar \frac{\partial \Psi(t)}{\partial t} = [H_0 + V(t)]\Psi(t), \quad (3.1.1)$$

in the form of a sum

$$\Psi(t) = \sum_k a_k(t) \psi_k(t), \quad (3.1.2)$$

where the expansion coefficients $a_k(t)$ are functions of time, and $\psi_k(t)$ are unperturbed stationary wave functions:

$$i\hbar \frac{\partial \psi_k(t)}{\partial t} = H_0 \psi_k(t) = E_k^{(0)} \psi_k(t). \quad (3.1.3)$$

Therefore we obtain that

$$i\hbar \sum_k \psi_k(t) \frac{da_k(t)}{dt} = \sum_k a_k(t) V(t) \psi_k(t), \quad (3.1.4)$$

multiplying both sides of this equation on the left by $\psi_m(t)$ and integrating then

$$i\hbar \frac{da_m(t)}{dt} = \sum_k V_{mk}(t) a_k(t), \quad (3.1.5)$$

where

$$V_{mk}(t) = \langle m | V | k \rangle e^{i\omega_{mk}t} = V_{mk} e^{i\omega_{mk}t}, \quad \omega_{mk} = \frac{E_m^{(0)} - E_k^{(0)}}{\hbar}. \quad (3.1.6)$$

Let the unperturbed wave function be $\psi_n(t)$, i.e. $a_n^{(0)} = 1$ and $a_k^{(0)} = 0$ for $k \neq n$. To find the first approximation, we seek $a_k = a_k^{(0)} + a_k^{(1)}$, substituting $a_k = a_k(0)$ we find

$$i\hbar \frac{da_k^{(1)}(t)}{dt} = V_{kn}(t), \quad (3.1.7)$$

integrating it gives

$$a_{kn}^{(1)}(t) = -\frac{i}{\hbar} \int V_{kn} e^{i\omega_{kn}t} dt. \quad (3.1.8)$$

3.2 Fermi Golden Rule

Let the perturbation be

$$V(t) = V e^{-i\omega t}, \quad (3.2.1)$$

then

$$a_{fi} = -\frac{i}{\hbar} \int_0^t V_{fi}(t) dt = -V_{fi} \frac{e^{i(\omega_{fi}-\omega)t} - 1}{\hbar(\omega_{fi} - \omega)}. \quad (3.2.2)$$

Therefore the squared modulus of a_{fi} is

$$|a_{fi}|^2 = |V_{fi}|^2 \frac{4 \sin^2[\frac{1}{2}(\omega_{fi} - \omega)t]}{\hbar^2(\omega_{fi} - \omega)^2}, \quad (3.2.3)$$

noticing that $\lim_{t \rightarrow \infty} \frac{\sin^2 \alpha t}{\pi t \alpha^2} = \delta(\alpha)$ we have

$$|a_{fi}|^2 = \frac{2\pi}{\hbar} |V_{fi}|^2 \delta(E_f - E_i - \hbar\omega) t. \quad (3.2.4)$$

Thus the probability dw_{fi} of the transition rate per unit time is

$$dw_{fi} = \frac{2\pi}{\hbar} |V_{fi}|^2 \delta(E_f - E_i - \hbar\omega). \quad (3.2.5)$$

Another method to derive the above formula is that let

$$V(t) = V e^{-i\omega t + \eta t}, \quad (3.2.6)$$

and integrating from $t = -\infty$ to $t = 0$, then

$$|a_{fi}|^2 = \frac{1}{\hbar^2} |V_{fi}|^2 \frac{e^{2\eta t}}{(\omega_{fi} - \omega)^2 + \eta^2} \quad (3.2.7)$$

Then the transition rate is [note that $\lim_{\eta \rightarrow 0} \frac{\eta}{\pi(\alpha^2 + \eta^2)} = \delta(\alpha)$]

$$\frac{d}{dt} |a_{fi}|^2 = \frac{2\pi}{\hbar} |V_{fi}|^2 \delta(E_f - E_i - \hbar\omega). \quad (3.2.8)$$

3.3 The Generalized Susceptibility

When there exists an external interaction, the perturbing operator can be written as

$$V = -x f(t), \quad (3.3.1)$$

where x is the operator of the physical quantity concerned, and the perturbing generalized force f is a given function of time.

The quantum mean value $\bar{x}(t)$ is given by a formula of the type

$$\bar{x}(t) = \int_0^\infty \alpha(\tau) f(t - \tau) d\tau, \quad (3.3.2)$$

where $\alpha(\tau)$ being a function of time which depends on the properties of the body.

Applying fourier transform on both sides of this formula

$$\int_0^\infty \bar{x}(t) e^{i\omega t} dt = \int_0^\infty \alpha(\tau) f(t - \tau) e^{i\omega t} d\tau dt, \quad (3.3.3)$$

we obtain that

$$\bar{x}(\omega) = \alpha(\omega) f(\omega). \quad (3.3.4)$$

If the function f is purely monochromatic and is given by the real expression

$$f(t) = \frac{1}{2}(f_0 e^{-i\omega t} + f_0^* e^{i\omega t}), \quad (3.3.5)$$

then we shall have

$$\bar{x}(t) = \frac{1}{2}[\alpha(\omega)f_0 e^{-i\omega t} + \alpha(-\omega)f_0^* e^{i\omega t}] \quad (3.3.6)$$

The function $\alpha(\omega)$ has the similar properties as retarded Green's function:

$$\alpha(-\omega) = \alpha^*(\omega), \quad (3.3.7)$$

i.e.,

$$\operatorname{Re} \alpha(-\omega) = \operatorname{Re} \alpha(\omega), \quad \operatorname{Im} \alpha(-\omega) = -\operatorname{Im} \alpha(\omega). \quad (3.3.8)$$

And the Kramers-Kronig relations:

$$\operatorname{Re} \alpha(\omega) = -\frac{1}{\pi} P \int_{-\infty}^{\infty} \frac{\operatorname{Im} \alpha(\varepsilon)}{\omega - \varepsilon} d\varepsilon, \quad \operatorname{Im} \alpha(\omega) = \frac{1}{\pi} P \int_{-\infty}^{\infty} \frac{\operatorname{Re} \alpha(\varepsilon)}{\omega - \varepsilon} d\varepsilon. \quad (3.3.9)$$

The energy change per unit time of the system is just $dE/dt = \overline{\partial H / \partial t}$, since only the perturbation V in Hamiltonian depends on explicitly on time, we have

$$\frac{dE}{dt} = -\bar{x} \frac{df}{dt}. \quad (3.3.10)$$

Substituting \bar{x} and f from (3.3.5) and (3.3.6) and averaging over time, the terms containing $e^{2i\omega t}$ vanish, and we obtain

$$Q = \frac{1}{4} i\omega (\alpha^* - \alpha) |f_0|^2 = \frac{1}{2} \omega \operatorname{Im} \alpha(\omega) |f_0|^2, \quad (3.3.11)$$

where Q is the mean energy dissipated per unit time.

3.4 The Fluctuation Dissipation Theorem

Let us now assume that the system is at state $|n\rangle$ and is subject to a periodic perturbation, described by the operator

$$V = -xf = -\frac{1}{2}x(f_0 e^{-i\omega t} + f_0^* e^{i\omega t}). \quad (3.4.1)$$

Using Fermi Golden Rule, the transition rate from state n to state m per unit time is given by

$$w_{mn} = \frac{\pi |f_0|^2}{2\hbar^2} |x_{mn}|^2 [\delta(\omega + \omega_{mn}) + \delta(\omega + \omega_{nm})]. \quad (3.4.2)$$

The dissipation per unit time is given by

$$Q = \sum_m w_{mn} \hbar \omega_{mn} = \frac{\pi}{2\hbar} |f_0|^2 \sum_m |x_{mn}|^2 [\delta(\omega + \omega_{mn}) + \delta(\omega + \omega_{nm})] \omega_{mn}, \quad (3.4.3)$$

or, since the delta function zero except when their argument is zero,

$$Q = \frac{\pi}{2\hbar} \omega |f_0|^2 \sum_m |x_{mn}|^2 [\delta(\omega + \omega_{nm}) - \delta(\omega + \omega_{mn})], \quad (3.4.4)$$

thus

$$\operatorname{Im} \alpha(\omega) = \frac{\pi}{\hbar} \sum_m |x_{mn}|^2 [\delta(\omega + \omega_{nm}) - \delta(\omega + \omega_{mn})]. \quad (3.4.5)$$

Now define

$$(x^2)_\omega = \int_{-\infty}^{\infty} \frac{1}{2} \langle x(t)x(0) + x(0)x(t) \rangle e^{i\omega t} dt, \quad (3.4.6)$$

in canonical ensemble it is

$$(x^2)_\omega = \pi \sum_{nm} \rho_n |x_{mn}|^2 [\delta(\omega + \omega_{nm}) + \delta(\omega + \omega_{mn})], \quad (3.4.7)$$

where $\rho_n = e^{(F-E_n)/T}$, E_n denotes the energy levels and F is free energy. Since the summation is now over both m and n , these can be interchanged:

$$\begin{aligned} (x^2)_\omega &= \pi \sum_{mn} (\rho_n + \rho_m) |x_{mn}|^2 \delta(\omega + \omega_{nm}) \\ &= \pi \sum_{mn} \rho_n (1 + e^{-\hbar\omega_{mn}/T}) |x_{mn}|^2 \delta(\omega + \omega_{nm}) \\ &= \pi (1 + e^{-\hbar\omega/T}) \sum_{mn} \rho_n |x_{mn}|^2 \delta(\omega + \omega_{nm}). \end{aligned} \quad (3.4.8)$$

Similarly, in canonical ensemble

$$\text{Im } \alpha(\omega) = \frac{\pi}{\hbar} (1 - e^{-\hbar\omega/T}) \sum_{mn} \rho_n |x_{nm}|^2 \delta(\omega + \omega_{nm}), \quad (3.4.9)$$

a comparison of these two expressions gives

$$(x^2)_\omega = \hbar \text{Im } \alpha(\omega) \coth \frac{\hbar\omega}{2T}. \quad (3.4.10)$$

The mean square of the fluctuating quantity is given by the integration

$$\langle x^2 \rangle = \frac{\hbar}{\pi} \int_0^\infty \text{Im } \alpha(\omega) \coth \frac{\hbar\omega}{2T} d\omega. \quad (3.4.11)$$

3.5 Kubo Greenwood Formula

Now write the perturbing operator as

$$V = - \int \vec{j} \cdot \vec{A} dx, \quad (3.5.1)$$

let $\alpha(\omega)$ denotes the corresponding generalized susceptibility then the mean energy dissipated per unit time and per unit volume is

$$Q = \frac{1}{2} \omega \text{Im } \alpha(\omega) |\vec{A}|^2. \quad (3.5.2)$$

However, this generalized susceptibility is not the conductivity, to get the conductivity, recall that

$$\vec{E}(t) = - \frac{\partial \vec{A}}{\partial t}, \quad (3.5.3)$$

therefore

$$\vec{E}(\omega) = i\omega \vec{A}, \quad (3.5.4)$$

which means

$$j(\omega) = \alpha(\omega) A(\omega) = \frac{\alpha(\omega)}{i\omega} E(\omega), \quad (3.5.5)$$

or

$$\sigma(\omega) = \frac{\alpha(\omega)}{i\omega}. \quad (3.5.6)$$

Thus the dissipated term written in conductivity is just

$$Q = \frac{1}{2} \text{Im } \alpha(\omega) |A|^2 = \frac{1}{2} \text{Re } \sigma(\omega) |E|^2, \quad (3.5.7)$$

and

$$\operatorname{Re} \sigma = \frac{\operatorname{Im} \alpha}{\omega} = \frac{\pi}{\hbar \omega} \sum_{mn} (\rho_n - \rho_m) |j_{mn}|^2 \delta(\omega + \omega_{nm}). \quad (3.5.8)$$

Now there comes an assumption which is called “independent particle approximation”: we replace ρ by single electron distribution function f and recall that $j = -ev$ then

$$\operatorname{Re} \sigma = \frac{\hbar \pi e^2}{V} \sum_{mn} \frac{f_n - f_m}{\hbar \omega_{mn}} |v_{mn}|^2 \delta(E_n + \hbar \omega - E_m), \quad (3.5.9)$$

where V is the volume which acts as normalized factor. Notice that

$$\frac{f_n - f_m}{\hbar \omega_{mn}} \delta(E_n + \hbar \omega - E_m) = \int dE \frac{f(E) - f(E + \hbar \omega)}{\hbar \omega} \delta(E - E_n) \delta(E_n + \hbar \omega - E_m), \quad (3.5.10)$$

then the formula of $\operatorname{Re} \sigma$ become

$$\begin{aligned} \operatorname{Re} \sigma(\omega) &= \frac{\hbar \pi e^2}{V} \int dE \frac{f(E) - f(E + \hbar \omega)}{\hbar \omega} \sum_{nm} v_{nm} \delta(E_n + \hbar \omega - E_m) v_{mn} \delta(E - E_n) \\ &= \frac{\hbar e^2}{\pi V} \int dE \frac{f(E) - f(E + \hbar \omega)}{\hbar \omega} \operatorname{Tr}[v \operatorname{Im} G^R(E + \hbar \omega) v \operatorname{Im} G^R(E)]. \end{aligned} \quad (3.5.11)$$

For static conductivity, we have

$$\lim_{\omega \rightarrow 0} \operatorname{Re} \sigma(\omega) = \frac{\hbar e^2}{\pi V} \int dE \left(-\frac{\partial f}{\partial E} \right) \sum_k |\langle k | v | k \rangle|^2 |\operatorname{Im} G^R(E, k)|^2, \quad (3.5.12)$$

or in three dimension

$$\lim_{\omega \rightarrow 0} \operatorname{Re} \sigma(\omega) = \frac{\hbar e^2}{\pi V} \int dE \left(-\frac{\partial f}{\partial E} \right) \frac{a^3}{(2\pi)^3} \int d^3k v^2(k) |\operatorname{Im} G^R(E, k)|^2. \quad (3.5.13)$$

3.6 Green Kubo Formula

Let $\Psi_n^{(0)}$ be the wave function of the unperturbed system, then applying equations of perturbations depending on time in first approximation we have

$$\Psi_n = \Psi_n^{(0)} + \sum_m a_m \Psi_m^{(0)}, \quad (3.6.1)$$

where a_m satisfy the equation

$$i\hbar \frac{da_m}{dt} = V_{mn} e^{i\omega_{mn}t} = -\frac{1}{2} x_{mn} e^{i\omega_{mn}t} (f_0 e^{-i\omega t} + f_0^* e^{i\omega t}). \quad (3.6.2)$$

In solving this, we must assume that the perturbation is “adiabatically” applied until the time t from $t = -\infty$, this means that we must put $\omega \rightarrow \omega \mp i0$ in factors $e^{\pm i\omega t}$. Then

$$a_m = \frac{1}{2\hbar} x_{mn} e^{i\omega_{mn}t} \left[\frac{f_0 e^{-i\omega t}}{\omega_{mn} - \omega - i0} + \frac{f_0^* e^{i\omega t}}{\omega_{mn} + \omega + i0} \right]. \quad (3.6.3)$$

Accordingly,

$$\begin{aligned} \bar{x} &= \int \Psi_n^* x \Psi_n dq \\ &= \sum_m (a_m x_{nm} e^{i\omega_{nm}t} + a_m^* x_{mn} e^{i\omega_{mn}t}) \\ &= \frac{1}{2\hbar} \sum_m x_{mn} x_{nm} \left[\frac{1}{\omega_{mn} - \omega - i0} + \frac{1}{\omega_{mn} + \omega + i0} \right] f_0 e^{-i\omega t} + \text{c.c.}, \end{aligned} \quad (3.6.4)$$

it can be seen that

$$\alpha(\omega) = \frac{1}{\hbar} \sum_m |x_{mn}|^2 \left[\frac{1}{\omega_{mn} - \omega - i0} + \frac{1}{\omega_{mn} + \omega + i0} \right]. \quad (3.6.5)$$

This expression is the Fourier transform of the function

$$\alpha(t) = \frac{i}{\hbar} \theta(t) \langle x(t)x(0) - x(0)x(t) \rangle = -G^R(t), \quad (3.6.6)$$

thus the we have the final result

$$\alpha(\omega) = \frac{i}{\hbar} \int_0^\infty e^{i\omega t} \langle x(t)x(0) - x(0)x(t) \rangle dt. \quad (3.6.7)$$

Chapter 4

Small Polaron

4.1 Holstein Model

The Hamiltonian of Holstein Model is

$$H = - \sum_{\langle i,j \rangle} t_{ij} c_i^\dagger c_j + g \sum_i c_i^\dagger c_i (a_i + a_i^\dagger) + \omega_0 \sum_i a_i^\dagger a_i, \quad (4.1.1)$$

where c_i^\dagger (c_i) is creation (annihilation) operator for electron, and a_i^\dagger (a_i) is creation (annihilation) operator for phonon.

The model possesses two independent control parameters:

$$\lambda = g^2 / \omega_0 t, \quad (4.1.2)$$

$$\gamma = \omega_0 / t. \quad (4.1.3)$$

A third parameter can be conveniently introduced as a combination of the above ones:

$$\alpha = \lambda / \gamma = g / \omega_0. \quad (4.1.4)$$

It is worth defining the following regimes and limits, which are relevant to the Holstein model:

- (i) weak (strong) couplings $\lambda < 1$ ($\lambda > 1$);
- (ii) small (large) phonon frequency $\gamma < 1$ ($\gamma > 1$);
- (iii) multiphonon regime $\alpha^2 > 1$;
- (iv) adiabatic limit $\omega_0 = 0$, finite λ .

4.2 Weak Coupling Limit

Consider zero density ($n = 0$) and zero temperature ($T = 0$) limits, Green's function for a single electron can be defined as

$$G_{ij}(t) = -i \langle 0 | T c_i(t) c_j^\dagger(0) | 0 \rangle, \quad (4.2.1)$$

where $|0\rangle$ is the vacuum for phonons and electrons. There is only one possible ordering ($t > 0$), so the function is purely retarded.

Let $g \sum_i c_i^\dagger c_i (a_i + a_i^\dagger)$ acts as perturbation, we have that

$$G_{ij}(t) = -i \langle 0 | T c_i(t) c_j(0)^\dagger S | 0 \rangle, \quad (4.2.2)$$

where

$$S = T e^{-i \int dt [g \sum_i c_i^\dagger c_i (a_i + a_i^\dagger)]} \quad (4.2.3)$$

The expansion of S to second order of g gives

$$\begin{aligned} G_{ij}(t) &= -i \langle 0 | T c_i(t) c_j^\dagger | 0 \rangle \\ &\quad - i \frac{g^2}{2} \int dt' dt'' \sum_{kl} \langle 0 | T c_i(t) c_j^\dagger c_k^\dagger(t') c_k(t') c_l^\dagger(t'') c_l(t'') [a_k(t') a_l^\dagger(t'') + a_k^\dagger(t') a_l(t'')] | 0 \rangle, \end{aligned} \quad (4.2.4)$$

apply Wick's theorem and recall that (D is the Green's function for phonon)

$$\begin{aligned} \langle 0 | a_k^\dagger(t') a_l(t'') | 0 \rangle &= 0, \\ \langle 0 | a_k(t') a_l^\dagger(t'') | 0 \rangle &= D_{kl}(t' - t'') = \delta_{kl} D_{kk}(t' - t''), \end{aligned} \quad (4.2.5)$$

we can obtain that

$$G_{ij}(t) = G_{ij}^{(0)}(t) + ig^2 \sum_k \int dt' dt'' G_{ik}^{(0)}(t - t') G_{kk}^{(0)}(t' - t'') D_{kk}(t' - t'') G_{kj}(t''), \quad (4.2.6)$$

in frequency space, (note that $D_{kk}(t' - t'') = -ie^{-i\omega_0(t' - t'')}$)

$$G_{ij}(\omega) = G_{ij}^{(0)}(\omega) + g^2 \sum_k G_{ik}^{(0)}(\omega) G_{kk}^{(0)}(\omega - \omega_0) G_{kj}^{(0)}(\omega). \quad (4.2.7)$$

Compare with the Dyson equation

$$G_{ij} = G_{ij}^{(0)} + \sum_{kl} G_{ik}^{(0)} \Sigma_{kl} G_{lj} = G_{ij}^{(0)} + \sum_{kl} G_{ik}^{(0)} \Sigma_{kl} G_{lj}^{(0)} + \dots, \quad (4.2.8)$$

it is clear to see that second order perturbation gives a local (k -independent) self energy:

$$\Sigma_2(\omega) = g^2 G^{(0)}(\omega - \omega_0). \quad (4.2.9)$$

The electron effective mass, in the case of a local self-energy, is easily calculated via

$$\frac{m^*}{m} = \left. \frac{d(\omega - \text{Re}\Sigma(\omega))}{d\omega} \right|_{E_0} = 1 - \left. \frac{d\text{Re}\Sigma(\omega)}{d\omega} \right|_{E_0}, \quad (4.2.10)$$

where E_0 is the ground-state energy.

4.3 Atomic Limit (Zero Temperature)

The atomic limit is defined as the zero hopping case ($t = 0$). In this case, Hamiltonian (4.1.1) can be diagonalized by the unitary Lang-Firsov transformation

$$U = e^{-S}, \quad S = -\alpha \sum_i c_i^\dagger c_i (a_i - a_i^\dagger). \quad (4.3.1)$$

With the aid of Baker-Campbell-Hausdorff formula we have

$$\begin{aligned} \bar{c}_i &= e^S c_i e^{-S} = c_i X_i, \quad X_i = e^{\alpha(a_i - a_i^\dagger)}; \\ \bar{c}_i^\dagger &= e^S c_i^\dagger e^{-S} = c_i^\dagger X_i^\dagger, \quad X_i^\dagger = e^{\alpha(a_i^\dagger - a_i)}; \\ \bar{a}_i &= e^S a_i e^{-S} = a_i - \alpha c_i^\dagger c_i; \\ \bar{a}_i^\dagger &= e^S a_i^\dagger e^{-S} = a_i^\dagger - \alpha c_i^\dagger c_i; \\ \bar{H} &= e^S H e^{-S} = -\frac{g^2}{\omega_0} \sum_i c_i^\dagger c_i + \omega_0 \sum_i a_i^\dagger a_i. \end{aligned} \quad (4.3.2)$$

After the transformation, we can see that the ground energy is $\varepsilon_p = -g^2/\omega_0$, the excited state energy is $\varepsilon_p + n\omega_0$.

The static electron-displacement correlation function is defined as $C_0 = \langle n_i(a_i + a_i^\dagger) \rangle$, apply Lang-Firsov transformation it reads

$$C_0 = \langle n_i(a_i + a_i^\dagger) \rangle - 2\alpha \langle n_i \rangle = -2\alpha \langle n_i \rangle, \quad (4.3.3)$$

at the ground state $n_i = 1$, thus $C_0 = -2\alpha$. Meanwhile,

$$\langle e^S a^\dagger a e^{-S} \rangle = \langle a^\dagger a \rangle + \alpha^2 \langle c^\dagger c \rangle = \alpha^2. \quad (4.3.4)$$

The electron Green's function can also be calculated after the Lang-Firsov transformation¹:

$$\begin{aligned} G(t) &= -i \langle 0 | c(t) c^\dagger | 0 \rangle \\ &= -i \langle 0 | c X e^{-i\bar{H}t} c^\dagger X^\dagger | 0 \rangle \\ &= -i \sum_{mn} \langle 0 | c X | m \rangle \langle m | e^{-i\bar{H}t} | n \rangle \langle n | c^\dagger X^\dagger | 0 \rangle, \end{aligned} \quad (4.3.5)$$

where $|m\rangle$ is the phonon state corresponding to m phonons.

Using the Feynman result ($e^{A+B} = e^A e^B e^{-\frac{1}{2}[A,B]}$), we have that

$$X^\dagger = e^{-\alpha^2/2} e^{\alpha a^\dagger} e^{-\alpha a}, \quad X = e^{-\alpha^2/2} e^{-\alpha a^\dagger} e^{\alpha a}, \quad (4.3.6)$$

accordingly,

$$\begin{aligned} \langle m | X^\dagger | 0 \rangle &= e^{-\alpha^2/2} \langle m | e^{\alpha a^\dagger} | 0 \rangle = e^{-\alpha^2/2} \sum_n \langle m | \frac{\alpha^n}{\sqrt{n!}} | n \rangle = e^{-\alpha^2/2} \frac{\alpha^m}{\sqrt{m!}}, \\ \langle 0 | X | m \rangle &= e^{-\alpha^2/2} \frac{\alpha^m}{\sqrt{m!}}. \end{aligned} \quad (4.3.7)$$

Finally the electron Green's function is

$$G(\omega) = \sum_n \frac{\alpha^{2n} e^{-\alpha^2}}{n!} \frac{1}{\omega - n\omega_0 - \varepsilon_p}. \quad (4.3.8)$$

Let us now consider the action of the hopping. After the Lang-Firsov transformation, the hopping term becomes

$$t_{ij} c_i^\dagger c_j \rightarrow t_{ij} X_i^\dagger X_j c_i^\dagger c_j, \quad (4.3.9)$$

consider Holstein approximation, which neglect phonon emission and absorption during the hopping process, we have

$$t_{ij} \langle 0 | X_i^\dagger X_j | 0 \rangle = t_{ij} \langle 0 | X^\dagger | 0 \rangle \langle 0 | X | 0 \rangle = t_{ij} e^{-\alpha^2}. \quad (4.3.10)$$

4.4 Atomic Limit (Finite Temperature)

The Lang-Firsov transformation is the same as zero temperature case. Here we need to calculate $\langle n | X^\dagger | n \rangle$. We have that

$$\begin{aligned} e^{-\alpha a} | n \rangle &= \sum_{m=0}^{\infty} \frac{(-\alpha)^m}{m!} a^m | n \rangle \\ &= \sum_{m=0}^n \frac{(-\alpha)^m}{m!} \left[\frac{n!}{(n-m)!} \right]^{\frac{1}{2}} | n-m \rangle, \end{aligned} \quad (4.4.1)$$

and

$$\langle n | e^{\alpha a^\dagger} = \sum_{m=0}^n \frac{\alpha^m}{m!} \left[\frac{n!}{(n-m)!} \right]^{\frac{1}{2}} \langle n-m |, \quad (4.4.2)$$

¹Mahan's Many-Particle Physics, page 221

therefore

$$\langle n | e^{\alpha a^\dagger} e^{-\alpha a} | n \rangle = \sum_{m=0}^n \frac{(-\alpha^2)^m}{m!} \frac{n!}{m!(n-m)!} = L_n(\alpha^2), \quad (4.4.3)$$

where $L_n(x)$ is Laguerre polynomial. Thus

$$\langle n | X^\dagger | n \rangle = \langle n | X | n \rangle = e^{-\alpha^2/2} L_n(\alpha^2). \quad (4.4.4)$$

At finite temperature, the assumption is that we only average on phonon according to temperature. (“cold” electron in a thermalized phonon bath). So at finite temperature the effective hopping amplitude is

$$\begin{aligned} & t_{ij} (1 - e^{-\beta\omega_0})^2 \sum_{mn} e^{-\beta m\omega_0} \langle m | X_i^\dagger | m \rangle e^{-\beta n\omega_0} \langle n | X_j | n \rangle \\ &= t_{ij} e^{-\alpha^2} \left[(1 - e^{-\beta\omega_0}) \sum_{n=0}^{\infty} e^{-n\beta\omega_0} L_n(\alpha^2) \right]^2. \end{aligned} \quad (4.4.5)$$

Recall that the generating function of Laguerre polynomials:

$$\frac{e^{-xt/(1-t)}}{1-t} = \sum_{n=0}^{\infty} L_n(x) t^n, \quad (4.4.6)$$

let $t = e^{-\beta\omega_0}$ and $x = \alpha^2$ we find that the effective hopping amplitude is

$$t_{ij} e^{-S_T}, \quad S_T = \alpha^2 (1 + 2\langle n \rangle_T). \quad (4.4.7)$$

Now let us turn to electron Green’s function, now defined as

$$\begin{aligned} G(t) &= -i(1 - e^{-\beta\omega_0}) \sum_n e^{-\beta n\omega_0} \langle n | c(t) c^\dagger | n \rangle \\ &= -i(1 - e^{-\beta\omega_0}) \sum_n e^{-\beta n\omega_0} \langle 0 | c(t) X(t) c^\dagger X^\dagger | 0 \rangle \\ &= -i(1 - e^{-\beta\omega_0}) \langle 0 | c(t) c^\dagger | 0 \rangle \sum_n e^{-\beta n\omega_0} \langle n | X(t) X^\dagger | n \rangle. \end{aligned} \quad (4.4.8)$$

According to Heisenberg equation of motion (with Hamiltonian \bar{H}), we have that

$$\begin{aligned} c(t) &= c e^{-i\varepsilon_p t}, & c^\dagger(t) &= c^\dagger e^{i\varepsilon_p t}; \\ a(t) &= a e^{-i\omega_0 t}, & a^\dagger(t) &= a^\dagger e^{i\omega_0 t}, \end{aligned} \quad (4.4.9)$$

thus

$$X(t) = e^{-\alpha^2} e^{-\alpha a^\dagger e^{i\omega_0 t}} e^{\alpha a e^{-i\omega_0 t}} = e^{-\alpha^2} e^{-\alpha a^\dagger(t)} e^{\alpha a(t)} \quad (4.4.10)$$

and

$$X(t) X^\dagger = e^{-\alpha^2} e^{-\alpha a^\dagger(t)} e^{\alpha a(t)} e^{\alpha a^\dagger} e^{-\alpha a}. \quad (4.4.11)$$

Now we write $e^{\alpha a(t)} e^{\alpha a^\dagger}$ as²

$$e^{\alpha a(t)} e^{\alpha a^\dagger} = e^{\alpha a^\dagger} [e^{-\alpha a^\dagger} e^{\alpha a(t)} e^{\alpha a^\dagger}], \quad (4.4.12)$$

using Baker-Campbell-Hausdorff formula we get

$$e^{-\alpha a^\dagger} e^{\alpha a(t)} e^{\alpha a^\dagger} = e^{\alpha^2 e^{-i\omega_0 t}} e^{\alpha a(t)}. \quad (4.4.13)$$

²see Mahan’s Many-Particle Physics, page 222

Finally the electron Green's function is arranged into the desired form:

$$G(t) = -i(1 - e^{-\beta\omega_0})e^{-\alpha^2(1-e^{-i\omega_0 t})}\langle 0|c(t)c^\dagger|0\rangle \sum_n e^{-\beta n\omega_0} \langle n|e^{\alpha a^\dagger(1-e^{-i\omega_0 t})}e^{-\alpha a(1-e^{-i\omega_0 t})}|n\rangle, \quad (4.4.14)$$

again using Laguerre polynomials we can prove that

$$(1 - e^{-\beta\omega_0}) \sum_n e^{-\beta n\omega_0} \langle n|e^{u^* a^\dagger}e^{-ua}|n\rangle = e^{-|u|^2/(e^{\beta\omega_0}-1)}, \quad (4.4.15)$$

thus

$$G(t) = -ie^{-i\varepsilon_p t} \exp\left[-\alpha^2[(N+1)(1 - e^{-i\omega_0 t}) + N(1 - e^{i\omega_0 t})]\right], \quad (4.4.16)$$

where

$$N = \frac{1}{e^{\beta\omega_0} - 1}. \quad (4.4.17)$$

Recall the generating function of Bessel functions of complex argument,

$$e^{z \cos \theta} = \sum_{n=-\infty}^{\infty} I_n(z) e^{in\theta}, \quad (4.4.18)$$

let [note $(N+1)/N = e^{\beta\omega_0}$, $\sqrt{(N+1)/N} = e^{\beta\omega_0/2}$]

$$z = 2\alpha^2 \sqrt{N(N+1)}, \quad \theta = \omega_0(t + i\beta/2) \quad (4.4.19)$$

then (note that $I_n = I_{-n}$)

$$G(t) = -ie^{-(2N+1)\alpha^2} e^{-i\varepsilon_p t} \sum_{n=-\infty}^{\infty} e^{-in\omega_0 t} e^{\beta n\omega_0/2} I_n\{2\alpha^2 \sqrt{N(N+1)}\}, \quad (4.4.20)$$

in frequency space

$$G(\omega) = e^{-(2N+1)\alpha^2} \sum_{n=-\infty}^{\infty} e^{\beta n\omega_0/2} I_n\{2\alpha^2 \sqrt{N(N+1)}\} \frac{1}{\omega - n\omega_0 - \varepsilon_p}. \quad (4.4.21)$$

4.5 The Impurity Analogy for A Single Electron

The Hamiltonian for impurity model is

$$H_{\text{imp}} = \sum_k \varepsilon_k c_k^\dagger c_k + \sum_k V_k (c_k^\dagger d + d^\dagger c_k) + \omega_0 a^\dagger a + g d^\dagger d (a + a^\dagger), \quad (4.5.1)$$

here V_k and E_k is related to G_0 by

$$G_0^{-1}(\omega) = \omega - \int_{-\infty}^{\infty} d\varepsilon \frac{\Delta(\varepsilon)}{\omega - \varepsilon}, \quad (4.5.2)$$

where

$$\Delta(\varepsilon) = \sum_k V_k^2 \delta(\varepsilon - \varepsilon_k). \quad (4.5.3)$$

Let us separate the Hamiltonian into two parts H_0 and V , where

$$H_0 = \sum_k \varepsilon_k c_k^\dagger c_k + \sum_k V_k (c_k^\dagger d + d^\dagger c_k) + \omega_0 a^\dagger a, \quad V = g d^\dagger d (a + a^\dagger). \quad (4.5.4)$$

4.5.1 The Zero Temperature Formalism

The Green's function for one electron at zero temperature is

$$G(t) = -i\theta(t)\langle 0|d(t)d^\dagger|0\rangle, \quad (4.5.5)$$

after Fourier transformation:

$$G(\omega) = \langle 0|d\frac{1}{\omega + i0 - H}d^\dagger|0\rangle. \quad (4.5.6)$$

An operator identity holds:

$$\frac{1}{\omega - H} = \frac{1}{\omega - H_0} + \frac{1}{\omega - H_0}V\frac{1}{\omega - H}. \quad (4.5.7)$$

To proceed further one needs to introduce the generalized matrix elements:

$$G_{nm} = \langle 0|\frac{a^n}{\sqrt{n!}}d\frac{1}{\omega - H}d^\dagger\frac{(a^\dagger)^m}{\sqrt{m!}}|0\rangle, \quad (4.5.8)$$

now introduce a set of zero electron p -phonon states and a set of one electron p -phonon states

$$|0, p\rangle = \frac{(a^\dagger)^p}{\sqrt{p!}}|0\rangle, \quad |1, p\rangle = \frac{(a^\dagger)^p}{\sqrt{p!}}d^\dagger|0\rangle, \quad (4.5.9)$$

one can write

$$\begin{aligned} G_{nm} &= \langle 0|\frac{a^n}{\sqrt{n!}}d\frac{1}{\omega - H_0}d^\dagger\frac{(a^\dagger)^m}{\sqrt{m!}}|0\rangle + \langle 0|\frac{a^n}{\sqrt{n!}}d\frac{1}{\omega - H_0}V\frac{1}{\omega - H}d^\dagger\frac{(a^\dagger)^m}{\sqrt{m!}}|0\rangle \\ &= G_{nm}^{(0)} + g \sum_{p_1, p_2} \langle 0|\frac{a^n}{\sqrt{n!}}d\frac{1}{\omega - H_0}d^\dagger|0, p_1\rangle \langle 0, p_1|d(a + a^\dagger)|1, p_2\rangle \langle 0, p_2|d\frac{1}{\omega - H}d^\dagger\frac{(a^\dagger)^m}{\sqrt{m!}}|0\rangle \\ &= G_{nm}^{(0)} + g \sum_{p_1, p_2} G_{n, p_1}^{(0)} X_{p_1, p_2} G_{p_2, m} \\ &= G_{nn}^{(0)} \delta_{nm} + g \sum_p G_{nn}^{(0)} X_{np} G_{pm}, \end{aligned} \quad (4.5.10)$$

where $G_{nn}^{(0)}(\omega) = G_{00}^{(0)}(\omega - n\omega_0)$ is the diagonal element of the free Green's function, X_{np} are the phonon displacement matrix elements:

$$X_{np} = \sqrt{p+1}\delta_{n, p+1} + \sqrt{p}\delta_{n, p-1}. \quad (4.5.11)$$

Equation (4.5.10) can be solved in matrix notation:

$$G^{-1} = G_0^{-1} - gX, \quad (4.5.12)$$

it is easy to that G^{-1} is a tridiagonal matrix.

Now define T_k as the determinant of G^{-1} with first k rows and columns removed, using Cramer's rule we find that

$$G_{00} = \frac{T_1}{T_0}, \quad (4.5.13)$$

and define D_k as the determinant comprising the first $k+1$ rows and columns of G^{-1} and $D_{-1} = 1, D_{-2} = 0$, then

$$\begin{aligned} D_0 &= [G^{(0)}]_{00}^{-1}, \\ D_1 &= [G^{(0)}]_{11}^{-1} [G^{(0)}]_{00}^{-1} - g^2 = [G^{(0)}]_{11}^{-1} D_0 - g^2, \\ D_2 &= \dots = [G^{(0)}]_2^{-1} D_1 - 2g^2 D_0, \end{aligned} \quad (4.5.14)$$

and, for the general case, the recurrence relations

$$D_k = [G^{(0)}]_{k,k}^{-1} D_{k-1} - kg^2 D_{k-2}. \quad (4.5.15)$$

What's more, we have that

$$T_k = [G^{(0)}]_{kk}^{-1} T_{k+1} - (k+1)g^2 T_{k+2}, \quad \text{or} \quad \frac{T_k}{T_{k+1}} = [G^{(0)}]_{kk}^{-1} - (k+1)g^2 \frac{T_{k+2}}{T_{k+1}}, \quad (4.5.16)$$

therefore

$$\frac{T_1}{T_0} = \frac{1}{[G^{(0)}]_{00}^{-1} - g^2 \frac{T_2}{T_1}} = \dots, \quad (4.5.17)$$

or

$$G(\omega) = \frac{1}{G_0^{-1}(\omega) - \frac{g^2}{G_0^{-1}(\omega - \omega_0) - \frac{2g^2}{G_0^{-1}(\omega - 2\omega_0) - \frac{3g^2}{G_0^{-1}(\omega - 3\omega_0) - \dots}}}} \quad (4.5.18)$$

Now use Dyson equation $\Sigma = G_0^{-1} - G^{-1}$ and we shall get

$$\Sigma(\omega) = \frac{g^2}{G_0^{-1}(\omega - \omega_0) - \frac{2g^2}{G_0^{-1}(\omega - 2\omega_0) - \frac{3g^2}{G_0^{-1}(\omega - 3\omega_0) - \dots}}} \quad (4.5.19)$$

The self-energy can be defined recursively,

$$\Sigma^{(p)}(\omega) = \frac{pg^2}{G_0^{-1}(\omega - p\omega_0) - \Sigma^{(p+1)}} \quad (4.5.20)$$

4.5.2 The Finite Temperature Formalism

At finite temperature, the trace performed over free phonon states gives

$$G(\omega) = (1 - e^{\beta\omega_0}) \sum_n e^{-\beta n\omega_0} G_{nn}(\omega). \quad (4.5.21)$$

Now we need to calculate $G_{nn}(\omega)$, according to $G^{-1}G = I$ we have such a recurrence relation (recall that G^{-1} is a tridiagonal matrix):

$$G_{nn} = G_n^{(0)} + gG_n^{(0)}(\sqrt{n}G_{n-1,n} + \sqrt{n+1}G_{n+1,n}), \quad (4.5.22)$$

which we seek to write in a form as

$$G_{nn} = G_n^{(0)} + G_n^{(0)}(AG_{nn} + BG_{nn}). \quad (4.5.23)$$

Again according to Cramer's rule,

$$G_{n-1,n} = \sqrt{n}g \frac{D_{n-2}T_{n+1}}{T_0}, \quad G_{nn} = \frac{D_{n-1}T_{n+1}}{T_0}, \quad (4.5.24)$$

recall the recurrence relation for D :

$$D_k = [G_k^{(0)}]^{-1} D_{k-1} - kg^2 D_{k-2}, \quad (4.5.25)$$

or

$$\frac{D_{k-1}}{D_k} = \frac{1}{[G_k^{(0)}]^{-1} - kg^2 \frac{D_{k-2}}{D_{k-1}}} \quad (4.5.26)$$

Therefore

$$G_{n-1,n} = \sqrt{n}g \frac{D_{n-2}}{D_{n-1}} \frac{D_{n-1}T_{n+1}}{T_0} = \sqrt{n}g \frac{D_{n-2}}{D_{n-1}} G_{nn}, \quad (4.5.27)$$

i.e.,

$$A = ng^2 \frac{D_{n-2}}{D_{n-1}} = \frac{ng^2}{[G_n^{(0)}(\omega + \omega_0)]^{-1} - \frac{(n-1)g^2}{[G_n^{(0)}(\omega + 2\omega_0)]^{-1} - \frac{(n-2)g^2}{\ddots - \frac{g^2}{[G_n^{(0)}(\omega + n\omega_0)]^{-1}}}} \quad (4.5.28)$$

Similarly,

$$G_{n+1,n} = \sqrt{n+1}g \frac{D_{n-1}T_{n+2}}{T_0} = \sqrt{n+1}g \frac{T_{n+2}}{T_{n+1}} G_{nn}, \quad (4.5.29)$$

recall the recurrence relation for T :

$$T_k = [G_k^{(0)}]^{-1} T_{k+1} - (k+1)g^2 T_{k+2}, \quad (4.5.30)$$

or

$$\frac{T_{k+1}}{T_k} = \frac{1}{[G_k^{(0)}]^{-1} - (k+1)g^2 \frac{T_{k+2}}{T_{k+1}}}. \quad (4.5.31)$$

Therefore

$$B = (n+1)g^2 \frac{T_{n+2}}{T_{n+1}} = \frac{(n+1)g^2}{[G_n^{(0)}(\omega - \omega_0)]^{-1} - \frac{(n+2)g^2}{[G_n^{(0)}(\omega - 2\omega_0)]^{-1} - \frac{(n+3)g^2}{[G_n^{(0)}(\omega - 3\omega_0)]^{-1} - \dots}}, \quad (4.5.32)$$

finally

$$G_{nn} = \frac{1}{[G_n^{(0)}]^{-1} - A - B}. \quad (4.5.33)$$

4.5.3 Dynamical Mean Field

If we want to apply dynamical mean field theory, then a self consistent condition is needed. Basically it is (see the solution for simple impurity model)

$$G^{-1}(\omega) = \omega - \sum_{ij} t_{oi} t_{jo} G_{ij}^{(o)}(\omega), \quad (4.5.34)$$

where $G_{ij}^{(o)}$ is the Green's function with one site removed. For Bethe lattice, it is very simple, in this case it is restricted $i = j$, and in limit of infinite connectivity $G_{ii}^{(o)} = G_{ii}$. Therefore for Bethe lattice

$$G^{-1}(\omega) = \omega - t^2 G(\omega). \quad (4.5.35)$$

For a general lattice, the relation between the cavity and full Green's functions reads

$$G_{ij}^{(o)} = G_{ij} - \frac{G_{io} G_{oj}}{G_{oo}}. \quad (4.5.36)$$

Therefore equation (4.5.34) become

$$G^{-1} = \omega - \sum_{ij} t_{oi} t_{jo} G_{ij} + \frac{(\sum_i G_{oi})^2}{G_{oo}}, \quad (4.5.37)$$

recall that

$$G(\omega, k) = \frac{1}{\omega - \varepsilon_k - \Sigma(\omega)}, \quad (4.5.38)$$

we have that

$$G^{-1} = \omega - \int d\varepsilon \frac{\rho(\varepsilon)\varepsilon^2}{\zeta - \varepsilon} - \left(\int d\varepsilon \frac{\rho(\varepsilon)\varepsilon}{\zeta - \varepsilon} \right)^2 \bigg/ \int d\varepsilon \frac{\rho(\varepsilon)}{\zeta - \varepsilon}, \quad (4.5.39)$$

where $\zeta = \omega - \Sigma(\omega)$. This can be simplified further using the following relations:

$$\int d\varepsilon \frac{\rho(\varepsilon)\varepsilon^2}{\zeta - \varepsilon} = \zeta \int d\varepsilon \frac{\rho(\varepsilon)\varepsilon}{\zeta - \varepsilon}, \quad \int d\varepsilon \frac{\rho(\varepsilon)}{\zeta - \varepsilon} = -1 + \zeta \int d\varepsilon \frac{\rho(\varepsilon)}{\zeta - \varepsilon}. \quad (4.5.40)$$

We have used $t_{oo} = \sum_k t_k = \int \rho(\varepsilon)\varepsilon = 0$, finally

$$G_0^{-1} = \Sigma + G^{-1}. \quad (4.5.41)$$

Chapter 5

Physical Constants

- The speed of light in vacuum, $c = 299,792,458 \text{ m/s} \approx 3 \times 10^8 \text{ m/s}$.
- Electric charge $e = -1.602 \times 10^{-19} \text{ C}$.
- energy in SI unit, joule $J = \text{kg} \cdot (\text{m/s})^2 = \text{N} \cdot \text{m} = \text{C} \cdot \text{V}$.
- Planck constant $h = 6.62607004 \times 10^{-34} \text{ J} \cdot \text{s} = 4.135667662 \times 10^{-15} \text{ eV} \cdot \text{s}$.
- reduced Planck constant $\hbar = 1.0545718 \times 10^{-34} \text{ J} \cdot \text{s} = 6.582119514 \times 10^{-16} \text{ eV} \cdot \text{s}$.
- Boltzmann constant $k_B = 1.38064852 \times 10^{-23} \text{ J} \cdot \text{K}^{-1} = 8.6173324 \times 10^{-5} \text{ eV} \cdot \text{K}^{-1}$.
- Bohr magneton $\mu_B = 9.27400968 \times 10^{-24} \text{ J} \cdot \text{T}^{-1} = 5.7883818066 \times 10^{-5} \text{ eV} \cdot \text{T}^{-1}$.
- Bohr radius $a_0 = 5.29 \times 10^{-11} \text{ m}$.
- Electron mass $m_e = 9.10938215 \times 10^{-31} \text{ kg} = 8.18710438 \times 10^{-14} \text{ J/c}^2 = 0.51099891 \text{ MeV/c}^2$.
- Ohm $\Omega = \frac{\text{V}}{\text{A}} = \frac{\text{V} \cdot \text{s}}{\text{C}} = \frac{\text{J} \cdot \text{s}}{\text{C}^2} = \frac{\text{J}}{\text{s} \cdot \text{A}^2}$.