




INSPECTION		
CHECK	REQUIREMENT	METHOD
Flatness after sinter	0.02 max	CMM / optical flat
Wick adhesion	no spall after 3 thermal cycles	visual 10x
Post land bare area	Ø2.6 min clear	optical
Braze joint	He leak < 1e-9 Pa.m3/s	mass spectrometer

INDIA-VC THERMAL HARDWARE				ISO 128 / ISO 2768-mK	
TITLE			SCALE		UNITS
CHAMBER LID			2:1		mm
Cu C10200 OFHC (JIS C1020) / 68 x 68 x 1.0 / WICK-LINED, FILL PORT			THIRD ANGLE PROJECTION		
DRAWING No. VC-102			REV	A	SHEET 3 / 7
DRAWN	CHECKED	MATERIAL	FINISH	DATE	
AI-ASSISTED DRAFT	— PENDING —	SEE BOM	SEE NOTES	2026-09-09	