

REECYPRO

Diplomarbeit

Schulautonomer Schwerpunkt
Bionik

ausgeführt im Schuljahr 2023/2024 von:

Tobias Daxecker, 5CHELS

Mathias Standhartinger, 5CHELS

Betreuer:

Benjamin Seeburger, MSc.

February 22, 2024

Eidesstattliche Erklärung

Ich/Wir erkläre/n an Eides statt, dass ich/wir die vorliegende Diplomarbeit selbstständig und ohne fremde Hilfe verfasst, andere als angegebene Quellen und Hilfsmittel nicht direkt benutzt und die benutzten Quellen wörtlich und inhaltlich entnommenen Stellen als solche erkenntlich gemacht habe/n.

Braunau/Inn, 22.02.2024
Ort, Datum

Tobias Daxecker
Verfasser

Unterschrift

Braunau/Inn, 22.02.2024
Ort, Datum

Mathias Standhartinger
Verfasser

Unterschrift

Abstract

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean viverra eget sapien in fringilla. Proin ac neque non lectus vehicula laoreet in cursus enim. Donec et erat ut erat commodo viverra vitae sed risus. Etiam tortor justo, placerat in turpis sit amet, egestas tristique libero. Phasellus metus arcu, viverra at interdum ac, convallis non urna. Sed nunc libero, elementum quis ultricies at, vestibulum in arcu. Nam ultrices felis ut sagittis hendrerit. Vivamus massa sapien, interdum nec dui ac, consectetur venenatis dolor. Integer enim felis, finibus at efficitur eget, viverra vitae purus. Curabitur at libero pretium, vestibulum lacus at, eleifend nisl.

Nullam ut magna quis ante gravida aliquet. Integer ultricies libero vitae quam mollis, non tincidunt justo posuere. Mauris ultricies varius orci non tempus. Sed at ex maximus, tempor libero id, convallis ligula. Donec posuere massa sit amet porttitor vehicula. Donec porttitor luctus dui sed blandit. Ut egestas, enim id egestas auctor, est ligula accumsan diam, nec lacinia massa elit vitae purus.

Ut consectetur ipsum id nisl sodales varius. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aliquam venenatis varius maximus. Aenean aliquet mi a magna tempor, et sagittis ligula tincidunt. Maecenas ornare non leo et dignissim. Nunc ac feugiat magna. Nulla at sollicitudin massa, nec sollicitudin libero. Nunc posuere dolor mauris, non congue neque lobortis eget. Vestibulum ex leo, ullamcorper quis malesuada in, maximus quis nisl. Morbi neque diam, dignissim non suscipit ac, molestie at sem. In hac habitasse platea dictumst. Curabitur dictum eros non ipsum luctus, a malesuada sapien iaculis. Nam mauris nisi, sodales et consectetur quis, varius eu lacus.

Introduction

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean viverra eget sapien in fringilla. Proin ac neque non lectus vehicula laoreet in cursus enim. Donec et erat ut erat commodo viverra vitae sed risus. Etiam tortor justo, placerat in turpis sit amet, egestas tristique libero. Phasellus metus arcu, viverra at interdum ac, convallis non urna. Sed nunc libero, elementum quis ultricies at, vestibulum in arcu. Nam ultrices felis ut sagittis hendrerit. Vivamus massa sapien, interdum nec dui ac, consectetur venenatis dolor. Integer enim felis, finibus at efficitur eget, viverra vitae purus. Curabitur at libero pretium, vestibulum lacus at, eleifend nisl.

Nullam ut magna quis ante gravida aliquet. Integer ultricies libero vitae quam mollis, non tincidunt justo posuere. Mauris ultricies varius orci non tempus. Sed at ex maximus, tempor libero id, convallis ligula. Donec posuere massa sit amet porttitor vehicula. Donec porttitor luctus dui sed blandit. Ut egestas, enim id egestas auctor, est ligula accumsan diam, nec lacinia massa elit vitae purus.

Ut consectetur ipsum id nisl sodales varius. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Aliquam venenatis varius maximus. Aenean aliquet mi a magna tempor, et sagittis ligula tincidunt. Maecenas ornare non leo et dignissim. Nunc ac feugiat magna. Nulla at sollicitudin massa, nec sollicitudin libero. Nunc posuere dolor mauris, non congue neque lobortis eget. Vestibulum ex leo, ullamcorper quis malesuada in, maximus quis nisl. Morbi neque diam, dignissim non suscipit ac, molestie at sem. In hac habitasse platea dictumst. Curabitur dictum eros non ipsum luctus, a malesuada sapien iaculis. Nam mauris nisi, sodales et consectetur quis, varius eu lacus.

Contents

Abstract	iii
Introduction	iv
1 Introduction	2
1.1 Problem Setting ^{TD}	2
1.2 Contributions ^{MS}	3
1.3 Structure of this Thesis ^{MS}	3
2 System Overview	4
2.1 Detection and Measurement of REE concentration ^{TD}	4
2.1.1 Precipitation Reactions	4
2.1.2 Arsenazo III Assay	5
2.2 Bacteria ^{MS}	5
2.2.1 Methylobacterium extorquens	5
2.2.2 Cultivation	5
2.2.3 Lanmodulin ^{TD}	5
2.3 Protein Extraction/IR-Spectrometry ^{MS}	6
2.3.1 Cell Lysis	6
2.3.2 SDS-PAGE	6
3 Detection and Measurement of REE concentration^{TD}	7
3.1 Precipitation Reactions	7
3.1.1 Cer Precipitation Reaction	7
3.1.2 Neodymium Precipitation Reaction	7
3.2 Arsenazo III Assay	7
4 Bacteria^{MS}	8
5 Protein Extraction/IR-Spectrometry^{MS}	9
6 Case Study	10
7 Evaluation^{MS}	11
8 Project Management	12
8.1 Planning	12
8.2 Evaluation ^{TD}	12
8.3 Timesheet	13
8.3.1 Tobias Daxecker	13
8.3.2 Mathias Standhartinger	13

9 Future Work^{MS}	14
10 Related Work^{TD}	15
11 Conclusion	16
Acknowledgements	17
Listings	17
List of Figures	18
Bibliography	19
CV	21

1 Introduction

Rare Earth Elements (REEs) play a critical role in modern-day life. They are used in nearly every device that uses electrical power to operate. A few examples where REEs are essential are: lasers, computer monitors, electric motors, electric generators, high-power magnets, liquid crystal displays (LCDs), solar panels and many more [8].




Figure 1.1: List of all rare earth elements. Those 17 elements can be further categorized into the light rare earth elements (LREEs) and the heavy rare earth elements (HREEs). Picture from REIA / Argus Media.

1.1 Problem Setting^{TD}

Given the importance of REEs in the modern world, it is evident that the demand for them is increasing quickly. In the coming years, as the use of electronic devices increases, many of them will become electronic waste. It is vital for the world's future supply of rare earth elements to recycle them from this waste.

Currently used recycling methods for REEs are mostly damaging to the environment and very costly [4]. Therefore, only around one percent of the global REEs supply is from recycled sources [7]. The rest comes from mining, which brings its own challenges. Rare earth ores (REOs) often contain radioactive elements which adds more complexity to the processing of the ores. Also, the extraction of REEs is done by using a process called flotation which produces large amounts of waste water. This waste water is highly problematic, as it often contains radioactive minerals, acids and toxic agents [10].

The processing of REOs does not only damage the environment, but it also contributes to climate change. As an example, 75 tonnes of CO₂—equivalents are emitted for every tonne of newly refined Neodymium [6].

There are already thousands of tonnes of electronic waste that contain significant amounts of REEs. Recycling them would reduce the need of mining new REOs and therefore reduce the environmental impact of new electronic devices. Sadly, there is no easy and environmentally friendly process to recycle REEs on an industrial scale.

1.2 Contributions^{MS}

1.3 Structure of this Thesis^{MS}

2 System Overview

In order to understand the process of the recovery of rare earth elements from electronic waste with biosorption, the key procedures and techniques are described briefly in the following section.

2.1 Detection and Measurement of REE concentration^{TD}

2.1.1 Precipitation Reactions

A relatively simple proof if a probe contains REEs is a precipitation reaction. The precipitation reactions work because the rare earths form greater complexes with other molecules which have a different color than the surrounding solution [11]. As an example, a Ce precipitation reaction is shown in 2.1 with an orange-red precipitate.



Figure 2.1: Precipitation of a successful REE detection reaction. The test tube on the righthandside does not show any precipitation because the probe was deionized water.

However, you must be careful because of the REEs chemical similarity, the detection of a specific REE is not always possible with these precipitation methods. A precipitation reaction might also not be sensitive enough for your use case. So it could be possible that your probe contains rare earths, but you were not able to detect them.

2.1.2 Arsenazo III Assay

A better and more versatile method to detect rare earths in a probe is the so-called Arsenazo III Assay. With this assay, it is not only possible to detect if rare earths are present, but it is also possible to determine the concentration of REEs [5].




Figure 2.2: Structure of Arsenazo III. On the right you can see how the color of the dye changes with the levels of REE concentration. Picture from "Facile Arsenazo III-based assay for monitoring rare earth element depletion from cultivation media for methanotrophic and methylotrophic bacteria" Hoogendorn et al. [5].

Arsenazo III is a metallochromic dye. This means that the dye changes its color depending on the presence of metal ions (for example: 2.2). A second crucial characteristic is that the color of an Arsenazo III solution is also dependent on the concentration of some metal ions. The metal ions and the Arsenazo III molecule form complexes which block some certain frequencies of light. This property can be used to determine the concentration of rare earths in a probe.

2.2 Bacteria^{MS}

2.2.1 *Methylobacterium extorquens*

2.2.2 Cultivation

2.2.3 Lanmodulin^{TD}

Lanmodulin (LanM) is a protein produced by *M. extorquens*, a lanthanide-utilizing bacteria [2]. LanM is not essential for the growth or survival of *M. extorquens*, and it is only produced when the bacteria are in a medium with presence of Ln^{III} or Ce^{III} ions [3]. However, the mechanisms that include LanM are not understood as a whole to this day.




Figure 2.3: Graphical visualization of Lanmodulins structure. EF indicates the EF hands, this is where the REEs can bind to the protein. In this visualization, the turquoise-colored spheres are Y^{III} ions which are bound to the EF hands. Picture from "The biochemistry of lanthanide acquisition, trafficking and utilization", Emily R. Featherston and Joseph A. Cotruvo [3].

The most important characteristic of LanM is, that the molecule is able to bind lanthanide ions, primarily light REEs (LREEs). When LanM does this, it undergoes a transformation from a disordered state to a compact form of itself. The REEs are hereby bound to the so-called EF hands which favor to bind to Ln^{III} and other lanthanoids over Ca^{II} which is usually associated with these EF-hands [1].

2.3 Protein Extraction/IR-Spectrometry^{MS}

2.3.1 Cell Lysis

2.3.2 SDS-PAGE

3 Detection and Measurement of REE concentration^{TD}

The detection of rare earth elements in a probe is a crucial step in our work. It allows us to quantify the effectiveness of our process.

In modern chemistry, quantification of elements in a probe is usually done with inductively coupled plasma mass spectroscopy or ICP-MS. However, as the ICP-MS uses machines which are very, very expensive, this was not an option as it exceeded our limited financial resources by far. Instead, we had to search for other methods to detect and quantify rare earths.

In our work, we used two precipitation reactions and one method to quantify the concentration of REEs.

3.1 Precipitation Reactions

3.1.1 Cer Precipitation Reaction

The precipitation reaction for cer works by utilizing the oxidation states +III and +IV [9, 11].

Cer in the aforementioned states forms complexes together with H_2O_2 . The complexes are called cer peroxide hydrates, and their chemical formulas are $\text{Ce}(\text{OH})_2(\text{OOH})$ and $\text{Ce}(\text{OH})_3(\text{OOH})$. These complexes fall out of the solution as a red-brown colored precipitate.

3.1.2 Neodymium Precipitation Reaction

The reaction to detect neodymium is a bit more complicated. It also uses the +III oxidation state of neodymium. The neodymium reacts with acetic acid to form neodymium acetate. As the last step, iodide is given to the solution which forms a blue-colored complex together with the neodymium acetate [11].

3.2 Arsenazo III Assay

4 Bacteria^{MS}

5 Protein Extraction/IR-Spectrometry^{MS}

6 Case Study

7 Evaluation^{MS}

8 Project Management

8.1 Planning

№	Milestone	Date of Achieval
MS_1	Cultivation of Bacteria	09.11.2023
MS_2	Extraction of LanM	07.12.2023
MS_3	Detection of LanM	n/d
MS_4	Binding of LanM to Rare Earth Elements	n/d
MS_5	Separation of Rare Earths from LanM	n/d

8.2 Evaluation^{TD}

When we started to conduct some research for the project in the summer break, we also began simultaneously to plan the work with agile project management methods. As it turned out, doing the project management this way was really helpful. During our work, we encountered a lot of obstacles which we had not thought of before, which resulted in a slower progress than we had previously expected. Using an agile project board made it very easy for us to keep track of all of our work. Even though on some days we had to add more tasks to the *Todo* or *In Progress* than to the *Finished* section.

8.3 Timesheet

8.3.1 Tobias Daxecker

Braunau/Inn, 22.02.2024

Ort, Datum

Tobias Daxecker

Unterschrift

8.3.2 Mathias Standhartinger

Braunau/Inn, 22.02.2024

Ort, Datum

Mathias Standhartinger

Unterschrift

9 Future Work^{MS}

10 Related Work^{TD}

11 Conclusion

Acknowledgements

Listings

List of Figures

1.1	List of all rare earth elements. Those 17 elements can be further categorized into the light rare earth elements (LREEs) and the heavy rare earth elements (HREEs). Picture from REIA / Argus Media.	2
2.1	Precipitation of a successful REE detection reaction. The test tube on the righthandside does not show any precipitation because the probe was deionized water.	4
2.2	Structure of Arsenazo III. On the right you can see how the color of the dye changes with the levels of REE concentration. Picture from "Facile Arsenazo III-based assay for monitoring rare earth element depletion from cultivation media for methanotrophic and methylotrophic bacteria" Hoogendorn et al. [5].	5
2.3	Graphical visualization of Lanmodulins structure. EF indicates the EF hands, this is where the REEs can bind to the protein. In this visualization, the turquoise-colored spheres are Y^{III} ions which are bound to the EF hands. Picture from "The biochemistry of lanthanide acquisition, trafficking and utilization", Emily R. Featherston and Joseph A. Cotruvo [3].	6


Bibliography

- [1] Erik C. Cook, Emily R. Featherston, Scott A. Showalter, and Joseph A. Jr. Cotruvo. Structural basis for rare earth element recognition by methylobacterium extorquens lanmodulin. *Biochemistry*, 58(2):120–125, 2019. PMID: 30352145.
- [2] Joseph A. Jr. Cotruvo, Emily R. Featherston, Joseph A. Mattocks, Jackson V. Ho, and Tatiana N. Laremore. Lanmodulin: A highly selective lanthanide-binding protein from a lanthanide-utilizing bacterium. *Journal of the American Chemical Society*, 140(44):15056–15061, 2018.
- [3] Emily R. Featherston and Joseph A. Cotruvo. The biochemistry of lanthanide acquisition, trafficking, and utilization. *Biochimica et Biophysica Acta (BBA) - Molecular Cell Research*, 1868(1):118864, 2021.
- [4] Yoshiko Fujita, Scott K. McCall, and Daniel Ginosar. Recycling rare earths: Perspectives and recent advances. *MRS Bulletin*, 47(3):283–288, Mar 2022.
- [5] Carmen Hogendoorn, Paula Roszczenko-Jasińska, N Cecilia Martinez-Gomez, Johann de Graaff, Patrick Grassl, Arjan Pol, Huub J M Op den Camp, and Lena J Daumann. Facile arsenazo III-based assay for monitoring rare earth element depletion from cultivation media for methanotrophic and methylotrophic bacteria. *Appl. Environ. Microbiol.*, 84(8), April 2018.
- [6] IEA. Average ghg emissions intensity for production of selected commodities, 2021.
- [7] Simon M. Jowitt, Timothy T. Werner, Zhehan Weng, and Gavin M. Mudd. Recycling of the rare earth elements. *Current Opinion in Green and Sustainable Chemistry*, 13:1–7, 2018. Reuse and Recycling / UN SGDs: How can Sustainable Chemistry Contribute? / Green Chemistry in Education.
- [8] Daniele Paderni, Luca Giorgi, Vieri Fusi, Mauro Formica, Gianluca Ambrosi, and Mauro Micheloni. Chemical sensors for rare earth metal ions. *Coordination Chemistry Reviews*, 429:213639, 2021.
- [9] Axel Schunk. Experiment des monats februar 2015 cer-nachweis, 2015.
- [10] Doris Schüller, Matthias Buchert, Ran Liu, Ste-fanie Dittrich, and Cornelia Merz. *Study on rare earths and their recycling*. Darmstadt, Germany, Öko-Institut e.V., 2011.
- [11] Gerhart Jander und Ewald Blasius und Joachim Strähle. *Lehrbuch der analytischen und präparativen anorganischen Chemie*. Stuttgart: Hirzel, 1995.

CV

Tobias Daxecker

Geburtstag, Geburtsort: 25.11.2004, Braunau am Inn
Schulbildung: Volksschule
Neue Mittelschule
HTL
Praktika: Firmenname, Zeit, Tätigkeit
Anschrift: Adenberg 19
5144, Handenberg
Österreich
E-Mail: tobias.daxecker@htl-braunau.at



Mathias Standhartinger

Geburtstag, Geburtsort: 28.12.2004, Braunau am Inn
Schulbildung: Volksschule
Neue Mittelschule
HTL
Praktika: Firmenname, Zeit, Tätigkeit
Anschrift: Strasse Nummer
PLZ, Ort
Österreich
E-Mail: max@mustermann.com

