

Cross-Protocol Self-Organized Criticality in DeFi Liquidation Cascades: 43,065 Events Across Aave V2, Compound V2, and MakerDAO

Authors

Wan Qinghui (万庆徽)^{1,*}

¹ Independent Research, Structural Isomorphism Project, <https://structural.bytedance.city>

* Correspondence: dada8899@users.noreply.github.com (*placeholder — author affiliation and contact details to be finalized prior to formal submission*)

Abstract

A universality-class claim is only as strong as its cross-instance consistency. We apply a single self-organized-criticality (SOC) analysis pipeline to 43,065 on-chain liquidation events drawn from three architecturally distinct decentralized-finance (DeFi) lending protocols: Aave V2 (auction-based liquidation), Compound V2 (direct liquidation with incentive spread), and MakerDAO’s Dog/Clipper (Liquidation 2.0 via Dutch clipper auctions). Despite completely different liquidation mechanisms, incentive structures, and codebases, the three protocols converge on tightly compatible SOC signatures: Clauset-Shalizi-Newman power-law tail exponents $\alpha = 1.684 \pm 0.010$ (Aave), 1.649 ± 0.016 (Compound), and 1.567 ± 0.015 (MakerDAO) — a cross-protocol spread of 0.12 — and Omori-Utsu aftershock decay at 1-hour aggregation $p = 0.733 \pm 0.045$, 0.761 ± 0.042 , 0.692 ± 0.071 — a spread of 0.07. Every per-protocol power-law fit decisively rejects lognormal and exponential alternatives ($p < 10^{-9}$). Combined with the Phase 1 earthquake validation ($\alpha_E = 1.79$, $p = 0.94$) and the Phase 2 S&P 500 validation ($\alpha_r = 3.00$, $p = 0.29$), this gives a four-way empirical cross-domain comparison in which DeFi liquidations form a tight sub-cluster near earthquake energy exponents and well-separated from continuous-diffusion stock-return exponents — evidence for a “discrete threshold-cascade” sub-class of SOC that covers both geology and decentralized finance.

Keywords

self-organized criticality; DeFi liquidation; Gutenberg-Richter; Omori-Utsu; Aave; Compound; MakerDAO; cross-protocol universality; on-chain analytics; smart contracts

1. Introduction

The Structural Isomorphism project [1, 2] groups seventeen phenomena — earthquakes, DeFi liquidations, bank runs, margin spirals, power-grid cascades, neural avalanches, social cascades — into a single SOC threshold-cascade equivalence class [3, 4] via its V4 Layer 2 community-discovery step. Layers 3-4 attach predictions; Layer 5 tests them. A Phase 1 companion paper [5] validated the analysis stack on USGS earthquakes (ground-truth physics). A Phase 2 companion paper [6] reproduced known econophysics scaling on S&P 500 daily returns. Phase 3 (this paper) takes the flagship step: testing the SOC prediction on DeFi liquidations, the anchor non-physics member of the V4 SOC hub, where no prior published scaling measurement exists.

An earlier v1 draft of this analysis covered only Aave V2 and gave $\alpha = 1.68$ with Omori $p = 0.73$. The present v2 paper extends the analysis to **two additional protocols** (Compound V2 and MakerDAO Liquidation 2.0) with the explicit goal of separating “property of Aave” from “property of DeFi liquidation as an asset class.” If the three protocols give statistically inconsistent exponents, the original Aave result was a protocol-specific artifact; if they converge, the equivalence-class claim holds across implementations.

The contributions are:

1. The first quantitative SOC measurement on three independently-implemented DeFi lending protocols (Aave V2, Compound V2, MakerDAO Dog/Clipper) totaling 43,065 on-chain liquidation events.
2. A pipeline-transfer test: the same Clauset + Omori stack used on USGS earthquakes and Yahoo-Finance stock returns, with no per-protocol tuning.
3. Demonstration that three distinct liquidation mechanisms (auction, direct, Dutch clipper) produce α values within 0.12 of each other and Omori p within 0.07 — a cross-protocol consistency consistent with sharing a universality class.
4. A joint four-phase comparison table placing DeFi liquidations quantitatively into a “discrete threshold” SOC sub-class alongside earthquakes and separated from continuous-diffusion finance returns.

2. Data and Methods

2.1 Three protocol datasets

Aave V2 (auction-based liquidation). The Aave V2 LendingPool proxy at address `0x7d2768dE32b0b80b7a3454c06BdAc94A69DDc7A9` on Ethereum mainnet emits a `LiquidationCall` event with signature `(address indexed collateralAsset, address indexed debtAsset, address indexed user, uint256 debtToCover, uint256 liquidatedCollateralAmount, address`

liquidator, bool receiveAToken). We fetch all such events in the block range 11,362,579 → 19,000,000 (December 2020 to January 2024). Total raw events: 28,943. Stablecoin-debt subset (USDC, DAI, USDT, BUSD, sUSD, TUSD, FRAX, USDP, LUSD): **25,601**.

Compound V2 (direct liquidation). The LiquidateBorrow(address liquidator, address borrower, uint256 repayAmount, address cTokenCollateral, uint256 seizeTokens) event is emitted by the cToken contract corresponding to the debt side of the position. We fetch from cUSDC (0x39AA39c021dfbaE8faC545936693aC917d5E7563), cDAI (0x5d3a536E4D6DbD6114cc1Ead35777bAB948E3643), cUSDT (0xf650C3d88D12dB855b8bf7D11Be6C55A4e07dCC9), cETH (0x4Ddc2D193948926D02f9B1fE9e1daa0718270ED5), and cWBTC2 (0xccF4429DB6322D5C611ee964527D42E5d685DD6a) across the same block window. Total raw: 12,137. Stablecoin-debt subset (cUSDC + cDAI + cUSDT): **11,244**.

MakerDAO Dog (Liquidation 2.0, Dutch clipper auctions). The Dog contract at 0x135954d155898D42C90D2a57824C690e0c7BEf1B emits Bark(bytes32 indexed ilk, address indexed urn, uint256 ink, uint256 art, uint256 due, address clip, uint256 indexed id). Block range 12,486,800 (Dog deployment, May 2021) → 19,000,000. Total events: **1,985**. Size variable: $\text{art} / 10^{\{18\}}$ (normalized DAI debt; exact DAI = $\text{art} \times \text{ilk-rate}$, but the multiplicative rate factor drops out of the power-law exponent fit).

Cumulative total across the three protocols: 43,065 liquidation events.

2.2 Size extraction and filtering

Each protocol gets its own USD-denominated size via a protocol-specific event parser (Section 2.1). Aave and Compound use stablecoin debt amounts ($\text{debtToCover} / 10^{\{\text{decimals}\}}$ and $\text{repayAmount} / 10^{\{\text{decimals}\}}$). MakerDAO uses $\text{art} / 10^{\{18\}}$. Non-stablecoin debt events (e.g., WETH/WBTC debt on Compound cETH and cWBTC2, non-stablecoin ilks on MakerDAO) are excluded from the tail-exponent analysis to keep the size variable homogeneous; they remain in the Omori count analysis, which depends only on event timestamps.

2.3 Power-law fit

Identical to the Phase 1 [5] and Phase 2 [6] pipelines: the powerlaw Python package implementing the Clauset-Shalizi-Newman 2009 continuous power-law fit [7], with auto-selected $x_{\min}$ (KS-distance minimization). The `distribution_compare` function provides likelihood-ratio tests against lognormal, exponential, and truncated-power-law alternatives. The reported α is the pure power-law MLE; the truncated-power-law fit is reported separately as a robustness diagnostic.

2.4 Omori-Utsu fit (multi-scale)

Identical to Phase 2 [6]: identify main-shock bins where the event count exceeds $\mu + 3\sigma$ of the bin-count series, stack the post-shock excess counts, and fit $n(\tau) = K(\tau + c)^{-p}$ by weighted log-linear regression with grid search over c . We test three aggregation scales (1 day, 6 hour, 1 hour) and pick the scale that maximizes the $R^2/\sigma(p)$ tradeoff. For DeFi event rates this is 1 hour for all three protocols.

2.5 Statistical controls

Three controls are explicit: (i) likelihood-ratio tests against lognormal and exponential alternatives for each protocol’s tail fit; (ii) cross-protocol consistency check on the three independent α values; and (iii) a slope-zero null hypothesis test on each Omori fit (rejected at $p < 10^{-9}$ for all three protocols).

3. Results

3.1 Per-protocol power-law exponents

Table 1. Per-protocol Clauset power-law fits on stablecoin-denominated liquidation sizes.

Protocol	Mechanism	Events w/ size	α	$\sigma(\alpha)$	$x_{\min}$ (USD)	n_{tail}	vs. lognormal p	vs. exp p
Aave V2	auction (5% bonus)	25,601	1.684	0.010	17,494	4,771	10^{-21}	10^{-93}
Compound V2	direct (8% bonus)	11,244	1.649	0.016	33,590	1,601	$< 10^{-9}$	$< 10^{-9}$
MakerDAO Dog	Dutch clipper	1,985	1.567	0.015	12,539	1,405	$< 10^{-9}$	$< 10^{-9}$

The three exponents span a range of 0.12 (1.567-1.684). Given individual uncertainties of 0.010-0.016, this range corresponds to 7-12 standard errors across protocols, which is technically heterogeneous in the strict statistical sense but **small on any practical scale**: each protocol’s scaling behavior places it well inside the same ballpark as the other two, and clearly outside the stock-return regime of $\alpha \approx 3$.

Crucially, every protocol rejects lognormal and exponential alternatives by very large margins. The power-law form is not a close call — it wins every comparison on every protocol.

3.2 Per-protocol Omori exponents at 1-hour aggregation

Table 2. Per-protocol Omori fits at 1-hour aggregation (the best $R^2/\sigma(p)$ scale in each case).

Protocol	N_{bins}	N_{main}	p	$\sigma(p)$	R^2
Aave V2	26,916	231	0.733	0.045	0.30
Compound V2	27,291	174	0.761	0.042	0.36
MakerDAO Dog	21,901	86	0.692	0.071	0.24

The three p values span 0.07 (0.692-0.761). All three sit well inside the Lillo-Mantegna 2003 / Petersen et al. 2010 intraday Omori band of 0.7-1.0 (allowing for the different observational cadence between intraday stock data and hourly-aggregated on-chain data). Compound’s $p = 0.76$ sits on top of Aave’s $p = 0.73$; MakerDAO’s $p = 0.69$ is 1.4σ lower but inside the physically meaningful range.

R^2 values of 0.24-0.36 are modest (lower than the 0.99 of Phase 1 [5] but comparable to the 0.71 of Phase 2 [6]) because DeFi event rates are sparse per hourly bin. The slope is, however, far from zero for each protocol — at Compound’s $p = 0.761 \pm 0.042$, the null hypothesis of flat post-shock rate is rejected at approximately 18σ .

3.3 Cross-protocol consistency

The core empirical claim of this paper is the joint observation across Table 1 and Table 2: **three protocols with totally different liquidation mechanics (auction / direct / Dutch clipper), different incentive structures (5% / 8% / per-ilk penalty), different collateral-factor schemes, different debt-accounting conventions (normalized vs. direct), and different smart-contract codebases all converge on $\alpha \in [1.57, 1.68]$ and $p \in [0.69, 0.76]$.**

If the power-law signature were a Aave-mechanism-specific artifact, the three values should not cluster. The observed spread of 0.12 in α and 0.07 in p is much smaller than the 1.3-unit gap between DeFi and stock-return exponents (the cross-domain comparison of Section 3.5), so DeFi lending forms an internally-coherent cluster that is well-separated from other SOC sub-classes.

3.4 Pooled fit (sanity check, not primary claim)

Pooling all three protocols into one size distribution gives $\alpha_{\text{pooled}} = 2.99$ at an x_{min} of \$2.09 million — a strikingly different number driven by the very extreme tail of the combined distribution. This is not a contradiction: mixing distributions with different tail cutoffs can produce a composite with a steeper effective exponent in the far tail. We **do not report the pooled fit as the DeFi SOC exponent**; the per-protocol exponents (1.57-1.68) are the physical answer. The pooled fit is reported for completeness only.

3.5 Joint four-phase comparison

Table 3. Four-phase comparison of the Layer 5 SOC pipeline across all tested systems.

Phase	System	Dataset	Events with size	Tail exponent	Omori p (best scale)	R^2
1 [5]	USGS earthquakes	2020-2025	37,281	$\alpha_E = 1.79 \pm 0.02$	0.941 ± 0.017 (aftershock)	0.99
2 [6]	S&P 500	1990-2025	9,060	$\alpha_r = 3.00 \pm 0.04$	0.286 ± 0.034 (daily)	0.71
3a (this)	Aave V2 DeFi	2020-2024	25,601	$\alpha = 1.684 \pm 0.010$	0.733 ± 0.045 (1-hour)	0.30
3b (this)	Compound V2 DeFi	2020-2024	11,244	$\alpha = 1.649 \pm 0.016$	0.761 ± 0.042 (1-hour)	0.36
3c (this)	MakerDAO Dog	2021-2024	1,985	$\alpha = 1.567 \pm 0.015$	0.692 ± 0.071 (1-hour)	0.24

3.6 Interpretation of the four-phase comparison

Six observations, ordered by strength:

1. **Power-law tails are universal** across all five systems tested: earthquakes, S&P 500, Aave, Compound, MakerDAO. Every per-system fit rejects lognormal and exponential alternatives at $p < 10^{-9}$.
2. **The three DeFi protocols cluster tightly** ($\alpha \in [1.57, 1.68]$) **and cluster near the earthquake exponent** ($\alpha_E = 1.79$). The cross-DeFi spread (0.12) is an order of magnitude smaller than the DeFi-to-stock gap (~ 1.3). This cluster is naturally interpreted as a “discrete threshold cascade” SOC sub-class.
3. **Stock returns sit apart** at $\alpha_r = 3.00$, consistent with the continuous-price-diffusion character of daily equity returns versus the discrete-event character of earthquakes and liquidations. Different microscopic observables, different absolute exponents, but the same functional form.
4. **Omori relaxation holds across every system**, with p spanning 0.29 (daily stocks) to 0.94 (earthquakes). The three DeFi protocols converge to $p \approx 0.7$ at 1-hour aggregation, sitting between the daily-stock slow decay and the seismic canonical $p \approx 1$.
5. **Same pipeline, no tuning, five datasets, two decades of published literature values recovered** — the SOC analysis stack validated on earthquakes [5] and stocks [6] transfers directly to DeFi without protocol-specific adjustments.
6. **The V4 Layer 2 SOC equivalence class has been empirically validated on five instances** (global earthquakes, S&P 500, Aave, Compound, MakerDAO). That is a substantially stronger empirical base than the original V3 pair-level analogy evidence that identified the class in the first place.

4. Discussion

4.1 Mechanism candidates

The Aave-only v1 result showed that Aave V2 liquidations fit SOC; this paper shows that **the SOC structure is a property of the DeFi lending asset class, not of Aave's auction mechanism**. Three protocols with completely different liquidation designs — Aave's incentive-spread auction, Compound's direct-liquidation-with-spread model, MakerDAO's Dutch-clipper price-falling auction — converge on scaling exponents that are practically indistinguishable.

The natural mechanism story is a Motter-Lai-style network-cascade model [8] embedded in an on-chain collateral network: positions become unhealthy when collateral prices fall through their liquidation threshold, the resulting forced sales push prices further, and the cascade propagates until the network stabilizes. Independent realizations of this mechanism — Aave / Compound / MakerDAO — produce the same exponent because the threshold-cascade structure is the universality-controlling feature, not the specific incentive design.

4.2 Universality-class assignment: discrete threshold sub-class

The joint comparison with earthquakes and stock returns is equally important. DeFi ($\alpha \approx 1.6$ -1.7) sits much closer to earthquakes ($\alpha_E = 1.79$) than to stocks ($\alpha_r = 3.00$).

This is not a coincidence — both earthquakes and DeFi liquidations are **discrete threshold-crossing events**, whereas stock returns are **continuous innovations**. The universality class contains a “discrete threshold” sub-cluster and a “continuous diffusion” sub-cluster, and the automatic V4 Layer 2 Louvain community detection on our pair-level isomorphism graph already found this structure (separating Motter-Lai network cascades from Diamond-Dybvig self-fulfilling equilibria). The multi-protocol validation here supports that split empirically.

4.3 Implications

This matters for three reasons. First, it retires the worry that the v1 Aave result was mechanism-specific; the cross-protocol cluster is tight enough to rule that out. Second, it elevates the equivalence-class claim from “this one protocol happens to fit a scaling law” to “this asset class exhibits universality across implementations,” which is the standard physics-literature threshold for claiming a universality class holds. Third, it opens a productive research program: if Aave, Compound, and MakerDAO all give $\alpha \approx 1.6$ and $p \approx 0.7$, then **any new lending protocol's liquidation tail should also give these numbers** — a falsifiable prediction on future DeFi protocols.

Practical implications we do not yet claim but the data make plausible: the rich SOC-based risk-management machinery from seismology (precursor volatility, branching-process aftershock forecasting, mean-field critical-point estimation) is structurally tractable for on-chain DeFi risk. This paper does not port any of that; it provides the empirical base.

5. Limitations

1. **Cross-protocol α is technically heterogeneous.** With $\sigma(\alpha) \approx 0.010\text{-}0.016$ per protocol, the 0.12 spread corresponds to 7-12 standard errors. Statistical tests would reject exact equality of the three α values. Our claim is that the spread is small relative to the DeFi-to-stock gap and small enough to be consistent with a single universality class with protocol-level microscopic variations. We do not claim the three are statistically indistinguishable.
2. **MakerDAO art size proxy.** MakerDAO's true debt is $\text{art} \times \text{ilk_rate}$. The rate varies by ilk (ETH-A, WBTC-A, etc.) and accrues over time. For power-law exponents the multiplicative factor drops out, but cross-protocol **absolute-scale** comparisons between Aave USD and MakerDAO "art $\times$ rate" would require exact rate data, which we have not fetched.
3. **Compound non-stablecoin debt.** cETH and cWBTC liquidations (≈ 890 events) are fetched but excluded from the α fit because we do not convert them to USD in this pipeline. This biases the Compound sample toward stablecoin-debt events. If ETH-debt liquidations have systematically different sizes, our Compound α could be biased by a small amount. Future work should include historical WETH/WBTC oracle prices.
4. **Truncated power law dominates pure power law** for every protocol (truncated-PL log-likelihood ratio > 10). All three tails have finite cutoffs corresponding to the largest on-platform positions. This is expected for finite-size systems and does not undermine the scaling claim within the tail, but the α we report is the best pure-power-law fit; the true microstructure has a cutoff.
5. **Single L1 chain.** All three protocols are Ethereum mainnet only. Cross-chain versions of the same protocols (Aave on Polygon, Compound on Base, etc.) are not included. Whether L2 liquidations show the same exponents is an open question.
6. **No sub-hourly Omori.** The 1-hour aggregation wins the R^2/σ tradeoff on our data, but we did not test 15-minute or 5-minute bins, which could sharpen p at the cost of zero inflation.
7. **No main-shock threshold sweep.** The threshold is fixed at $\mu + 3\sigma$ for Omori; we did not scan over 2, 2.5, 3.5, 4σ as a robustness check.

6. Conclusion

Three architecturally distinct DeFi lending protocols — Aave V2 (auction), Compound V2 (direct), MakerDAO (Dutch clipper) — totaling 43,065 on-chain liquidation events converge on SOC scaling exponents within 0.12 (α) and 0.07 (Omori p) of each other. This convergence is robust to differences in incentive structure, debt accounting, and codebase. Combined with the earthquake and stock-return phases of this pipeline, the four-way comparison places DeFi liquidations in a "discrete threshold-cascade" SOC sub-cluster alongside earthquakes, well-separated from continuous-diffusion stock-return scaling. The Structural Isomorphism V4

SOC equivalence class is empirically validated on five instances, and a falsifiable prediction is now on the record for any future DeFi lending protocol: its liquidation tail should give $\alpha \approx 1.6$ and Omori $p \approx 0.7$ at 1-hour aggregation.

Data Availability

All raw and processed data are at the Structural Isomorphism project repository, v4/validation/soc-defi/ (<https://github.com/dada8899/structural-isomorphism>). Specifically, the per-protocol JSONL files (aave_v2_liquidations.jsonl, compound_v2_liquidations.jsonl, maker_dog_liquidations.jsonl) contain the raw on-chain event data. The underlying Ethereum events are also retrievable directly from any archival Ethereum node via `eth_getLogs` on the contract addresses listed in Section 2.1.

Code Availability

All analysis scripts are at the same repository (v4/validation/soc-defi/):

```
python3 fetch_aave_liquidations.py      # Aave V2 LiquidationCall
fetcher
python3 fetch_compound_liquidations.py  # Compound V2
LiquidateBorrow fetcher (5 cTokens)
python3 fetch_maker_liquidations.py     # MakerDAO Dog Bark
fetcher
python3 analyze_multiprotocol.py        # unified per-protocol +
pooled analysis
```

Dependencies: `numpy`, `powerlaw`, `requests`, `pycryptodome` on Python 3.9 or later. Commit hash for the analysis in this paper: see repository tag v4/phase3-defi-2026-04-16.

Acknowledgments

We thank the Aave, Compound Labs, and MakerDAO teams for publishing their smart-contract code and event schemas openly. The Ethereum archival-node ecosystem (Infura, Alchemy, public RPC endpoints) makes this kind of cross-protocol historical analysis feasible at zero cost. The Phase 1 [5] and Phase 2 [6] companion papers established the pipeline that this paper applies. AI assistance (Anthropic Claude Opus 4.x via Claude Code; DeepSeek for cross-check on prose drafts) was used in code drafting, prose polishing, and literature triangulation; all data-analysis decisions, numerical results, and scientific claims are the author’s responsibility. No funding was received for this work.

References

[1] Structural Isomorphism Project, “V1-V4 architecture: cross-domain universality-class identification,” project documentation, <https://structural.bytedance.city> (2026).

- [2] Structural Isomorphism Project, “V1-V4 snapshot,” Zenodo (2026), DOI: 10.5281/zenodo.19547879.
- [3] P. Bak, C. Tang, and K. Wiesenfeld, “Self-organized criticality: An explanation of $1/f$ noise,” *Phys. Rev. Lett.* **59**, 381 (1987).
- [4] Z. Olami, H. J. S. Feder, and K. Christensen, “Self-organized criticality in a continuous, nonconservative cellular automaton modeling earthquakes,” *Phys. Rev. Lett.* **68**, 1244 (1992).
- [5] Q. Wan, “Recovering self-organized criticality on a global earthquake catalog: A reproducible pipeline for cross-domain universality-class identification,” Structural Isomorphism Project Phase 1 (2026).
- [6] Q. Wan, “Cross-domain self-organized criticality: Inverse cubic law and Omori decay on thirty-five years of S&P 500 daily returns,” Structural Isomorphism Project Phase 2 (2026).
- [7] A. Clauset, C. R. Shalizi, and M. E. J. Newman, “Power-law distributions in empirical data,” *SIAM Rev.* **51**, 661 (2009).
- [8] A. E. Motter and Y.-C. Lai, “Cascade-based attacks on complex networks,” *Phys. Rev. E* **66**, 065102 (2002).
- [9] F. Omori, “On the after-shocks of earthquakes,” *J. Coll. Sci., Imperial Univ. Tokyo* **7**, 111 (1894).
- [10] T. Utsu, Y. Ogata, and R. S. Matsu’ura, “The centenary of the Omori formula for a decay law of aftershock activity,” *J. Phys. Earth* **43**, 1 (1995).
- [11] F. Lillo and R. N. Mantegna, “Power-law relaxation in a complex system: Omori law after a financial market crash,” *Phys. Rev. E* **68**, 016119 (2003).
- [12] A. M. Petersen, F. Wang, S. Havlin, and H. E. Stanley, “Market dynamics immediately before and after financial shocks: Quantifying the Omori, productivity, and Bath laws,” *Phys. Rev. E* **82**, 036114 (2010).
- [13] P. Gopikrishnan, M. Meyer, L. A. N. Amaral, and H. E. Stanley, “Inverse cubic law for the distribution of stock price variations,” *Eur. Phys. J. B* **3**, 139 (1998).
- [14] K. Qin, L. Zhou, and A. Gervais, “An empirical study of DeFi liquidations: Incentives, risks, and instabilities,” in *Proc. ACM Internet Measurement Conf. (IMC ’21)* (2021).
- [15] D. Perez, S. M. Werner, J. Xu, and B. Livshits, “Liquidations: DeFi on a knife-edge,” in *Financial Cryptography 2021* (2021).
- [16] Aave Team, “Aave Protocol V2 Whitepaper,” <https://github.com/aave/aave-protocol> (2020).
- [17] Compound Labs, “Compound V2 Whitepaper,” <https://compound.finance/documents/Compound.Whitepaper.pdf> (2019).

- [18] MakerDAO, “Liquidation 2.0 specification: Dog and Clipper detailed documentation,” <https://docs.makerdao.com/smart-contract-modules/dog-and-clipper-detailed-documentation> (2021).
- [19] L. Heimbach, E. Schertenleib, and R. Wattenhofer, “Risks and returns of uniswap V3 liquidity providers,” in *AFT '22* (2022).
- [20] L. Gudgeon, D. Perez, D. Harz, B. Livshits, and A. Gervais, “The decentralized financial crisis,” in *Crypto Valley Conf. on Blockchain Technology* (2020).
- [21] M. E. J. Newman, “Power laws, Pareto distributions and Zipf’s law,” *Contemp. Phys.* **46**, 323 (2005).
- [22] D. L. Turcotte, “Self-organized criticality,” *Rep. Prog. Phys.* **62**, 1377 (1999).
- [23] J. P. Sethna, K. A. Dahmen, and C. R. Myers, “Crackling noise,” *Nature* **410**, 242 (2001).
- [24] D. Sornette, *Critical Phenomena in Natural Sciences*, 2nd ed. (Springer, 2006).
- [25] D. W. Diamond and P. H. Dybvig, “Bank runs, deposit insurance, and liquidity,” *J. Polit. Econ.* **91**, 401 (1983).
- [26] V. D. Blondel, J.-L. Guillaume, R. Lambiotte, and E. Lefebvre, “Fast unfolding of communities in large networks,” *J. Stat. Mech.* P10008 (2008).
- [27] J. Davidsen and D. Sornette, “What controls power-law statistics in earthquakes?” *J. Geophys. Res.* **120**, 8203 (2015).
- [28] T. Hanks and H. Kanamori, “A moment magnitude scale,” *J. Geophys. Res.* **84**, 2348 (1979).
- [29] K. Aki, “Maximum likelihood estimate of b in the formula $\log N = a - bM$ and its confidence limits,” *Bull. Earthquake Res. Inst., Univ. Tokyo* **43**, 237 (1965).
- [30] X. Gabaix, P. Gopikrishnan, V. Plerou, and H. E. Stanley, “A theory of power-law distributions in financial market fluctuations,” *Nature* **423**, 267 (2003).
- [31] M. Stutzer, “The statistical mechanics of asset prices,” in *Differential Equations, Dynamical Systems and Control Science* (Marcel Dekker, 1994).
- [32] R. Auer and S. Claessens, “Regulating cryptocurrencies: Assessing market reactions,” *BIS Quarterly Review*, September 2018.
- [33] Wood Gavin, “Ethereum: A secure decentralised generalised transaction ledger,” Ethereum Yellow Paper (2014, revised).
- [34] V. Buterin, “A next-generation smart contract and decentralized application platform,” Ethereum White Paper (2014).
- [35] N. Atzei, M. Bartoletti, and T. Cimoli, “A survey of attacks on Ethereum smart contracts,” in *POST 2017* (2017).