



TEST REPORT

Applicant : TOUCHBEAUTY BEAUTY & HEALTH (SHENZHEN) CO., LTD
Address : 29/F, Block B, Tiley Central Business Plaza, Haide 3rd Road, Nanshan District, Shenzhen, China

Report on the submitted samples said to be:

Sample Name(s) : Heated Eyelash Curler
Trade Mark : TOUCHBeauty
Tested Model No. : TB-1859
Sample Received Date : July 4, 2025
Testing Period : July 4, 2025 ~ July 9, 2025
Date of Report : July 9, 2025
Testing Location : Room 101-106/202-206, Building 037, No.166, Jinghua Road, Meixu Street, Ningbo High-tech Zone, Yinzhou District, Ningbo, Zhejiang, China
Results : Please refer to next page(s).



TEST REQUEST	CONCLUSION
As specified by client, based on the performed tests on submitted sample, the result of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, Dibutyl Phthalate(DBP), Butylbenzyl Phthalate(BBP), Di-2-ethylhexyl Phthalate(DEHP) and Diisobutyl phthalate(DIBP) content comply with the limits set by RoHS Directive 2011/65/EU with amendment (EU) 2015/863.	PASS

Signed for and on behalf of LCS



Miranda Mo /Laboratory Manager

TRF-4-R-010 A/0



Ningbo LCS Standard Technology Service Co., Ltd.

(Legal Entity: Ningbo LCS Standard Technology Service Co., Ltd.)

Add: Room 101-106/202-206, Building 037, No.166, Jinghua Road, Meixu Street,

Ningbo High-tech Zone, Yinzhou District, Ningbo, Zhejiang, China

Tel: +(86) 0574-8790 8011

E-mail: webmaster@lcs-cert.com

http:// www.lcs-cert.com

Scan code to check authenticity

**Results:****A. EU RoHS Directive 2011/65/EU and its amendment directives**

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Sample No.	Sample Description	Results						Date of sample submission/ Resubmission
		Cd	Pb	Hg	Cr▼	Br▼		
						PBBs	PBDEs	
1	White plastic	BL	BL	BL	X	BL	BL	2025-07-04
2	Black plastic	BL	BL	BL	BL	BL	BL	2025-07-04
3	Grey soft plastic	BL	BL	BL	BL	/	/	2025-07-04
4	Black sticker	BL	BL	BL	BL	BL	BL	2025-07-04
5	Screw	BL	BL	BL	BL	BL	BL	2025-07-04
6	Screw	BL	BL	BL	BL	BL	BL	2025-07-04
7	PCB	BL	BL	BL	BL	BL	BL	2025-07-04
8	Screw	BL	BL	BL	BL	BL	BL	2025-07-04
9	Screw	BL	BL	BL	BL	BL	BL	2025-07-04
10	Grey plastic	BL	BL	BL	BL	BL	BL	2025-07-04
11	Beige plastic	BL	BL	BL	BL	/	/	2025-07-04
12	Soldering	BL	BL	BL	BL	/	/	2025-07-04
13	Transparent plastic	BL	BL	BL	BL	BL	BL	2025-07-04
14	PCB	BL	BL	BL	BL	BL	BL	2025-07-04
15	White plastic	BL	BL	BL	BL	BL	BL	2025-07-04
16	Black plastic	BL	BL	BL	BL	BL	BL	2025-07-04
17	Brown resistor	BL	BL	BL	BL	/	/	2025-07-04
18	Black IC	BL	BL	BL	BL	BL	BL	2025-07-04
19	Glass	BL	BL	BL	BL	BL	BL	2025-07-04
20	Sticker	BL	BL	BL	BL	BL	BL	2025-07-04

TRF-4-R-010 A/0



Ningbo LCS Standard Technology Service Co., Ltd.

(Legal Entity: Ningbo LCS Standard Technology Service Co., Ltd.)

Add: Room 101-106/202-206, Building 037, No.166, Jinghua Road, Meixu Street,

Ningbo High-tech Zone, Yinzhou District, Ningbo, Zhejiang, China

Tel: +(86) 0574-8790 8011

E-mail: webmaster@lcs-cert.com

http:// www.lcs-cert.com

Scan code to check authenticity



Note:

1. Results were obtained by XRF for primary screening, and further chemical testing by ICP(for Cd, Pb, Hg), UV-Vis(for Cr(VI)) and GC-MS(for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013(Unit: mg/kg).

Element	Polymers	Metals	Composite material
Cd	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$BL \leq (70-3\sigma) < X < (130+3\sigma) \leq OL$	$LOD < X < (150+3\sigma) \leq OL$
Pb	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Hg	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (700-3\sigma) < X < (1300+3\sigma) \leq OL$	$BL \leq (500-3\sigma) < X < (1500+3\sigma) \leq OL$
Cr	$BL \leq (700-3\sigma) < X$	$BL \leq (700-3\sigma) < X$	$BL \leq (500-3\sigma) < X$
Br	$BL \leq (300-3\sigma) < X$	N/A	$BL \leq (250-3\sigma) < X$

Remark:

- BL= Below Limit
 - OL= Over Limit
 - X= The range of needing to do further testing
 - 3σ = The reproducibility of analytical instruments
 - N/A= Not applicable
 - LOD= Detection limit
2. The XRF screening test for RoHS elements – The reading may be different to the actual content in the sample be of non-uniformity composition.
 3. The maximum permissible limit is quoted from the document RoHS Directive 2011/65/EU with amendment (EU) 2015/863.
 4. ▼=For restricted substances PBBs and PBDEs, the results show the total Br content, the restricted substance was Cr(VI), and the results showed the total Cr content.

TRF-4-R-010 A/0



Ningbo LCS Standard Technology Service Co., Ltd.
(Legal Entity: Ningbo LCS Standard Technology Service Co., Ltd.)
Add: Room 101-106/202-206, Building 037, No.166, Jinghua Road, Meixu Street,
Ningbo High-tech Zone, Yinzhou District, Ningbo, Zhejiang, China
Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | [http:// www.lcs-cert.com](http://www.lcs-cert.com)
Scan code to check authenticity



RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)
Cadmium(Cd)	100
Lead(Pb)	1000
Mercury(Hg)	1000
Hexavalent Chromium(Cr(VI))	1000
Polybrominated biphenyls(PBBs)	1000
Polybrominated diphenylethers(PBDEs)	1000
Dibutyl Phthalate(DBP)	1000
Butylbenzyl Phthalate(BBP)	1000
Di-(2-ethylhexyl) Phthalate(DEHP)	1000
Diisobutyl phthalate(DIBP)	1000

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes. The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

TRF-4-R-010 A/0



Ningbo LCS Standard Technology Service Co., Ltd.
(Legal Entity: Ningbo LCS Standard Technology Service Co., Ltd.)
Add: Room 101-106/202-206, Building 037, No.166, Jinghua Road, Meixu Street,
Ningbo High-tech Zone, Yinzhou District, Ningbo, Zhejiang, China
Tel: +(86) 0574-8790 8011 | E-mail: webmaster@lcs-cert.com | [http:// www.lcs-cert.com](http://www.lcs-cert.com)
Scan code to check authenticity

**B. EU RoHS Directive 2011/65/EU with amendment (EU) 2015/863 on Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent Chromium(Cr(VI)), PBBs, PBDEs, DBP, BBP, DEHP & DIBP content**Test method:

Hexavalent Chromium(Cr(VI)) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, analysis was performed by UV-visible spectrophotometer (UV-Vis).

Phthalates(DBP, BBP, DEHP & DIBP) Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS).

1) The test results of Hexavalent Chromium(Cr(VI))

Tested Items	MDL (mg/kg)	Results (mg/kg)	Limit (mg/kg)
		1	
Hexavalent Chromium(Cr(VI)) Content	8	N.D.	1000

2) The test results of Phthalates(DBP, BBP, DEHP & DIBP)

Tested Items	MDL (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		1	4+5+14+15+16	
Dibutyl Phthalate(DBP) Content	50	N.D.	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	N.D.	1000

Tested Items	MDL (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		6+7+8+10+13	9	
Dibutyl Phthalate(DBP) Content	50	N.D.	N.D.	1000
Butylbenzyl Phthalate(BBP) Content	50	N.D.	N.D.	1000
Di-(2-ethylhexyl) Phthalate(DEHP) Content	50	N.D.	N.D.	1000
Diisobutyl phthalate(DIBP) Content	50	N.D.	N.D.	1000

TRF-4-R-010 A/0



Ningbo LCS Standard Technology Service Co., Ltd.

(Legal Entity: Ningbo LCS Standard Technology Service Co., Ltd.)

Add: Room 101-106/202-206, Building 037, No.166, Jinghua Road, Meixu Street,

Ningbo High-tech Zone, Yinzhou District, Ningbo, Zhejiang, China

Tel: +(86) 0574-8790 8011

E-mail: webmaster@lcs-cert.com

http:// www.lcs-cert.com

Scan code to check authenticity



Note:

- MDL = Method Detection Limit
- N.D. = Not Detected (<MDL or LOQ)
- mg/kg = milligrams per kilogram
- LOQ = Limit Of Quantification, The LOQ of Hexavalent chromium is $0.10 \mu\text{g}/\text{cm}^2$
- ★ = a. The sample is positive for Cr(VI) if the Cr(VI) concentration is greater than $0.13 \mu\text{g}/\text{cm}^2$. The sample coating is considered to contain Cr(VI).
b. The sample is negative for Cr(VI) if Cr(VI) is N.D.(concentration less than $0.10 \mu\text{g}/\text{cm}^2$). The sample coating is considered a non- Cr(VI) based coating.
c. The result between $0.10 \mu\text{g}/\text{cm}^2$ and $0.13 \mu\text{g}/\text{cm}^2$ is considered to be inconclusive, unavoidable coating variations may influence the determination.
- Information on storage conditions and production date of the tested samples is unavailable and thus Cr(VI) results represent status of the sample at the time of testing.
- According to customer's requirement, only the appointed materials have been tested.







Test Process

1. Hexavalent Chromium(Cr(VI))

1) IEC 62321-7-2:2017




2. Phthalates(DBP, BBP, DEHP & DIBP) : IEC 62321-8:2017





The photo(s) of the sample



TRF-4-R-010 A/0



Ningbo LCS Standard Technology Service Co., Ltd.

(Legal Entity: Ningbo LCS Standard Technology Service Co., Ltd.)

Add: Room 101-106/202-206, Building 037, No.166, Jinghua Road, Meixu Street,

Ningbo High-tech Zone, Yinzhou District, Ningbo, Zhejiang, China

Tel: +(86) 0574-8790 8011

E-mail: webmaster@lcs-cert.com

http:// www.lcs-cert.com

Scan code to check authenticity



Blank



**Statement:**

1. The test report is invalid without the signature of the approver and the special seal for the company's report;
2. The company name, address and sample information shown on the report were provided by the applicant who should be responsible for the authenticity which are not verified by LCS;
3. The test results in this report are only responsible for the tested samples;
4. Without written approval of LCS, this report can't be reproduced except in full;
5. In case of any discrepancy between the corresponding Chinese and English contents in the test report, the Chinese version shall prevail.

*** End of Report ***

