Generated by Scopus AI, Wed Jun 17 2026

Surface topography metrology and measurement uncertainty

Advances and Challenges in Surface Topography Metrology: Power Spectral Density, Roughness Characterization, and Measurement Uncertainty

Quick Reference

Key Findings Table

Theme	Key Advances	Limitations	Citations
Multi-technique Integration	Combining AFM, stylus, optical methods for robust PSD and multiscale roughness	Data fusion, instrument artifacts	1 2 3
Uncertainty Quantification	Detrending, windowing, filtering, iterative regularization	Standardization, artifact correction	4 5 6
Inverse Problem Approaches	Iterative regularization, advanced signal processing	Parameter selection, solution stability	4 7 8
Transfer Functions & Tip Convolution	BPRA calibration, morphological filtering, deconvolution	Nonlinear effects, model limitations	9 10 11
Spatial Frequency Analysis	PSD + multifractal, MSF error mitigation, machine learning	Areal data integration, MSF characterization	12 13 14

Direct Answer

State-of-the-art surface topography metrology leverages PSD analysis and advanced preprocessing across AFM, stylus profilometry, and optical interferometry for robust roughness characterization and uncertainty quantification. Compensation for tip convolution, transfer functions, and noise is achieved via physical calibration (e.g., BPRA) and computational algorithms (iterative regularization, morphological filtering). Inverse problem approaches and integrated signal processing refine phase extraction and minimize uncertainty. Machine learning is increasingly applied to mitigate mid-spatial-frequency errors, especially in complex freeform optics, though challenges remain in merging profile-based and areal analyses and fully characterizing MSF contributions.

Study Scope

- **Time Period:** Focus on advances from the last decade, with emphasis on the past five years.

- **Disciplines:** Surface metrology, optical engineering, signal processing, materials science.
- **Methods:** Meta-analysis of empirical studies, integration of multi-technique measurements, computational modeling, statistical validation, machine learning.

Assumptions & Limitations

- Assumes access to high-quality, multi-modal measurement data.
- Limitations in standardization of calibration protocols across instruments.
- Challenges in fully integrating areal (3D) and profile (2D) data.
- Nonlinear and material-dependent effects in contact mechanics and tip convolution.
- Machine learning models require extensive training data and validation.

Suggested Further Research

- Development of integrated models connecting areal and profile data for MSF error resolution.
- Standardized calibration protocols for tip convolution and transfer function correction.
- Autonomous surface finishing systems combining real-time metrology and machine learning.
- Robust uncertainty quantification frameworks for multi-technique measurements.

1. Introduction

Surface topography metrology is foundational for understanding and controlling the functional properties of engineered surfaces, impacting fields from precision optics to tribology and manufacturing. Power spectral density (PSD) analysis has emerged as a central tool for roughness characterization, offering statistical robustness and multiscale insights. However, measurement uncertainty—arising from instrument artifacts, noise, and data processing—remains a persistent challenge. This report synthesizes advances in stylus and optical profilometry, system transfer function analysis, inverse problem approaches, and spatial frequency analysis, highlighting both theoretical foundations and practical solutions for robust surface metrology [15] [16] [17].

Scope and Motivation

Comprehensive surface topography characterization is motivated by the need for accurate roughness metrics and reliable uncertainty quantification, which underpin industrial quality control, optical performance, and scientific research. The integration of multiple measurement techniques and advanced computational methods is driving progress, yet gaps remain in standardization and multiscale analysis [15] [16] [17].

2. Theoretical Frameworks

Power Spectral Density and Roughness Characterization

State-of-the-Art PSD Analysis Methods

- PSD analysis provides unbiased statistical information, enabling quantitative prediction of surface properties (adhesion, friction) [18].
- Multiscale analysis requires combining AFM, WLI, and stylus profilometry to cover spatial scales from nanometers to millimeters [1] [2] [3].
- PSD and autocorrelation functions quantify asperity curvature, density, and fractal characteristics, critical for industrial finishing and contact mechanics [19].
- Preprocessing (detrending, windowing) is essential to remove artifacts and improve PSD accuracy [13].
- Fractal and k-correlation models applied to PSD data extract correlation length and fractal dimension [20] [21].
- Multifractal spectrum analysis enhances defect detection sensitivity, complementing PSD [22].
- PSD segregates roughness contributions by wavelength, identifying dominant features (e.g., fibers in paper) [23].
- Fractal dimension alone is insufficient; combined spectral and parameter-based analyses are needed [15].

Advances in PSD Preprocessing: Detrending and Windowing

- Nonlinear median filtering and detrending remove spike-like outliers and macroscopic curvature, improving intrinsic roughness spectrum recovery [24].
- Tailored windowing functions (e.g., generalized Welch window) reduce spectral leakage and systematic errors [25] [26].
- Weighted gamma regression and despiking methods enhance error estimation and feature extraction [27] [28].
- Open-access digital surface twin platforms standardize PSD and autocorrelation calculations [29].

Multiscale Spectral Methods: Asperity Curvature and Fractal Analysis

- PSD is the Fourier transform of the autocorrelation function, enabling analytical modeling in 1D, 2D, and 3D [30].

- Multiscale spectral methods estimate correlation distances, fractal dimension, and Hurst exponent, describing self-affine asperities [19] [31].
- Higher moments of the power spectrum relate to functional parameters (asperity curvature, density) [19] [32].
- Fractal geometry distinguishes deterministic and random textures from different finishing techniques [31] [32].

Integration of PSD and Multifractal Spectrum Methods

- Combining PSD and multifractal spectrum (MFS) methods enhances defect detection sensitivity, capturing both global and local surface heterogeneity [22].
- Localized PSD analysis on AFM data, combined with MFS, reveals subtle defects and process effects [22] [33].
- Data processing (smoothing, noise reduction) improves sensitivity and accuracy [34] [35].

Combining AFM, WLI, and Stylus Profilometry for Multiscale PSD

- Integration covers up to five orders of magnitude in spatial scale, providing comprehensive surface description [1] [2] [3].
- Each technique has unique frequency range and resolution limits; their combination compensates for individual weaknesses [36] [37] [38].
- Systematic errors (tip dilation, noise, artifacts) require correction and careful preprocessing [39] [40] [41].
- Enhanced spatial correlation length in PSD analysis enables better quantification of lateral and vertical roughness [21].

Synthesis: PSD analysis, especially when combined with multifractal methods and multi-technique measurements, provides a robust framework for surface roughness characterization. Advances in preprocessing and spectral modeling are improving accuracy and sensitivity, though challenges remain in data fusion and artifact correction [1] [2] [3].

3. Methods & Data Transparency

Measurement Uncertainty in Stylus and Optical Profilometry

Sources and Manifestations of Measurement Uncertainty

- Stylus profilometers: Uncertainty arises from tip geometry, contact pressure, sampling variability, and

orientation errors [16] [42] [43] [44].

- Optical profilometry: Artifacts from local surface slopes, calibration challenges, and topography fidelity issues [16] [43] [45] [46] [47] [48].
- Stylus instruments act as nonlinear, lowpass filters, limiting high-frequency detail capture [11].
- Uncertainty in calibration is influenced by specimen geometry and surface roughness [49].
- Virtual instrument modeling and simulation estimate uncertainty by accounting for systematic errors [50].

Impact of Stylus Tip Geometry and Contact Mechanics

- Larger tip radii increase peak curvature and affect roughness parameters, but differences are often within expanded uncertainty [51] [52].
- Mechanical filtration effects reduce amplitude and hybrid parameters, especially on rough surfaces [53].
- Smaller tip radii are recommended for delicate materials to reduce damage risk [54].
- Tip geometry and contact force are critical for measurement reliability, especially for soft materials [55].

Calibration Protocols for Optical Profilometry

- Binary pseudo-random array (BPRA) standards enable uniform instrument transfer function calibration across spatial frequencies [56] [57].
- Angular-resolved scattering and ultra-precision turned artifacts provide robust calibration for complex surfaces [58].
- Model-based error separation using Zernike polynomials reduces calibration errors for aspherical lenses [59].
- Phase transfer function effects and image distortions are mitigated via calibrated lookup tables [60].

Statistical Validation of Profilometry Data

- Correlation and regression analysis demonstrate strong agreement between stylus and optical profilometry (97% R^2) [61].
- Weighted least squares, Gaussian process, and machine learning methods improve data fusion and validation [62].
- Zernike polynomial fitting and iterative error compensation enhance measurement accuracy [63].

- ANOVA and post hoc testing differentiate surface roughness parameters [64].

Synthesis: Measurement uncertainty is multifactorial, with stylus and optical profilometry each presenting unique challenges. Advances in calibration, statistical validation, and virtual modeling are improving reliability, but standardization and artifact correction remain critical gaps [61] [62] [64].

4. Critical Analysis of Findings

Impact of Measurement System Transfer Functions and Tip Convolution

Influence of Transfer Functions, Tip Convolution, and Contact Mechanics

- Contact deformations under measurement force cause errors, especially in thin, flexible, or soft materials [65] [66] [67].
- Transfer functions reveal spatial frequency-dependent effects, influencing roughness characterization [68].
- Optical and stylus instruments exhibit deviations due to transfer characteristics and tip convolution [43] [69] [70].
- AFM tip convolution leads to imperfect probing and errors, particularly on corrugated surfaces [71].
- Calibration using transfer functions and morphological filtering improves measurement fidelity [46] [69].

Contact Mechanics Models for Deformation-Induced Errors

- Elastic-viscoplastic models quantify deformation-induced errors, enabling compensation in stylus profilometry [72].
- Empirical models predict surface deformation under varying scanning speeds and forces [73].
- Analytical and numerical approaches estimate contact stiffness and deformation in thin films [74].
- Models account for elastic-plastic responses, correcting nanoindentation measurements [75].

Characterization and Compensation of System Transfer Functions

- BPRA gratings and arrays provide effective MTF calibration across spatial frequencies [9] [76] [77].
- 3D optical transfer function modeling enhances signal analysis and system calibration [78] [79].
- Chirp material measures and geometric fitting enable reliable determination of spatial transfer behavior [80].
- Frequency-based transfer functions discriminate signals by spatial frequency, improving feature analysis

81 .

Tip Convolution Effects and Correction Algorithms

- Tip convolution distorts roughness parameters, with correction algorithms (deconvolution, blind reconstruction) mitigating artifacts 82 83 84 .
- Universal correction curves adjust for tip size effects on roughness and height bias 85 .
- Mathematical models estimate nonlinear distortion, defining limits of measurement accuracy 10 .
- International algorithms improve traceability and uncertainty evaluation in surface roughness metrology 86 .

Morphological Filtering and Calibration Techniques

- Morphological filters (disk, line segment) extract form, waviness, and roughness components, outperforming conventional filters 87 88 89 .
- Calibration using instrument transfer function and software standards improves traceability 46 .
- Pseudorandom binary arrays enable direct 2D calibration of MTF 77 .

Synthesis: Measurement system transfer functions, tip convolution, and contact mechanics are major sources of error and uncertainty. Advances in calibration, modeling, and filtering are mitigating these effects, but nonlinearities and material dependencies require further research 9 10 11 .

5. Real-world Implications

Inverse Problem Approaches and Signal Processing in Optical Interferometric Profilometry

Inverse Problem Frameworks and Uncertainty Propagation

- Iterative regularization (CGLS, MR2, ART, Nu) solves ill-posed inverse problems, with uncertainty propagation assessed via numerical Jacobians and Monte Carlo methods 4 .
- Regularization parameter selection (L-curve, chi-squared) suppresses noise-induced uncertainty and improves solution stability 90 91 .
- Inverse problem frameworks combine likelihood and regularization terms for robust image reconstruction 92 .

Signal Processing Techniques for Phase Extraction

- Data-dependent system profilometry (DDSP) outperforms Fourier-transform profilometry (FTP) in

reproducing detailed profiles [93] [94].

- Multi-frequency phase-shifting and temporal phase unwrapping improve accuracy and robustness [95] [96].
- S-transform and advanced wavelet methods enhance phase extraction, handling noise and non-sinusoidal waveforms [97] [98].

Homodyne vs. Heterodyne Demodulation: Noise and Accuracy

- Heterodyne methods offer high sensitivity and robustness, but suffer from noise and interchannel interference; improved setups enhance stability [99] [100].
- Homodyne detection achieves high phase resolution but is affected by chromatic dispersion [101].
- Both methods provide comparable accuracy in practical applications, with trade-offs in noise robustness [102] [103].

Computer-Generated Holograms in Complex Surface Metrology

- CGHs enable high-accuracy measurement of complex optical surfaces, surpassing traditional interferometry [104] [105] [106].
- Customized reference wavefronts match complex geometries, facilitating measurement of challenging surfaces [107] [108] [109].
- Systematic error analysis and compensation maintain high accuracy [105] [110].

Regularization Parameter Selection and Solution Stability

- Empirical Bayes and Bayesian Information Criterion adjust regularization based on noise and prior suitability [111].
- L-curve and compact chi-squared principles suppress uncertainty in over-determined problems [91].
- Prior and posterior strategies balance stability and accuracy, with trade-offs depending on noise levels [112].

Synthesis: Inverse problem approaches and advanced signal processing are refining phase extraction and uncertainty quantification in optical interferometric profilometry. CGHs and robust regularization methods extend measurement capabilities and solution stability, though parameter selection and noise handling remain areas for improvement [4] [104].

6. Future Research Directions

Gaps and Emerging Solutions in Spatial Frequency Analysis and Noise Handling

Current Gaps and Challenges in Spatial Frequency Analysis

- MSF errors are difficult to specify, tolerate, and mitigate; traditional roughness parameters are inadequate for complex textures [113] [114] [115].
- Transition from profile (2D) to areal (3D) characterization increases complexity, requiring new metrological approaches [116].
- Instrument limitations necessitate complementary methods for full spatial frequency coverage [117].
- Noise, especially high-frequency, distorts measurements; filtering algorithms are essential but not universally effective [118].

Novel Algorithms for Mid-Spatial Frequency Error Mitigation

- Perturbation models and machine learning algorithms (SVR, GPR) reduce MSF errors, improving optical performance [119] [120] [121].
- Unified surface description methods stitch amplitude and phase spectra across magnifications [12].
- Simulation and experimental approaches link manufacturing parameters to MSF error characteristics [122] [123].

Effectiveness of Noise Filtering Techniques

- FFT filtering excels at removing high-frequency noise and harmonic interferences [6] [124].
- Gaussian filters reduce noise but may blur boundaries; median filters suppress impulse noise [125] [126].
- Spline filters preserve surface texture parameters and reduce processing time [127] [128].
- Combined wavelet and FFT filtering yields superior results but is computationally intensive [129] [130].

Integrated Mathematical Models for 3D Areal Feature Characterization

- Model-based approaches combine autocorrelation, spectral analysis, and spatial models for feature identification [131].
- PSD analysis is increasingly standardized for multiscale 3D roughness characterization [132].
- Slicing methods and fractal parameters distinguish finishing techniques better than traditional roughness metrics [15].

Transition from Profile-Based to Areal Surface Characterization

- High-speed AFM and areal data maps enable comprehensive characterization [133].
- Instrumental transfer functions and PSD analysis are critical for accurate comparison and calibration [13] [134].
- Additive manufacturing creates material measures for calibration, supporting uncertainty evaluation frameworks [135] [136].

Machine Learning for MSF Error Mitigation in Freeform Optics

- Machine learning integrated with robotic smoothing adapts polishing force and patterns, reducing MSF errors [120] [137].
- Optimization of polishing parameters and path direction enhances MSF error control [137] [138].
- Real-time metrology systems provide feedback for dynamic adjustment [139].

Modeling and Predicting MSF Errors in High-Order Freeform Designs

- Workflows classify MSF distributions, filter signatures, and propagate errors for performance prediction [140].
- Zernike polynomials characterize and predict optical performance degradation due to MSF errors [14] [141] [142].
- Desensitization strategies in optical design reduce sensitivity to MSF errors [143].

Synthesis: Emerging solutions in spatial frequency analysis and noise handling include perturbation models, machine learning, and integrated mathematical frameworks. The transition to areal characterization and real-time feedback systems is improving MSF error mitigation, though standardization and comprehensive integration remain research priorities [12] [13] [14].

7. Conclusion and Future Directions

Summary of Key Insights

- Multi-technique integration and advanced PSD analysis are central to robust surface roughness characterization.
- Measurement uncertainty is being addressed through improved calibration, statistical validation, and virtual modeling.
- Transfer functions, tip convolution, and contact mechanics are major sources of error, with advances in calibration and filtering mitigating their effects.

- Inverse problem approaches and signal processing are refining phase extraction and uncertainty quantification in optical profilometry.
- Machine learning and integrated models are emerging as powerful tools for MSF error mitigation and 3D areal feature characterization.

Outlook and Research Opportunities

- Standardization of calibration protocols for tip convolution and transfer function correction is needed.
- Integrated models connecting areal and profile data will resolve MSF errors and improve multiscale analysis.
- Autonomous surface finishing systems combining real-time metrology and machine learning could revolutionize tailored surface functionalities.
- Robust uncertainty quantification frameworks for multi-technique measurements will enhance reliability and traceability.

Synthesis: The field is advancing rapidly, with robust approaches emerging to tackle noise, uncertainty, and instrument-specific artifacts. Inverse problem frameworks, enhanced signal processing, and machine learning are refining phase extraction and defect detection. Gaps remain in integrating areal data and managing MSF errors, highlighting opportunities for standardization and development of integrated algorithms bridging measurement techniques [7] [15] [16] [17] [65].

References

1. Wide-scale surface characterization by combination of scanning force microscopy, white light interferometry and light scattering Gliech, Stefan, Duparre, Angela, Recknagel, Rolf-Juergen, Notni, Gunther Proceedings of SPIE - The International Society for Optical Engineering, 1999 https://www.scopus.com/pages/publications/0032683311?origin=scopusAI

2. Wide scale surface measurement using white light interferometry and atomic force microscopy Recknagel, R.-J., Feigl, T., Duparré, A., Notni, G. Proceedings of SPIE - The International Society for Optical Engineering, 1998 https://www.scopus.com/pages/publications/57649135140?origin=scopusAI

3. High resolution topometry in conjunction with macro structures Duparré, A., Notni, G., Recknagel, R.-J., (...), Gliech, S. Technisches Messen, 1999 https://www.scopus.com/pages/publications/0042262922?origin=scopusAI

4. Iterative Regularisation and Uncertainty Propagation in Solving Ill-Posed Problems: A GOCE-Based Regional Gravity Field Modelling Eshagh, M. Pure and Applied Geophysics, 2026 https://www.scopus.com/pages/publications/105035323477?origin=scopusAI

5. Systematic errors in the measurement of power spectral density Mack, C.A. Journal of

Micro/Nanolithography, MEMS, and MOEMS, 2013
https://www.scopus.com/pages/publications/84892703245?origin=scopusAI

6. Thresholding Methods for Reduction in Data Processing Errors in the Laser-Textured Surface Topography Measurements Podulka, P. Materials, 2022 https://www.scopus.com/pages/publications/85137139490?origin=scopusAI

7. Image reconstruction in optical interferometry Thiébaut, E. Optics InfoBase Conference Papers, 2011
https://www.scopus.com/pages/publications/85006918288?origin=scopusAI

8. Image reconstruction in optical interferometry Thiébaut, E. Optics InfoBase Conference Papers, 2011
https://www.scopus.com/pages/publications/84894044202?origin=scopusAI

9. Binary pseudo-random patterned structures for modulation transfer function calibration and resolution characterization of a full-field transmission soft x-ray microscope Yashchuk, V.V., Fischer, P.J., Chan, E.R., (...), Babin, S. Review of Scientific Instruments, 2015
https://www.scopus.com/pages/publications/84950159640?origin=scopusAI

10. Nonlinear distortion in atomic force microscopy (AFM) measurements Hahlweg, C., Gruhlke, M., Rothe, H. Measurement Science and Technology, 2009
https://www.scopus.com/pages/publications/70350643585?origin=scopusAI

11. Nonlinear characteristics of a stylus profilometer Wilson, S.R., Al-Jumaily, G.A., McNeil, J.R. Proceedings of SPIE - The International Society for Optical Engineering, 1987
https://www.scopus.com/pages/publications/84961289243?origin=scopusAI

12. Topography stitching in the spatial frequency domain for the representation of mid-spatial frequency errors Sekman, Y., Trost, M., Lammers, T., (...), Schröder, S. Applied Optics, 2022
https://www.scopus.com/pages/publications/85140186091?origin=scopusAI

13. Standardization of methods for extracting statistics from surface profile measurements Takacs, P.Z. Proceedings of SPIE - The International Society for Optical Engineering, 2014
https://www.scopus.com/pages/publications/84937241513?origin=scopusAI

14. Considering a Zernike polynomial representation for spatial frequency content of optical surfaces Hosseinimakarem, Z., Aryan, H., Davies, A., Evans, C. Optics InfoBase Conference Papers, 2015
https://www.scopus.com/pages/publications/85136445040?origin=scopusAI

15. Surface characterisation by parameter-based technique, slicing method and PSD analysis Czifra, Á., Goda, T., Garbayo, E. Measurement: Journal of the International Measurement Confederation, 2011
https://www.scopus.com/pages/publications/79953799534?origin=scopusAI

16. Some considerations about the use of contact and confocal microscopy methods in surface texture measurement García, J.C., Lobera, A.S., Maresca, P., (...), Wang, C. Materials, 2018
https://www.scopus.com/pages/publications/85055833663?origin=scopusAI

17. Characterisation of individual areal features Senin, N., Blunt, L. Characterisation of Areal Surface Texture, 2013 https://www.scopus.com/pages/publications/84929915252?origin=scopusAI

18. Quantitative characterization of surface topography using spectral analysis Jacobs, T.D.B., Junge, T., Pastewka, L. Surface Topography: Metrology and Properties, 2017
https://www.scopus.com/pages/publications/85018512431?origin=scopusAI

19. Spectral Approach on Multiscale Roughness Characterization of Nominally Rough Surfaces Panda, S., Panzade, A., Sarangi, M., Roy Chowdhury, S.K. Journal of Tribology, 2017 https://www.scopus.com/pages/publications/84992726997?origin=scopusAI

20. Analyzing atomic force microscopy images using spectral methods Fang, S.J., Haplepete, S., Chen, W., (...), Edwards, H. Journal of Applied Physics, 1997 https://www.scopus.com/pages/publications/0000963652?origin=scopusAI

21. Surface roughness measurements using power spectrum density analysis with enhanced spatial correlation length Gong, Y., Misture, S.T., Gao, P., Mellott, N.P. Journal of Physical Chemistry C, 2016 https://www.scopus.com/pages/publications/84990050306?origin=scopusAI

22. Comparative study of surface roughness with power spectral density and multifractal spectrum Gan, S., Zhou, Q., Hong, Y., (...), Fu, S. Proceedings of SPIE - The International Society for Optical Engineering, 2007 https://www.scopus.com/pages/publications/39049128971?origin=scopusAI

23. Power Spectrum Analysis of Surface Roughness for Paper and Paperboard Lee, Y.J., Cha, J.E., Kim, H.J., Moon, B.G. Palpu Chongi Gisul/Journal of Korea Technical Association of the Pulp and Paper Industry, 2023 https://www.scopus.com/pages/publications/85182526491?origin=scopusAI

24. On the Artifacts Involved in the Measurements of Engineering 3D Topography and a Correction Method Popov, M., Popov, V.L., Lyashenko, I. Applied Sciences (Switzerland), 2026 https://www.scopus.com/pages/publications/105038631620?origin=scopusAI

25. Spectral Analysis of Topography as Proxy for Lineament Analysis Dichiarante, A.M., Torgersen, E., Redfield, T., (...), Oye, V. Journal of Geophysical Research: Solid Earth, 2025 https://www.scopus.com/pages/publications/85217054609?origin=scopusAI

26. More systematic errors in the measurement of power spectral density Mack, C.A. Proceedings of SPIE - The International Society for Optical Engineering, 2015 https://www.scopus.com/pages/publications/84931027516?origin=scopusAI

27. On the nature and propagation of errors in roughness parameters obtained from spectral analysis of atomic force microscopy topographic images Chrostowski, R., Mangolini, F. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2022 https://www.scopus.com/pages/publications/85137597035?origin=scopusAI

28. 2D Surface Roughness Quantification for Enhanced Petrophysical Applications Singer, G., Ma, S.M., Chen, S., Eid, M. SPE Journal, 2023 https://www.scopus.com/pages/publications/85165428746?origin=scopusAI

29. Contact.engineering—Create, analyze and publish digital surface twins from topography measurements across many scales Röttger, M.C., Sanner, A., Thimons, L.A., (...), Pastewka, L. Surface Topography: Metrology and Properties, 2022 https://www.scopus.com/pages/publications/85139148467?origin=scopusAI

30. Analytic form for the power spectral density in one, two, and three dimensions Mack, C.A. Journal of Micro/Nanolithography, MEMS, and MOEMS, 2011 https://www.scopus.com/pages/publications/84863579733?origin=scopusAI

31. The relation between fractal signature and topography parameters: A numerical and experimental study Prajapati, D.K., Tiwari, M. Surface Topography: Metrology and Properties, 2018 https://www.scopus.com/pages/publications/85064067614?origin=scopusAI

32. Role of fractal geometry in roughness characterization and contact mechanics of surfaces Majumdar, A., Bhushan, B. Journal of Tribology, 1990 https://www.scopus.com/pages/publications/0025414841?origin=scopusAI

33. Localized power spectral density analysis on atomic force microscopy images for advanced patterning applications Moussa, A., Saib, M., Paolillo, S., (...), Leray, P. Proceedings of SPIE - The International Society for Optical Engineering, 2019 https://www.scopus.com/pages/publications/85067665440?origin=scopusAI

34. Setting up a proper power spectral density (PSD) and autocorrelation analysis for material and process characterization Rutigliani, V., Lorusso, G.F., De Simone, D., (...), Mack, C.A. Proceedings of SPIE - The International Society for Optical Engineering, 2018 https://www.scopus.com/pages/publications/85046491306?origin=scopusAI

35. Setting up a proper power spectral density and autocorrelation analysis for material and process characterization Rutigliani, V., Lorusso, G.F., De Simone, D., (...), Mack, C.A. Journal of Micro/Nanolithography, MEMS, and MOEMS, 2018 https://www.scopus.com/pages/publications/85056751013?origin=scopusAI

36. Surface metrology tools support quality needs Lara, H., Anderson, G. Quality, 2007 https://www.scopus.com/pages/publications/34249899383?origin=scopusAI

37. Comparison of optical surface roughness measured by stylus profiler, AFM, and white light interferometer using power spectral density Chen, J., Sun, T., Wang, J. Proceedings of SPIE - The International Society for Optical Engineering, 2010 https://www.scopus.com/pages/publications/78650000546?origin=scopusAI

38. Power spectral densities: A multiple technique study of different Si wafer surfaces Marx, E., Malik, I.J., Strausser, Y.E., (...), Stover, J.C. Journal of Vacuum Science and Technology B: Microelectronics and Nanometer Structures, 2002 https://www.scopus.com/pages/publications/0036124943?origin=scopusAI

39. Spectral analysis of irregular roughness artifacts measured by atomic force microscopy and laser scanning microscopy Chen, Y., Luo, T., Ma, C., (...), Gao, S. Microscopy and Microanalysis, 2014 https://www.scopus.com/pages/publications/84919465752?origin=scopusAI

40. Cross-check of different techniques for two-dimensional power spectral density measurements of x-ray optics Yashchuk, V.V., Irick, S.C., Gullikson, E.M., (...), Warwick, T. Proceedings of SPIE - The International Society for Optical Engineering, 2005 https://www.scopus.com/pages/publications/31844444631?origin=scopusAI

41. More systematic errors in the measurement of power spectral density Mack, C.A. Journal of Micro/Nanolithography, MEMS, and MOEMS, 2015 https://www.scopus.com/pages/publications/84937232118?origin=scopusAI

42. COMPUTER SIMULATION TO ASSESS THE EFFECT OF STYLUS GEOMETRY ON SURFACE METROLOGY. Li, C.J., Devries, W.R. Manufacturing Engineering Transactions, 1984 https://www.scopus.com/pages/publications/0021631454?origin=scopusAI

43. The accuracy of fast 3D topography measurements Ohlsson, R., Wihlborg, A., Westberg, H. International Journal of Machine Tools and Manufacture, 2001 https://www.scopus.com/pages/publications/0035479657?origin=scopusAI

44. An appraisal of errors of orientation and sampling in the estimation of parameters of rough surfaces O'callaghan, M., Thwaite, E.G. Wear, 1972 https://www.scopus.com/pages/publications/49649130853?origin=scopusAI

45. Comparison of methods for management of measurement errors in surface topography measurements Maculotti, G., Genta, G., Quagliotti, D., (...), Galetto, M. Procedia CIRP, 2023 https://www.scopus.com/pages/publications/85173579210?origin=scopusAI

46. Calibration and adjustment of areal surface topography measuring instruments Leach, R., Giusca, C. Recent Advances in Topography Research, 2013 https://www.scopus.com/pages/publications/84895268380?origin=scopusAI

47. Advances in calibration methods for micro- and nanoscale surfaces Leach, R.K., Giusca, C.L., Coupland, J.M. Proceedings of SPIE - The International Society for Optical Engineering, 2012 https://www.scopus.com/pages/publications/84862291656?origin=scopusAI

48. Metrological-Characteristics-Based Calibration of Optical Areal Surface Measuring Instruments and Evaluation of Measurement Uncertainty for Surface Texture Measurements Gao, S., Felgner, A., Brand, U. Instruments, 2025 https://www.scopus.com/pages/publications/105008874263?origin=scopusAI

49. Uncertainties in calibrating a stylus type surface texture measuring instrument with an interferometrically measured step Clayton Teague, E. Metrologia, 1978 https://www.scopus.com/pages/publications/0017918149?origin=scopusAI

50. Virtual instruments for surface topography measurements Van Veghel, M.G.A., Koops, K.R. Proceedings of the 10th Anniversary International Conference of the European Society for Precision Engineering and Nanotechnology, EUSPEN 2008, 2008 https://www.scopus.com/pages/publications/84908321735?origin=scopusAI

51. Assessment of the effect of stylus tip radius on milled, bored, and honed surfaces Souza, C.C., Arantes, L.J., Piratelli-Filho, A., Arencibia, R.V. International Journal of Advanced Manufacturing Technology, 2019 https://www.scopus.com/pages/publications/85068823801?origin=scopusAI

52. The effect of stylus tip radius on Ra, Rq, Rp, Rv, and Rt parameters in turned and milled samples dos Santos Motta Neto, W., Leal, J.E.S., Arantes, L.J., Arencibia, R.V. International Journal of Advanced Manufacturing Technology, 2018 https://www.scopus.com/pages/publications/85053240553?origin=scopusAI

53. Effect of Simulated Mechanical Filtration by the Stylus Tip on Changes in the Parameters of Areal Surface Texture Reizer, R., Dzierwa, A., Żelasko, W., Pawlus, Z. Materials, 2025 https://www.scopus.com/pages/publications/105004892011?origin=scopusAI

54. Comparison of surface roughness measurements by stylus profiler, AFM and non-contact optical profiler Poon, C.Y., Bhushan, B. Wear, 1995 https://www.scopus.com/pages/publications/0029409945?origin=scopusAI

55. Effects of a stylus on the surface roughness determination in a contact method for paper and paperboard Jeong, H.S., Ko, Y.C., Kim, H.-J. Nordic Pulp and Paper Research Journal, 1986 https://www.scopus.com/pages/publications/85074766621?origin=scopusAI

56. Binary pseudo-random array (BPRA) for inspection and calibration for cylindrical wavefront interferometry Munechika, K., Rochester, S., Chao, W., (...), Yashchuk, V.V. Proceedings of SPIE - The

International Society for Optical Engineering, 2023
https://www.scopus.com/pages/publications/85176267654?origin=scopusAI

57. Binary pseudo-random array standards for calibration of 3D optical surface profilers used for metrology with significantly curved x-ray optics Munechika, K., Yamada, K., Rochester, S., (...), Yashchuk, V.V. Proceedings of SPIE - The International Society for Optical Engineering, 2024
https://www.scopus.com/pages/publications/85208596504?origin=scopusAI

58. Traceable functional characterization of surface topography with angular-resolved scattering light measurement Eifler, M., Brodmann, B., Hansen, P.E., Seewig, J. Surface Topography: Metrology and Properties, 2021 https://www.scopus.com/pages/publications/85116091139?origin=scopusAI

59. Model based error separation of power spectral density artefacts in wavefront measurement Haberl, A., Harsch, A., Fütterer, G., (...), Osten, W. Proceedings of SPIE - The International Society for Optical Engineering, 2018 https://www.scopus.com/pages/publications/85055623282?origin=scopusAI

60. Contribution of the phase transfer function of extended measurement cavities to mid spatial frequencies and the overall error budget Fütterer, G., Liebl, J., Haberl, A. Proceedings of SPIE - The International Society for Optical Engineering, 2018 https://www.scopus.com/pages/publications/85051950362?origin=scopusAI

61. A comparison between contact type profilometer and different 3D optical techniques: A case study in characterization of machined surface structures Demircioglu, P., Durakbasa, N.M., Tan, O. Quality - Access to Success, 2012 https://www.scopus.com/pages/publications/84870714617?origin=scopusAI

62. Applications of data fusion in optical coordinate metrology: a review Zhang, Z.M., Catalucci, S., Thompson, A., (...), Piano, S. International Journal of Advanced Manufacturing Technology, 2023
https://www.scopus.com/pages/publications/85143144564?origin=scopusAI

63. Measurement of complex surfaces using precision coordinate measuring machine with Zernike algorithms Tam, J.M.Y., Wong, H., Han, Y., (...), Chow, H. Measurement Science and Technology, 2025
https://www.scopus.com/pages/publications/105006890492?origin=scopusAI

64. Surface metrology of bone surface attachments of knee ligaments Hoehmann, C.L., Beatty, B.L. Anatomical Record, 2022 https://www.scopus.com/pages/publications/85107754327?origin=scopusAI

65. Influence of flexible body contact deformation on the linear dimension measurement precision Avišane, A., Rudzitis, J., Upitis, G., Vilcans, J. Solid State Phenomena, 2013
https://www.scopus.com/pages/publications/84879932038?origin=scopusAI

66. Contact deformations under the influence of measurement force Avisane, A., Avisans, D. Procedia Engineering, 2015 https://www.scopus.com/pages/publications/84937031303?origin=scopusAI

67. Contact deformations under the influence of measurement force Avisane, A., Avisans, D. Energy Procedia, 2015 https://www.scopus.com/pages/publications/84925144156?origin=scopusAI

68. The use of multiscale transfer functions for understanding the impact of successive mechanical treatments on surface topography Marteau, J., Paulin, C., Bigerelle, M. Tribology International, 2017
https://www.scopus.com/pages/publications/85018773865?origin=scopusAI

69. Surface scattering and the 3D transfer characteristics of optical profilometers Coupland, J., Nikolaev, N. Proceedings of SPIE - The International Society for Optical Engineering, 2020

https://www.scopus.com/pages/publications/85100543488?origin=scopusAI

70. Transfer characteristics of optical profilers with respect to rectangular edge and step height measurement Xie, W., Hagemeier, S., Bischoff, J., (...), Lehmann, P. Proceedings of SPIE - The International Society for Optical Engineering, 2017 https://www.scopus.com/pages/publications/85029148467?origin=scopusAI

71. Quantitative surface roughness determination of materials by AFM: Some limitations Méndez-Vilas, A., Nuevo, M.J., González-Martin, M.L., Labajos-Broncano, L. Materials Science Forum, 2002 https://www.scopus.com/pages/publications/0036956721?origin=scopusAI

72. Step height measurement of microscale thermoplastic polymer specimens using contact stylus profilometry Li, Z., Brand, U., Ahbe, T. Precision Engineering, 2016 https://www.scopus.com/pages/publications/84978012492?origin=scopusAI

73. Towards quantitative modelling of surface deformation of polymer micro-structures under tactile scanning measurement Li, Z., Brand, U., Ahbe, T. Measurement Science and Technology, 2014 https://www.scopus.com/pages/publications/84896785701?origin=scopusAI

74. Effective elastic modulus of film-on-substrate systems under normal and tangential contact Gao, Y.F., Xu, H.T., Oliver, W.C., Pharr, G.M. Journal of the Mechanics and Physics of Solids, 2008 https://www.scopus.com/pages/publications/38749147660?origin=scopusAI

75. Effect of surface detection error due to elastic–plastic deformation on nanoindentation measurements of elastic modulus and hardness Fulco, S., Wolf, S., Jakes, J.E., (...), Turner, K.T. Journal of Materials Research, 2021 https://www.scopus.com/pages/publications/85105539153?origin=scopusAI

76. Binary pseudo-random gratings and arrays for calibration of modulation transfer functions of surface profilometers Barber, S.K., Anderson, E.D., Cambie, R., (...), Yashchuk, V.V. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010 https://www.scopus.com/pages/publications/77950819414?origin=scopusAI

77. Development of pseudorandom binary arrays for calibration of surface profile metrology tools Barber, S.K., Soldate, P., Anderson, E.H., (...), Yashchuk, V.V. Journal of Vacuum Science and Technology B: Microelectronics and Nanometer Structures, 2009 https://www.scopus.com/pages/publications/72849139484?origin=scopusAI

78. The three-dimensional transfer function in surface topography measurement by coherence scanning interferometry Rosenthal, F., Pahl, T., Eckhardt, T., (...), Lehmann, P. Technisches Messen, 2026 https://www.scopus.com/pages/publications/105041025657?origin=scopusAI

79. Concept and application of the three-dimensional transfer function in optical surface topography measurement Rosenthal, F., Pahl, T., Eckhardt, T., (...), Lehmann, P. Technisches Messen, 2025 https://www.scopus.com/pages/publications/105013332266?origin=scopusAI

80. Towards a continuous frequency band chirp material measure for surface topography measuring instrument calibration Eifler, M., Hering, J., Keksel, A., (...), Seewig, J. Proceedings of SPIE - The International Society for Optical Engineering, 2021 https://www.scopus.com/pages/publications/85109366539?origin=scopusAI

81. Enhancing visualization with real-time frequency-based transfer functions Vuçini, E., Patel, D., Gröller, M.E. Proceedings of SPIE - The International Society for Optical Engineering, 2011 https://www.scopus.com/pages/publications/79951874158?origin=scopusAI

82. Influences of geometrical factors on quantitative surface roughness evaluations by atomic force microscopy Chen, Y., Huang, W. Journal of Nanoscience and Nanotechnology, 2009 https://www.scopus.com/pages/publications/67649243296?origin=scopusAI

83. Deconvolution of tip affected atomic force microscope images and comparison to Rutherford backscattering spectrometry Tabet, M.F., Urban III, F.K. Journal of Vacuum Science and Technology B: Microelectronics and Nanometer Structures, 1997 https://www.scopus.com/pages/publications/5844266920?origin=scopusAI

84. Algorithms for scanned probe microscope image simulation, surface reconstruction, and tip estimation Villarrubia, J.S. Journal of Research of the National Institute of Standards and Technology, 1997 https://www.scopus.com/pages/publications/8744234038?origin=scopusAI

85. Nanoscale roughness and bias in step height measurements by atomic force microscopy Seah, M.P. Measurement Science and Technology, 2013 https://www.scopus.com/pages/publications/84874289233?origin=scopusAI

86. Investigating the Impact of Probe Geometry Characteristics on the Ra in the International Metrology Comparison of Surface Roughness Wang, K., Zhang, S., Pi, L., (...), Shi, Y. 2023 2nd International Conference on Optical Imaging and Measurement, ICOIM 2023, 2023 https://www.scopus.com/pages/publications/85191324072?origin=scopusAI

87. Surface characterization by morphological filtering León, F.P., Beyerer, J. Technisches Messen, 2005 https://www.scopus.com/pages/publications/33745806839?origin=scopusAI

88. Algorithm for Constructing a Morphological Disk Filter for Analyzing Surface Roughness Markov, B.N., Melikova, O.N., Shulepov, A.V. Measurement Techniques, 2017 https://www.scopus.com/pages/publications/85027674977?origin=scopusAI

89. Filters for contour measurement Volk, R., Ville, J.F. Wear, 2008 https://www.scopus.com/pages/publications/37549052530?origin=scopusAI

90. Selection of regularization parameter for optical topography Correia, T., Gibson, A., Schweiger, M., Hebden, J. Journal of Biomedical Optics, 2009 https://www.scopus.com/pages/publications/70349232446?origin=scopusAI

91. Compact discrepancy and chi-squared principles for over-determined inverse problems Pisarenco, M., Setija, I.D. Journal of Inverse and Ill-Posed Problems, 2017 https://www.scopus.com/pages/publications/85020443118?origin=scopusAI

92. Image reconstruction in optical interferometry Thiébaut, E., Giovannelli, J.-F. IEEE Signal Processing Magazine, 2010 https://www.scopus.com/pages/publications/84897457934?origin=scopusAI

93. Comparison of Fourier-transform and data-dependent system profilometry by use of interferometric regeneration Pandit, S.M., Chan, D.P. Applied Optics, 1999 https://www.scopus.com/pages/publications/0001108255?origin=scopusAI

94. Data-dependent systems profilometry of two-dimensional surfaces Pandit, S.M., Chan, D.P. Applied Optics, 1999 https://www.scopus.com/pages/publications/0013448369?origin=scopusAI

95. Phase extraction accuracy comparison based on multi-frequency phase-shifting method in fringe projection profilometry Wang, J., Yang, Y. Measurement: Journal of the International Measurement

Confederation, 2022 https://www.scopus.com/pages/publications/85132755715?origin=scopusAI

96. Noise-induced phase error comparison in multi-frequency phase-shifting profilometry based on few fringes Wang, J., Yang, Y., Xu, P., Liu, J. Optics and Laser Technology, 2023 https://www.scopus.com/pages/publications/85144434301?origin=scopusAI

97. S-transform application in phase extraction of spectrally resolved interferometry measuring step height Luo, W., He, Y., Tang, Y., Cheng, X. Applied Optics, 2022 https://www.scopus.com/pages/publications/85122954083?origin=scopusAI

98. Comparison of Fourier transform, windowed Fourier transform, and wavelet transform methods for phase extraction from a single fringe pattern in fringe projection profilometry Huang, L., Kemao, Q., Pan, B., Asundi, A.K. Optics and Lasers in Engineering, 2010 https://www.scopus.com/pages/publications/70449535654?origin=scopusAI

99. A Comparison of electronic heterodyne moire deflectometry and electronic heterodyne holographic interferometry for flow measurements Decker, A.J., Stricker, J. SAE Technical Papers, 1985 https://www.scopus.com/pages/publications/85072458797?origin=scopusAI

100. Low-Noise Stabilization of Demodulation in Fiber-Optic Hydrophones Using Heterodyne Algorithm with Non-Polarization-Maintaining Optical Path and Serial Acousto-Optic Modulation Cai, B., Xiao, L., Chen, X. Guangxue Xuebao/Acta Optica Sinica, 2024 https://www.scopus.com/pages/publications/85199927004?origin=scopusAI

101. Influence of chromatic dispersion on a dual-wavelength passive-homodyne detection method for fiber-coupled interferometers Giovannini, H.R., Huard, S.J., Lequime, M.R. Applied Optics, 1994 https://www.scopus.com/pages/publications/0028440599?origin=scopusAI

102. Development of an optical system for non-contact type measurement of heart rate and heart rate variability Gondane, J., Panse, M.S. Applied System Innovation, 2021 https://www.scopus.com/pages/publications/85112672998?origin=scopusAI

103. A Review on Recent Advances in Signal Processing in Interferometry Wang, Y., Zhao, F., Luo, L., Li, X. Sensors, 2025 https://www.scopus.com/pages/publications/105014276522?origin=scopusAI

104. New Applications of Computer Generated Holograms for Optical Testing Burge, J., Ament, S., Zhao, C. Optical Fabrication and Testing in Proceedings Optica Design and Fabrication Congress 2023, IODC, OFT - Part of Optica Design and Fabrication Congress, 2023 https://www.scopus.com/pages/publications/85193063663?origin=scopusAI

105. Optical testing with computer generated holograms: Comprehensive error analysis Zhao, C., Burge, J.H. Proceedings of SPIE - The International Society for Optical Engineering, 2013 https://www.scopus.com/pages/publications/84888153322?origin=scopusAI

106. Computer generated holograms for the optical shop testing of aspheres Schreiner, R., Herrmann, T., Röder, J., (...), Falkenstörfer, O. Proceedings of SPIE - The International Society for Optical Engineering, 2005 https://www.scopus.com/pages/publications/28844481083?origin=scopusAI

107. Applications of computer-generated holograms for interferometric measurement of large aspheric optics Burge, James H. Proceedings of SPIE - The International Society for Optical Engineering, 1995 https://www.scopus.com/pages/publications/0029201509?origin=scopusAI

108. Experience of computer generated holograms (CGH) application for testing, alignment, and positioning of astronomical and space mirrors aspherical surfaces Semenov, A.P., Abdulkadyrov, M.A., Dobrikov, N.S., (...), Nasyrov, R.K. Proceedings of SPIE - The International Society for Optical Engineering, 2019 https://www.scopus.com/pages/publications/85077971501?origin=scopusAI

109. Computer-generated holograms for precision optical testing Wei, X., He, Y., Xu, K., (...), Chai, L. Proceedings of SPIE - The International Society for Optical Engineering, 2016 https://www.scopus.com/pages/publications/85002301287?origin=scopusAI

110. Analysis of the current status of research on accuracy traceability based on computational holographic detection technology(inner cover paper) Li, J., Cheng, Q., Wang, X., (...), Zhang, X. Hongwai yu Jiguang Gongcheng/Infrared and Laser Engineering, 2024 https://www.scopus.com/pages/publications/85203412481?origin=scopusAI

111. Adjustment of regularization in ill-posed linear inverse problems by the empirical Bayes approach Mitsuhata, Y. Geophysical Prospecting, 2004 https://www.scopus.com/pages/publications/2442506848?origin=scopusAI

112. Influence of noise to PCS particle sizing with Tikhonov Regularization inverse algorithm Jin, S., Yanting, C., Qiuyan, H., (...), Jingling, S. Proceedings of SPIE - The International Society for Optical Engineering, 2009 https://www.scopus.com/pages/publications/62649087121?origin=scopusAI

113. Analyzing and mitigating mid-spatial frequency errors Kiontke, S.R., Fuchs, U. Optics InfoBase Conference Papers, 2019 https://www.scopus.com/pages/publications/85077297684?origin=scopusAI

114. The use of advanced 3D surface metrology for the characterisation of epi-wafers and Si structures Blunt, L., Armstrong, J., Blunt, R. Physica Status Solidi C: Conferences, 2005 https://www.scopus.com/pages/publications/27344449182?origin=scopusAI

115. On the use of RMS roughness for surface roughness characterization Méndez-Vilas, A., Nuevo, M.J., González-Martín, M.L., Labajos-Broncano, L. Materials Science Forum, 2002 https://www.scopus.com/pages/publications/0036947051?origin=scopusAI

116. Paradigm shifts in surface metrology. Part II. The current shift Jiang, X., Scott, P.J., Whitehouse, D.J., Blunt, L. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2007 https://www.scopus.com/pages/publications/36348938633?origin=scopusAI

117. Characterization of optical surfaces for the present generations of synchrotron sources Thomasset, M., Polack, F. Proceedings of SPIE - The International Society for Optical Engineering, 2008 https://www.scopus.com/pages/publications/57549107686?origin=scopusAI

118. Selection of Methods of Surface Texture Characterisation for Reduction of the Frequency-Based Errors in the Measurement and Data Analysis Processes Podulka, P. Sensors, 2022 https://www.scopus.com/pages/publications/85122925688?origin=scopusAI

119. Simple estimates for the effects of mid-spatial-frequency surface errors on image quality Youngworth, R.N., Stone, B.D. Applied Optics, 2000 https://www.scopus.com/pages/publications/0037816641?origin=scopusAI

120. Force controlled mid-spatial frequency error smoothing using machine learning Coniglio, J., Beck, J., Odle, J., (...), Degroote Nelson, J. Proceedings of SPIE - The International Society for Optical Engineering, 2022 https://www.scopus.com/pages/publications/85140053310?origin=scopusAI

121. Power spectral density analysis of mid-spatial frequency errors in the BK7 glass lens polishing process Lo, Y.-H., Lin, J.-T., Mao, Y.-Z., (...), Liu, C.-W. Applied Optics, 2024 https://www.scopus.com/pages/publications/85202294134?origin=scopusAI

122. Simulation of MSF-errors using Fourier transformation Pohl, M., Bielke, U., Boerret, R., (...), Kukso, O. Proceedings of SPIE - The International Society for Optical Engineering, 2018 https://www.scopus.com/pages/publications/85056457482?origin=scopusAI

123. Simulation of MSF errors using Fourier transform Pohl, M., Boerret, R., Rascher, R., Kukso, O. Proceedings of SPIE - The International Society for Optical Engineering, 2018 https://www.scopus.com/pages/publications/85051997348?origin=scopusAI

124. Processing remote sensing images using the 2-D FFT - noise reduction and other applications Watson, K. Geophysics, 1993 https://www.scopus.com/pages/publications/0027788387?origin=scopusAI

125. Peculiarities of Pre-Processing of Tomographic Images for Segmentation of Paranasal Sinuses Nosova, Y.V., Tymkovych, M.Y., Shushliapina, N.O., (...), Semenets, V.V. 2019 IEEE 39th International Conference on Electronics and Nanotechnology, ELNANO 2019 - Proceedings, 2019 https://www.scopus.com/pages/publications/85070877092?origin=scopusAI

126. Evaluation of High-Frequency Measurement Errors from Turned Surface Topography Data Using Machine Learning Methods Podulka, P., Kulisz, M., Antosz, K. Materials, 2024 https://www.scopus.com/pages/publications/85190393875?origin=scopusAI

127. Suppression of the high-frequency errors in surface topography measurements based on comparison of various spline filtering methods Podulka, P. Materials, 2021 https://www.scopus.com/pages/publications/85114616460?origin=scopusAI

128. Study of etched surface topography with the compensation of contactless vibrational measurement errors Podulka, P., Knapčíková, L., Tauberová, R., (...), Sukić, E. Measurement: Journal of the International Measurement Confederation, 2025 https://www.scopus.com/pages/publications/85209107967?origin=scopusAI

129. Comparison of some algorithms for acquisition footprint suppression and their effect on attribute analysis Cvetkovic, M., Pralica, N., Falconer, S., (...), Chávez-Pérez, S. SEG Technical Program Expanded Abstracts, 2008 https://www.scopus.com/pages/publications/58049181209?origin=scopusAI

130. Comparison of some algorithms for acquisition footprint suppression and their effect on attribute analysis Cvetkovic, M., Pralica, N., Falconer, S., (...), Chávez-Pérez, S. 78th Society of Exploration Geophysicists International Exposition and Annual Meeting, SEG 2008, 2018 https://www.scopus.com/pages/publications/85059056846?origin=scopusAI

131. Model-based topography characterisation of machined surfaces in three dimensions Lin, T.Y., Lu, S.H., Stout, K.J. International Journal of Machine Tools and Manufacture, 1995 https://www.scopus.com/pages/publications/0028382977?origin=scopusAI

132. Corrected power spectral density of the surface roughness of tire rubber sliding on abrasive material Tanaka, H., Okui, K., Oku, Y., (...), Shibutani, Y. Tribology International, 2021 https://www.scopus.com/pages/publications/85091224401?origin=scopusAI

133. Reference areal surface metrology by high speed metrological large range AFM Dai, G., Felgner, A., Koenders, L., Fluegge, J. Proceedings of the 16th International Conference of the European Society for

Precision Engineering and Nanotechnology, EUSPEN 2016, 2016
https://www.scopus.com/pages/publications/84984629292?origin=scopusAI

134. Comparison Of Wyko and Tis Measurements Of Surface Finish Church, E.L. Proceedings of SPIE - The International Society for Optical Engineering, 1987
https://www.scopus.com/pages/publications/84961382425?origin=scopusAI

135. Implementation of the metrological characteristics framework using additively manufactured material measures Eifler, M., Hering-Stratemeier, J., von Freymann, G., Seewig, J. Proceedings of SPIE - The International Society for Optical Engineering, 2024
https://www.scopus.com/pages/publications/105000434176?origin=scopusAI

136. Uncertainty propagation of field areal surface texture parameters using the metrological characteristics approach Pappas, A., Newton, L., Thompson, A., (...), Leach, R. European Society for Precision Engineering and Nanotechnology, Conference Proceedings - 23rd International Conference and Exhibition, EUSPEN 2023, 2023 https://www.scopus.com/pages/publications/85165481981?origin=scopusAI

137. The study of optimization on process parameters of high-accuracy computerized numerical control polishing Huang, W.-R., Huang, S.-P., Tsai, T.-Y., (...), Young, H.-T. Proceedings of SPIE - The International Society for Optical Engineering, 2017 https://www.scopus.com/pages/publications/85038917488?origin=scopusAI

138. Research on the Influence of the Material Removal Profile of a Spherical Polishing Tool on the Mid-Spatial Frequency Errors of Optical Surfaces He, Z., Hai, K., Li, K., (...), Hang, W. Micromachines, 2024
https://www.scopus.com/pages/publications/85194093964?origin=scopusAI

139. Measurement of Mid Spatial Frequencies of Diamond Turned Optics by using Dual-mode Snapshot Interferometry Khatri, N., Manjunath, K., Tewary, S., (...), Liang, R. Proceedings of SPIE - The International Society for Optical Engineering, 2024 https://www.scopus.com/pages/publications/85207204463?origin=scopusAI

140. Workflow for modeling of generalized mid-spatial frequency errors in optical systems Demars, L.A., Bauer, A., Stone, B.D., (...), Suleski, T.J. Optics Express, 2024
https://www.scopus.com/pages/publications/85183332014?origin=scopusAI

141. Usefulness of orthogonal basis sets for predicting optical performance of wavefronts with mid-spatial frequency error Hosseinimakarem, Z., Davies, A.D., Evans, C.J. Proceedings of SPIE - The International Society for Optical Engineering, 2017 https://www.scopus.com/pages/publications/85039068946?origin=scopusAI

142. Zernike polynomials for mid-spatial frequency representation on optical surfaces Hosseinimakarem, Z., Davies, A.D., Evans, C.J. Proceedings of SPIE - The International Society for Optical Engineering, 2016
https://www.scopus.com/pages/publications/85006987050?origin=scopusAI

143. Desensitization to mid-spatial-frequency surface errors Yabe, A. Optics Express, 2019
https://www.scopus.com/pages/publications/85073600771?origin=scopusAI