PRODUCT DATA SHEET

DUROBOND A121

DUROTECH
Engineered Construction Chemicals
Made In Australia For Over 45 Years

Description

Durobond A121 is a roller applied polyurethane moisture curing single application adhesive.
Durobond A121 is a solvent free adhesive that offers excellent bond strength and is an effective green solution to bonding our fleece back membranes.

Usage

Durobond A121 is an adhesive formulated specifically to bond DuroPVC 900 Fleece membranes to a variety of roof decks, including concrete, insulation boards, plywood & cementitious boards.
Durobond A121 is ideal for smaller projects due to its 40m^2 - 50m^2 coverage rate per 20 Litre.

Application

Adhesive should be applied to sub deck surface, allowed to dry (2-6 minutes or until dry with touch) then parts mated under pressure. Bonds should be made as soon as practically possible. If adhesive is left to dry for over 15 minutes, parts should be recoated.

Surface should be clean of any dust, dirt or debris. Pour and roller/squeegee apply to entire surface area (porous surfaces may need a second coat). Roll DuroPVC 900 Fleece membrane over the covered area. Any air pockets should be rolled out from the PVC membrane should this occur using a heavy duty roller. Consolidate substrates to prevent any air entrapment.

WARNING:- Avoid direct flame or exposure to excessive heat. Do not store at temperatures over 30°C.

Physical Properties

Solids:	100%
Appearance	Green
Environmental	Solvent-free/Non flammable
Shelf Life	12 Months
Sizes	20 Litre
Coverage	40m^2 - 50m^2 per 20ltr polybottle depending on substrate
Open Time	15 minutes at 20°C
Temperature Resistance	-30 - 100°C
Application Temperature	5 - 30°C

FEATURES

- Single sided application
- Fast & efficient application with high tack
- Resistant to blistering
- Single product for detail work
- Excellent green strength
- High heat resistance
- Green credentials
- Ideal for smaller application
- Portable and convenient
- Minimises project cost
- Excellent cure time

DUROTECH INDUSTRIES

"This document, including any attached files, is strictly confidential and intended solely for the use of the individual or entity to which it is addressed. Durotech Industries prohibits the right to publish, copy, distribute or disclose any information contained in this document, or its attachments, by any party other than the intended recipient. If you have received this document in error please notify the sender and delete it from your system immediately. no employee or agent is authorised to conclude any binding agreement or make any representation on behalf of Durotech Industries. The views or opinions presented in this document are solely those of the author and do not necessarily represent those of Durotech Industries, except where the sender expressly, and with clear authority, states them to be the views of Durotech Industries. Durotech Industries accepts no liability for any loss or damage (direct or indirect or consequential) arising from the use of or in connection with this document and any attacchments and suggests that the recipient check this document and any attached files for the presence of viruses."

JAS-ANZ

ISO 9001 Quality Certified System
ISO 14001 Environment Certified System
ISO 45001 Health and Safety Certified System