PRODUCT DATA SHEET

DUROPOXY EPM

GAP FILLING EPOXY ADHESIVE FOR BUILDING AND CONSTRUCTION INDUSTRY

DUROTECH
Engineered Construction Chemicals
Made In Australia For Over 45 Years

DESCRIPTION

DUROPOXY EPM is specially formulated two part structural non-sag epoxy filling paste and adhesive. This easy to use two-part epoxy sets after mixing to an extremely durable adhesive ideal for bonding natural stone, concrete, steel, timber, glass and masonary. Its easy to use 1:1 mixing make it suitable for onsite applications. It comes in neutral colour.

USE AREAS

- Precast concrete articles
- Concrete Pipes and Tanks
- Grouting bolts
- Manhole covers
- Fibreglass articles
- Natural stones
- Concrete floors and stairs
- Bricks and ceramics
- Concrete columns
- Metals
- In-situ formed concrete

Surface Preparation

METALS: Should be grit blasted to clean surface. Mechanically abraded and degreased. Wire brushing is not entirely satisfactory and gives minimal adhesion only.

PAINTED SURFACES: A proprietary brand paint stripper should be used. Concrete - the surface may be either flame cleaned or mechanically abraded.

CONCRETE SURFACES: Concrete surfaces should be free from oil, grease and loose material. Crumbly concrete should be avoided.

TECHNICAL INFORMATION

Mixing Ratio	1 part resin to 1 part hardener by volume
MIXING	Mix until uniform (Mixing should be good to ensure full properties)
WORKING LIFE AT 25°C	45 minutes
MINIMUM APPLICATION TEMPERATURE	10°C
MINIMUM CURE TIME	12 hours at 25°C
FULL CURE TIME	4 to 7 days at 25°C
Bond strength	100kg/sq cm.
Compressive strength	80 Mpa
Max Operating Temp	65 C

Non Sag, No creep, Oil, Alkali and mild Inorganic Acid resistant

Packaging

4 ltr (A+B) and 20 Ltr (A+B)

DUROTECH INDUSTRIES

"This document, including any attached files, is strictly confidential and intended solely for the use of the individual or entity to which it is addressed. Durotech Industries prohibits the right to publish, copy, distribute or disclose any information contained in this document, or its attachments, by any party other than the intended recipient. If you have received this document in error please notify the sender and delete it from your system immediately. no employee or agent is authorised to conclude any binding agreement or make any representation on behalf of Durotech Industries. The views or opinions presented in this document are solely those of the author and do not necessarily represent those of Durotech Industries, except where the sender expressly, and with clear authority, states them to be the views of Durotech Industries. Durotech Industries accepts no liability for any loss or damage (direct or indirect or consequential) arising from the use of or in connection with this document and any attacchments and suggests that the recipient check this document and any attached files for the presence of viruses."

JAS-ANZ

ISO 9001 Quality Certified System
ISO 1400 FC Environment Certified System
ISO 45001 Health and Safety Certified System