PRODUCT DATA SHEET

DUROTORCH GARDEN

DUROTECH
Engineered Construction Chemicals
Made In Australia For Over 45 Years

PROJECT SPECIFICATIONS

root-stop waterproofing finish in multi-layer systems for waterproofing garden roofs or decks with vegetation in contact with the structure to be protected.



REINFORCEMENTS

stabilised polyester with different technical performances.

FINISHES

Polyethylene film, mineral self-protection in different colours.

PLUS

barrier against the perforating action of roots guaranteed by the addition of a certified additive (complying with EN 13498). High mechanical strength, a wide thermal operating range that may be varied with respect to the type of compound modification (APP/SBS), better indoor temperature and humidity conditions and reduced environmental impact when applied as a waterproofing solution in the presence of vegetation on the roofing. In the 40200 version, the product has successfully passed the 4 year FLL root stop test.

Durotech	STANDARD	U.M.	4 mm (SBS)	ERADIX 40160	ERADIX 40200	ERADIX 45160
Finishing	-	-	PBS	PBS	PBS	MINERAL
Reinforcement type	-	-	SP POL	SP POL	HSP POL	SP POL
Thickness	EN 1849 - 1	mm	4	4	4	-
Weight	EN 1849 - 1 kg	Kg	-	-	-	4,5
Maximum Tensile Force LONGITUDINAL / TRASVERSAL	EN 12311-1	N/5cm	700 / 600	600 / 500	800 / 800	600 / 500
Elongation at break LONGITUDINAL / TRASVERSAL	EN 12311-1	%	40 / 40	40 / 40	45 / 45	40 / 40
Tearing resistance LONGITUDINAL / TRASVERSAL	EN 12310 -1	N	150 / 150	150 / 150	220 / 240	150 / 150
Flow resistance at elevated temperature	EN 1110	°C	110	130	130	130
Flexibility at low temperatures	EN 1109	°C	-20	-15	-15	-15
Dimensional stability	EN 1107-1	%	±0,3%	±0,3%	±0,2%	±0,3%
Resistance to root penetration	EN 13948		PASS	PASS	PASS	PASS

DUROTECH INDUSTRIES

"This document, including any attached files, is strictly confidential and intended solely for the use of the individual or entity to which it is addressed. Durotech Industries prohibits the right to publish, copy, distribute or disclose any information contained in this document, or its attachments, by any party other than the intended recipient. If you have received this document in error please notify the sender and delete it from your system immediately. no employee or agent is authorised to conclude any binding agreement or make any representation on behalf of Durotech Industries. The views or opinions presented in this document are solely those of the author and do not necessarily represent those of Durotech Industries, except where the sender expressly, and with clear authority, states them to be the views of Durotech Industries. Durotech Industries accepts no liability for any loss or damage (direct or indirect or consequential) arising from the use of or in connection with this document and any attacchments and suggests that the recipient check this document and any attached files for the presence of viruses."

JAS-ANZ

ISO 9001 Quality Certified System IQNet
ISO 14001 Environment Certified System IQNet
ISO 45001 Health and Safety Certified System IQNet