JJ AND CO. · MANUFACTURING ERP · ACTIVITY 3 MANUFACTURING (TEAM)

Capiz Lantern Works

A real small factory run by a team over two months: February and March 2027. Each of you holds one or more roles, and every step below belongs to a role.

Duration 2 months · **Company** a TEAM company made by your teacher (Standard costing) · **Steps** 557 in all, spread over the roles · **Currency / tax** Philippine peso, 12% VAT · **Checked** by your teacher on the company itself; nothing to hand in.

1. The business

Capiz Lantern Works makes lamps from capiz shell: three semi-finished parts (small shade, large shade, brass base) become five lamps (small and large pendant, table lamp, floor lamp, four-arm chandelier). Ten materials are bought from five vendors, shells by the **bundle** (5 kg) but stocked by the **kg**. Six customers order lamps. The owner puts in ₱1,500,000 and buys a capiz cutting machine.

2. Your team and your roles

Your teacher decides how many of you there are and who holds which role, and can **change it at any time** (Teams screen). One person can hold several roles; several people can hold the same role. **Do only the steps of the roles you hold.** The system refuses anything else (for example, a warehouse clerk cannot create a purchase order) and tells you which role you would need.

Role	Steps	What this role does
Purchasing officer	61	Vendors, purchase orders (from requisitions and by hand), vendor invoices, paying vendors.
Warehouse clerk	86	Goods receipts, issuing material to production orders, deliveries to customers, stock counts and moves between stores.
Production planner	204	Items, bills of materials, routings, work centers and stores; planning runs; production orders, confirmations, finished goods, downtime.
Quality inspector	47	Inspection plans, inspecting bought goods and every finished lamp, deciding accept / scrap / return / rework, closing non-conformance reports.
Sales and shipping clerk	50	Customers, sales orders, creating the invoice from a delivery and sending it.
Accountant	60	Activity rates, the overhead sheet, cost estimates, journal vouchers, vendor invoices at the start, landed cost, depreciation, settling the semi-finished orders.
Finance manager	49	Everything the accountant does, plus approving vouchers and held invoices, reversing wrong vouchers, recording customer payments, paying big bills, settling the finished-lamp orders, settling and closing the month.

3. Read this before you start

1. **Work in step order.** The # column is the order of the whole company. If the step just before yours belongs to another role and is not done yet, wait or ask that teammate.
2. **Type the date shown on every form.** Most forms start with today's date; the dates drive the books, the closing and the check. **Issue material** posts at once: set its Date first.
3. **Names and SKUs must match exactly.** The check finds items by SKU and vendors and customers by name.
4. **QUARANTINE.** Items that are inspected on receipt, and every finished lamp, go to the QUARANTINE store first. Nothing there can be used or sold until Quality has decided.
5. **Two people for approvals.** A voucher that needs approval (override ticked) and a vendor invoice on hold are approved or released by the Finance manager, never by the person who prepared them.

6. **Months close in order.** Settle every order, then the month, then close it. February must be closed before March is closed.
7. **Do not use Payroll, Banking or the maintenance log**: they are not part of this activity. Payroll is a plain journal voucher here.
8. **Do not delete or edit posted documents.** If a step says reverse, use Reverse; if you made a mistake, tell your teacher.

> **TIP** The dates are in the future compared with today on purpose. The screens allow it, and the month-end check will say a month is not over yet: that is fine for this activity.

Role: Purchasing officer — 61 steps

What you do. Vendors, purchase orders (from requisitions and by hand), vendor invoices, paying vendors.

Hand-offs. You receive requirements from Production's planning run and hand goods-to-be-received orders to the Warehouse. The Accountant handles landed cost; you pay what is due, and the Finance manager pays the large bills.

February 2027 — 15 steps

#	Date	Screen	What to do
75	Feb 11	Planning → Purchase requisitions → Delete	Delete the open requisition for **CAP-SH** (you ordered it by hand in bundles).
76	Feb 11	Purchasing → New purchase order	Vendor **Bohol Capiz Traders**, order date 2027-02-11, expected 2027-02-18: CAP-SH 31 BDL @ 2100 → **PO-0001**.
77	Feb 11	Planning → Purchase requisitions → Create purchase order…	Vendor **Cebu Metalworks** (type it in the new-vendor box the first time). Tick: WIR-FR, BRS-RD, BRS-FT. Prices: WIR-FR 35 · BRS-RD 85 · BRS-FT 60 → creates **PO-0002**.
78	Feb 11	Planning → Purchase requisitions → Create purchase order…	Vendor **Manila Electronics** (type it in the new-vendor box the first time). Tick: LED-KT, CRD-SW. Prices: LED-KT 150 · CRD-SW 55 → creates **PO-0003**.
79	Feb 11	Planning → Purchase requisitions → Create purchase order…	Vendor **Laguna Chemicals** (type it in the new-vendor box the first time). Tick: GLU-AD, CLR-CT. Prices: GLU-AD 190 · CLR-CT 260 → creates **PO-0004**.
80	Feb 11	Planning → Purchase requisitions → Create purchase order…	Vendor **Pasig Packaging** (type it in the new-vendor box the first time). Tick: CTN-LP, FOM-PD. Prices: CTN-LP 38 · FOM-PD 12 → creates **PO-0005**.
117	Feb 16	Planning → Purchase requisitions → Delete	Delete the open requisition for **CAP-SH** (you ordered it by hand in bundles).
118	Feb 16	Purchasing → New purchase order	Vendor **Bohol Capiz Traders**, order date 2027-02-16, expected 2027-02-20: CAP-SH 3 BDL @ 2100 → **PO-0006**.
119	Feb 16	Planning → Purchase requisitions → Create purchase order…	Vendor **Cebu Metalworks** (type it in the new-vendor box the first time). Tick: BRS-FT, BRS-RD, WIR-FR. Prices: BRS-FT 60 · BRS-RD 85 · WIR-FR 35 → creates **PO-0007**.
120	Feb 16	Planning → Purchase requisitions → Create purchase order…	Vendor **Manila Electronics** (type it in the new-vendor box the first time). Tick: LED-KT, CRD-SW. Prices: LED-KT 150 · CRD-SW 55 → creates **PO-0008**.
121	Feb 16	Planning → Purchase requisitions → Create purchase order…	Vendor **Laguna Chemicals** (type it in the new-vendor box the first time). Tick: CLR-CT, GLU-AD. Prices: CLR-CT 260 · GLU-AD 190 → creates **PO-0009**.
122	Feb 16	Planning → Purchase requisitions → Create purchase order…	Vendor **Pasig Packaging** (type it in the new-vendor box the first time). Tick: CTN-LP, FOM-PD. Prices: CTN-LP 38 · FOM-PD 12 → creates **PO-0010**.
240	Feb 27	Purchasing → Vendor invoices → Pay	**VI-0001**: the whole balance, date **2027-02-27**, Bank transfer.
241	Feb 27	Purchasing → Vendor invoices → Pay	**VI-0002**: the whole balance, date **2027-02-27**, Bank transfer.
242	Feb 27	Purchasing → Vendor invoices → Pay	**VI-0003**: the whole balance, date **2027-02-27**, Bank transfer.

March 2027 — 46 steps

#	Date	Screen	What to do
282	Mar 4	Planning → Purchase requisitions → Delete	Delete the open requisition for **CAP-SH** (you ordered it by hand in bundles).

#	Date	Screen	What to do
283	Mar 4	Purchasing → New purchase order	Vendor **Bohol Capiz Traders**, order date 2027-03-04, expected 2027-03-12: CAP-SH 22 BDL @ 2100 → **PO-0011**.
284	Mar 4	Planning → Purchase requisitions → Create purchase order…	Vendor **Cebu Metalworks** (type it in the new-vendor box the first time). Tick: WIR-FR, BRS-RD, BRS-FT. Prices: WIR-FR 35 · BRS-RD 85 · BRS-FT 60 → creates **PO-0012**.
285	Mar 4	Planning → Purchase requisitions → Create purchase order…	Vendor **Manila Electronics** (type it in the new-vendor box the first time). Tick: LED-KT, CRD-SW. Prices: LED-KT 156 · CRD-SW 55 → creates **PO-0013**.
286	Mar 4	Planning → Purchase requisitions → Create purchase order…	Vendor **Laguna Chemicals** (type it in the new-vendor box the first time). Tick: GLU-AD, CLR-CT. Prices: GLU-AD 190 · CLR-CT 260 → creates **PO-0014**.
287	Mar 4	Planning → Purchase requisitions → Create purchase order…	Vendor **Pasig Packaging** (type it in the new-vendor box the first time). Tick: CTN-LP, FOM-PD. Prices: CTN-LP 38 · FOM-PD 12 → creates **PO-0015**.
331	Mar 13	Planning → Purchase requisitions → Delete	Delete the open requisition for **CAP-SH** (you ordered it by hand in bundles).
332	Mar 13	Purchasing → New purchase order	Vendor **Bohol Capiz Traders**, order date 2027-03-13, expected 2027-03-18: CAP-SH 18 BDL @ 2100 → **PO-0016**.
333	Mar 13	Planning → Purchase requisitions → Create purchase order…	Vendor **Cebu Metalworks** (type it in the new-vendor box the first time). Tick: WIR-FR, BRS-RD, BRS-FT. Prices: WIR-FR 35 · BRS-RD 85 · BRS-FT 60 → creates **PO-0017**.
334	Mar 13	Planning → Purchase requisitions → Create purchase order…	Vendor **Manila Electronics** (type it in the new-vendor box the first time). Tick: LED-KT, CRD-SW. Prices: LED-KT 156 · CRD-SW 55 → creates **PO-0018**.
335	Mar 13	Planning → Purchase requisitions → Create purchase order…	Vendor **Laguna Chemicals** (type it in the new-vendor box the first time). Tick: GLU-AD, CLR-CT. Prices: GLU-AD 190 · CLR-CT 260 → creates **PO-0019**.
336	Mar 13	Planning → Purchase requisitions → Create purchase order…	Vendor **Pasig Packaging** (type it in the new-vendor box the first time). Tick: CTN-LP, FOM-PD. Prices: CTN-LP 38 · FOM-PD 12 → creates **PO-0020**.
376	Mar 19	Purchasing → New purchase order	Vendor **Cebu Metalworks**, order date 2027-03-19, expected 2027-03-20: WIR-FR 10 @ 35 → **PO-0021**.
377	Mar 19	Purchasing → New purchase order	Vendor **Bohol Capiz Traders**, order date 2027-03-19, expected 2027-03-20: CAP-SH 1 BDL @ 2100 → **PO-0022**.
378	Mar 19	Purchasing → New purchase order	Vendor **Laguna Chemicals**, order date 2027-03-19, expected 2027-03-20: GLU-AD 2 @ 190 · CLR-CT 1 @ 260 → **PO-0023**.
379	Mar 19	Purchasing → New purchase order	Vendor **Manila Electronics**, order date 2027-03-19, expected 2027-03-21: LED-KT 10 @ 156 → **PO-0024**.
450	Mar 12	Purchasing → Enter vendor invoice	**PO-0011**, invoice number **BCT-2301**, invoice date **2027-03-12**, due **2027-04-11**, VAT 12 → **VI-0011**.
451	Mar 12	Purchasing → Enter vendor invoice	**PO-0012**, invoice number **CM-1101**, invoice date **2027-03-12**, due **2027-04-11**, VAT 12 → **VI-0012**.
452	Mar 13	Purchasing → Enter vendor invoice	**PO-0013**, invoice number **ME-7790**, invoice date **2027-03-13**, due **2027-04-12**, VAT 12 → **VI-0013**. Type price 160 for LED-KT: it goes ON HOLD.
453	Mar 13	Purchasing → Enter vendor invoice	**PO-0014**, invoice number **LC-5601**, invoice date **2027-03-13**, due **2027-04-12**, VAT 12 → **VI-0014**.
454	Mar 13	Purchasing → Enter vendor invoice	**PO-0015**, invoice number **PP-0902**, invoice date **2027-03-13**, due **2027-04-12**, VAT 12 → **VI-0015**.
466	Mar 19	Purchasing → Enter vendor invoice	**PO-0016**, invoice number **BCT-2315**, invoice date **2027-03-19**, due **2027-04-18**, VAT 12 → **VI-0016**.
467	Mar 19	Purchasing → Enter vendor invoice	**PO-0017**, invoice number **CM-1120**, invoice date **2027-03-19**, due **2027-04-18**, VAT 12 → **VI-0017**.

#	Date	Screen	What to do
468	Mar 19	Purchasing → Enter vendor invoice	**PO-0018**, invoice number **ME-7801**, invoice date **2027-03-19**, due **2027-04-18**, VAT 12 → **VI-0018**. Type price 165 for LED-KT: it goes ON HOLD.
470	Mar 19	Purchasing → Enter vendor invoice	**PO-0019**, invoice number **LC-5633**, invoice date **2027-03-19**, due **2027-04-18**, VAT 12 → **VI-0019**.
471	Mar 19	Purchasing → Enter vendor invoice	**PO-0020**, invoice number **PP-0915**, invoice date **2027-03-19**, due **2027-04-18**, VAT 12 → **VI-0020**.
473	Mar 20	Purchasing → Enter vendor invoice	**PO-0018**, invoice number **ME-7802**, invoice date **2027-03-20**, due **2027-04-19**, VAT 12 → **VI-0021**.
474	Mar 21	Purchasing → Enter vendor invoice	**PO-0021**, invoice number **CM-1130**, invoice date **2027-03-21**, due **2027-04-20**, VAT 12 → **VI-0022**.
475	Mar 21	Purchasing → Enter vendor invoice	**PO-0022**, invoice number **BCT-2322**, invoice date **2027-03-21**, due **2027-04-20**, VAT 12 → **VI-0023**.
476	Mar 21	Purchasing → Enter vendor invoice	**PO-0023**, invoice number **LC-5640**, invoice date **2027-03-21**, due **2027-04-20**, VAT 12 → **VI-0024**.
480	Mar 22	Purchasing → Enter vendor invoice	**PO-0024**, invoice number **ME-7811**, invoice date **2027-03-22**, due **2027-04-21**, VAT 12 → **VI-0025**.
483	Mar 23	Purchasing → Vendor invoices → Pay	**VI-0006**: the whole balance, date **2027-03-23**, Bank transfer.
484	Mar 23	Purchasing → Vendor invoices → Pay	**VI-0007**: the whole balance, date **2027-03-23**, Bank transfer.
488	Mar 24	Purchasing → Vendor invoices → Pay	**VI-0008**: the whole balance, date **2027-03-24**, Bank transfer.
489	Mar 24	Purchasing → Vendor invoices → Pay	**VI-0009**: the whole balance, date **2027-03-24**, Bank transfer.
491	Mar 25	Purchasing → Vendor invoices → Pay	**VI-0010**: the whole balance, date **2027-03-25**, Bank transfer.
509	Mar 29	Purchasing → Vendor invoices → Pay	**VI-0012**: the whole balance, date **2027-03-29**, Bank transfer.
511	Mar 30	Purchasing → Vendor invoices → Pay	**VI-0014**: the whole balance, date **2027-03-30**, Bank transfer.
512	Mar 30	Purchasing → Vendor invoices → Pay	**VI-0015**: the whole balance, date **2027-03-30**, Bank transfer.
522	Mar 31	Purchasing → Vendor invoices → Pay	**VI-0017**: the whole balance, date **2027-03-31**, Bank transfer.
523	Mar 31	Purchasing → Vendor invoices → Pay	**VI-0019**: the whole balance, date **2027-03-31**, Bank transfer.
524	Mar 31	Purchasing → Vendor invoices → Pay	**VI-0020**: the whole balance, date **2027-03-31**, Bank transfer.
525	Mar 31	Purchasing → Vendor invoices → Pay	**VI-0022**: the whole balance, date **2027-03-31**, Bank transfer.
526	Mar 31	Purchasing → Vendor invoices → Pay	**VI-0023**: the whole balance, date **2027-03-31**, Bank transfer.
527	Mar 31	Purchasing → Vendor invoices → Pay	**VI-0024**: the whole balance, date **2027-03-31**, Bank transfer.
528	Mar 31	Purchasing → Vendor invoices → Pay	**VI-0025**: the whole balance, date **2027-03-31**, Bank transfer.

Role: Warehouse clerk — 86 steps

What you do. Goods receipts, issuing material to production orders, deliveries to customers, stock counts and moves between stores.

Hand-offs. You wait for Purchasing's order before a receipt, and for Production's release before you issue material. Quality decides what you received; Sales invoices what you deliver.

February 2027 — 38 steps

#	Date	Screen	What to do
83	Feb 12	Purchasing → Receive	**PO-0001** (Bohol Capiz Traders): receipt date **2027-02-12**: CAP-SH 90 (goes to QUARANTINE by itself: CAP-SH).
84	Feb 12	Purchasing → Receive	**PO-0002** (Cebu Metalworks): receipt date **2027-02-12**: WIR-FR 345 · BRS-RD 86 · BRS-FT 90.
85	Feb 12	Purchasing → Receive	**PO-0004** (Laguna Chemicals): receipt date **2027-02-12**: GLU-AD 17.25 · CLR-CT 13.8 (lot/expiry: CLR-CT CC-0227-A exp 2028-02-28).
86	Feb 13	Purchasing → Receive	**PO-0005** (Pasig Packaging): receipt date **2027-02-13**: CTN-LP 245 · FOM-PD 335.
87	Feb 14	Purchasing → Receive	**PO-0003** (Manila Electronics): receipt date **2027-02-14**: LED-KT 150 · CRD-SW 235 (goes to QUARANTINE by itself: LED-KT).
90	Feb 18	Purchasing → Receive	**PO-0001** (Bohol Capiz Traders): receipt date **2027-02-18**: CAP-SH 65 (goes to QUARANTINE by itself: CAP-SH).
93	Feb 19	Purchasing → Receive	**PO-0003** (Manila Electronics): receipt date **2027-02-19**: LED-KT 115 (goes to QUARANTINE by itself: LED-KT).
98	Feb 13	Production → the order → Materials → Issue material to the order	**SHD-S** order 1: set the Date to **2027-02-13** FIRST, leave every quantity as proposed, then click the button.
103	Feb 14	Production → the order → Materials → Issue material to the order	**BAS-BR** order 1: set the Date to **2027-02-14** FIRST, leave every quantity as proposed, then click the button.
108	Feb 15	Production → the order → Materials → Issue material to the order	**PEN-S** order 1: set the Date to **2027-02-15** FIRST, leave every quantity as proposed, then click the button.
126	Feb 17	Production → the order → Materials → Issue material to the order	**TBL-LP** order 1: set the Date to **2027-02-17** FIRST, leave every quantity as proposed, then click the button.
129	Feb 17	Production → the order → Materials → Issue material to the order	**CHD-4** order 1: set the Date to **2027-02-17** FIRST, leave every quantity as proposed, then click the button.
136	Feb 18	Production → the order → Materials → Issue material to the order	**SHD-L** order 1: set the Date to **2027-02-18** FIRST, leave every quantity as proposed, then click the button.
143	Feb 19	Purchasing → Receive	**PO-0007** (Cebu Metalworks): receipt date **2027-02-19**: BRS-FT 15 · BRS-RD 9 · WIR-FR 40.
144	Feb 19	Purchasing → Receive	**PO-0009** (Laguna Chemicals): receipt date **2027-02-19**: GLU-AD 2 · CLR-CT 1.6 (lot/expiry: CLR-CT CC-0227-B exp 2028-02-28).
145	Feb 19	Purchasing → Receive	**PO-0010** (Pasig Packaging): receipt date **2027-02-19**: CTN-LP 35 · FOM-PD 35.
148	Feb 19	Production → the order → Materials → Issue material to the order	**PEN-L** order 1: set the Date to **2027-02-19** FIRST, leave every quantity as proposed, then click the button.
149	Feb 20	Purchasing → Receive	**PO-0006** (Bohol Capiz Traders): receipt date **2027-02-20**: CAP-SH 15 (goes to QUARANTINE by itself: CAP-SH).
151	Feb 20	Purchasing → Receive	**PO-0008** (Manila Electronics): receipt date **2027-02-20**: LED-KT 35 · CRD-SW 35 (goes to QUARANTINE by itself: LED-KT).
155	Feb 20	Production → the order → Materials → Issue material to the order	**BAS-BR** order 2: set the Date to **2027-02-20** FIRST, leave every quantity as proposed, then click the button.

#	Date	Screen	What to do
161	Feb 20	Production → the order → Materials → Issue material to the order	**FLR-LP** order 1: set the Date to **2027-02-20** FIRST, leave every quantity as proposed, then click the button.
167	Feb 21	Production → the order → Materials → Issue material to the order	**CHD-4** order 2: set the Date to **2027-02-21** FIRST, leave every quantity as proposed, then click the button.
169	Feb 21	Production → the order → Materials → Issue material to the order	**SHD-S** order 2: set the Date to **2027-02-21** FIRST, leave every quantity as proposed, then click the button.
178	Feb 22	Production → the order → Materials → Issue material to the order	**PEN-S** order 2: set the Date to **2027-02-22** FIRST, leave every quantity as proposed, then click the button.
180	Feb 22	Production → the order → Materials → Issue material to the order	**PEN-L** order 2: set the Date to **2027-02-22** FIRST, leave every quantity as proposed, then click the button.
190	Feb 23	Production → the order → Materials → Issue material to the order	**TBL-LP** order 2: set the Date to **2027-02-23** FIRST, leave every quantity as proposed, then click the button.
192	Feb 23	Production → the order → Materials → Issue material to the order	**FLR-LP** order 2: set the Date to **2027-02-23** FIRST, leave every quantity as proposed, then click the button.
200	Feb 24	Production → the order → Materials → Issue material to the order	**PEN-S** order 3: set the Date to **2027-02-24** FIRST, leave every quantity as proposed, then click the button.
202	Feb 24	Purchasing → Receive	**PO-0003** (Manila Electronics): receipt date **2027-02-24**: LED-KT 10 (goes to QUARANTINE by itself: LED-KT).
211	Feb 25	Production → the order → Materials → Issue material to the order	**TBL-LP** order 3: set the Date to **2027-02-25** FIRST, leave every quantity as proposed, then click the button.
221	Feb 26	Shipping → click the order → Post delivery	**SO-0001** Manila Lamp House: deliver PEN-S 40 · PEN-L 20 · TBL-LP 30, delivery date **2027-02-26**.
224	Feb 26	Shipping → click the order → Post delivery	**SO-0002** Cebu Interiors: deliver PEN-L 30 · FLR-LP 12, delivery date **2027-02-26**.
227	Feb 26	Shipping → click the order → Post delivery	**SO-0003** Davao Design Hub: deliver CHD-4 6 · PEN-S 25, delivery date **2027-02-26**.
230	Feb 27	Shipping → click the order → Post delivery	**SO-0004** Baguio Gifts: deliver TBL-LP 20 · PEN-S 30, delivery date **2027-02-27**.
233	Feb 27	Shipping → click the order → Post delivery	**SO-0005** Iloilo Decor: deliver FLR-LP 8 · CHD-4 4 · PEN-L 10, delivery date **2027-02-27**.
236	Feb 27	Shipping → click the order → Post delivery	**SO-0006** Cagayan Lighting: deliver TBL-LP 15 · PEN-S 20, delivery date **2027-02-27**.
243	Feb 27	Inventory → Stock → Move stock	Move **3** of **CAP-SH** from RM-STORE to STORE-B, date **2027-02-27**.
246	Feb 28	Inventory → Stock → Adjust stock	**CAP-SH** in STORE-B: change **-1**, reason *Stock count*, date **2027-02-28**.

March 2027 — 48 steps

#	Date	Screen	What to do
295	Mar 8	Purchasing → Receive	**PO-0012** (Cebu Metalworks): receipt date **2027-03-08**: WIR-FR 275 · BRS-RD 55 · BRS-FT 65 (goes to QUARANTINE by itself: BRS-FT).
296	Mar 8	Purchasing → Receive	**PO-0014** (Laguna Chemicals): receipt date **2027-03-08**: GLU-AD 13.75 · CLR-CT 11 (goes to QUARANTINE by itself: CLR-CT; lot/expiry: CLR-CT CC-0308-A exp 2028-03-31).
297	Mar 8	Purchasing → Receive	**PO-0015** (Pasig Packaging): receipt date **2027-03-08**: CTN-LP 150 · FOM-PD 360.
300	Mar 9	Purchasing → Receive	**PO-0013** (Manila Electronics): receipt date **2027-03-09**: LED-KT 100 · CRD-SW 200 (goes to QUARANTINE by itself: LED-KT).
302	Mar 10	Purchasing → Receive	**PO-0011** (Bohol Capiz Traders): receipt date **2027-03-10**: CAP-SH 60 (goes to QUARANTINE by itself: CAP-SH).
304	Mar 12	Purchasing → Receive	**PO-0013** (Manila Electronics): receipt date **2027-03-12**: LED-KT 115 (goes to QUARANTINE by itself: LED-KT).

#	Date	Screen	What to do
307	Mar 12	Purchasing → Receive	**PO-0015** (Pasig Packaging): receipt date **2027-03-12**: CTN-LP 55.
308	Mar 12	Purchasing → Receive	**PO-0011** (Bohol Capiz Traders): receipt date **2027-03-12**: CAP-SH 50 (goes to QUARANTINE by itself: CAP-SH).
317	Mar 9	Production → the order → Materials → Issue material to the order	**BAS-BR** order 3: set the Date to **2027-03-09** FIRST, leave every quantity as proposed, then click the button.
322	Mar 11	Production → the order → Materials → Issue material to the order	**SHD-S** order 3: set the Date to **2027-03-11** FIRST, leave every quantity as proposed, then click the button.
328	Mar 12	Production → the order → Materials → Issue material to the order	**PEN-S** order 4: set the Date to **2027-03-12** FIRST, leave every quantity as proposed, then click the button.
330	Mar 12	Production → the order → Materials → Issue material to the order	**TBL-LP** order 4: set the Date to **2027-03-12** FIRST, leave every quantity as proposed, then click the button.
345	Mar 16	Purchasing → Receive	**PO-0017** (Cebu Metalworks): receipt date **2027-03-16**: WIR-FR 186 · BRS-RD 62 · BRS-FT 58 (goes to QUARANTINE by itself: BRS-FT).
347	Mar 16	Purchasing → Receive	**PO-0019** (Laguna Chemicals): receipt date **2027-03-16**: GLU-AD 9.3 · CLR-CT 7.44 (goes to QUARANTINE by itself: CLR-CT; lot/expiry: CLR-CT CC-0316-A exp 2028-03-31).
349	Mar 16	Purchasing → Receive	**PO-0016** (Bohol Capiz Traders): receipt date **2027-03-16**: CAP-SH 60 (goes to QUARANTINE by itself: CAP-SH).
352	Mar 16	Production → the order → Materials → Issue material to the order	**SHD-L** order 2: set the Date to **2027-03-16** FIRST, leave every quantity as proposed, then click the button.
355	Mar 17	Purchasing → Receive	**PO-0020** (Pasig Packaging): receipt date **2027-03-17**: CTN-LP 133 · FOM-PD 232.
359	Mar 17	Production → the order → Materials → Issue material to the order	**SHD-S** order 4: set the Date to **2027-03-17** FIRST, leave every quantity as proposed, then click the button.
362	Mar 17	Production → the order → Materials → Issue material to the order	**PEN-L** order 3: set the Date to **2027-03-17** FIRST, leave every quantity as proposed, then click the button.
363	Mar 18	Purchasing → Receive	**PO-0018** (Manila Electronics): receipt date **2027-03-18**: LED-KT 141 · CRD-SW 129 (goes to QUARANTINE by itself: LED-KT).
365	Mar 18	Purchasing → Receive	**PO-0016** (Bohol Capiz Traders): receipt date **2027-03-18**: CAP-SH 30 (goes to QUARANTINE by itself: CAP-SH).
371	Mar 18	Production → the order → Materials → Issue material to the order	**CHD-4** order 3: set the Date to **2027-03-18** FIRST, leave every quantity as proposed, then click the button.
373	Mar 18	Production → the order → Materials → Issue material to the order	**BAS-BR** order 4: set the Date to **2027-03-18** FIRST, leave every quantity as proposed, then click the button.
383	Mar 19	Production → the order → Materials → Issue material to the order	**PEN-S** order 5: set the Date to **2027-03-19** FIRST, leave every quantity as proposed, then click the button.
385	Mar 19	Production → the order → Materials → Issue material to the order	**SHD-L** order 3: set the Date to **2027-03-19** FIRST, leave every quantity as proposed, then click the button.
387	Mar 20	Purchasing → Receive	**PO-0021** (Cebu Metalworks): receipt date **2027-03-20**: WIR-FR 10.
388	Mar 20	Purchasing → Receive	**PO-0022** (Bohol Capiz Traders): receipt date **2027-03-20**: CAP-SH 5 (goes to QUARANTINE by itself: CAP-SH).

#	Date	Screen	What to do
390	Mar 20	Purchasing → Receive	**PO-0023** (Laguna Chemicals): receipt date **2027-03-20**: GLU-AD 2 · CLR-CT 1 (goes to QUARANTINE by itself: CLR-CT; lot/expiry: CLR-CT CC-0320-A exp 2028-03-31).
399	Mar 21	Purchasing → Receive	**PO-0024** (Manila Electronics): receipt date **2027-03-21**: LED-KT 10 (goes to QUARANTINE by itself: LED-KT).
403	Mar 21	Production → the order → Materials → Issue material to the order	**SHD-S** order 5: set the Date to **2027-03-21** FIRST, leave every quantity as proposed, then click the button.
412	Mar 21	Production → the order → Materials → Issue material to the order	**TBL-LP** order 5: set the Date to **2027-03-21** FIRST, leave every quantity as proposed, then click the button.
414	Mar 21	Production → the order → Materials → Issue material to the order	**PEN-L** order 4: set the Date to **2027-03-21** FIRST, leave every quantity as proposed, then click the button.
416	Mar 21	Production → the order → Materials → Issue material to the order	**FLR-LP** order 3: set the Date to **2027-03-21** FIRST, leave every quantity as proposed, then click the button.
421	Mar 22	Production → the order → Materials → Issue material to the order	**FLR-LP** order 4: set the Date to **2027-03-22** FIRST, leave every quantity as proposed, then click the button.
423	Mar 22	Production → the order → Materials → Issue material to the order	**CHD-4** order 4: set the Date to **2027-03-22** FIRST, leave every quantity as proposed, then click the button.
456	Mar 16	Shipping → click the order → Post delivery	**SO-0007** Manila Lamp House: deliver PEN-S 50 · TBL-LP 25, delivery date **2027-03-16**.
459	Mar 16	Shipping → click the order → Post delivery	**SO-0010** Cagayan Lighting: deliver PEN-S 40, delivery date **2027-03-16**.
462	Mar 16	Shipping → click the order → Post delivery	**SO-0009** Davao Design Hub: deliver TBL-LP 20, delivery date **2027-03-16**.
477	Mar 21	Shipping → click the order → Post delivery	**SO-0010** Cagayan Lighting: deliver PEN-L 20, delivery date **2027-03-21**.
485	Mar 23	Shipping → click the order → Post delivery	**SO-0009** Davao Design Hub: deliver CHD-4 5, delivery date **2027-03-23**.
492	Mar 25	Shipping → click the order → Post delivery	**SO-0008** Cebu Interiors: deliver PEN-L 30 · FLR-LP 10, delivery date **2027-03-25**.
495	Mar 26	Shipping → click the order → Post delivery	**SO-0011** Baguio Gifts: deliver TBL-LP 30 · FLR-LP 8 · PEN-S 30, delivery date **2027-03-26**.
500	Mar 29	Shipping → click the order → Post delivery	**SO-0012** Iloilo Decor: deliver CHD-4 4 · PEN-L 25, delivery date **2027-03-29**.
503	Mar 29	Shipping → click the order → Post delivery	**SO-0013** Bacolod Home Gallery: deliver FLR-LP 12 · PEN-S 18, delivery date **2027-03-29**.
520	Mar 30	Inventory → Stock → Move stock	Move **2** of **CAP-SH** from STORE-B to RM-STORE, date **2027-03-30**.
536	Mar 31	Inventory → Stock → Adjust stock	**WIR-FR** in RM-STORE: change **-1**, reason *Stock count*, date **2027-03-31**.
537	Mar 31	Inventory → Stock → Adjust stock	**CAP-SH** in RM-STORE: change **-0.7**, reason *Stock count*, date **2027-03-31**.
538	Mar 31	Inventory → Stock → Adjust stock	**GLU-AD** in RM-STORE: change **-0.2**, reason *Stock count*, date **2027-03-31**.

Role: Production planner — 204 steps

What you do. Items, bills of materials, routings, work centers and stores; planning runs; production orders, confirmations, finished goods, downtime.

Hand-offs. Your planning run tells Purchasing what to buy. You release orders for the Warehouse to issue against, and your finished lamps go to Quality before Sales can ship them.

February 2027 — 123 steps

#	Date	Screen	What to do
1	Feb 1	Master Data → Units of measure → Add unit	Code **BDL**, name *Bundle*.
2	Feb 1	Master Data → Items → Add item	**CAP-SH** Capiz shell sheets, unit KG, Raw material, Buy, lead time 5 days; planned price 420.
3	Feb 1	Master Data → Conversions → Add conversion	For **CAP-SH**: 1 **BDL** = **5 KG**.
4	Feb 1	Master Data → Items → pencil on CAP-SH	Choose **Buy it in BDL** and save.
5	Feb 1	Master Data → Items → Add item	**WIR-FR** Steel wire frame, unit PC, Raw material, Buy, lead time 4 days; planned price 35.
6	Feb 1	Master Data → Items → Add item	**BRS-RD** Brass rod, unit M, Raw material, Buy, lead time 4 days; planned price 85.
7	Feb 1	Master Data → Items → Add item	**BRS-FT** Brass fitting set, unit PC, Raw material, Buy, lead time 4 days; planned price 60.
8	Feb 1	Master Data → Items → Add item	**LED-KT** LED kit, unit PC, Raw material, Buy, lead time 6 days; planned price 150.
9	Feb 1	Master Data → Items → Add item	**CRD-SW** Cord and switch set, unit PC, Raw material, Buy, lead time 6 days; planned price 55.
10	Feb 1	Master Data → Items → Add item	**GLU-AD** Adhesive, unit L, Raw material, Buy, lead time 3 days; planned price 190.
11	Feb 1	Master Data → Items → Add item	**CLR-CT** Clear coat, unit L, Raw material, Buy, lead time 3 days; planned price 260, tick **Track batches / lots**.
12	Feb 1	Master Data → Items → Add item	**CTN-LP** Lamp carton, unit PC, Packaging, Buy, lead time 3 days; planned price 38.
13	Feb 1	Master Data → Items → Add item	**FOM-PD** Foam padding, unit PC, Packaging, Buy, lead time 3 days; planned price 12.
14	Feb 1	Master Data → Items → Add item	**SHD-S** Small capiz shade, unit PC, Semi-finished, Make, lead time 2 days; usual store RM-STORE.
15	Feb 1	Master Data → Items → Add item	**SHD-L** Large capiz shade, unit PC, Semi-finished, Make, lead time 2 days; usual store RM-STORE.
16	Feb 1	Master Data → Items → Add item	**BAS-BR** Brass base, unit PC, Semi-finished, Make, lead time 2 days; usual store RM-STORE.
17	Feb 1	Master Data → Items → Add item	**PEN-S** Small pendant lamp, unit PC, Finished good, Make, lead time 3 days.
18	Feb 1	Master Data → Items → Add item	**PEN-L** Large pendant lamp, unit PC, Finished good, Make, lead time 3 days.
19	Feb 1	Master Data → Items → Add item	**TBL-LP** Table lamp, unit PC, Finished good, Make, lead time 3 days.
20	Feb 1	Master Data → Items → Add item	**FLR-LP** Floor lamp, unit PC, Finished good, Make, lead time 4 days.

#	Date	Screen	What to do
21	Feb 1	Master Data → Items → Add item	**CHD-4** Four-arm chandelier, unit PC, Finished good, Make, lead time 5 days.
22	Feb 1	Master Data → Work centers → Add work center	Name **Cutting** (leave the other boxes).
23	Feb 1	Master Data → Work centers → Add work center	Name **Assembly** (leave the other boxes).
24	Feb 1	Master Data → Work centers → Add work center	Name **Finishing** (leave the other boxes).
25	Feb 1	Master Data → Work centers → Add work center	Name **Packing** (leave the other boxes).
26	Feb 1	Master Data → Locations → Add location	Code **STORE-B**, name *Second raw material store*, kind RM.
36	Feb 1	Master Data → Bills of materials → New BOM	**SHD-S**, valid from **2027-02-01**: CAP-SH 0.4 · WIR-FR 1 · GLU-AD 0.05 · CLR-CT 0.04. Save draft, then Activate.
37	Feb 1	Master Data → Bills of materials → New BOM	**SHD-L**, valid from **2027-02-01**: CAP-SH 0.9 · WIR-FR 2 · GLU-AD 0.1 · CLR-CT 0.08. Save draft, then Activate.
38	Feb 1	Master Data → Bills of materials → New BOM	**BAS-BR**, valid from **2027-02-01**: BRS-RD 0.6 · BRS-FT 1. Save draft, then Activate.
39	Feb 1	Master Data → Bills of materials → New BOM	**PEN-S**, valid from **2027-02-01**: SHD-S 1 · LED-KT 1 · CRD-SW 1 · CTN-LP 1 · FOM-PD 1. Save draft, then Activate.
40	Feb 1	Master Data → Bills of materials → New BOM	**PEN-L**, valid from **2027-02-01**: SHD-L 1 · LED-KT 1 · CRD-SW 1 · CTN-LP 1 · FOM-PD 2. Save draft, then Activate.
41	Feb 1	Master Data → Bills of materials → New BOM	**TBL-LP**, valid from **2027-02-01**: SHD-S 1 · BAS-BR 1 · LED-KT 1 · CRD-SW 1 · CTN-LP 1 · FOM-PD 1. Save draft, then Activate.
42	Feb 1	Master Data → Bills of materials → New BOM	**FLR-LP**, valid from **2027-02-01**: SHD-L 1 · BAS-BR 1 · BRS-RD 1.2 · LED-KT 1 · CRD-SW 1 · CTN-LP 1 · FOM-PD 2. Save draft, then Activate.
43	Feb 1	Master Data → Bills of materials → New BOM	**CHD-4**, valid from **2027-02-01**: SHD-S 4 · BRS-RD 2 · BRS-FT 2 · LED-KT 4 · CRD-SW 1 · CTN-LP 2 · FOM-PD 3. Save draft, then Activate.
44	Feb 1	Master Data → Routings → New routing	**SHD-S**: op 10 Cut the capiz at Cutting (30/18/18/12 min); op 20 Assemble the shade at Assembly (15/24/24/6 min). Save draft, then Activate.
45	Feb 1	Master Data → Routings → New routing	**SHD-L**: op 10 Cut the capiz at Cutting (30/30/30/21 min); op 20 Assemble the shade at Assembly (15/42/42/9 min). Save draft, then Activate.
46	Feb 1	Master Data → Routings → New routing	**BAS-BR**: op 10 Cut the brass at Cutting (30/12/12/9 min); op 20 Polish and lacquer at Finishing (15/18/18/12 min). Save draft, then Activate.
47	Feb 1	Master Data → Routings → New routing	**PEN-S**: op 10 Wire and fit at Assembly (15/12/12/3 min); op 20 Pack at Packing (12/6/6/0 min). Save draft, then Activate.
48	Feb 1	Master Data → Routings → New routing	**PEN-L**: op 10 Wire and fit at Assembly (15/18/18/3 min); op 20 Pack at Packing (12/9/9/0 min). Save draft, then Activate.
49	Feb 1	Master Data → Routings → New routing	**TBL-LP**: op 10 Wire and fit at Assembly (15/21/21/3 min); op 20 Finish the base at Finishing (15/9/9/6 min); op 30 Pack at Packing (12/6/6/0 min). Save draft, then Activate.
50	Feb 1	Master Data → Routings → New routing	**FLR-LP**: op 10 Wire and fit at Assembly (15/30/30/6 min); op 20 Finish the stand at Finishing (15/15/15/9 min); op 30 Pack at Packing (12/9/9/0 min). Save draft, then Activate.
51	Feb 1	Master Data → Routings → New routing	**CHD-4**: op 10 Wire and fit at Assembly (30/60/60/12 min); op 20 Finish the arms at Finishing (15/30/30/18 min); op 30 Pack at Packing (12/15/15/0 min). Save draft, then Activate.
74	Feb 10	Planning → Run planning	Plan from **2027-02-01**, then **Run planning**.
96	Feb 12	Planning → Planned orders → Make selected	Tick the box at the top of the table, then **Make selected**: every open planned order becomes a production order.

#	Date	Screen	What to do
97	Feb 13	Production → click the order → Release	Release the production order for **SHD-S** (number 1 of that item).
99	Feb 13	Production → the order → Confirm production	**SHD-S** order 1: operation **10**, good 185, scrapped 0, labor 55.5 h, machine 37.0 h, setup 0.5 h, date **2027-02-13**.
100	Feb 14	Production → the order → Confirm production	**SHD-S** order 1: operation **20**, good 180, scrapped 5 (*Cracked capiz sheets*), labor 74.0 h, machine 18.5 h, setup 0.25 h, date **2027-02-14**, **tick the final confirmation**.
101	Feb 14	Production → the order → Finished goods into stock	**SHD-S** order 1: quantity **180**, date **2027-02-14**.
102	Feb 14	Production → click the order → Release	Release the production order for **BAS-BR** (number 1 of that item).
104	Feb 14	Production → the order → Confirm production	**BAS-BR** order 1: operation **10**, good 70, scrapped 0, labor 14.0 h, machine 10.5 h, setup 0.5 h, date **2027-02-14**.
105	Feb 15	Production → the order → Confirm production	**BAS-BR** order 1: operation **20**, good 70, scrapped 0, labor 21.0 h, machine 14.0 h, setup 0.25 h, date **2027-02-15**, **tick the final confirmation**.
106	Feb 15	Production → the order → Finished goods into stock	**BAS-BR** order 1: quantity **70**, date **2027-02-15**.
107	Feb 15	Production → click the order → Release	Release the production order for **PEN-S** (number 1 of that item).
109	Feb 16	Production → the order → Confirm production	**PEN-S** order 1: operation **10**, good 65, scrapped 0, labor 13.0 h, machine 3.25 h, setup 0.25 h, date **2027-02-16**.
111	Feb 16	Planning → Run planning	Plan from **2027-02-16**, then **Run planning**.
116	Feb 16	Planning → Planned orders → Make selected	Tick the box at the top of the table, then **Make selected**: every open planned order becomes a production order.
123	Feb 17	Production → the order → Confirm production	**PEN-S** order 1: operation **20**, good 65, scrapped 0, labor 6.5 h, machine 0.0 h, setup 0.2 h, date **2027-02-17**, **tick the final confirmation**.
124	Feb 17	Production → the order → Finished goods into stock	**PEN-S** order 1: quantity **65**, date **2027-02-17**.
125	Feb 17	Production → click the order → Release	Release the production order for **TBL-LP** (number 1 of that item).
127	Feb 17	Production → the order → Confirm production	**TBL-LP** order 1: operation **10**, good 30, scrapped 0, labor 10.5 h, machine 1.5 h, setup 0.25 h, date **2027-02-17**.
128	Feb 17	Production → click the order → Release	Release the production order for **CHD-4** (number 1 of that item).
130	Feb 18	Production → the order → Confirm production	**TBL-LP** order 1: operation **20**, good 30, scrapped 0, labor 4.5 h, machine 3.0 h, setup 0.25 h, date **2027-02-18**.
131	Feb 18	Production → the order → Confirm production	**TBL-LP** order 1: operation **30**, good 30, scrapped 0, labor 3.0 h, machine 0.0 h, setup 0.2 h, date **2027-02-18**, **tick the final confirmation**.
132	Feb 18	Production → the order → Finished goods into stock	**TBL-LP** order 1: quantity **30**, date **2027-02-18**.
133	Feb 18	Production → the order → Confirm production	**CHD-4** order 1: operation **10**, good 6, scrapped 0, labor 6.0 h, machine 1.2 h, setup 0.5 h, date **2027-02-18**.
134	Feb 18	Shop Floor → Downtime → Log it	**Cutting**, day **2027-02-18**, 4 hours, reason Breakdown, note *Saw blade snapped*.
135	Feb 18	Production → click the order → Release	Release the production order for **SHD-L** (number 1 of that item).
137	Feb 18	Production → the order → Confirm production	**SHD-L** order 1: operation **10**, good 80, scrapped 0, labor 40.0 h, machine 28.0 h, setup 0.5 h, date **2027-02-18**.
138	Feb 19	Production → the order → Confirm production	**CHD-4** order 1: operation **20**, good 6, scrapped 0, labor 3.0 h, machine 1.8 h, setup 0.25 h, date **2027-02-19**.

#	Date	Screen	What to do
139	Feb 19	Production → the order → Confirm production	**CHD-4** order 1: operation **30**, good 6, scrapped 0, labor 1.5 h, machine 0.0 h, setup 0.2 h, date **2027-02-19**, **tick the final confirmation**.
140	Feb 19	Production → the order → Finished goods into stock	**CHD-4** order 1: quantity **6**, date **2027-02-19**.
141	Feb 19	Production → the order → Confirm production	**SHD-L** order 1: operation **20**, good 80, scrapped 0, labor 56.0 h, machine 12.0 h, setup 0.25 h, date **2027-02-19**, **tick the final confirmation**.
142	Feb 19	Production → the order → Finished goods into stock	**SHD-L** order 1: quantity **80**, date **2027-02-19**.
147	Feb 19	Production → click the order → Release	Release the production order for **PEN-L** (number 1 of that item).
154	Feb 20	Production → click the order → Release	Release the production order for **BAS-BR** (number 2 of that item).
156	Feb 20	Production → the order → Confirm production	**BAS-BR** order 2: operation **10**, good 15, scrapped 0, labor 3.0 h, machine 2.25 h, setup 0.5 h, date **2027-02-20**.
157	Feb 20	Production → the order → Confirm production	**PEN-L** order 1: operation **10**, good 50, scrapped 0, labor 15.0 h, machine 2.5 h, setup 0.25 h, date **2027-02-20**.
158	Feb 20	Production → the order → Confirm production	**PEN-L** order 1: operation **20**, good 50, scrapped 0, labor 7.5 h, machine 0.0 h, setup 0.2 h, date **2027-02-20**, **tick the final confirmation**.
159	Feb 20	Production → the order → Finished goods into stock	**PEN-L** order 1: quantity **50**, date **2027-02-20**.
160	Feb 20	Production → click the order → Release	Release the production order for **FLR-LP** (number 1 of that item).
162	Feb 21	Production → the order → Confirm production	**BAS-BR** order 2: operation **20**, good 15, scrapped 0, labor 4.5 h, machine 3.0 h, setup 0.25 h, date **2027-02-21**, **tick the final confirmation**.
163	Feb 21	Production → the order → Finished goods into stock	**BAS-BR** order 2: quantity **15**, date **2027-02-21**.
164	Feb 21	Production → the order → Confirm production	**FLR-LP** order 1: operation **10**, good 12, scrapped 0, labor 6.0 h, machine 1.2 h, setup 0.25 h, date **2027-02-21**.
165	Feb 21	Production → the order → Confirm production	**FLR-LP** order 1: operation **20**, good 12, scrapped 0, labor 3.0 h, machine 1.8 h, setup 0.25 h, date **2027-02-21**.
166	Feb 21	Production → click the order → Release	Release the production order for **CHD-4** (number 2 of that item).
168	Feb 21	Production → click the order → Release	Release the production order for **SHD-S** (number 2 of that item).
170	Feb 21	Production → the order → Confirm production	**SHD-S** order 2: operation **10**, good 40, scrapped 0, labor 12.0 h, machine 8.0 h, setup 0.5 h, date **2027-02-21**.
171	Feb 22	Production → the order → Confirm production	**FLR-LP** order 1: operation **30**, good 12, scrapped 0, labor 1.8 h, machine 0.0 h, setup 0.2 h, date **2027-02-22**, **tick the final confirmation**.
172	Feb 22	Production → the order → Finished goods into stock	**FLR-LP** order 1: quantity **12**, date **2027-02-22**.
173	Feb 22	Production → the order → Confirm production	**CHD-4** order 2: operation **10**, good 4, scrapped 0, labor 4.0 h, machine 0.8 h, setup 0.5 h, date **2027-02-22**.
174	Feb 22	Production → the order → Confirm production	**CHD-4** order 2: operation **20**, good 4, scrapped 0, labor 2.0 h, machine 1.2 h, setup 0.25 h, date **2027-02-22**.
175	Feb 22	Production → the order → Confirm production	**SHD-S** order 2: operation **20**, good 40, scrapped 0, labor 16.0 h, machine 4.0 h, setup 0.25 h, date **2027-02-22**, **tick the final confirmation**.
176	Feb 22	Production → the order → Finished goods into stock	**SHD-S** order 2: quantity **40**, date **2027-02-22**.
177	Feb 22	Production → click the order → Release	Release the production order for **PEN-S** (number 2 of that item).

#	Date	Screen	What to do
179	Feb 22	Production → click the order → Release	Release the production order for **PEN-L** (number 2 of that item).
181	Feb 23	Production → the order → Confirm production	**CHD-4** order 2: operation **30**, good 4, scrapped 0, labor 1.0 h, machine 0.0 h, setup 0.2 h, date **2027-02-23**, **tick the final confirmation**.
182	Feb 23	Production → the order → Finished goods into stock	**CHD-4** order 2: quantity **4**, date **2027-02-23**.
183	Feb 23	Production → the order → Confirm production	**PEN-S** order 2: operation **10**, good 30, scrapped 0, labor 6.0 h, machine 1.5 h, setup 0.25 h, date **2027-02-23**.
184	Feb 23	Production → the order → Confirm production	**PEN-S** order 2: operation **20**, good 30, scrapped 0, labor 3.0 h, machine 0.0 h, setup 0.2 h, date **2027-02-23**, **tick the final confirmation**.
185	Feb 23	Production → the order → Finished goods into stock	**PEN-S** order 2: quantity **30**, date **2027-02-23**.
186	Feb 23	Production → the order → Confirm production	**PEN-L** order 2: operation **10**, good 10, scrapped 0, labor 3.0 h, machine 0.5 h, setup 0.25 h, date **2027-02-23**.
187	Feb 23	Production → the order → Confirm production	**PEN-L** order 2: operation **20**, good 10, scrapped 0, labor 1.5 h, machine 0.0 h, setup 0.2 h, date **2027-02-23**, **tick the final confirmation**.
188	Feb 23	Production → the order → Finished goods into stock	**PEN-L** order 2: quantity **10**, date **2027-02-23**.
189	Feb 23	Production → click the order → Release	Release the production order for **TBL-LP** (number 2 of that item).
191	Feb 23	Production → click the order → Release	Release the production order for **FLR-LP** (number 2 of that item).
193	Feb 24	Production → the order → Confirm production	**TBL-LP** order 2: operation **10**, good 20, scrapped 0, labor 7.0 h, machine 1.0 h, setup 0.25 h, date **2027-02-24**.
194	Feb 24	Production → the order → Confirm production	**TBL-LP** order 2: operation **20**, good 20, scrapped 0, labor 3.0 h, machine 2.0 h, setup 0.25 h, date **2027-02-24**.
195	Feb 24	Production → the order → Confirm production	**TBL-LP** order 2: operation **30**, good 20, scrapped 0, labor 2.0 h, machine 0.0 h, setup 0.2 h, date **2027-02-24**, **tick the final confirmation**.
196	Feb 24	Production → the order → Finished goods into stock	**TBL-LP** order 2: quantity **20**, date **2027-02-24**.
197	Feb 24	Production → the order → Confirm production	**FLR-LP** order 2: operation **10**, good 8, scrapped 0, labor 4.0 h, machine 0.8 h, setup 0.25 h, date **2027-02-24**.
198	Feb 24	Production → the order → Confirm production	**FLR-LP** order 2: operation **20**, good 8, scrapped 0, labor 2.0 h, machine 1.2 h, setup 0.25 h, date **2027-02-24**.
199	Feb 24	Production → click the order → Release	Release the production order for **PEN-S** (number 3 of that item).
201	Feb 24	Shop Floor → Downtime → Log it	**Assembly**, day **2027-02-24**, 2 hours, reason No Material, note *Waiting for LED kits*.
205	Feb 25	Production → the order → Confirm production	**FLR-LP** order 2: operation **30**, good 8, scrapped 0, labor 1.2 h, machine 0.0 h, setup 0.2 h, date **2027-02-25**, **tick the final confirmation**.
206	Feb 25	Production → the order → Finished goods into stock	**FLR-LP** order 2: quantity **8**, date **2027-02-25**.
207	Feb 25	Production → the order → Confirm production	**PEN-S** order 3: operation **10**, good 20, scrapped 0, labor 4.0 h, machine 1.0 h, setup 0.25 h, date **2027-02-25**.
208	Feb 25	Production → the order → Confirm production	**PEN-S** order 3: operation **20**, good 20, scrapped 0, labor 2.0 h, machine 0.0 h, setup 0.2 h, date **2027-02-25**, **tick the final confirmation**.
209	Feb 25	Production → the order → Finished goods into stock	**PEN-S** order 3: quantity **20**, date **2027-02-25**.
210	Feb 25	Production → click the order → Release	Release the production order for **TBL-LP** (number 3 of that item).

#	Date	Screen	What to do
215	Feb 26	Production → the order → Confirm production	**TBL-LP** order 3: operation **10**, good 15, scrapped 0, labor 5.25 h, machine 0.75 h, setup 0.25 h, date **2027-02-26**.
216	Feb 26	Production → the order → Confirm production	**TBL-LP** order 3: operation **20**, good 15, scrapped 0, labor 2.25 h, machine 1.5 h, setup 0.25 h, date **2027-02-26**.
217	Feb 26	Production → the order → Confirm production	**TBL-LP** order 3: operation **30**, good 15, scrapped 0, labor 1.5 h, machine 0.0 h, setup 0.2 h, date **2027-02-26**, **tick the final confirmation**.
218	Feb 26	Production → the order → Finished goods into stock	**TBL-LP** order 3: quantity **15**, date **2027-02-26**.

March 2027 — 81 steps

#	Date	Screen	What to do
273	Mar 1	Master Data → Bills of materials → New BOM	**PEN-S**, valid from **2027-03-01**: SHD-S 1 · LED-KT 1 · CRD-SW 1 · CTN-LP 1 · FOM-PD 2. Save draft, then Activate.
280	Mar 4	Planning → Run planning	Plan from **2027-03-01**, then **Run planning**.
281	Mar 4	Planning → Planned orders → Make selected	Tick the box at the top of the table, then **Make selected**: every open planned order becomes a production order.
314	Mar 13	Planning → Run planning	Plan from **2027-03-01**, then **Run planning**.
315	Mar 13	Planning → Planned orders → Make selected	Tick the box at the top of the table, then **Make selected**: every open planned order becomes a production order.
316	Mar 9	Production → click the order → Release	Release the production order for **BAS-BR** (number 3 of that item).
318	Mar 9	Production → the order → Confirm production	**BAS-BR** order 3: operation **10**, good 55, scrapped 0, labor 11.0 h, machine 8.25 h, setup 0.5 h, date **2027-03-09**.
319	Mar 10	Production → the order → Confirm production	**BAS-BR** order 3: operation **20**, good 55, scrapped 0, labor 16.5 h, machine 11.0 h, setup 0.25 h, date **2027-03-10**, **tick the final confirmation**.
320	Mar 10	Production → the order → Finished goods into stock	**BAS-BR** order 3: quantity **55**, date **2027-03-10**.
321	Mar 11	Production → click the order → Release	Release the production order for **SHD-S** (number 3 of that item).
323	Mar 11	Production → the order → Confirm production	**SHD-S** order 3: operation **10**, good 155, scrapped 0, labor 46.5 h, machine 31.0 h, setup 0.5 h, date **2027-03-11**.
324	Mar 11	Shop Floor → Downtime → Log it	**Cutting**, day **2027-03-11**, 3 hours, reason Breakdown, note *Blade replaced on the capiz cutter*.
325	Mar 12	Production → the order → Confirm production	**SHD-S** order 3: operation **20**, good 150, scrapped 5 (*Cracked capiz sheets*), labor 62.0 h, machine 15.5 h, setup 0.25 h, date **2027-03-12**, **tick the final confirmation**.
326	Mar 12	Production → the order → Finished goods into stock	**SHD-S** order 3: quantity **150**, date **2027-03-12**.
327	Mar 12	Production → click the order → Release	Release the production order for **PEN-S** (number 4 of that item).
329	Mar 12	Production → click the order → Release	Release the production order for **TBL-LP** (number 4 of that item).
337	Mar 13	Production → the order → Confirm production	**PEN-S** order 4: operation **10**, good 90, scrapped 0, labor 18.0 h, machine 4.5 h, setup 0.25 h, date **2027-03-13**.
338	Mar 13	Production → the order → Confirm production	**TBL-LP** order 4: operation **10**, good 45, scrapped 0, labor 15.75 h, machine 2.25 h, setup 0.25 h, date **2027-03-13**.
339	Mar 14	Production → the order → Confirm production	**PEN-S** order 4: operation **20**, good 90, scrapped 0, labor 9.0 h, machine 0.0 h, setup 0.2 h, date **2027-03-14**, **tick the final confirmation**.
340	Mar 14	Production → the order → Finished goods into stock	**PEN-S** order 4: quantity **90**, date **2027-03-14**, store **QUARANTINE** (the lamp is inspected before it can be sold).

#	Date	Screen	What to do
341	Mar 14	Production → the order → Confirm production	**TBL-LP** order 4: operation **20**, good 45, scrapped 0, labor 6.75 h, machine 4.5 h, setup 0.25 h, date **2027-03-14**.
342	Mar 15	Production → the order → Confirm production	**TBL-LP** order 4: operation **30**, good 45, scrapped 0, labor 4.5 h, machine 0.0 h, setup 0.2 h, date **2027-03-15**, **tick the final confirmation**.
343	Mar 15	Production → the order → Finished goods into stock	**TBL-LP** order 4: quantity **45**, date **2027-03-15**, store **QUARANTINE** (the lamp is inspected before it can be sold).
351	Mar 16	Production → click the order → Release	Release the production order for **SHD-L** (number 2 of that item).
353	Mar 16	Production → the order → Confirm production	**SHD-L** order 2: operation **10**, good 60, scrapped 0, labor 30.0 h, machine 21.0 h, setup 0.5 h, date **2027-03-16**.
356	Mar 17	Production → the order → Confirm production	**SHD-L** order 2: operation **20**, good 60, scrapped 0, labor 42.0 h, machine 9.0 h, setup 0.25 h, date **2027-03-17**, **tick the final confirmation**.
357	Mar 17	Production → the order → Finished goods into stock	**SHD-L** order 2: quantity **60**, date **2027-03-17**.
358	Mar 17	Production → click the order → Release	Release the production order for **SHD-S** (number 4 of that item).
360	Mar 17	Production → the order → Confirm production	**SHD-S** order 4: operation **10**, good 96, scrapped 0, labor 28.8 h, machine 19.2 h, setup 0.5 h, date **2027-03-17**.
361	Mar 17	Production → click the order → Release	Release the production order for **PEN-L** (number 3 of that item).
367	Mar 18	Production → the order → Confirm production	**SHD-S** order 4: operation **20**, good 95, scrapped 1 (*Cracked capiz sheets*), labor 38.4 h, machine 9.6 h, setup 0.25 h, date **2027-03-18**, **tick the final confirmation**.
368	Mar 18	Production → the order → Finished goods into stock	**SHD-S** order 4: quantity **95**, date **2027-03-18**.
369	Mar 18	Production → the order → Confirm production	**PEN-L** order 3: operation **10**, good 50, scrapped 0, labor 15.0 h, machine 2.5 h, setup 0.25 h, date **2027-03-18**.
370	Mar 18	Production → click the order → Release	Release the production order for **CHD-4** (number 3 of that item).
372	Mar 18	Production → click the order → Release	Release the production order for **BAS-BR** (number 4 of that item).
374	Mar 19	Production → the order → Confirm production	**PEN-L** order 3: operation **20**, good 50, scrapped 0, labor 7.5 h, machine 0.0 h, setup 0.2 h, date **2027-03-19**, **tick the final confirmation**.
375	Mar 19	Production → the order → Finished goods into stock	**PEN-L** order 3: quantity **50**, date **2027-03-19**, store **QUARANTINE** (the lamp is inspected before it can be sold).
380	Mar 19	Production → the order → Confirm production	**CHD-4** order 3: operation **10**, good 5, scrapped 0, labor 5.0 h, machine 1.0 h, setup 0.5 h, date **2027-03-19**.
381	Mar 19	Production → the order → Confirm production	**BAS-BR** order 4: operation **10**, good 50, scrapped 0, labor 10.0 h, machine 7.5 h, setup 0.5 h, date **2027-03-19**.
382	Mar 19	Production → click the order → Release	Release the production order for **PEN-S** (number 5 of that item).
384	Mar 19	Production → click the order → Release	Release the production order for **SHD-L** (number 3 of that item).
386	Mar 19	Production → the order → Confirm production	**SHD-L** order 3: operation **10**, good 45, scrapped 0, labor 22.5 h, machine 15.75 h, setup 0.5 h, date **2027-03-19**.
392	Mar 20	Production → the order → Confirm production	**CHD-4** order 3: operation **20**, good 5, scrapped 0, labor 2.5 h, machine 1.5 h, setup 0.25 h, date **2027-03-20**.
393	Mar 20	Production → the order → Confirm production	**BAS-BR** order 4: operation **20**, good 50, scrapped 0, labor 15.0 h, machine 10.0 h, setup 0.25 h, date **2027-03-20**, **tick the final confirmation**.
394	Mar 20	Production → the order → Finished goods into stock	**BAS-BR** order 4: quantity **50**, date **2027-03-20**.

#	Date	Screen	What to do
395	Mar 20	Production → the order → Confirm production	**PEN-S** order 5: operation **10**, good 50, scrapped 0, labor 10.0 h, machine 2.5 h, setup 0.25 h, date **2027-03-20**.
396	Mar 20	Production → the order → Confirm production	**SHD-L** order 3: operation **20**, good 45, scrapped 0, labor 31.5 h, machine 6.75 h, setup 0.25 h, date **2027-03-20**, **tick the final confirmation**.
397	Mar 20	Production → the order → Finished goods into stock	**SHD-L** order 3: quantity **45**, date **2027-03-20**.
401	Mar 21	Production → New order	Item **SHD-S**, quantity **6**, starts **2027-03-21**, finishes **2027-03-22** (a rush order made by hand).
402	Mar 21	Production → click the order → Release	Release the production order for **SHD-S** (number 5 of that item).
404	Mar 21	Production → the order → Confirm production	**SHD-S** order 5: operation **10**, good 6, scrapped 0, labor 1.8 h, machine 1.2 h, setup 0.5 h, date **2027-03-21**.
405	Mar 21	Production → the order → Confirm production	**SHD-S** order 5: operation **20**, good 6, scrapped 0, labor 2.4 h, machine 0.6 h, setup 0.25 h, date **2027-03-21**, **tick the final confirmation**.
406	Mar 21	Production → the order → Finished goods into stock	**SHD-S** order 5: quantity **6**, date **2027-03-21**.
407	Mar 21	Production → the order → Confirm production	**CHD-4** order 3: operation **30**, good 5, scrapped 0, labor 1.25 h, machine 0.0 h, setup 0.2 h, date **2027-03-21**, **tick the final confirmation**.
408	Mar 21	Production → the order → Finished goods into stock	**CHD-4** order 3: quantity **5**, date **2027-03-21**, store **QUARANTINE** (the lamp is inspected before it can be sold).
409	Mar 21	Production → the order → Confirm production	**PEN-S** order 5: operation **20**, good 50, scrapped 0, labor 5.0 h, machine 0.0 h, setup 0.2 h, date **2027-03-21**, **tick the final confirmation**.
410	Mar 21	Production → the order → Finished goods into stock	**PEN-S** order 5: quantity **50**, date **2027-03-21**, store **QUARANTINE** (the lamp is inspected before it can be sold).
411	Mar 21	Production → click the order → Release	Release the production order for **TBL-LP** (number 5 of that item).
413	Mar 21	Production → click the order → Release	Release the production order for **PEN-L** (number 4 of that item).
415	Mar 21	Production → click the order → Release	Release the production order for **FLR-LP** (number 3 of that item).
417	Mar 22	Production → the order → Confirm production	**TBL-LP** order 5: operation **10**, good 30, scrapped 0, labor 10.5 h, machine 1.5 h, setup 0.25 h, date **2027-03-22**.
418	Mar 22	Production → the order → Confirm production	**PEN-L** order 4: operation **10**, good 25, scrapped 0, labor 7.5 h, machine 1.25 h, setup 0.25 h, date **2027-03-22**.
419	Mar 22	Production → the order → Confirm production	**FLR-LP** order 3: operation **10**, good 10, scrapped 0, labor 5.0 h, machine 1.0 h, setup 0.25 h, date **2027-03-22**.
420	Mar 22	Production → click the order → Release	Release the production order for **FLR-LP** (number 4 of that item).
422	Mar 22	Production → click the order → Release	Release the production order for **CHD-4** (number 4 of that item).
426	Mar 23	Production → the order → Confirm production	**TBL-LP** order 5: operation **20**, good 30, scrapped 0, labor 4.5 h, machine 3.0 h, setup 0.25 h, date **2027-03-23**.
427	Mar 23	Production → the order → Confirm production	**PEN-L** order 4: operation **20**, good 25, scrapped 0, labor 3.75 h, machine 0.0 h, setup 0.2 h, date **2027-03-23**, **tick the final confirmation**.
428	Mar 23	Production → the order → Finished goods into stock	**PEN-L** order 4: quantity **25**, date **2027-03-23**, store **QUARANTINE** (the lamp is inspected before it can be sold).
429	Mar 23	Production → the order → Confirm production	**FLR-LP** order 3: operation **20**, good 10, scrapped 0, labor 2.5 h, machine 1.5 h, setup 0.25 h, date **2027-03-23**.
430	Mar 23	Production → the order → Confirm production	**FLR-LP** order 4: operation **10**, good 20, scrapped 0, labor 10.0 h, machine 2.0 h, setup 0.25 h, date **2027-03-23**.

#	Date	Screen	What to do
434	Mar 24	Production → the order → Confirm production	**TBL-LP** order 5: operation **30**, good 30, scrapped 0, labor 3.0 h, machine 0.0 h, setup 0.2 h, date **2027-03-24**, **tick the final confirmation**.
435	Mar 24	Production → the order → Finished goods into stock	**TBL-LP** order 5: quantity **30**, date **2027-03-24**, store **QUARANTINE** (the lamp is inspected before it can be sold).
436	Mar 24	Production → the order → Confirm production	**FLR-LP** order 3: operation **30**, good 10, scrapped 0, labor 1.5 h, machine 0.0 h, setup 0.2 h, date **2027-03-24**, **tick the final confirmation**.
437	Mar 24	Production → the order → Finished goods into stock	**FLR-LP** order 3: quantity **10**, date **2027-03-24**, store **QUARANTINE** (the lamp is inspected before it can be sold).
438	Mar 24	Production → the order → Confirm production	**FLR-LP** order 4: operation **20**, good 20, scrapped 0, labor 5.0 h, machine 3.0 h, setup 0.25 h, date **2027-03-24**.
439	Mar 24	Production → the order → Confirm production	**CHD-4** order 4: operation **10**, good 4, scrapped 0, labor 4.0 h, machine 0.8 h, setup 0.5 h, date **2027-03-24**.
441	Mar 25	Production → the order → Confirm production	**FLR-LP** order 4: operation **30**, good 20, scrapped 0, labor 3.0 h, machine 0.0 h, setup 0.2 h, date **2027-03-25**, **tick the final confirmation**.
442	Mar 25	Production → the order → Finished goods into stock	**FLR-LP** order 4: quantity **20**, date **2027-03-25**, store **QUARANTINE** (the lamp is inspected before it can be sold).
443	Mar 25	Production → the order → Confirm production	**CHD-4** order 4: operation **20**, good 4, scrapped 0, labor 2.0 h, machine 1.2 h, setup 0.25 h, date **2027-03-25**.
446	Mar 26	Production → the order → Confirm production	**CHD-4** order 4: operation **30**, good 4, scrapped 0, labor 1.0 h, machine 0.0 h, setup 0.2 h, date **2027-03-26**, **tick the final confirmation**.
447	Mar 26	Production → the order → Finished goods into stock	**CHD-4** order 4: quantity **4**, date **2027-03-26**, store **QUARANTINE** (the lamp is inspected before it can be sold).

Role: Quality inspector — 47 steps

What you do. Inspection plans, inspecting bought goods and every finished lamp, deciding accept / scrap / return / rework, closing non-conformance reports.

Hand-offs. You inspect what the Warehouse received and what Production finished. Nothing in QUARANTINE can be used or sold until you decide.

February 2027 — 11 steps

#	Date	Screen	What to do
81	Feb 11	Quality → Plans and settings	Item **CAP-SH**: tick **Inspect when it is bought**, Save these settings; characteristics: Moisture (%) — to 12; Save the plan.
82	Feb 11	Quality → Plans and settings	Item **LED-KT**: tick **Inspect when it is bought**, Save these settings; characteristics: Voltage (V) 11.5 to 12.5; Lumens (lm) 800 to —; Save the plan.
88	Feb 13	Quality → Inspection lots → the waiting lot	**CAP-SH** lot 1: measured Moisture 10.5 → Save measurements. Decision: accept **90**, date **2027-02-13**.
89	Feb 14	Quality → Inspection lots → the waiting lot	**LED-KT** lot 1: measured Voltage 12.1, Lumens 850 → Save measurements. Decision: accept **150**, date **2027-02-14**.
91	Feb 18	Quality → Inspection lots → the waiting lot	**CAP-SH** lot 2: measured Moisture 13.4 → Save measurements. Decision: accept **60**, return 5, root cause MATERIAL, date **2027-02-18**, note *Sheets damp at one end; 5 kg returned*.
92	Feb 18	Quality → Non-conformances → the open report → Close the report	**CAP-SH**: corrective action *Vendor to dry the sheets before loading; moisture to be measured on arrival*.
94	Feb 19	Quality → Inspection lots → the waiting lot	**LED-KT** lot 2: measured Voltage 12.9, Lumens 790 → Save measurements. Decision: accept **105**, return 10, root cause SUPPLIER, date **2027-02-19**, note *Voltage over the limit on 10 kits; returned*.
95	Feb 19	Quality → Non-conformances → the open report → Close the report	**LED-KT**: corrective action *Vendor to test every kit before packing; sample test on arrival*.
150	Feb 20	Quality → Inspection lots → the waiting lot	**CAP-SH** lot 3: measured Moisture 10.8 → Save measurements. Decision: accept **15**, date **2027-02-20**.
152	Feb 20	Quality → Inspection lots → the waiting lot	**LED-KT** lot 3: measured Voltage 12.2, Lumens 840 → Save measurements. Decision: accept **35**, date **2027-02-20**.
203	Feb 24	Quality → Inspection lots → the waiting lot	**LED-KT** lot 4: measured Voltage 12.0, Lumens 860 → Save measurements. Decision: accept **10**, date **2027-02-24**.

March 2027 — 36 steps

#	Date	Screen	What to do
288	Mar 5	Quality → Plans and settings	Item **CLR-CT**: tick **Inspect when it is bought**, Save these settings; characteristics: Viscosity (s) 20 to 35; Save the plan.
289	Mar 5	Quality → Plans and settings	Item **BRS-FT**: tick **Inspect when it is bought**, Save these settings; characteristics: Hardness (HB) 60 to 90; Save the plan.
290	Mar 5	Quality → Plans and settings	Item **PEN-S**: tick **Inspect when it is made**, Save these settings; characteristics: Switch test (pass) 1 to —; Finish defects (count) — to 2; Save the plan.
291	Mar 5	Quality → Plans and settings	Item **PEN-L**: tick **Inspect when it is made**, Save these settings; characteristics: Switch test (pass) 1 to —; Finish defects (count) — to 2; Save the plan.
292	Mar 5	Quality → Plans and settings	Item **TBL-LP**: tick **Inspect when it is made**, Save these settings; characteristics: Switch test (pass) 1 to —; Finish defects (count) — to 2; Save the plan.
293	Mar 5	Quality → Plans and settings	Item **FLR-LP**: tick **Inspect when it is made**, Save these settings; characteristics: Switch test (pass) 1 to —; Finish defects (count) — to 2; Save the plan.

#	Date	Screen	What to do
294	Mar 5	Quality → Plans and settings	Item **CHD-4**: tick **Inspect when it is made**, Save these settings; characteristics: Switch test (pass) 1 to —; Finish defects (count) — to 2; Save the plan.
298	Mar 8	Quality → Inspection lots → the waiting lot	**BRS-FT** lot 1: measured Hardness 72 → Save measurements. Decision: accept **65**, date **2027-03-08**.
299	Mar 8	Quality → Inspection lots → the waiting lot	**CLR-CT** lot 1: measured Viscosity 28 → Save measurements. Decision: accept **11**, date **2027-03-08**.
301	Mar 9	Quality → Inspection lots → the waiting lot	**LED-KT** lot 1: measured Voltage 12.0, Lumens 850 → Save measurements. Decision: accept **100**, date **2027-03-09**.
303	Mar 10	Quality → Inspection lots → the waiting lot	**CAP-SH** lot 1: measured Moisture 11.2 → Save measurements. Decision: accept **60**, date **2027-03-10**.
305	Mar 12	Quality → Inspection lots → the waiting lot	**LED-KT** lot 2: measured Voltage 12.1, Lumens 770 → Save measurements. Decision: accept **105**, return 10, root cause SUPPLIER, date **2027-03-12**, note *Lumens below the limit on 10 kits; returned*.
306	Mar 12	Quality → Non-conformances → the open report → Close the report	**LED-KT**: corrective action *Vendor to test lumens on every kit before packing*.
309	Mar 12	Quality → Inspection lots → the waiting lot	**CAP-SH** lot 2: measured Moisture 12.9 → Save measurements. Decision: accept **45**, return 5, root cause MATERIAL, date **2027-03-12**, note *Damp sheets, 5 kg returned*.
310	Mar 12	Quality → Non-conformances → the open report → Close the report	**CAP-SH**: corrective action *Vendor to dry the sheets before loading*.
344	Mar 15	Quality → Inspection lots → the waiting lot	**PEN-S** lot 1: measured Switch test 1, Finish defects 1 → Save measurements. Decision: accept **90**, date **2027-03-15**.
346	Mar 16	Quality → Inspection lots → the waiting lot	**BRS-FT** lot 2: measured Hardness 68 → Save measurements. Decision: accept **58**, date **2027-03-16**.
348	Mar 16	Quality → Inspection lots → the waiting lot	**CLR-CT** lot 2: measured Viscosity 31 → Save measurements. Decision: accept **7.44**, date **2027-03-16**.
350	Mar 16	Quality → Inspection lots → the waiting lot	**CAP-SH** lot 3: measured Moisture 10.9 → Save measurements. Decision: accept **60**, date **2027-03-16**.
354	Mar 16	Quality → Inspection lots → the waiting lot	**TBL-LP** lot 1: measured Switch test 1, Finish defects 0 → Save measurements. Decision: accept **45**, date **2027-03-16**.
364	Mar 18	Quality → Inspection lots → the waiting lot	**LED-KT** lot 3: measured Voltage 12.2, Lumens 835 → Save measurements. Decision: accept **141**, date **2027-03-18**.
366	Mar 18	Quality → Inspection lots → the waiting lot	**CAP-SH** lot 4: measured Moisture 11.5 → Save measurements. Decision: accept **30**, date **2027-03-18**.
389	Mar 20	Quality → Inspection lots → the waiting lot	**CAP-SH** lot 5: measured Moisture 11.0 → Save measurements. Decision: accept **5**, date **2027-03-20**.
391	Mar 20	Quality → Inspection lots → the waiting lot	**CLR-CT** lot 3: measured Viscosity 29 → Save measurements. Decision: accept **1**, date **2027-03-20**.
398	Mar 20	Quality → Inspection lots → the waiting lot	**PEN-L** lot 1: measured Switch test 1, Finish defects 1 → Save measurements. Decision: accept **50**, date **2027-03-20**.
400	Mar 21	Quality → Inspection lots → the waiting lot	**LED-KT** lot 4: measured Voltage 12.1, Lumens 830 → Save measurements. Decision: accept **10**, date **2027-03-21**.
424	Mar 22	Quality → Inspection lots → the waiting lot	**CHD-4** lot 1: measured Switch test 1, Finish defects 0 → Save measurements. Decision: accept **5**, date **2027-03-22**.
425	Mar 22	Quality → Inspection lots → the waiting lot	**PEN-S** lot 2: measured Switch test 1, Finish defects 3 → Save measurements. Decision: accept **46**, rework 4, root cause PEOPLE, date **2027-03-22**, note *Finish defects over the limit on 4 lamps (glue marks); the other 46 are fine*.

#	Date	Screen	What to do
431	Mar 23	Quality → Inspection lots → the waiting lot	**PEN-S** lot 3: measured Switch test 1, Finish defects 0 → Save measurements. Decision: accept **2**, scrap 2, root cause PEOPLE, date **2027-03-23**, note *Two shades cracked while the glue marks were being cleaned off*.
432	Mar 23	Quality → Non-conformances → the open report → Close the report	**PEN-S**: corrective action *Glue marks: assemblers shown the glue gauge*.
433	Mar 23	Quality → Non-conformances → the open report → Close the report	**PEN-S**: corrective action *Cleaning is done with the cloth only, never a blade*.
440	Mar 24	Quality → Inspection lots → the waiting lot	**PEN-L** lot 2: measured Switch test 1, Finish defects 0 → Save measurements. Decision: accept **25**, date **2027-03-24**.
444	Mar 25	Quality → Inspection lots → the waiting lot	**TBL-LP** lot 2: measured Switch test 1, Finish defects 1 → Save measurements. Decision: accept **30**, date **2027-03-25**.
445	Mar 25	Quality → Inspection lots → the waiting lot	**FLR-LP** lot 1: measured Switch test 1, Finish defects 0 → Save measurements. Decision: accept **10**, date **2027-03-25**.
448	Mar 26	Quality → Inspection lots → the waiting lot	**FLR-LP** lot 2: measured Switch test 1, Finish defects 1 → Save measurements. Decision: accept **20**, date **2027-03-26**.
449	Mar 27	Quality → Inspection lots → the waiting lot	**CHD-4** lot 2: measured Switch test 1, Finish defects 0 → Save measurements. Decision: accept **4**, date **2027-03-27**.

Role: Sales and shipping clerk — 50 steps

What you do. Customers, sales orders, creating the invoice from a delivery and sending it.

Hand-offs. You take the orders that start the planning run. After the Warehouse delivers, you create and send the invoice; the Finance manager records the customer's payment.

February 2027 — 24 steps

#	Date	Screen	What to do
60	Feb 1	Sales → Customers → New customer	**Manila Lamp House**.
61	Feb 1	Sales → Customers → New customer	**Cebu Interiors**.
62	Feb 1	Sales → Customers → New customer	**Davao Design Hub**.
63	Feb 1	Sales → Customers → New customer	**Baguio Gifts**.
64	Feb 1	Sales → Customers → New customer	**Iloilo Decor**.
65	Feb 1	Sales → Customers → New customer	**Cagayan Lighting**.
69	Feb 2	Sales → Sales Orders → New sales order	**SO-0001** Manila Lamp House, date 2027-02-02: PEN-S 40 @ 1,450 · PEN-L 20 @ 2,350 · TBL-LP 30 @ 1,850; tax rate 12; total **₱179,760.00**. Save, then Confirm.
70	Feb 3	Sales → Sales Orders → New sales order	**SO-0002** Cebu Interiors, date 2027-02-03: PEN-L 30 @ 2,400 · FLR-LP 12 @ 3,950; tax rate 12; total **₱133,728.00**. Save, then Confirm.
71	Feb 5	Sales → Sales Orders → New sales order	**SO-0003** Davao Design Hub, date 2027-02-05: CHD-4 6 @ 9,800 · PEN-S 25 @ 1,450; tax rate 12; total **₱106,456.00**. Save, then Confirm.
72	Feb 8	Sales → Sales Orders → New sales order	**SO-0004** Baguio Gifts, date 2027-02-08: TBL-LP 20 @ 1,900 · PEN-S 30 @ 1,480; tax rate 12; total **₱92,288.00**. Save, then Confirm.
73	Feb 10	Sales → Sales Orders → New sales order	**SO-0005** Iloilo Decor, date 2027-02-10: FLR-LP 8 @ 4,100 · CHD-4 4 @ 10,200 · PEN-L 10 @ 2,400; tax rate 12; total **₱109,312.00**. Save, then Confirm.
110	Feb 16	Sales → Sales Orders → New sales order	**SO-0006** Cagayan Lighting, date 2027-02-16: TBL-LP 15 @ 1,880 · PEN-S 20 @ 1,450; tax rate 12; total **₱64,064.00**. Save, then Confirm.
222	Feb 26	Shipping → click the order → Create invoice for what was delivered	**SO-0001**: invoice date **2027-02-26**, due **2027-03-28** → creates **INV-0001**.
223	Feb 26	Sales → Invoices → Send invoice	Send **INV-0001** (Manila Lamp House).
225	Feb 26	Shipping → click the order → Create invoice for what was delivered	**SO-0002**: invoice date **2027-02-26**, due **2027-03-28** → creates **INV-0002**.
226	Feb 26	Sales → Invoices → Send invoice	Send **INV-0002** (Cebu Interiors).
228	Feb 26	Shipping → click the order → Create invoice for what was delivered	**SO-0003**: invoice date **2027-02-26**, due **2027-03-28** → creates **INV-0003**.
229	Feb 26	Sales → Invoices → Send invoice	Send **INV-0003** (Davao Design Hub).
231	Feb 27	Shipping → click the order → Create invoice for what was delivered	**SO-0004**: invoice date **2027-02-27**, due **2027-03-29** → creates **INV-0004**.
232	Feb 27	Sales → Invoices → Send invoice	Send **INV-0004** (Baguio Gifts).

#	Date	Screen	What to do
234	Feb 27	Shipping → click the order → Create invoice for what was delivered	**SO-0005**: invoice date **2027-02-27**, due **2027-03-29** → creates **INV-0005**.
235	Feb 27	Sales → Invoices → Send invoice	Send **INV-0005** (Iloilo Decor).
237	Feb 27	Shipping → click the order → Create invoice for what was delivered	**SO-0006**: invoice date **2027-02-27**, due **2027-03-29** → creates **INV-0006**.
238	Feb 27	Sales → Invoices → Send invoice	Send **INV-0006** (Cagayan Lighting).

March 2027 — 26 steps

#	Date	Screen	What to do
275	Mar 1	Sales → Sales Orders → New sales order	**SO-0007** Manila Lamp House, date 2027-03-01: PEN-S 50 @ 1,480 · TBL-LP 25 @ 1,900; tax rate 12; total **₱136,080.00**. Save, then Confirm.
276	Mar 2	Sales → Sales Orders → New sales order	**SO-0008** Cebu Interiors, date 2027-03-02: PEN-L 30 @ 2,400 · FLR-LP 10 @ 4,000; tax rate 12; total **₱125,440.00**. Save, then Confirm.
277	Mar 3	Sales → Customers → New customer	**Bacolod Home Gallery**.
278	Mar 3	Sales → Sales Orders → New sales order	**SO-0009** Davao Design Hub, date 2027-03-03: CHD-4 5 @ 9,900 · TBL-LP 20 @ 1,900; tax rate 12; total **₱98,000.00**. Save, then Confirm.
279	Mar 4	Sales → Sales Orders → New sales order	**SO-0010** Cagayan Lighting, date 2027-03-04: PEN-S 40 @ 1,480 · PEN-L 20 @ 2,400; tax rate 12; total **₱120,064.00**. Save, then Confirm.
311	Mar 8	Sales → Sales Orders → New sales order	**SO-0011** Baguio Gifts, date 2027-03-08: TBL-LP 30 @ 1,900 · FLR-LP 8 @ 4,100 · PEN-S 30 @ 1,480; tax rate 12; total **₱150,304.00**. Save, then Confirm.
312	Mar 9	Sales → Sales Orders → New sales order	**SO-0012** Iloilo Decor, date 2027-03-09: CHD-4 4 @ 10,200 · PEN-L 25 @ 2,400; tax rate 12; total **₱112,896.00**. Save, then Confirm.
313	Mar 10	Sales → Sales Orders → New sales order	**SO-0013** Bacolod Home Gallery, date 2027-03-10: FLR-LP 12 @ 4,100 · PEN-S 20 @ 1,480; tax rate 12; total **₱88,256.00**. Save, then Confirm.
457	Mar 16	Shipping → click the order → Create invoice for what was delivered	**SO-0007**: invoice date **2027-03-16**, due **2027-04-15** → creates **INV-0007**.
458	Mar 16	Sales → Invoices → Send invoice	Send **INV-0007** (Manila Lamp House).
460	Mar 16	Shipping → click the order → Create invoice for what was delivered	**SO-0010**: invoice date **2027-03-16**, due **2027-04-15** → creates **INV-0008**.
461	Mar 16	Sales → Invoices → Send invoice	Send **INV-0008** (Cagayan Lighting).
463	Mar 16	Shipping → click the order → Create invoice for what was delivered	**SO-0009**: invoice date **2027-03-16**, due **2027-04-15** → creates **INV-0009**.
464	Mar 16	Sales → Invoices → Send invoice	Send **INV-0009** (Davao Design Hub).
478	Mar 21	Shipping → click the order → Create invoice for what was delivered	**SO-0010**: invoice date **2027-03-21**, due **2027-04-20** → creates **INV-0010**.
479	Mar 21	Sales → Invoices → Send invoice	Send **INV-0010** (Cagayan Lighting).
486	Mar 23	Shipping → click the order → Create invoice for what was delivered	**SO-0009**: invoice date **2027-03-23**, due **2027-04-22** → creates **INV-0011**.
487	Mar 23	Sales → Invoices → Send invoice	Send **INV-0011** (Davao Design Hub).
493	Mar 25	Shipping → click the order → Create invoice for what was delivered	**SO-0008**: invoice date **2027-03-25**, due **2027-04-24** → creates **INV-0012**.

#	Date	Screen	What to do
494	Mar 25	Sales → Invoices → Send invoice	Send **INV-0012** (Cebu Interiors).
496	Mar 26	Shipping → click the order → Create invoice for what was delivered	**SO-0011**: invoice date **2027-03-26**, due **2027-04-25** → creates **INV-0013**.
497	Mar 26	Sales → Invoices → Send invoice	Send **INV-0013** (Baguio Gifts).
501	Mar 29	Shipping → click the order → Create invoice for what was delivered	**SO-0012**: invoice date **2027-03-29**, due **2027-04-28** → creates **INV-0014**.
502	Mar 29	Sales → Invoices → Send invoice	Send **INV-0014** (Iloilo Decor).
504	Mar 29	Shipping → click the order → Create invoice for what was delivered	**SO-0013**: invoice date **2027-03-29**, due **2027-04-28** → creates **INV-0015**.
505	Mar 29	Sales → Invoices → Send invoice	Send **INV-0015** (Bacolod Home Gallery).

Role: Accountant — 60 steps

What you do. Activity rates, the overhead sheet, cost estimates, journal vouchers, vendor invoices at the start, landed cost, depreciation, settling the semi-finished orders.

Hand-offs. Production needs your standard costs before it plans. Your override vouchers wait for the Finance manager to approve (never the person who prepared them).

February 2027 — 43 steps

#	Date	Screen	What to do
27	Feb 1	Master Data → Activity rates → Add rate	**Cutting**, Direct labor, from **2027-02-01**, **75** per hour.
28	Feb 1	Master Data → Activity rates → Add rate	**Cutting**, Machine time, from **2027-02-01**, **45** per hour.
29	Feb 1	Master Data → Activity rates → Add rate	**Assembly**, Direct labor, from **2027-02-01**, **75** per hour.
30	Feb 1	Master Data → Activity rates → Add rate	**Assembly**, Machine time, from **2027-02-01**, **20** per hour.
31	Feb 1	Master Data → Activity rates → Add rate	**Finishing**, Direct labor, from **2027-02-01**, **75** per hour.
32	Feb 1	Master Data → Activity rates → Add rate	**Finishing**, Machine time, from **2027-02-01**, **35** per hour.
33	Feb 1	Master Data → Activity rates → Add rate	**Packing**, Direct labor, from **2027-02-01**, **75** per hour.
34	Feb 1	Master Data → Activity rates → Add rate	**Packing**, Machine time, from **2027-02-01**, **10** per hour.
35	Feb 1	Master Data → Costing sheet → pencil on Fixed overhead	**Plus ₱ per hour** = **25**.
52	Feb 1	Costing → New estimate	**SHD-S**, lot size 20, costing date **2027-02-01**: Work out the cost, Mark this cost, Release as standard cost.
53	Feb 1	Costing → New estimate	**SHD-L**, lot size 20, costing date **2027-02-01**: Work out the cost, Mark this cost, Release as standard cost.
54	Feb 1	Costing → New estimate	**BAS-BR**, lot size 20, costing date **2027-02-01**: Work out the cost, Mark this cost, Release as standard cost.
55	Feb 1	Costing → New estimate	**PEN-S**, lot size 20, costing date **2027-02-01**: Work out the cost, Mark this cost, Release as standard cost.
56	Feb 1	Costing → New estimate	**PEN-L**, lot size 20, costing date **2027-02-01**: Work out the cost, Mark this cost, Release as standard cost.
57	Feb 1	Costing → New estimate	**TBL-LP**, lot size 20, costing date **2027-02-01**: Work out the cost, Mark this cost, Release as standard cost.
58	Feb 1	Costing → New estimate	**FLR-LP**, lot size 10, costing date **2027-02-01**: Work out the cost, Mark this cost, Release as standard cost.
59	Feb 1	Costing → New estimate	**CHD-4**, lot size 10, costing date **2027-02-01**: Work out the cost, Mark this cost, Release as standard cost.
66	Feb 1	Finance → New journal voucher	Date **2027-02-01**, reference **Capital**, particulars *Owner puts in the starting cash*: **1000** debit 1,500,000.00; **3000** credit 1,500,000.00.
67	Feb 1	Finance → New journal voucher	Date **2027-02-01**, reference **Cutter**, particulars *Bought a capiz cutting machine for cash*: **1500** debit 360,000.00; **1000** credit 360,000.00.

#	Date	Screen	What to do
68	Feb 1	Fixed Assets → New fixed asset	**Capiz cutting machine**, purchase date 2027-02-01, cost 360,000.00, salvage 36,000.00, life 48 months.
112	Feb 13	Purchasing → Enter vendor invoice	**PO-0002**, invoice number **CM-1021**, invoice date **2027-02-13**, due **2027-03-15**, VAT 12 → **VI-0001**.
113	Feb 14	Purchasing → Enter vendor invoice	**PO-0004**, invoice number **LC-5510**, invoice date **2027-02-14**, due **2027-03-16**, VAT 12 → **VI-0002**.
114	Feb 15	Purchasing → Enter vendor invoice	**PO-0005**, invoice number **PP-0870**, invoice date **2027-02-15**, due **2027-03-17**, VAT 12 → **VI-0003**.
115	Feb 15	Purchasing → Add landed cost	Vendor **Bohol Capiz Traders**, invoice no. **BCT-F-880**, *Sea freight, Bohol to Cebu*, date 2027-02-15, due 2027-03-15, amount before VAT **3,600.00**, VAT 12, spread by value; tick only the **CAP-SH** line of the receipt dated **2027-02-12**.
146	Feb 19	Purchasing → Enter vendor invoice	**PO-0001**, invoice number **BCT-2210**, invoice date **2027-02-19**, due **2027-03-21**, VAT 12 → **VI-0004**. Type price 450 for CAP-SH: it goes ON HOLD.
204	Feb 24	Purchasing → Enter vendor invoice	**PO-0003**, invoice number **ME-7741**, invoice date **2027-02-24**, due **2027-03-24**, VAT 12 → **VI-0005**.
212	Feb 25	Purchasing → Enter vendor invoice	**PO-0006**, invoice number **BCT-2217**, invoice date **2027-02-25**, due **2027-03-25**, VAT 12 → **VI-0006**.
213	Feb 25	Purchasing → Enter vendor invoice	**PO-0007**, invoice number **CM-1033**, invoice date **2027-02-25**, due **2027-03-25**, VAT 12 → **VI-0007**.
214	Feb 25	Purchasing → Enter vendor invoice	**PO-0008**, invoice number **ME-7752**, invoice date **2027-02-25**, due **2027-03-26**, VAT 12 → **VI-0008**.
219	Feb 26	Purchasing → Enter vendor invoice	**PO-0009**, invoice number **LC-5524**, invoice date **2027-02-26**, due **2027-03-26**, VAT 12 → **VI-0009**.
220	Feb 26	Purchasing → Enter vendor invoice	**PO-0010**, invoice number **PP-0881**, invoice date **2027-02-26**, due **2027-03-27**, VAT 12 → **VI-0010**.
239	Feb 27	Sales → Invoices → Details → Record payment	**INV-0001** (Manila Lamp House): the whole balance, date **2027-02-27**, Bank transfer.
244	Feb 27	Finance → New journal voucher	Date **2027-02-27**, reference **Rent Feb**, particulars *Workshop rent for February*: **5100** debit 18,000.00; **1000** credit 18,000.00.
245	Feb 27	Finance → New journal voucher	Date **2027-02-27**, reference **Payroll Feb**, particulars *Salaries and wages for February*: **5300** debit 85,000.00; **1000** credit 85,000.00.
247	Feb 28	Finance → New journal voucher	Date **2027-02-28**, reference **Power Feb**, particulars *Electricity for February paid by bank*: **5100** debit 9,500.00; **1000** credit 9,500.00. Tick **System override / audit adjustment**, reason *Electricity bill higher than the usual limit*: it then waits for the Finance manager.
249	Feb 28	Finance → New journal voucher	Date **2027-02-28**, reference **Ads Feb**, particulars *Facebook ads for the lamp launch*: **5200** debit 12,000.00; **1000** credit 12,000.00. Tick **System override / audit adjustment**, reason *Launch campaign above the usual limit*: it then waits for the Finance manager.
251	Feb 28	Fixed Assets → Record 1 month dep.	**Capiz cutting machine**, date **2027-02-28** (it proposes the month-end): 6,750.00.
252	Feb 28	Finance → New journal voucher	Date **2027-02-28**, reference **Rounding Feb**, particulars *One centavo rounding difference found by the books check*: **1220** debit 0.01; **5590** credit 0.01. Tick **System override / audit adjustment**, reason *Books check shows 0.01 on Finished goods: standard costs with 3 decimals*: it then waits for the Finance manager.
254	Feb 28	Production → the order → Settle order	**BAS-BR** order 1: settlement date **2027-02-28**.
255	Feb 28	Production → the order → Settle order	**BAS-BR** order 2: settlement date **2027-02-28**.
256	Feb 28	Production → the order → Settle order	**SHD-S** order 1: settlement date **2027-02-28**.

#	Date	Screen	What to do
257	Feb 28	Production → the order → Settle order	**SHD-S** order 2: settlement date **2027-02-28**.
258	Feb 28	Production → the order → Settle order	**SHD-L** order 1: settlement date **2027-02-28**.

March 2027 — 17 steps

#	Date	Screen	What to do
274	Mar 1	Costing → New estimate	**PEN-S**, lot size 20, costing date **2027-03-01**: Work out the cost, Mark this cost, Release as standard cost.
465	Mar 17	Purchasing → Add landed cost	Vendor **Visayan Trucking**, invoice no. **VT-3392**, *Freight for the capiz delivery of Mar 16*, date 2027-03-17, due 2027-04-16, amount before VAT **1,800.00**, VAT 12, spread by value; tick only the **CAP-SH** line of the receipt dated **2027-03-16**.
514	Mar 28	Finance → New journal voucher	Date **2027-03-28**, reference **Ads Mar**, particulars *Facebook ads for March*: **5200** debit 90,000.00; **1000** credit 90,000.00. Tick **System override / audit adjustment**, reason *Campaign above the usual limit*: it then waits for the Finance manager.
517	Mar 29	Finance → New journal voucher	Date **2027-03-29**, reference **Ads Mar**, particulars *Facebook ads for March (corrected)*: **5200** debit 9,000.00; **1000** credit 9,000.00. Tick **System override / audit adjustment**, reason *Campaign above the usual limit*: it then waits for the Finance manager.
529	Mar 31	Finance → New journal voucher	Date **2027-03-31**, reference **Rent Mar**, particulars *Workshop rent for March*: **5100** debit 18,000.00; **1000** credit 18,000.00.
530	Mar 31	Finance → New journal voucher	Date **2027-03-31**, reference **Payroll Mar**, particulars *Salaries and wages for March*: **5300** debit 85,000.00; **1000** credit 85,000.00.
531	Mar 31	Finance → New journal voucher	Date **2027-03-31**, reference **Power Mar**, particulars *Electricity for March paid by bank*: **5100** debit 10,200.00; **1000** credit 10,200.00. Tick **System override / audit adjustment**, reason *Electricity bill higher than the usual limit*: it then waits for the Finance manager.
533	Mar 31	Finance → New journal voucher	Date **2027-03-31**, reference **Insurance**, particulars *Fire insurance for the workshop, first quarter*: **5100** debit 4,500.00; **1000** credit 4,500.00.
534	Mar 31	Finance → New journal voucher	Date **2027-03-31**, reference **Scrap sale**, particulars *Capiz offcuts sold as scrap*: **1000** debit 3,200.00; **4100** credit 3,200.00.
535	Mar 31	Fixed Assets → Record 1 month dep.	**Capiz cutting machine**, date **2027-03-31** (it proposes the month-end): 6,750.00.
539	Mar 31	Production → the order → Settle order	**BAS-BR** order 3: settlement date **2027-03-31**.
540	Mar 31	Production → the order → Settle order	**BAS-BR** order 4: settlement date **2027-03-31**.
541	Mar 31	Production → the order → Settle order	**SHD-S** order 3: settlement date **2027-03-31**.
542	Mar 31	Production → the order → Settle order	**SHD-S** order 4: settlement date **2027-03-31**.
543	Mar 31	Production → the order → Settle order	**SHD-S** order 5: settlement date **2027-03-31**.
544	Mar 31	Production → the order → Settle order	**SHD-L** order 2: settlement date **2027-03-31**.

#	Date	Screen	What to do
545	Mar 31	Production → the order → Settle order	**SHD-L** order 3: settlement date **2027-03-31**.

Role: Finance manager — 49 steps

What you do. Everything the accountant does, plus approving vouchers and held invoices, reversing wrong vouchers, recording customer payments, paying big bills, settling the finished-lamp orders, settling and closing the month.

Hand-offs. You approve what others prepared, so you cannot approve your own work. Closing a month is the last step: months close oldest first.

February 2027 — 18 steps

#	Date	Screen	What to do
153	Feb 20	Purchasing → Vendor invoices → the invoice ON HOLD → Approve	Approve **VI-0004**: the price difference is accepted (you must not be the person who entered it).
248	Feb 28	Finance → open the voucher → Approve	Approve the voucher with reference **Power Feb** (you must not be the one who prepared it).
250	Feb 28	Finance → open the voucher → Approve	Approve the voucher with reference **Ads Feb** (you must not be the one who prepared it).
253	Feb 28	Finance → open the voucher → Approve	Approve the voucher with reference **Rounding Feb** (you must not be the one who prepared it).
259	Feb 28	Production → the order → Settle order	**PEN-S** order 1: settlement date **2027-02-28**.
260	Feb 28	Production → the order → Settle order	**PEN-S** order 2: settlement date **2027-02-28**.
261	Feb 28	Production → the order → Settle order	**PEN-S** order 3: settlement date **2027-02-28**.
262	Feb 28	Production → the order → Settle order	**PEN-L** order 1: settlement date **2027-02-28**.
263	Feb 28	Production → the order → Settle order	**PEN-L** order 2: settlement date **2027-02-28**.
264	Feb 28	Production → the order → Settle order	**TBL-LP** order 1: settlement date **2027-02-28**.
265	Feb 28	Production → the order → Settle order	**TBL-LP** order 2: settlement date **2027-02-28**.
266	Feb 28	Production → the order → Settle order	**TBL-LP** order 3: settlement date **2027-02-28**.
267	Feb 28	Production → the order → Settle order	**FLR-LP** order 1: settlement date **2027-02-28**.
268	Feb 28	Production → the order → Settle order	**FLR-LP** order 2: settlement date **2027-02-28**.
269	Feb 28	Production → the order → Settle order	**CHD-4** order 1: settlement date **2027-02-28**.
270	Feb 28	Production → the order → Settle order	**CHD-4** order 2: settlement date **2027-02-28**.
271	Feb 28	Period End → Settle…	**2027-02**: read the checks, Post the month-end entries.
272	Feb 28	Period End → Close month	Close **2027-02** (oldest first).

March 2027 — 31 steps

#	Date	Screen	What to do
455	Mar 15	Purchasing → Vendor invoices → the invoice ON HOLD → Approve	Approve **VI-0013**: the price difference is accepted (you must not be the person who entered it).
469	Mar 19	Purchasing → Vendor invoices → the invoice ON HOLD → Reject	Reject **VI-0018**, reason *Price 165 is not the agreed 156; send a corrected invoice*, date 2027-03-19.
472	Mar 19	Purchasing → Vendor invoices → Pay	**VI-0004**: the whole balance, date **2027-03-19**, Bank transfer.
481	Mar 22	Purchasing → Vendor invoices → Pay	**VI-0005**: the whole balance, date **2027-03-22**, Bank transfer.
482	Mar 22	Sales → Invoices → Details → Record payment	**INV-0002** (Cebu Interiors): the whole balance, date **2027-03-22**, Bank transfer.
490	Mar 24	Sales → Invoices → Details → Record payment	**INV-0003** (Davao Design Hub): the whole balance, date **2027-03-24**, Bank transfer.
498	Mar 26	Sales → Invoices → Details → Record payment	**INV-0004** (Baguio Gifts (part payment)): 60,000.00, date **2027-03-26**, Bank transfer.

#	Date	Screen	What to do
499	Mar 28	Sales → Invoices → Details → Record payment	**INV-0005** (Iloilo Decor): the whole balance, date **2027-03-28**, Bank transfer.
506	Mar 29	Sales → Invoices → Details → Record payment	**INV-0006** (Cagayan Lighting): the whole balance, date **2027-03-29**, Bank transfer.
507	Mar 29	Sales → Invoices → Details → Record payment	**INV-0007** (Manila Lamp House): the whole balance, date **2027-03-29**, Bank transfer.
508	Mar 29	Purchasing → Vendor invoices → Pay	**VI-0011**: the whole balance, date **2027-03-29**, Bank transfer.
510	Mar 30	Sales → Invoices → Details → Record payment	**INV-0008** (Cagayan Lighting (part payment)): 60,000.00, date **2027-03-30**, Bank transfer.
513	Mar 31	Sales → Invoices → Details → Record payment	**INV-0004** (Baguio Gifts (balance)): the whole balance, date **2027-03-31**, Bank transfer.
515	Mar 28	Finance → open the voucher → Approve	Approve the voucher with reference **Ads Mar** (you must not be the one who prepared it).
516	Mar 29	Finance → open the voucher → Reverse	Reverse the posted voucher with reference **Ads Mar**, date **2027-03-29**, reason *Typed 90,000 instead of 9,000*.
518	Mar 29	Finance → open the voucher → Approve	Approve the voucher with reference **Ads Mar** (you must not be the one who prepared it).
519	Mar 30	Purchasing → Vendor invoices → Pay	**VI-0013**: the whole balance, date **2027-03-30**, Bank transfer.
521	Mar 31	Purchasing → Vendor invoices → Pay	**VI-0016**: the whole balance, date **2027-03-31**, Bank transfer.
532	Mar 31	Finance → open the voucher → Approve	Approve the voucher with reference **Power Mar** (you must not be the one who prepared it).
546	Mar 31	Production → the order → Settle order	**PEN-S** order 4: settlement date **2027-03-31**.
547	Mar 31	Production → the order → Settle order	**PEN-S** order 5: settlement date **2027-03-31**.
548	Mar 31	Production → the order → Settle order	**PEN-L** order 3: settlement date **2027-03-31**.
549	Mar 31	Production → the order → Settle order	**PEN-L** order 4: settlement date **2027-03-31**.
550	Mar 31	Production → the order → Settle order	**TBL-LP** order 4: settlement date **2027-03-31**.
551	Mar 31	Production → the order → Settle order	**TBL-LP** order 5: settlement date **2027-03-31**.
552	Mar 31	Production → the order → Settle order	**FLR-LP** order 3: settlement date **2027-03-31**.
553	Mar 31	Production → the order → Settle order	**FLR-LP** order 4: settlement date **2027-03-31**.
554	Mar 31	Production → the order → Settle order	**CHD-4** order 3: settlement date **2027-03-31**.
555	Mar 31	Production → the order → Settle order	**CHD-4** order 4: settlement date **2027-03-31**.
556	Mar 31	Period End → Settle…	**2027-03**: read the checks, Post the month-end entries.
557	Mar 31	Period End → Close month	Close **2027-03** (oldest first).

When you are finished

Tell your teacher. The Check compares the whole company with the answer figures and shows, line by line, what does not match. When your teacher releases the answer key you can open it as a separate read-only company and compare each screen.