

Usage

Basic Usage

1. Open the Tool

Select **dennokoworks** > **Gradation Baker** from the menu to open the window.

2. Add Meshes

Drag and drop SkinnedMeshRenderer or MeshRenderer from the Hierarchy into the drop area in the Target Meshes section. You can add multiple meshes.

Expand the "►" icon to the left of each mesh to access detailed settings:

- **UV Channel:** Target UV channel for baking (UV0-UV3)
- **Mask Texture:** R channel of texture used as mask (optional)
- **Use Vertex Color:** R channel of vertex color used as mask
- **Invert Mask:** Invert mask application
- **Split by Material:** Outputs separate textures for each sub-mesh (material), useful when UVs overlap.

3. Set the Gradient

Configure colors in the "Gradient" section. Click on the gradient editor to modify colors.

4. Adjust Gradient Range

Use the box handles in the Scene View to adjust the gradient range and direction:

- **Shape:** Choose between **Linear** (directional gradient) and **Spherical** (radial gradient from center).
- **Rotation Handle:** Change gradient direction
- **Position Handle:** Move the entire box or sphere center
- **Red/Green Cones:** Adjust dimensions (Height for Linear, Width/Height/Depth for Spherical). The gradient starts at 0% in the center/bottom and ends at 100% at the surface/top.

Click "Fit to Mesh Bounds" to automatically fit to the mesh's bounding box.

5. Bake & Save

Click the "Bake & Save" button to generate and save the texture. The UV channel and mask settings configured for each mesh will be applied.

Advanced Features

Work Mesh

When using non-destructive scale components like ModularAvatar, coordinate mismatches can occur. Create a work mesh copy to avoid this issue.

- Click "Create Work Mesh" to create working copies of all meshes
- "Fit to Mesh Bounds" is automatically executed when work meshes are created

Gradient Save/Load

Click "Save" to save the gradient as a texture, and "Load" to restore it. Default save location is [Assets/GeneratedGradation/gradation/](#).

Mirror

Select an axis in the "Mirror" section to apply the gradient symmetrically along that axis. A cyan box indicates the mirror position.

Output Settings

Setting	Description
Resolution	Output texture resolution
Edge Padding	Expands UV island edges outwards (0-16px) to prevent seam artifacts during sampling
Output to material's texture folder	Save to the same folder as the mesh's material textures (ON by default)
Save Path	Save destination when the above is OFF
Background	Choose from Transparent/White/Black

Tip: If you notice "seams" due to MIP mapping or texture sampling, setting Edge Padding to 4px or higher is recommended.

Note: After saving, the first saved texture will automatically be selected and revealed in the Project tab.

Language Toggle

Use the "英語表記を有効化" checkbox at the top right of the window to switch between English and Japanese.

Notes

- The preview overlay is simplified. The generated texture colors will correspond to an opacity of 1 (the preview opacity slider value does not affect the output).