Application of the Finite Volume Method to the Maxwell-Stefan model for diffusion

Derek W. Harrison

March 27, 2022

Abstract

The Maxwell-Stefan equations for multi-component diffusion are solved using the finite volume method. Time discretization is fully implicit. To validate the solution the Maxwell-Stefan equations are used to model the three-component twin-bulb experiment and the results are compared with other numerical methods as well as experimental observations.

Twin-bulb model The twin-bulb experiment [1] consists of two small compartments (bulbs) connected by a tube through which the components can diffuse. The compartments are filled with H_2 , N_2 and CO_2 . Diffusion through the tube can be modeled using the Maxwell-Stefan equations [2]:

$$-\left(\frac{\partial \ln \gamma_i}{\partial \ln x_i} + 1\right) \nabla x_i = \sum_{j \neq i} \frac{x_j \mathbf{J}_i - x_i \mathbf{J}_j}{c_t D_{ij}} \qquad (1)$$

For ideal systems the activity coefficient γ_i of component i is equal to unity. The left side of (1) then simplifies, resulting in:

$$-\nabla x_i = \sum_{j \neq i} \frac{x_j \mathbf{J}_i - x_i \mathbf{J}_j}{c_t D_{ij}} \tag{2}$$

From a mass balance follows that the change in local composition at any given time is:

$$c_t \frac{\partial x_i}{\partial t} = -\nabla \cdot \mathbf{J}_i \tag{3}$$

Diffusion occurs at constant pressure. To preserve the total concentration the fluxes of the different components sum up to zero:

$$\sum_{i} \mathbf{J}_{i} = 0 \tag{4}$$

Method To compute the composition in the bulbs the model equations (2) - (4) are solved using the finite volume method. Time discretization is fully implicit, achieved by eliminating the flux-components from the model equations. Central differencing is used for the diffusion terms.

An explicit method is also explored as a reference to obtain a measure for the stability of the implicit approach.

The mole fractions of H_2 , N_2 and CO_2 in the first compartment are initially 0.0, 0.501 and 0.499, respectively. In the second compartment the mole fractions of H_2 , N_2 and CO_2 are initially 0.501, 0.499 and 0.0, respectively. The diffusivities are $D_{12} = 8.33e - 5$ (m^2/s) , $D_{13} = 6.8e - 5$ (m^2/s) and $D_{23} = 1.68e - 5$ (m^2/s) . The volumes of the compartments are 5e - 4 (m^3) and the tube connecting the compartments has a length of 1e - 2 (m) and a diameter of 2e - 3 (m).

Results The results obtained from solving the model equations are shown in figure 1. The results agree well with numerical and experimental results presented in [3].

Discussion Explicit time discretization was only stable when small timesteps were used, whereas implicit discretization was stable even when large timesteps were used. Analysis of the coefficients of




Figure 1: The mole fraction as a function of time (h).

the linear systems obtained from implicit discretization of the model equations showed the coefficients satisfy the Scarborough criterion, and so the matrices associated with the linear systems are diagonally dominant.

Conclusion The Maxwell-Stefan equations were solved using the finite volume method and the results were found to agree well with other numerical approaches and experimental observations, thereby validating the solution. Regarding the discretization strategy, it was found that implicit time discretization is significantly more stable than an explicit scheme.

Appendix Here the one-dimensional case of the Maxwell-Stefan equations is elaborated on. The one-dimensional case of (2) for component 1 is:

$$-c_t \frac{\partial x_1}{\partial z} = \frac{x_2 J_1 - x_1 J_2}{D_{12}} + \frac{x_3 J_1 - x_1 J_3}{D_{13}}$$
 (5)

The equation for component 2 is:

$$-c_t \frac{\partial x_2}{\partial z} = \frac{x_1 J_2 - x_2 J_1}{D_{12}} + \frac{x_3 J_2 - x_2 J_3}{D_{23}}$$
 (6)

The change in local composition of component 1 is:

$$c_t \frac{\partial x_1}{\partial t} = -\frac{\partial J_1}{\partial z} \tag{7}$$

The change in local composition of component 2 is:

$$c_t \frac{\partial x_2}{\partial t} = -\frac{\partial J_2}{\partial z} \tag{8}$$

To facilitate the elimination of the fluxes from the equations above equation (5) and (6) are rewritten:

$$c_t \frac{\partial x_1}{\partial z} = a_1 J_1 + a_2 J_2 \tag{9}$$

$$c_t \frac{\partial x_2}{\partial z} = b_1 J_1 + b_2 J_2 \tag{10}$$

With a_1 , a_2 , b_1 and b_2 given by:

$$a_1 = \left(\frac{1}{D_{12}} - \frac{1}{D_{13}}\right) x_2 + \frac{1}{D_{13}} \tag{11}$$

$$a_2 = \left(\frac{1}{D_{13}} - \frac{1}{D_{12}}\right) x_1 \tag{12}$$

$$b_1 = \left(\frac{1}{D_{23}} - \frac{1}{D_{12}}\right) x_2 \tag{13}$$

$$b_2 = \left(\frac{1}{D_{12}} - \frac{1}{D_{23}}\right) x_1 + \frac{1}{D_{23}} \tag{14}$$

The fluxes can now be written in terms of the composition gradients:

$$J_1 = \beta_1 \frac{\partial x_1}{\partial z} + \beta_2 \frac{\partial x_2}{\partial z} \tag{15}$$

$$J_2 = \alpha_1 \frac{\partial x_1}{\partial z} + \alpha_2 \frac{\partial x_2}{\partial z} \tag{16}$$

With β_1 , β_2 , α_1 and α_2 given by:

$$\beta_1 = -\frac{c_t}{a_1} - \frac{a_2 \alpha_1}{a_1} \tag{17}$$

$$\beta_2 = -\frac{a_2 \alpha_2}{a_1} \tag{18}$$

$$\alpha_1 = -\frac{c_t}{a_2 - \frac{a_1 b_2}{b_1}} \tag{19}$$

$$\alpha_2 = \frac{a_1 c_t}{a_2 b_1 - a_1 b_2} \tag{20}$$

Nomenclature

- Proportionality factor $(m^{-2} \cdot s)$ a_i
- Proportionality factor $(m^{-2} \cdot s)$ b_i
- c_t
- D_{ij}
- Concentration $(mol \cdot m^{-3})$ Diffusivity $(m^2 \cdot s^{-1})$ Flux vector $(mol \cdot m^{-2} \cdot s^{-1})$ \mathbf{J}_i
- Flux component $(mol \cdot m^{-2} \cdot s^{-1})$ J_i
- Universal gas constant (8.314 $J \cdot mol^{-1} \cdot K^{-1}$) R
- TTemperature (K)
- x_i Mole fraction (-)
- Axial coordinate (m)z

Greek

- Proportionality factor $(mol \cdot m^{-1} \cdot s^{-1})$ Proportionality factor $(mol \cdot m^{-1} \cdot s^{-1})$
- Activity coefficient (-)

Subscripts

- Component index (-) i
- Component index (-)
- Total (-)

References

- [1] Duncan, J.B., Toor, H.L. AIChE J., 1962, 8, 38-41.
- [2] Taylor, R., Krishna, R. (1993). Multicomponent Mass Transfer. New York: Wiley.
- [3] Krishna, R. Uphill diffusion in multicomponent mixtures. Chem. Soc. Rev., 2015, 44, 2812.