




N.E. CAT NO

TYPE 1 235139

TYPE 2 235124

NOTES:

1. TIMBER TO BE BALTIC REDWOOD, SCOTS PINE (PINUS SYLVESTRIS) OR FRENCH MARITIME PINE, GENERALLY IN ACCORDANCE WITH BS 1990
2. BLOCKS TO BE CUT FROM SWAN TIMBER OR FROM THE ROUND TO PRODUCE RECTANGULAR SECTIONS.
3. THE LONGITUDINALLY CUT SURFACES OF BLOCKS SHALL BE STRAIGHT AND CLEAN CUT AND THE ANNULAR RINGS SHALL BE APPROX. PARALLEL TO THE WIDE FACE. PLANING IS NOT REQUIRED. WANE IS PERMISSIBLE ON ONE FACE.
4. BLOCKS SHALL BE TREATED WITH A) CREOSOTE TO BS913 (RUEPING PROCESS) OR B) AC500 PRESERVATIVE OR TANALITH E 3494

THE HOLE WILL BE 28mm DIAMETER FOR EACH TYPE

ALL DIMENSIONS SHOWN ARE IN MILLIMETRES UNLESS OTHERWISE STATED



Lloyds Court, 78 Grey Street, Newcastle Upon Tyne, NE1 6AF

**OVERHEAD LINES
WOOD BLOCKS (STAY AND FOUNDATIONS)**

Manufacturer Details

Sheet No.
1

Scale
1:20

Prepared By
Joan Oakley

Type
PLANNING

SYSTEM

Revised
30/09/14

Grid Reference

Ref No. C1040007

Historic
Drg.No.

1000439103

Date Issued
16/09/14

Checked By
G.HAMMEL

Revision A Notes