

API STANDARD 510: PRESSURE VESSEL INSPECTION CODE

Section 7.1: Determination of Corrosion Rate and Remaining Life

Corrosion Rate Formula: $Cr = (t_{\text{initial}} - t_{\text{actual}}) / \text{Time}$

Remaining Life Formula: $RL = (t_{\text{actual}} - t_{\text{minimum}}) / Cr$

Mandatory: If $RL < 2.0$ years, immediate maintenance turnaround is required.