Valid local states of the 2x4 plaquette terms

SU(2) lattice gauge theory, staggered quarks, $j_{\max} = \frac{1}{2}$, 2x4 ladder (28 qubits)

What this document shows

1. The 2x4 ladder: sites, links, qubits and the three plaquettes (page 2).
2. How one lattice site is encoded and why a CORNER site has exactly 6 valid states and an INTERIOR site 13 (pages 3-4).
3. What the intertwiner label iota is, and how the plaquette mixes iota = 0 and 1 into one BRIGHT combination while the orthogonal DARK combination is not reached (pages 5-6).
4. How to read a state picture (page 7).
5. The full catalogue: every valid local state of plaq0 (383), plaq1 (1831) and plaq2 (383), grouped into the blocks that the plaquette term connects, with bit string, state number, n, j, iota and the matrix elements to the states it is connected to.

Where the numbers come from (nothing typed by hand)

Model: skqd.exact.Model(4), g^2 = 4; plaquette term O_P = -W_P / (2 g^2) as in scripts/gate_S2_2x4.py (term_operator). Support: skqd.reference_sim.term_support. Valid local states and the local matrix h: skqd.reference_sim.localize -- the same function the circuit builder (skqd.circuits_ir.structured_term_gates) uses. Encoding rules: src/skqd/codec.py.


Consistency with the package's stored numbers (validation/S2_2x4.json, data.structure.structure_4):

plaq0: 14 qubits, 383 states, 194 blocks, sizes 1x32 2x135 3x27
plaq1: 16 qubits, 1831 states, 811 blocks, sizes 1x163 2x375 3x225 4x9 5x36 9x3
plaq2: 14 qubits, 383 states, 162 blocks, sizes 2x113 3x44 5x5
All three lines are identical to the stored record.

Repository commit 261222c; generated 2026-10-27.

Conventions: qubit k = bit k (little-endian); a link's flux bit is 1 <=> j = 1/2, 0 <=> j = 0; every link is stored twice (one copy at each end site); 'state number' = position in the sorted list of local states (#idx) and the integer of the support bits (int = sum_k b_k 2^k).

The 2x4 ladder: sites, links, qubits, plaquettes



Each site owns a block of qubits (src/skqd/codec.py). Inside a block: first one FLUX bit per link end (in link-index order), then one MATTER bit. Corner sites (2 links) have 3 qubits, interior sites (3 links) have 4: widths [3, 3, 4, 4, 4, 4, 3, 3], 28 qubits in all.
Every link has a flux bit at BOTH ends (listed on each link above); valid states have equal copies.

Plaquette	corner sites (c00,c10,c11,c01)	links (bottom,right,top,left)	qubits of the term
plaq0	(0,2,3,1)	(0,4,2,1)	q0-q13 (14 qubits)
plaq1	(2,4,5,3)	(3,7,5,4)	q6-q21 (16 qubits)
plaq2	(4,6,7,5)	(6,9,8,7)	q14-q27 (14 qubits)

Why 14 / 16 / 14 qubits: a plaquette term acts on ALL qubits of its four corner sites (its matrix elements depend on each site's other link and on the matter/intertwiner bit). plaq0 and plaq2 have two 3-qubit corner sites and two 4-qubit interior sites (14); plaq1 has four interior sites (16).
The 2 extra qubits of plaq1 are the flux bits of two more 'third' links (links 6 and 8 at sites 4, 5).

Qubits of plaq1 (the middle plaquette):

```
site 2: q6 = link 0 (third),  q7 = link 3 (bottom),  q8 = link 4 (left),  q9 = matter/iota
site 3: q10 = link 2 (third),  q11 = link 4 (left),  q12 = link 5 (top),  q13 = matter/iota
site 4: q14 = link 3 (bottom),  q15 = link 6 (third),  q16 = link 7 (right),  q17 = matter/iota
site 5: q18 = link 5 (top),  q19 = link 7 (right),  q20 = link 8 (third),  q21 = matter/iota
```


Why a corner site has exactly 6 valid states

A site carries a staggered quark with two colours: occupation n = 0, 1 or 2. n = 0 (empty) and n = 2 (both colours, antisymmetric) are colour singlets (spin 0); n = 1 is a colour doublet (spin 1/2). Each link with flux carries j = 1/2 into the site. GAUSS'S LAW: at every site, all spins arriving (links + quark) must add to total colour spin 0.

A corner site has 2 links -> 2 flux bits (f1, f2) + 1 matter bit m = 3 qubits = 8 bit patterns. Bit string = f1 f2 m.


* f1 = f2 (0 or 2 flux): the link spins already form a singlet, so the quarks must be a singlet too: n in {0, 2}, stored as m = n/2. 2 flux patterns x 2 values of n = 4 valid states.
* f1 != f2 (1 flux): 1/2 from the link must be cancelled by the quark: n = 1 is FORCED. Nothing is left to record, so m must be 0; m = 1 is a FLAG (the decoder rejects it). 2 flux patterns x 1 = 2 valid states, 2 flagged strings.
* n = 1 with 0 or 2 flux would leave an odd number of 1/2's -> no singlet exists -> not a state at all.

Total: 4 + 2 = 6 valid states; 8 - 6 = 2 bit patterns are flags.




bits 000
VALID

no flux: quarks alone must be a singlet -> n = 0 or 2




bits 001
VALID

no flux: quarks alone must be a singlet -> n = 0 or 2




bits 110
VALID

1/2 x 1/2 -> 0 needs the quarks to be a singlet -> n = 0 or 2




bits 111
VALID

1/2 x 1/2 -> 0 needs the quarks to be a singlet -> n = 0 or 2




bits 100
VALID

one flux 1/2 + one quark 1/2 -> 0: n = 1 forced




bits 010
VALID

one flux 1/2 + one quark 1/2 -> 0: n = 1 forced



bits 101
invalid (flag)

FLAG: one flux forces n = 1, so the matter bit must be 0



bits 011
invalid (flag)

FLAG: one flux forces n = 1, so the matter bit must be 0

Legend: red thick link = j = 1/2 (flux bit 1); grey dashed = j = 0; circle = quark occupation n (white 0, half-filled 1, dark 2).

The singlet in each valid case (what Gauss's law requires):


*** n=0, no flux:**	nothing to couple: |0>
*** n=2, no flux:**	quark pair (r g - g r)/sqrt2: spin 0
*** n=0, flux on both links:**	(1/2 x 1/2)_J=0 = (|up dn> - |dn up>)/sqrt2
*** n=2, flux on both:**	link singlet x quark-pair singlet
*** n=1, flux on one link:**	(link 1/2 x quark 1/2)_J=0

An interior site: 13 valid states (and where iota comes from)


An interior site has 3 links -> 3 flux bits + 1 matter bit = 4 qubits = 16 patterns. Bit string = f1 f2 f3 m (links in index order).

* 0 or 2 flux (4 patterns): links form a singlet -> quarks singlet -> n in {0,2}, m = n/2: 4 x 2 = 8 valid
* 1 flux (3 patterns): n = 1 forced, unique singlet -> m must be 0 (m = 1 is a flag): 3 x 1 = 3 valid, 3 flags
* 3 flux (1 pattern): n = 1 forced; FOUR spin-1/2's (3 links + quark) have TWO independent singlets, labelled by the intertwiner iota in {0, 1}; the matter bit is free (n is already fixed) and stores iota: 1 x 2 = 2 valid


Total 8 + 3 + 2 = 13 valid, 3 flags. The SAME qubit means n/2 or iota -- the flux bits (read first) say which.




bits 0000
VALID




bits 0001
VALID




bits 1100
VALID




bits 1101
VALID




bits 1010
VALID




bits 1011
VALID




bits 0110
VALID




bits 0111
VALID




bits 1000
VALID




bits 0100
VALID




bits 0010
VALID




bits 1110
VALID




bits 1111
VALID



bits 1001
invalid (flag)



bits 0101
invalid (flag)



bits 0011
invalid (flag)

Links drawn: left = first link end, right = second, up = third (index order). Last row: the 3 flagged strings (one flux with m = 1).

The intertwiner label iota: two ways to make a singlet

At an interior site with flux on all three links and one quark (n = 1) there are four spin-1/2 objects:


the three link ends e1, e2, e3 (in link-index order) and the quark q. Four spin-1/2's contain total spin 0 TWICE:

$\frac{1}{2} \otimes \frac{1}{2} \otimes \frac{1}{2} \otimes \frac{1}{2} = 0 \oplus 0 \oplus 1 \oplus 1 \oplus 2.$

The package (src/skqd/vertex.py) labels the two singlets by the intermediate spin of the FIRST TWO link ends:

$|\iota\rangle = |\,[(e_1 e_2)_{J_{12}=\iota}\, e_3]_{1/2}\, q\,\rangle_{J=0}, \qquad \iota \in \{0, 1\}$ (fusion tree below).

Any combination a|iota=0> + b|iota=1> is also a valid gauge-invariant state; iota=0,1 is just one basis of that 2-d space.



At plaq1's corner c00 = site 2 the link ends in index order are: link 0 (the 'third' link, q6), link 3 (plaquette bottom, q7), link 4 (plaquette left, q8); the matter/iota bit is q9. So iota = J of (link 0, link 3).

The plaquette operator does NOT create flux in the iota basis. At a corner it multiplies the two plaquette links (bottom and left) by U-matrices whose colour indices are contracted with each other (delta_ij): the two NEW half-spins it creates are in a SINGLET with each other, (link 3, link 4)_{J=0}. If the site had flux only on link 0 plus one quark (singlet of link 0 and q), the result is


$$|(e_1 q)_0\,(e_2 e_3)_0\rangle \;=\; \sum_{J=0,1} c_J\,|(e_1 e_2)_J\,(e_3 q)_J\rangle, \qquad |c_0| = \tfrac{1}{2},\ |c_1| = \tfrac{\sqrt{3}}{2}$$

(standard recoupling of four spin-1/2's: |c_J| = sqrt(2J+1)/2). It is a FIXED mixture of iota = 0 and iota = 1.

Bright and dark states (plaq1, corner c00 = site 2)

before: |s0> bits q6q7q8q9 = 1000

after: |bright> (mixture of 1110 and 1111)




Before: one flux on link 0 and one quark (n = 1); they form the unique singlet. Site-2 bits (q6 q7 q8 q9) = 1000.
The plaquette adds flux on link 3 and link 4 as a NEW SINGLET pair. Three flux links + one quark: the result lies in the 2-dimensional iota space, spanned by |s1> = 1110 (iota = 0) and |s2> = 1111 (iota = 1). Computed from the package's own matrix h (localize, plaq1): in all 147 cases where a state with site-2 bits 1000 connects to both 1110 and 1111 (other corners fixed), the two matrix elements v0 = <s1|O|s0>, v1 = <s2|O|s0> satisfy |v0|/|v| = 0.500000000000000 (spread 2.2e-16), |v1|/|v| = 0.866025403784439 (spread 2.2e-16) and sign(v1/v0) = -1 in every case.
Example (local state #1, int 1): v0 = +0.125000, v1 = -0.216506, |v| = 0.250000.

$$O\,|s_0\rangle \;\propto\; v_0|s_1\rangle + v_1|s_2\rangle \;=\; |v|\;|\beta\rangle,$$

$$|\beta\rangle = \tfrac{1}{2}\,|\iota=0\rangle \;-\; \tfrac{\sqrt{3}}{2}\,|\iota=1\rangle \quad \text{(BRIGHT: the only combination the plaquette reaches)}$$

$$|\delta\rangle = \tfrac{\sqrt{3}}{2}\,|\iota=0\rangle \;+\; \tfrac{1}{2}\,|\iota=1\rangle \quad \text{(DARK: orthogonal, } \langle\delta|O|s_0\rangle = 0\text{)}$$


the 2-d iota space: a 60-degree rotation



What 'dark' means -- and what it does NOT mean:

* The dark state is NOT thrown away. It is a perfectly valid gauge-invariant state of the lattice; other terms (e.g. hops) and other configurations can reach it.
* It is simply never produced by THIS plaquette move from |s0>, and the plaquette leaves it alone (coupling 0, the zero singular value 0 of the corner's 3-state block).
* For the circuit this is the saving: rotate the iota qubit once into the (bright, dark) frame -- one fixed rotation R(60 deg) -- and the plaquette becomes a single two-state rotation |s0> <-> |bright>; the dark state needs no gate at all. (genie-opus 'corner frame', step c of MANUAL_lgt_circuit_compression.md.)

How to read a state picture



#1 int 1

block 1

couples to: #421 (+0.1250), #423 (-0.2165)

`bits 1000 0000 0000 0000`

* Square = the plaquette; its four sides are the plaquette links (bottom, right, top, left). Short horizontal stubs at the corners = each site's 'third' link that leaves the plaquette (interior sites only).
* Thick red line labelled 1/2 = flux on (j = 1/2, bit 1). Grey dashed labelled 0 = no flux (j = 0, bit 0).
* Circle = quark occupation n at that site: white = 0, half-filled = 1, dark = 2 (number written inside). Purple 'iota=' appears only at a site with three flux links (then the matter bit stores iota).
* #idx = position in the sorted list of valid local states of that plaquette (0 ... N-1). int = the integer whose binary digits are the term's qubits, lowest qubit = lowest bit (the package's bits_to_int).
* bits = the term's qubits in increasing qubit number, one group per site (site order = qubit order). For plaq1 the groups are q6q7q8q9 | q10q11q12q13 | q14q15q16q17 | q18q19q20q21 (sites 2 | 3 | 4 | 5). Within a group: flux bits of the site's links in link-index order, then the matter/iota bit.
* n=(...) iota=(...) list the four sites in the same order ('-' = iota not defined there).
* block = which connected group of states the plaquette links together (states are listed block by block, with a shared background colour). 'couples to #j: x' = the matrix element <j|O_P|this> of the plaquette term O_P = -W_P/(2 g^2), g^2 = 4. A block of size 1 is a state the plaquette maps to zero.
* What changes along a block: the plaquette flips ALL FOUR plaquette links at once (both stored copies, i.e. 8 bits for plaq1); j on each plaquette link goes 0 <-> 1/2; at a corner whose flux count passes through three, iota appears or disappears (the matter bit changes meaning); n never changes (the plaquette has no quark operators).
* Block sizes: the plaquette acts as a product of four corner moves. A corner that goes from one flux link to three flux links can land in iota = 0 or 1, so it contributes two partner states. Example: the first block of plaq1 (size 9) is one state whose three interior corners each do this: 1 + 2 x 2 x 2 = 9 states.

Catalogue: plaq0

Corner sites: c00 = 0, c10 = 2, c11 = 3, c01 = 1 (kinds: 0 corner, 2 interior, 3 interior, 1 corner)

Plaquette links: bottom 0, right 4, top 2, left 1; third links: link 3 at site 2, link 5 at site 3

Qubits (14): q0 q1 q2 q3 q4 q5 q6 q7 q8 q9 q10 q11 q12 q13

Bit groups in the pictures (one per site, qubit order):


```
site 0 (corner): q0=link0, q1=link1, q2=matter/iota
site 1 (corner): q3=link1, q4=link2, q5=matter/iota
site 2 (interior): q6=link0, q7=link3, q8=link4, q9=matter/iota
site 3 (interior): q10=link2, q11=link4, q12=link5, q13=matter/iota
```

Valid local states: 383 blocks: 194 block sizes: {'1': 32, '2': 135, '3': 27}


(diagonal of the local matrix: max |h_ss| = 0.0e+00, i.e. the plaquette has no diagonal part)

States are listed block by block (largest blocks first); states of one block share a background colour.
Per site: corner sites have 6 valid states, interior sites 13; the counts above are smaller than the
product of those (6^2 x 13^2 = 6084 for plaq0/plaq2, 13^4 = 28561 for plaq1) because every plaquette link is
stored at both of its ends and the two copies must agree, and because only states that occur in the
global gauge-invariant basis are kept (skqd.reference_sim.localize).

#0 (int 0): empty plaquette




#90 (int 3419): one flux loop, <#90|O|#0> = +0.2500



Example of one plaquette move: the empty plaquette is mixed with the state carrying one flux loop around it.

plaq0: valid local states (page 1/22; states 0-17 of 383 in block order)



#9 int 128

block 9 (size 3)


couples to:

#99: +0.1250

#113: +0.2165

bits 000 000 0100 0000

n=(0 0 1 0) iota=(- - - -)



#99 int 3547


block 9 (size 3)

couples to:

#9: +0.1250

bits 110 110 1110 1100

n=(0 0 1 0) iota=(- - 0 -)



#113 int 4059


block 9 (size 3)

couples to:

#9: +0.2165

bits 110 110 1111 1100

n=(0 0 1 0) iota=(- - 1 -)



#10 int 132

block 10 (size 3)


couples to:

#100: +0.1250

#114: +0.2165

bits 001 000 0100 0000

n=(2 0 1 0) iota=(- - - -)



#100 int 3551


block 10 (size 3)

couples to:

#10: +0.1250

bits 111 110 1110 1100

n=(2 0 1 0) iota=(- - 0 -)



#114 int 4063


block 10 (size 3)

couples to:

#10: +0.2165

bits 111 110 1111 1100

n=(2 0 1 0) iota=(- - 1 -)



#11 int 138

block 11 (size 3)


couples to:

#98: +0.0625

#112: +0.1083

bits 010 100 0100 0000

n=(1 1 1 0) iota=(- - - -)



#98 int 3537


block 11 (size 3)

couples to:

#11: +0.0625

bits 100 010 1110 1100

n=(1 1 1 0) iota=(- - 0 -)



#112 int 4049


block 11 (size 3)

couples to:

#11: +0.1083

bits 100 010 1111 1100

n=(1 1 1 0) iota=(- - 1 -)



#12 int 160

block 12 (size 3)


couples to:

#101: +0.1250

#115: +0.2165

bits 000 001 0100 0000

n=(0 2 1 0) iota=(- - - -)



#101 int 3579


block 12 (size 3)

couples to:

#12: +0.1250

bits 110 111 1110 1100

n=(0 2 1 0) iota=(- - 0 -)



#115 int 4091


block 12 (size 3)

couples to:

#12: +0.2165

bits 110 111 1111 1100

n=(0 2 1 0) iota=(- - 1 -)



#13 int 164

block 13 (size 3)


couples to:

#102: +0.1250

#116: +0.2165

bits 001 001 0100 0000

n=(2 2 1 0) iota=(- - - -)



#102 int 3583


block 13 (size 3)

couples to:

#13: +0.1250

bits 111 111 1110 1100

n=(2 2 1 0) iota=(- - 0 -)



#116 int 4095


block 13 (size 3)

couples to:

#13: +0.2165

bits 111 111 1111 1100

n=(2 2 1 0) iota=(- - 1 -)



#36 int 1168

block 36 (size 3)


couples to:

#69: +0.0625

#82: +0.1083

bits 000 010 0100 1000

n=(0 1 1 1) iota=(- - - -)



#69 int 2507


block 36 (size 3)

couples to:

#36: +0.0625

bits 110 100 1110 0100

n=(0 1 1 1) iota=(- - 0 -)



#82 int 3019

block 36 (size 3)


couples to:

#36: +0.1083

bits 110 100 1111 0100

n=(0 1 1 1) iota=(- - 1 -)

plaq0: valid local states (page 2/22; states 18-35 of 383 in block order)



#37 int 1172

block 37 (size 3)


couples to:

#70: +0.0625

#83: +0.1083

bits 001 010 0100 1000

n=(2 1 1 1) iota=(- - - -)



#70 int 2511


block 37 (size 3)

couples to:

#37: +0.0625

bits 111 100 1110 0100

n=(2 1 1 1) iota=(- - 0 -)



#83 int 3023


block 37 (size 3)

couples to:

#37: +0.1083

bits 111 100 1111 0100

n=(2 1 1 1) iota=(- - 1 -)



#38 int 1178

block 38 (size 3)


couples to:

#68: -0.0625

#81: -0.1083

bits 010 110 0100 1000

n=(1 0 1 1) iota=(- - - -)



#68 int 2497


block 38 (size 3)

couples to:

#38: -0.0625

bits 100 000 1110 0100

n=(1 0 1 1) iota=(- - 0 -)



#81 int 3009


block 38 (size 3)

couples to:

#38: -0.1083

bits 100 000 1111 0100

n=(1 0 1 1) iota=(- - 1 -)



#39 int 1210

block 39 (size 3)


couples to:

#71: -0.0625

#84: -0.1083

bits 010 111 0100 1000

n=(1 2 1 1) iota=(- - - -)



#71 int 2529


block 39 (size 3)

couples to:

#39: -0.0625

bits 100 001 1110 0100

n=(1 2 1 1) iota=(- - 0 -)



#84 int 3041


block 39 (size 3)

couples to:

#39: -0.1083

bits 100 001 1111 0100

n=(1 2 1 1) iota=(- - 1 -)



#126 int 4224

block 63 (size 3)


couples to:

#216: -0.1250

#230: -0.2165

bits 000 000 0100 0010

n=(0 0 1 1) iota=(- - - -)



#216 int 7643


block 63 (size 3)

couples to:

#126: -0.1250

bits 110 110 1110 1110

n=(0 0 1 1) iota=(- - 0 0)



#230 int 8155


block 63 (size 3)

couples to:

#126: -0.2165

bits 110 110 1111 1110

n=(0 0 1 1) iota=(- - 1 0)



#127 int 4228

block 64 (size 3)


couples to:

#217: -0.1250

#231: -0.2165

bits 001 000 0100 0010

n=(2 0 1 1) iota=(- - - -)



#217 int 7647


block 64 (size 3)

couples to:

#127: -0.1250

bits 111 110 1110 1110

n=(2 0 1 1) iota=(- - 0 0)



#231 int 8159


block 64 (size 3)

couples to:

#127: -0.2165

bits 111 110 1111 1110

n=(2 0 1 1) iota=(- - 1 0)



#128 int 4234

block 65 (size 3)


couples to:

#215: -0.0625

#229: -0.1083

bits 010 100 0100 0010

n=(1 1 1 1) iota=(- - - -)



#215 int 7633


block 65 (size 3)

couples to:

#128: -0.0625

bits 100 010 1110 1110

n=(1 1 1 1) iota=(- - 0 0)



#229 int 8145

block 65 (size 3)


couples to:

#128: -0.1083

bits 100 010 1111 1110

n=(1 1 1 1) iota=(- - 1 0)

plaq0: valid local states (page 3/22; states 36-53 of 383 in block order)



#129 int 4256

block 66 (size 3)


couples to:

#218: -0.1250

#232: -0.2165

bits 000 001 0100 0010

n=(0 2 1 1) iota=(- - - -)



#218 int 7675


block 66 (size 3)

couples to:

#129: -0.1250

bits 110 111 1110 1110

n=(0 2 1 1) iota=(- - 0 0)



#232 int 8187


block 66 (size 3)

couples to:

#129: -0.2165

bits 110 111 1111 1110

n=(0 2 1 1) iota=(- - 1 0)



#130 int 4260

block 67 (size 3)


couples to:

#219: -0.1250

#233: -0.2165

bits 001 001 0100 0010

n=(2 2 1 1) iota=(- - - -)



#219 int 7679


block 67 (size 3)

couples to:

#130: -0.1250

bits 111 111 1110 1110

n=(2 2 1 1) iota=(- - 0 0)



#233 int 8191


block 67 (size 3)

couples to:

#130: -0.2165

bits 111 111 1111 1110

n=(2 2 1 1) iota=(- - 1 0)



#153 int 5264

block 90 (size 3)


couples to:

#186: +0.0625

#199: +0.1083

bits 000 010 0100 1010

n=(0 1 1 0) iota=(- - - -)



#186 int 6603


block 90 (size 3)

couples to:

#153: +0.0625

bits 110 100 1110 0110

n=(0 1 1 0) iota=(- - 0 -)



#199 int 7115


block 90 (size 3)

couples to:

#153: +0.1083

bits 110 100 1111 0110

n=(0 1 1 0) iota=(- - 1 -)



#154 int 5268

block 91 (size 3)


couples to:

#187: +0.0625

#200: +0.1083

bits 001 010 0100 1010

n=(2 1 1 0) iota=(- - - -)



#187 int 6607


block 91 (size 3)

couples to:

#154: +0.0625

bits 111 100 1110 0110

n=(2 1 1 0) iota=(- - 0 -)



#200 int 7119


block 91 (size 3)

couples to:

#154: +0.1083

bits 111 100 1111 0110

n=(2 1 1 0) iota=(- - 1 -)



#155 int 5274

block 92 (size 3)


couples to:

#185: -0.0625

#198: -0.1083

bits 010 110 0100 1010

n=(1 0 1 0) iota=(- - - -)



#185 int 6593


block 92 (size 3)

couples to:

#155: -0.0625

bits 100 000 1110 0110

n=(1 0 1 0) iota=(- - 0 -)



#198 int 7105


block 92 (size 3)

couples to:

#155: -0.1083

bits 100 000 1111 0110

n=(1 0 1 0) iota=(- - 1 -)



#156 int 5306

block 93 (size 3)


couples to:

#188: -0.0625

#201: -0.1083

bits 010 111 0100 1010

n=(1 2 1 0) iota=(- - - -)



#188 int 6625


block 93 (size 3)

couples to:

#156: -0.0625

bits 100 001 1110 0110

n=(1 2 1 0) iota=(- - 0 -)



#201 int 7137

block 93 (size 3)

couples to:


#156: -0.1083

bits 100 001 1111 0110

n=(1 2 1 0) iota=(- - 1 -)

plaq0: valid local states (page 4/22; states 54-71 of 383 in block order)

#243 int 8320



block 117 (size 3)

couples to:


#275: +0.1250

#289: +0.2165

bits 000 000 0100 0001

n=(0 0 1 2) iota=(- - - -)

#275 int 11739



block 117 (size 3)


couples to:

#243: +0.1250

bits 110 110 1110 1101

n=(0 0 1 2) iota=(- - 0 -)

#289 int 12251



block 117 (size 3)


couples to:

#243: +0.2165

bits 110 110 1111 1101

n=(0 0 1 2) iota=(- - 1 -)

#244 int 8324



block 118 (size 3)

couples to:


#276: +0.1250

#290: +0.2165

bits 001 000 0100 0001

n=(2 0 1 2) iota=(- - - -)

#276 int 11743



block 118 (size 3)


couples to:

#244: +0.1250

bits 111 110 1110 1101

n=(2 0 1 2) iota=(- - 0 -)

#290 int 12255



block 118 (size 3)


couples to:

#244: +0.2165

bits 111 110 1111 1101

n=(2 0 1 2) iota=(- - 1 -)

#245 int 8330



block 119 (size 3)

couples to:


#274: +0.0625

#288: +0.1083

bits 010 100 0100 0001

n=(1 1 1 2) iota=(- - - -)

#274 int 11729



block 119 (size 3)


couples to:

#245: +0.0625

bits 100 010 1110 1101

n=(1 1 1 2) iota=(- - 0 -)

#288 int 12241



block 119 (size 3)


couples to:

#245: +0.1083

bits 100 010 1111 1101

n=(1 1 1 2) iota=(- - 1 -)

#246 int 8352



block 120 (size 3)

couples to:


#277: +0.1250

#291: +0.2165

bits 000 001 0100 0001

n=(0 2 1 2) iota=(- - - -)

#277 int 11771



block 120 (size 3)


couples to:

#246: +0.1250

bits 110 111 1110 1101

n=(0 2 1 2) iota=(- - 0 -)

#291 int 12283



block 120 (size 3)


couples to:

#246: +0.2165

bits 110 111 1111 1101

n=(0 2 1 2) iota=(- - 1 -)

#247 int 8356



block 121 (size 3)

couples to:


#278: +0.1250

#292: +0.2165

bits 001 001 0100 0001

n=(2 2 1 2) iota=(- - - -)

#278 int 11775



block 121 (size 3)


couples to:

#247: +0.1250

bits 111 111 1110 1101

n=(2 2 1 2) iota=(- - 0 -)

#292 int 12287



block 121 (size 3)


couples to:

#247: +0.2165

bits 111 111 1111 1101

n=(2 2 1 2) iota=(- - 1 -)

#302 int 13456



block 144 (size 3)

couples to:


#335: +0.0625

#348: +0.1083

bits 000 010 0100 1011

n=(0 1 1 2) iota=(- - - -)

#335 int 14795



block 144 (size 3)


couples to:

#302: +0.0625

bits 110 100 1110 0111

n=(0 1 1 2) iota=(- - 0 -)

#348 int 15307



block 144 (size 3)


couples to:

#302: +0.1083

bits 110 100 1111 0111

n=(0 1 1 2) iota=(- - 1 -)

plaq0: valid local states (page 5/22; states 72-89 of 383 in block order)



#303 int 13460

block 145 (size 3)


couples to:

#336: +0.0625

#349: +0.1083

bits 001 010 0100 1011

n=(2 1 1 2) iota=(- - - -)



#336 int 14799


block 145 (size 3)

couples to:

#303: +0.0625

bits 111 100 1110 0111

n=(2 1 1 2) iota=(- - 0 -)



#349 int 15311


block 145 (size 3)

couples to:

#303: +0.1083

bits 111 100 1111 0111

n=(2 1 1 2) iota=(- - 1 -)



#304 int 13466

block 146 (size 3)


couples to:

#334: -0.0625

#347: -0.1083

bits 010 110 0100 1011

n=(1 0 1 2) iota=(- - - -)



#334 int 14785


block 146 (size 3)

couples to:

#304: -0.0625

bits 100 000 1110 0111

n=(1 0 1 2) iota=(- - 0 -)



#347 int 15297


block 146 (size 3)

couples to:

#304: -0.1083

bits 100 000 1111 0111

n=(1 0 1 2) iota=(- - 1 -)



#305 int 13498

block 147 (size 3)


couples to:

#337: -0.0625

#350: -0.1083

bits 010 111 0100 1011

n=(1 2 1 2) iota=(- - - -)



#337 int 14817


block 147 (size 3)

couples to:

#305: -0.0625

bits 100 001 1110 0111

n=(1 2 1 2) iota=(- - 0 -)



#350 int 15329


block 147 (size 3)

couples to:

#305: -0.1083

bits 100 001 1111 0111

n=(1 2 1 2) iota=(- - 1 -)



#0 int 0


block 0 (size 2)

couples to:

#90: +0.2500

bits 000 000 0000 0000

n=(0 0 0 0) iota=(- - - -)



#90 int 3419


block 0 (size 2)

couples to:

#0: +0.2500

bits 110 110 1010 1100

n=(0 0 0 0) iota=(- - - -)



#1 int 4


block 1 (size 2)

couples to:

#91: +0.2500

bits 001 000 0000 0000

n=(2 0 0 0) iota=(- - - -)



#91 int 3423


block 1 (size 2)

couples to:

#1: +0.2500

bits 111 110 1010 1100

n=(2 0 0 0) iota=(- - - -)



#2 int 10


block 2 (size 2)

couples to:

#89: +0.1250

bits 010 100 0000 0000

n=(1 1 0 0) iota=(- - - -)



#89 int 3409


block 2 (size 2)

couples to:

#2: +0.1250

bits 100 010 1010 1100

n=(1 1 0 0) iota=(- - - -)



#3 int 32


block 3 (size 2)

couples to:

#92: +0.2500

bits 000 001 0000 0000

n=(0 2 0 0) iota=(- - - -)



#92 int 3451


block 3 (size 2)

couples to:

#3: +0.2500

bits 110 111 1010 1100

n=(0 2 0 0) iota=(- - - -)



#4 int 36

block 4 (size 2)


couples to:

#93: +0.2500

bits 001 001 0000 0000

n=(2 2 0 0) iota=(- - - -)

plaq0: valid local states (page 6/22; states 90-107 of 383 in block order)



#93 int 3455


block 4 (size 2)

couples to:

#4: +0.2500

bits 111 111 1010 1100

n=(2 2 0 0) iota=(- - - -)



#5 int 65


block 5 (size 2)

couples to:

#87: -0.1250

bits 100 000 1000 0000

n=(1 0 1 0) iota=(- - - -)



#87 int 3354


block 5 (size 2)

couples to:

#5: -0.1250

bits 010 110 0010 1100

n=(1 0 1 0) iota=(- - - -)



#6 int 75


block 6 (size 2)

couples to:

#85: +0.1250

bits 110 100 1000 0000

n=(0 1 1 0) iota=(- - - -)



#85 int 3344


block 6 (size 2)

couples to:

#6: +0.1250

bits 000 010 0010 1100

n=(0 1 1 0) iota=(- - - -)



#7 int 79


block 7 (size 2)

couples to:

#86: +0.1250

bits 111 100 1000 0000

n=(2 1 1 0) iota=(- - - -)



#86 int 3348


block 7 (size 2)

couples to:

#7: +0.1250

bits 001 010 0010 1100

n=(2 1 1 0) iota=(- - - -)



#8 int 97


block 8 (size 2)

couples to:

#88: -0.1250

bits 100 001 1000 0000

n=(1 2 1 0) iota=(- - - -)



#88 int 3386


block 8 (size 2)

couples to:

#8: -0.1250

bits 010 111 0010 1100

n=(1 2 1 0) iota=(- - - -)



#14 int 193


block 14 (size 2)

couples to:

#96: -0.1250

bits 100 000 1100 0000

n=(1 0 0 0) iota=(- - - -)



#96 int 3482


block 14 (size 2)

couples to:

#14: -0.1250

bits 010 110 0110 1100

n=(1 0 0 0) iota=(- - - -)



#15 int 203


block 15 (size 2)

couples to:

#94: +0.1250

bits 110 100 1100 0000

n=(0 1 0 0) iota=(- - - -)



#94 int 3472


block 15 (size 2)

couples to:

#15: +0.1250

bits 000 010 0110 1100

n=(0 1 0 0) iota=(- - - -)



#16 int 207


block 16 (size 2)

couples to:

#95: +0.1250

bits 111 100 1100 0000

n=(2 1 0 0) iota=(- - - -)



#95 int 3476


block 16 (size 2)

couples to:

#16: +0.1250

bits 001 010 0110 1100

n=(2 1 0 0) iota=(- - - -)



#17 int 225


block 17 (size 2)

couples to:

#97: -0.1250

bits 100 001 1100 0000

n=(1 2 0 0) iota=(- - - -)



#97 int 3514


block 17 (size 2)

couples to:

#17: -0.1250

bits 010 111 0110 1100

n=(1 2 0 0) iota=(- - - -)



#18 int 512

block 18 (size 2)


couples to:

#104: +0.2500

bits 000 000 0001 0000

n=(0 0 2 0) iota=(- - - -)

plaq0: valid local states (page 7/22; states 108-125 of 383 in block order)



#104 int 3931


block 18 (size 2)

couples to:

#18: +0.2500

bits 110 110 1011 1100

n=(0 0 2 0) iota=(- - - -)



#19 int 516


block 19 (size 2)

couples to:

#105: +0.2500

bits 001 000 0001 0000

n=(2 0 2 0) iota=(- - - -)



#105 int 3935


block 19 (size 2)

couples to:

#19: +0.2500

bits 111 110 1011 1100

n=(2 0 2 0) iota=(- - - -)



#20 int 522


block 20 (size 2)

couples to:

#103: +0.1250

bits 010 100 0001 0000

n=(1 1 2 0) iota=(- - - -)



#103 int 3921


block 20 (size 2)

couples to:

#20: +0.1250

bits 100 010 1011 1100

n=(1 1 2 0) iota=(- - - -)



#21 int 544


block 21 (size 2)

couples to:

#106: +0.2500

bits 000 001 0001 0000

n=(0 2 2 0) iota=(- - - -)



#106 int 3963


block 21 (size 2)

couples to:

#21: +0.2500

bits 110 111 1011 1100

n=(0 2 2 0) iota=(- - - -)



#22 int 548


block 22 (size 2)

couples to:

#107: +0.2500

bits 001 001 0001 0000

n=(2 2 2 0) iota=(- - - -)



#107 int 3967


block 22 (size 2)

couples to:

#22: +0.2500

bits 111 111 1011 1100

n=(2 2 2 0) iota=(- - - -)



#23 int 705


block 23 (size 2)

couples to:

#110: -0.1250

bits 100 000 1101 0000

n=(1 0 2 0) iota=(- - - -)



#110 int 3994


block 23 (size 2)

couples to:

#23: -0.1250

bits 010 110 0111 1100

n=(1 0 2 0) iota=(- - - -)



#24 int 715


block 24 (size 2)

couples to:

#108: +0.1250

bits 110 100 1101 0000

n=(0 1 2 0) iota=(- - - -)



#108 int 3984


block 24 (size 2)

couples to:

#24: +0.1250

bits 000 010 0111 1100

n=(0 1 2 0) iota=(- - - -)



#25 int 719


block 25 (size 2)

couples to:

#109: +0.1250

bits 111 100 1101 0000

n=(2 1 2 0) iota=(- - - -)



#109 int 3988


block 25 (size 2)

couples to:

#25: +0.1250

bits 001 010 0111 1100

n=(2 1 2 0) iota=(- - - -)



#26 int 737


block 26 (size 2)

couples to:

#111: -0.1250

bits 100 001 1101 0000

n=(1 2 2 0) iota=(- - - -)



#111 int 4026


block 26 (size 2)

couples to:

#26: -0.1250

bits 010 111 0111 1100

n=(1 2 2 0) iota=(- - - -)



#27 int 1040

block 27 (size 2)


couples to:

#60: +0.1250

bits 000 010 0000 1000

n=(0 1 0 1) iota=(- - - -)

plaq0: valid local states (page 8/22; states 126-143 of 383 in block order)



#60 int 2379


block 27 (size 2)

couples to:

#27: +0.1250

bits 110 100 1010 0100

n=(0 1 0 1) iota=(- - - -)



#28 int 1044


block 28 (size 2)

couples to:

#61: +0.1250

bits 001 010 0000 1000

n=(2 1 0 1) iota=(- - - -)



#61 int 2383


block 28 (size 2)

couples to:

#28: +0.1250

bits 111 100 1010 0100

n=(2 1 0 1) iota=(- - - -)



#29 int 1050


block 29 (size 2)

couples to:

#59: -0.1250

bits 010 110 0000 1000

n=(1 0 0 1) iota=(- - - -)



#59 int 2369


block 29 (size 2)

couples to:

#29: -0.1250

bits 100 000 1010 0100

n=(1 0 0 1) iota=(- - - -)



#30 int 1082


block 30 (size 2)

couples to:

#62: -0.1250

bits 010 111 0000 1000

n=(1 2 0 1) iota=(- - - -)



#62 int 2401


block 30 (size 2)

couples to:

#30: -0.1250

bits 100 001 1010 0100

n=(1 2 0 1) iota=(- - - -)



#31 int 1105


block 31 (size 2)

couples to:

#56: -0.0625

bits 100 010 1000 1000

n=(1 1 1 1) iota=(- - - -)



#56 int 2314


block 31 (size 2)

couples to:

#31: -0.0625

bits 010 100 0010 0100

n=(1 1 1 1) iota=(- - - -)



#32 int 1115


block 32 (size 2)

couples to:

#54: -0.1250

bits 110 110 1000 1000

n=(0 0 1 1) iota=(- - - -)



#54 int 2304


block 32 (size 2)

couples to:

#32: -0.1250

bits 000 000 0010 0100

n=(0 0 1 1) iota=(- - - -)



#33 int 1119


block 33 (size 2)

couples to:

#55: -0.1250

bits 111 110 1000 1000

n=(2 0 1 1) iota=(- - - -)



#55 int 2308


block 33 (size 2)

couples to:

#33: -0.1250

bits 001 000 0010 0100

n=(2 0 1 1) iota=(- - - -)



#34 int 1147


block 34 (size 2)

couples to:

#57: -0.1250

bits 110 111 1000 1000

n=(0 2 1 1) iota=(- - - -)



#57 int 2336


block 34 (size 2)

couples to:

#34: -0.1250

bits 000 001 0010 0100

n=(0 2 1 1) iota=(- - - -)



#35 int 1151


block 35 (size 2)

couples to:

#58: -0.1250

bits 111 111 1000 1000

n=(2 2 1 1) iota=(- - - -)



#58 int 2340


block 35 (size 2)

couples to:

#35: -0.1250

bits 001 001 0010 0100

n=(2 2 1 1) iota=(- - - -)



#40 int 1233

block 40 (size 2)


couples to:

#65: -0.0625

bits 100 010 1100 1000

n=(1 1 0 1) iota=(- - - -)

plaq0: valid local states (page 9/22; states 144-161 of 383 in block order)



#65 int 2442


block 40 (size 2)

couples to:

#40: -0.0625

bits 010 100 0110 0100

n=(1 1 0 1) iota=(- - - -)



#41 int 1243


block 41 (size 2)

couples to:

#63: -0.1250

bits 110 110 1100 1000

n=(0 0 0 1) iota=(- - - -)



#63 int 2432


block 41 (size 2)

couples to:

#41: -0.1250

bits 000 000 0110 0100

n=(0 0 0 1) iota=(- - - -)



#42 int 1247


block 42 (size 2)

couples to:

#64: -0.1250

bits 111 110 1100 1000

n=(2 0 0 1) iota=(- - - -)



#64 int 2436


block 42 (size 2)

couples to:

#42: -0.1250

bits 001 000 0110 0100

n=(2 0 0 1) iota=(- - - -)



#43 int 1275


block 43 (size 2)

couples to:

#66: -0.1250

bits 110 111 1100 1000

n=(0 2 0 1) iota=(- - - -)



#66 int 2464


block 43 (size 2)

couples to:

#43: -0.1250

bits 000 001 0110 0100

n=(0 2 0 1) iota=(- - - -)



#44 int 1279


block 44 (size 2)

couples to:

#67: -0.1250

bits 111 111 1100 1000

n=(2 2 0 1) iota=(- - - -)



#67 int 2468


block 44 (size 2)

couples to:

#44: -0.1250

bits 001 001 0110 0100

n=(2 2 0 1) iota=(- - - -)



#45 int 1552


block 45 (size 2)

couples to:

#73: +0.1250

bits 000 010 0001 1000

n=(0 1 2 1) iota=(- - - -)



#73 int 2891


block 45 (size 2)

couples to:

#45: +0.1250

bits 110 100 1011 0100

n=(0 1 2 1) iota=(- - - -)



#46 int 1556


block 46 (size 2)

couples to:

#74: +0.1250

bits 001 010 0001 1000

n=(2 1 2 1) iota=(- - - -)



#74 int 2895


block 46 (size 2)

couples to:

#46: +0.1250

bits 111 100 1011 0100

n=(2 1 2 1) iota=(- - - -)



#47 int 1562


block 47 (size 2)

couples to:

#72: -0.1250

bits 010 110 0001 1000

n=(1 0 2 1) iota=(- - - -)



#72 int 2881


block 47 (size 2)

couples to:

#47: -0.1250

bits 100 000 1011 0100

n=(1 0 2 1) iota=(- - - -)



#48 int 1594


block 48 (size 2)

couples to:

#75: -0.1250

bits 010 111 0001 1000

n=(1 2 2 1) iota=(- - - -)



#75 int 2913


block 48 (size 2)

couples to:

#48: -0.1250

bits 100 001 1011 0100

n=(1 2 2 1) iota=(- - - -)



#49 int 1745

block 49 (size 2)


couples to:

#78: -0.0625

bits 100 010 1101 1000

n=(1 1 2 1) iota=(- - - -)

plaq0: valid local states (page 10/22; states 162-179 of 383 in block order)



#78 int 2954


block 49 (size 2)

couples to:

#49: -0.0625

bits 010 100 0111 0100

n=(1 1 2 1) iota=(- - - -)



#50 int 1755


block 50 (size 2)

couples to:

#76: -0.1250

bits 110 110 1101 1000

n=(0 0 2 1) iota=(- - - -)



#76 int 2944


block 50 (size 2)

couples to:

#50: -0.1250

bits 000 000 0111 0100

n=(0 0 2 1) iota=(- - - -)



#51 int 1759


block 51 (size 2)

couples to:

#77: -0.1250

bits 111 110 1101 1000

n=(2 0 2 1) iota=(- - - -)



#77 int 2948


block 51 (size 2)

couples to:

#51: -0.1250

bits 001 000 0111 0100

n=(2 0 2 1) iota=(- - - -)



#52 int 1787


block 52 (size 2)

couples to:

#79: -0.1250

bits 110 111 1101 1000

n=(0 2 2 1) iota=(- - - -)



#79 int 2976


block 52 (size 2)

couples to:

#52: -0.1250

bits 000 001 0111 0100

n=(0 2 2 1) iota=(- - - -)



#53 int 1791


block 53 (size 2)

couples to:

#80: -0.1250

bits 111 111 1101 1000

n=(2 2 2 1) iota=(- - - -)



#80 int 2980


block 53 (size 2)

couples to:

#53: -0.1250

bits 001 001 0111 0100

n=(2 2 2 1) iota=(- - - -)



#117 int 4096


block 54 (size 2)

couples to:

#207: -0.2500

bits 000 000 0000 0010

n=(0 0 0 1) iota=(- - - -)



#207 int 7515


block 54 (size 2)

couples to:

#117: -0.2500

bits 110 110 1010 1110

n=(0 0 0 1) iota=(- - - 0)



#118 int 4100


block 55 (size 2)

couples to:

#208: -0.2500

bits 001 000 0000 0010

n=(2 0 0 1) iota=(- - - -)



#208 int 7519


block 55 (size 2)

couples to:

#118: -0.2500

bits 111 110 1010 1110

n=(2 0 0 1) iota=(- - - 0)



#119 int 4106


block 56 (size 2)

couples to:

#206: -0.1250

bits 010 100 0000 0010

n=(1 1 0 1) iota=(- - - -)



#206 int 7505


block 56 (size 2)

couples to:

#119: -0.1250

bits 100 010 1010 1110

n=(1 1 0 1) iota=(- - - 0)



#120 int 4128


block 57 (size 2)

couples to:

#209: -0.2500

bits 000 001 0000 0010

n=(0 2 0 1) iota=(- - - -)



#209 int 7547


block 57 (size 2)

couples to:

#120: -0.2500

bits 110 111 1010 1110

n=(0 2 0 1) iota=(- - - 0)



#121 int 4132

block 58 (size 2)


couples to:

#210: -0.2500

bits 001 001 0000 0010

n=(2 2 0 1) iota=(- - - -)

plaq0: valid local states (page 11/22; states 180-197 of 383 in block order)



#210 int 7551


block 58 (size 2)

couples to:

#121: -0.2500

bits 111 111 1010 1110

n=(2 2 0 1) iota=(- - - 0)



#122 int 4161


block 59 (size 2)

couples to:

#204: +0.1250

bits 100 000 1000 0010

n=(1 0 1 1) iota=(- - - -)



#204 int 7450


block 59 (size 2)

couples to:

#122: +0.1250

bits 010 110 0010 1110

n=(1 0 1 1) iota=(- - - 0)



#123 int 4171


block 60 (size 2)

couples to:

#202: -0.1250

bits 110 100 1000 0010

n=(0 1 1 1) iota=(- - - -)



#202 int 7440


block 60 (size 2)

couples to:

#123: -0.1250

bits 000 010 0010 1110

n=(0 1 1 1) iota=(- - - 0)



#124 int 4175


block 61 (size 2)

couples to:

#203: -0.1250

bits 111 100 1000 0010

n=(2 1 1 1) iota=(- - - -)



#203 int 7444


block 61 (size 2)

couples to:

#124: -0.1250

bits 001 010 0010 1110

n=(2 1 1 1) iota=(- - - 0)



#125 int 4193


block 62 (size 2)

couples to:

#205: +0.1250

bits 100 001 1000 0010

n=(1 2 1 1) iota=(- - - -)



#205 int 7482


block 62 (size 2)

couples to:

#125: +0.1250

bits 010 111 0010 1110

n=(1 2 1 1) iota=(- - - 0)



#131 int 4289


block 68 (size 2)

couples to:

#213: +0.1250

bits 100 000 1100 0010

n=(1 0 0 1) iota=(- - - -)



#213 int 7578


block 68 (size 2)

couples to:

#131: +0.1250

bits 010 110 0110 1110

n=(1 0 0 1) iota=(- - - 0)



#132 int 4299


block 69 (size 2)

couples to:

#211: -0.1250

bits 110 100 1100 0010

n=(0 1 0 1) iota=(- - - -)



#211 int 7568


block 69 (size 2)

couples to:

#132: -0.1250

bits 000 010 0110 1110

n=(0 1 0 1) iota=(- - - 0)



#133 int 4303


block 70 (size 2)

couples to:

#212: -0.1250

bits 111 100 1100 0010

n=(2 1 0 1) iota=(- - - -)



#212 int 7572


block 70 (size 2)

couples to:

#133: -0.1250

bits 001 010 0110 1110

n=(2 1 0 1) iota=(- - - 0)



#134 int 4321


block 71 (size 2)

couples to:

#214: +0.1250

bits 100 001 1100 0010

n=(1 2 0 1) iota=(- - - -)



#214 int 7610


block 71 (size 2)

couples to:

#134: +0.1250

bits 010 111 0110 1110

n=(1 2 0 1) iota=(- - - 0)



#135 int 4608

block 72 (size 2)


couples to:

#221: -0.2500

bits 000 000 0001 0010

n=(0 0 2 1) iota=(- - - -)

plaq0: valid local states (page 12/22; states 198-215 of 383 in block order)



#221 int 8027


block 72 (size 2)

couples to:

#135: -0.2500

bits 110 110 1011 1110

n=(0 0 2 1) iota=(- - - 0)



#136 int 4612


block 73 (size 2)

couples to:

#222: -0.2500

bits 001 000 0001 0010

n=(2 0 2 1) iota=(- - - -)



#222 int 8031


block 73 (size 2)

couples to:

#136: -0.2500

bits 111 110 1011 1110

n=(2 0 2 1) iota=(- - - 0)



#137 int 4618


block 74 (size 2)

couples to:

#220: -0.1250

bits 010 100 0001 0010

n=(1 1 2 1) iota=(- - - -)



#220 int 8017


block 74 (size 2)

couples to:

#137: -0.1250

bits 100 010 1011 1110

n=(1 1 2 1) iota=(- - - 0)



#138 int 4640


block 75 (size 2)

couples to:

#223: -0.2500

bits 000 001 0001 0010

n=(0 2 2 1) iota=(- - - -)



#223 int 8059


block 75 (size 2)

couples to:

#138: -0.2500

bits 110 111 1011 1110

n=(0 2 2 1) iota=(- - - 0)



#139 int 4644


block 76 (size 2)

couples to:

#224: -0.2500

bits 001 001 0001 0010

n=(2 2 2 1) iota=(- - - -)



#224 int 8063


block 76 (size 2)

couples to:

#139: -0.2500

bits 111 111 1011 1110

n=(2 2 2 1) iota=(- - - 0)



#140 int 4801


block 77 (size 2)

couples to:

#227: +0.1250

bits 100 000 1101 0010

n=(1 0 2 1) iota=(- - - -)



#227 int 8090


block 77 (size 2)

couples to:

#140: +0.1250

bits 010 110 0111 1110

n=(1 0 2 1) iota=(- - - 0)



#141 int 4811


block 78 (size 2)

couples to:

#225: -0.1250

bits 110 100 1101 0010

n=(0 1 2 1) iota=(- - - -)



#225 int 8080


block 78 (size 2)

couples to:

#141: -0.1250

bits 000 010 0111 1110

n=(0 1 2 1) iota=(- - - 0)



#142 int 4815


block 79 (size 2)

couples to:

#226: -0.1250

bits 111 100 1101 0010

n=(2 1 2 1) iota=(- - - -)



#226 int 8084


block 79 (size 2)

couples to:

#142: -0.1250

bits 001 010 0111 1110

n=(2 1 2 1) iota=(- - - 0)



#143 int 4833


block 80 (size 2)

couples to:

#228: +0.1250

bits 100 001 1101 0010

n=(1 2 2 1) iota=(- - - -)



#228 int 8122


block 80 (size 2)

couples to:

#143: +0.1250

bits 010 111 0111 1110

n=(1 2 2 1) iota=(- - - 0)



#144 int 5136

block 81 (size 2)


couples to:

#177: +0.1250

bits 000 010 0000 1010

n=(0 1 0 0) iota=(- - - -)

plaq0: valid local states (page 13/22; states 216-233 of 383 in block order)



#177 int 6475


block 81 (size 2)

couples to:

#144: +0.1250

bits 110 100 1010 0110

n=(0 1 0 0) iota=(- - - -)



#145 int 5140


block 82 (size 2)

couples to:

#178: +0.1250

bits 001 010 0000 1010

n=(2 1 0 0) iota=(- - - -)



#178 int 6479


block 82 (size 2)

couples to:

#145: +0.1250

bits 111 100 1010 0110

n=(2 1 0 0) iota=(- - - -)



#146 int 5146


block 83 (size 2)

couples to:

#176: -0.1250

bits 010 110 0000 1010

n=(1 0 0 0) iota=(- - - -)



#176 int 6465


block 83 (size 2)

couples to:

#146: -0.1250

bits 100 000 1010 0110

n=(1 0 0 0) iota=(- - - -)



#147 int 5178


block 84 (size 2)

couples to:

#179: -0.1250

bits 010 111 0000 1010

n=(1 2 0 0) iota=(- - - -)



#179 int 6497


block 84 (size 2)

couples to:

#147: -0.1250

bits 100 001 1010 0110

n=(1 2 0 0) iota=(- - - -)



#148 int 5201


block 85 (size 2)

couples to:

#173: -0.0625

bits 100 010 1000 1010

n=(1 1 1 0) iota=(- - - -)



#173 int 6410


block 85 (size 2)

couples to:

#148: -0.0625

bits 010 100 0010 0110

n=(1 1 1 0) iota=(- - - -)



#149 int 5211


block 86 (size 2)

couples to:

#171: -0.1250

bits 110 110 1000 1010

n=(0 0 1 0) iota=(- - - -)



#171 int 6400


block 86 (size 2)

couples to:

#149: -0.1250

bits 000 000 0010 0110

n=(0 0 1 0) iota=(- - - -)



#150 int 5215


block 87 (size 2)

couples to:

#172: -0.1250

bits 111 110 1000 1010

n=(2 0 1 0) iota=(- - - -)



#172 int 6404


block 87 (size 2)

couples to:

#150: -0.1250

bits 001 000 0010 0110

n=(2 0 1 0) iota=(- - - -)



#151 int 5243


block 88 (size 2)

couples to:

#174: -0.1250

bits 110 111 1000 1010

n=(0 2 1 0) iota=(- - - -)



#174 int 6432


block 88 (size 2)

couples to:

#151: -0.1250

bits 000 001 0010 0110

n=(0 2 1 0) iota=(- - - -)



#152 int 5247


block 89 (size 2)

couples to:

#175: -0.1250

bits 111 111 1000 1010

n=(2 2 1 0) iota=(- - - -)



#175 int 6436


block 89 (size 2)

couples to:

#152: -0.1250

bits 001 001 0010 0110

n=(2 2 1 0) iota=(- - - -)



#157 int 5329

block 94 (size 2)


couples to:

#182: -0.0625

bits 100 010 1100 1010

n=(1 1 0 0) iota=(- - - -)

plaq0: valid local states (page 14/22; states 234-251 of 383 in block order)



#182 int 6538


block 94 (size 2)

couples to:

#157: -0.0625

bits 010 100 0110 0110

n=(1 1 0 0) iota=(- - - -)



#158 int 5339


block 95 (size 2)

couples to:

#180: -0.1250

bits 110 110 1100 1010

n=(0 0 0 0) iota=(- - - -)



#180 int 6528


block 95 (size 2)

couples to:

#158: -0.1250

bits 000 000 0110 0110

n=(0 0 0 0) iota=(- - - -)



#159 int 5343


block 96 (size 2)

couples to:

#181: -0.1250

bits 111 110 1100 1010

n=(2 0 0 0) iota=(- - - -)



#181 int 6532


block 96 (size 2)

couples to:

#159: -0.1250

bits 001 000 0110 0110

n=(2 0 0 0) iota=(- - - -)



#160 int 5371


block 97 (size 2)

couples to:

#183: -0.1250

bits 110 111 1100 1010

n=(0 2 0 0) iota=(- - - -)



#183 int 6560


block 97 (size 2)

couples to:

#160: -0.1250

bits 000 001 0110 0110

n=(0 2 0 0) iota=(- - - -)



#161 int 5375


block 98 (size 2)

couples to:

#184: -0.1250

bits 111 111 1100 1010

n=(2 2 0 0) iota=(- - - -)



#184 int 6564


block 98 (size 2)

couples to:

#161: -0.1250

bits 001 001 0110 0110

n=(2 2 0 0) iota=(- - - -)



#162 int 5648


block 99 (size 2)

couples to:

#190: +0.1250

bits 000 010 0001 1010

n=(0 1 2 0) iota=(- - - -)



#190 int 6987


block 99 (size 2)

couples to:

#162: +0.1250

bits 110 100 1011 0110

n=(0 1 2 0) iota=(- - - -)



#163 int 5652


block 100 (size 2)

couples to:

#191: +0.1250

bits 001 010 0001 1010

n=(2 1 2 0) iota=(- - - -)



#191 int 6991


block 100 (size 2)

couples to:

#163: +0.1250

bits 111 100 1011 0110

n=(2 1 2 0) iota=(- - - -)



#164 int 5658


block 101 (size 2)

couples to:

#189: -0.1250

bits 010 110 0001 1010

n=(1 0 2 0) iota=(- - - -)



#189 int 6977


block 101 (size 2)

couples to:

#164: -0.1250

bits 100 000 1011 0110

n=(1 0 2 0) iota=(- - - -)



#165 int 5690


block 102 (size 2)

couples to:

#192: -0.1250

bits 010 111 0001 1010

n=(1 2 2 0) iota=(- - - -)



#192 int 7009


block 102 (size 2)

couples to:

#165: -0.1250

bits 100 001 1011 0110

n=(1 2 2 0) iota=(- - - -)



#166 int 5841

block 103 (size 2)


couples to:

#195: -0.0625

bits 100 010 1101 1010

n=(1 1 2 0) iota=(- - - -)

plaq0: valid local states (page 15/22; states 252-269 of 383 in block order)



#195 int 7050


block 103 (size 2)

couples to:

#166: -0.0625

bits 010 100 0111 0110

n=(1 1 2 0) iota=(- - - -)



#167 int 5851


block 104 (size 2)

couples to:

#193: -0.1250

bits 110 110 1101 1010

n=(0 0 2 0) iota=(- - - -)



#193 int 7040


block 104 (size 2)

couples to:

#167: -0.1250

bits 000 000 0111 0110

n=(0 0 2 0) iota=(- - - -)



#168 int 5855


block 105 (size 2)

couples to:

#194: -0.1250

bits 111 110 1101 1010

n=(2 0 2 0) iota=(- - - -)



#194 int 7044


block 105 (size 2)

couples to:

#168: -0.1250

bits 001 000 0111 0110

n=(2 0 2 0) iota=(- - - -)



#169 int 5883


block 106 (size 2)

couples to:

#196: -0.1250

bits 110 111 1101 1010

n=(0 2 2 0) iota=(- - - -)



#196 int 7072


block 106 (size 2)

couples to:

#169: -0.1250

bits 000 001 0111 0110

n=(0 2 2 0) iota=(- - - -)



#170 int 5887


block 107 (size 2)

couples to:

#197: -0.1250

bits 111 111 1101 1010

n=(2 2 2 0) iota=(- - - -)



#197 int 7076


block 107 (size 2)

couples to:

#170: -0.1250

bits 001 001 0111 0110

n=(2 2 2 0) iota=(- - - -)



#234 int 8192


block 108 (size 2)

couples to:

#266: +0.2500

bits 000 000 0000 0001

n=(0 0 0 2) iota=(- - - -)



#266 int 11611


block 108 (size 2)

couples to:

#234: +0.2500

bits 110 110 1010 1101

n=(0 0 0 2) iota=(- - - -)



#235 int 8196


block 109 (size 2)

couples to:

#267: +0.2500

bits 001 000 0000 0001

n=(2 0 0 2) iota=(- - - -)



#267 int 11615


block 109 (size 2)

couples to:

#235: +0.2500

bits 111 110 1010 1101

n=(2 0 0 2) iota=(- - - -)



#236 int 8202


block 110 (size 2)

couples to:

#265: +0.1250

bits 010 100 0000 0001

n=(1 1 0 2) iota=(- - - -)



#265 int 11601


block 110 (size 2)

couples to:

#236: +0.1250

bits 100 010 1010 1101

n=(1 1 0 2) iota=(- - - -)



#237 int 8224


block 111 (size 2)

couples to:

#268: +0.2500

bits 000 001 0000 0001

n=(0 2 0 2) iota=(- - - -)



#268 int 11643


block 111 (size 2)

couples to:

#237: +0.2500

bits 110 111 1010 1101

n=(0 2 0 2) iota=(- - - -)



#238 int 8228

block 112 (size 2)


couples to:

#269: +0.2500

bits 001 001 0000 0001

n=(2 2 0 2) iota=(- - - -)

plaq0: valid local states (page 16/22; states 270-287 of 383 in block order)



#269 int 11647


block 112 (size 2)

couples to:

#238: +0.2500

bits 111 111 1010 1101

n=(2 2 0 2) iota=(- - - -)



#239 int 8257


block 113 (size 2)

couples to:

#263: -0.1250

bits 100 000 1000 0001

n=(1 0 1 2) iota=(- - - -)



#263 int 11546


block 113 (size 2)

couples to:

#239: -0.1250

bits 010 110 0010 1101

n=(1 0 1 2) iota=(- - - -)



#240 int 8267


block 114 (size 2)

couples to:

#261: +0.1250

bits 110 100 1000 0001

n=(0 1 1 2) iota=(- - - -)



#261 int 11536


block 114 (size 2)

couples to:

#240: +0.1250

bits 000 010 0010 1101

n=(0 1 1 2) iota=(- - - -)



#241 int 8271


block 115 (size 2)

couples to:

#262: +0.1250

bits 111 100 1000 0001

n=(2 1 1 2) iota=(- - - -)



#262 int 11540


block 115 (size 2)

couples to:

#241: +0.1250

bits 001 010 0010 1101

n=(2 1 1 2) iota=(- - - -)



#242 int 8289


block 116 (size 2)

couples to:

#264: -0.1250

bits 100 001 1000 0001

n=(1 2 1 2) iota=(- - - -)



#264 int 11578


block 116 (size 2)

couples to:

#242: -0.1250

bits 010 111 0010 1101

n=(1 2 1 2) iota=(- - - -)



#248 int 8385


block 122 (size 2)

couples to:

#272: -0.1250

bits 100 000 1100 0001

n=(1 0 0 2) iota=(- - - -)



#272 int 11674


block 122 (size 2)

couples to:

#248: -0.1250

bits 010 110 0110 1101

n=(1 0 0 2) iota=(- - - -)



#249 int 8395


block 123 (size 2)

couples to:

#270: +0.1250

bits 110 100 1100 0001

n=(0 1 0 2) iota=(- - - -)



#270 int 11664


block 123 (size 2)

couples to:

#249: +0.1250

bits 000 010 0110 1101

n=(0 1 0 2) iota=(- - - -)



#250 int 8399


block 124 (size 2)

couples to:

#271: +0.1250

bits 111 100 1100 0001

n=(2 1 0 2) iota=(- - - -)



#271 int 11668


block 124 (size 2)

couples to:

#250: +0.1250

bits 001 010 0110 1101

n=(2 1 0 2) iota=(- - - -)



#251 int 8417


block 125 (size 2)

couples to:

#273: -0.1250

bits 100 001 1100 0001

n=(1 2 0 2) iota=(- - - -)



#273 int 11706


block 125 (size 2)

couples to:

#251: -0.1250

bits 010 111 0110 1101

n=(1 2 0 2) iota=(- - - -)



#252 int 8704

block 126 (size 2)


couples to:

#280: +0.2500

bits 000 000 0001 0001

n=(0 0 2 2) iota=(- - - -)

plaq0: valid local states (page 17/22; states 288-305 of 383 in block order)



#280 int 12123


block 126 (size 2)

couples to:

#252: +0.2500

bits 110 110 1011 1101

n=(0 0 2 2) iota=(- - - -)



#253 int 8708


block 127 (size 2)

couples to:

#281: +0.2500

bits 001 000 0001 0001

n=(2 0 2 2) iota=(- - - -)



#281 int 12127


block 127 (size 2)

couples to:

#253: +0.2500

bits 111 110 1011 1101

n=(2 0 2 2) iota=(- - - -)



#254 int 8714


block 128 (size 2)

couples to:

#279: +0.1250

bits 010 100 0001 0001

n=(1 1 2 2) iota=(- - - -)



#279 int 12113


block 128 (size 2)

couples to:

#254: +0.1250

bits 100 010 1011 1101

n=(1 1 2 2) iota=(- - - -)



#255 int 8736


block 129 (size 2)

couples to:

#282: +0.2500

bits 000 001 0001 0001

n=(0 2 2 2) iota=(- - - -)



#282 int 12155


block 129 (size 2)

couples to:

#255: +0.2500

bits 110 111 1011 1101

n=(0 2 2 2) iota=(- - - -)



#256 int 8740


block 130 (size 2)

couples to:

#283: +0.2500

bits 001 001 0001 0001

n=(2 2 2 2) iota=(- - - -)



#283 int 12159


block 130 (size 2)

couples to:

#256: +0.2500

bits 111 111 1011 1101

n=(2 2 2 2) iota=(- - - -)



#257 int 8897


block 131 (size 2)

couples to:

#286: -0.1250

bits 100 000 1101 0001

n=(1 0 2 2) iota=(- - - -)



#286 int 12186


block 131 (size 2)

couples to:

#257: -0.1250

bits 010 110 0111 1101

n=(1 0 2 2) iota=(- - - -)



#258 int 8907


block 132 (size 2)

couples to:

#284: +0.1250

bits 110 100 1101 0001

n=(0 1 2 2) iota=(- - - -)



#284 int 12176


block 132 (size 2)

couples to:

#258: +0.1250

bits 000 010 0111 1101

n=(0 1 2 2) iota=(- - - -)



#259 int 8911


block 133 (size 2)

couples to:

#285: +0.1250

bits 111 100 1101 0001

n=(2 1 2 2) iota=(- - - -)



#285 int 12180


block 133 (size 2)

couples to:

#259: +0.1250

bits 001 010 0111 1101

n=(2 1 2 2) iota=(- - - -)



#260 int 8929


block 134 (size 2)

couples to:

#287: -0.1250

bits 100 001 1101 0001

n=(1 2 2 2) iota=(- - - -)



#287 int 12218


block 134 (size 2)

couples to:

#260: -0.1250

bits 010 111 0111 1101

n=(1 2 2 2) iota=(- - - -)



#293 int 13328

block 135 (size 2)


couples to:

#326: +0.1250

bits 000 010 0000 1011

n=(0 1 0 2) iota=(- - - -)

plaq0: valid local states (page 18/22; states 306-323 of 383 in block order)



#326 int 14667


block 135 (size 2)

couples to:

#293: +0.1250

bits 110 100 1010 0111

n=(0 1 0 2) iota=(- - - -)



#294 int 13332


block 136 (size 2)

couples to:

#327: +0.1250

bits 001 010 0000 1011

n=(2 1 0 2) iota=(- - - -)



#327 int 14671


block 136 (size 2)

couples to:

#294: +0.1250

bits 111 100 1010 0111

n=(2 1 0 2) iota=(- - - -)



#295 int 13338


block 137 (size 2)

couples to:

#325: -0.1250

bits 010 110 0000 1011

n=(1 0 0 2) iota=(- - - -)



#325 int 14657


block 137 (size 2)

couples to:

#295: -0.1250

bits 100 000 1010 0111

n=(1 0 0 2) iota=(- - - -)



#296 int 13370


block 138 (size 2)

couples to:

#328: -0.1250

bits 010 111 0000 1011

n=(1 2 0 2) iota=(- - - -)



#328 int 14689


block 138 (size 2)

couples to:

#296: -0.1250

bits 100 001 1010 0111

n=(1 2 0 2) iota=(- - - -)



#297 int 13393


block 139 (size 2)

couples to:

#322: -0.0625

bits 100 010 1000 1011

n=(1 1 1 2) iota=(- - - -)



#322 int 14602


block 139 (size 2)

couples to:

#297: -0.0625

bits 010 100 0010 0111

n=(1 1 1 2) iota=(- - - -)



#298 int 13403


block 140 (size 2)

couples to:

#320: -0.1250

bits 110 110 1000 1011

n=(0 0 1 2) iota=(- - - -)



#320 int 14592


block 140 (size 2)

couples to:

#298: -0.1250

bits 000 000 0010 0111

n=(0 0 1 2) iota=(- - - -)



#299 int 13407


block 141 (size 2)

couples to:

#321: -0.1250

bits 111 110 1000 1011

n=(2 0 1 2) iota=(- - - -)



#321 int 14596


block 141 (size 2)

couples to:

#299: -0.1250

bits 001 000 0010 0111

n=(2 0 1 2) iota=(- - - -)



#300 int 13435


block 142 (size 2)

couples to:

#323: -0.1250

bits 110 111 1000 1011

n=(0 2 1 2) iota=(- - - -)



#323 int 14624


block 142 (size 2)

couples to:

#300: -0.1250

bits 000 001 0010 0111

n=(0 2 1 2) iota=(- - - -)



#301 int 13439


block 143 (size 2)

couples to:

#324: -0.1250

bits 111 111 1000 1011

n=(2 2 1 2) iota=(- - - -)



#324 int 14628


block 143 (size 2)

couples to:

#301: -0.1250

bits 001 001 0010 0111

n=(2 2 1 2) iota=(- - - -)



#306 int 13521

block 148 (size 2)


couples to:

#331: -0.0625

bits 100 010 1100 1011

n=(1 1 0 2) iota=(- - - -)

plaq0: valid local states (page 19/22; states 324-341 of 383 in block order)



#331 int 14730


block 148 (size 2)

couples to:

#306: -0.0625

bits 010 100 0110 0111

n=(1 1 0 2) iota=(- - - -)



#307 int 13531


block 149 (size 2)

couples to:

#329: -0.1250

bits 110 110 1100 1011

n=(0 0 0 2) iota=(- - - -)



#329 int 14720


block 149 (size 2)

couples to:

#307: -0.1250

bits 000 000 0110 0111

n=(0 0 0 2) iota=(- - - -)



#308 int 13535


block 150 (size 2)

couples to:

#330: -0.1250

bits 111 110 1100 1011

n=(2 0 0 2) iota=(- - - -)



#330 int 14724


block 150 (size 2)

couples to:

#308: -0.1250

bits 001 000 0110 0111

n=(2 0 0 2) iota=(- - - -)



#309 int 13563


block 151 (size 2)

couples to:

#332: -0.1250

bits 110 111 1100 1011

n=(0 2 0 2) iota=(- - - -)



#332 int 14752


block 151 (size 2)

couples to:

#309: -0.1250

bits 000 001 0110 0111

n=(0 2 0 2) iota=(- - - -)



#310 int 13567


block 152 (size 2)

couples to:

#333: -0.1250

bits 111 111 1100 1011

n=(2 2 0 2) iota=(- - - -)



#333 int 14756


block 152 (size 2)

couples to:

#310: -0.1250

bits 001 001 0110 0111

n=(2 2 0 2) iota=(- - - -)



#311 int 13840


block 153 (size 2)

couples to:

#339: +0.1250

bits 000 010 0001 1011

n=(0 1 2 2) iota=(- - - -)



#339 int 15179


block 153 (size 2)

couples to:

#311: +0.1250

bits 110 100 1011 0111

n=(0 1 2 2) iota=(- - - -)



#312 int 13844


block 154 (size 2)

couples to:

#340: +0.1250

bits 001 010 0001 1011

n=(2 1 2 2) iota=(- - - -)



#340 int 15183


block 154 (size 2)

couples to:

#312: +0.1250

bits 111 100 1011 0111

n=(2 1 2 2) iota=(- - - -)



#313 int 13850


block 155 (size 2)

couples to:

#338: -0.1250

bits 010 110 0001 1011

n=(1 0 2 2) iota=(- - - -)



#338 int 15169


block 155 (size 2)

couples to:

#313: -0.1250

bits 100 000 1011 0111

n=(1 0 2 2) iota=(- - - -)



#314 int 13882


block 156 (size 2)

couples to:

#341: -0.1250

bits 010 111 0001 1011

n=(1 2 2 2) iota=(- - - -)



#341 int 15201


block 156 (size 2)

couples to:

#314: -0.1250

bits 100 001 1011 0111

n=(1 2 2 2) iota=(- - - -)



#315 int 14033

block 157 (size 2)


couples to:

#344: -0.0625

bits 100 010 1101 1011

n=(1 1 2 2) iota=(- - - -)

plaq0: valid local states (page 20/22; states 342-359 of 383 in block order)



#344 int 15242


block 157 (size 2)

couples to:

#315: -0.0625

bits 010 100 0111 0111

n=(1 1 2 2) iota=(- - - -)



#316 int 14043


block 158 (size 2)

couples to:

#342: -0.1250

bits 110 110 1101 1011

n=(0 0 2 2) iota=(- - - -)



#342 int 15232


block 158 (size 2)

couples to:

#316: -0.1250

bits 000 000 0111 0111

n=(0 0 2 2) iota=(- - - -)



#317 int 14047


block 159 (size 2)

couples to:

#343: -0.1250

bits 111 110 1101 1011

n=(2 0 2 2) iota=(- - - -)



#343 int 15236


block 159 (size 2)

couples to:

#317: -0.1250

bits 001 000 0111 0111

n=(2 0 2 2) iota=(- - - -)



#318 int 14075


block 160 (size 2)

couples to:

#345: -0.1250

bits 110 111 1101 1011

n=(0 2 2 2) iota=(- - - -)



#345 int 15264


block 160 (size 2)

couples to:

#318: -0.1250

bits 000 001 0111 0111

n=(0 2 2 2) iota=(- - - -)



#319 int 14079


block 161 (size 2)

couples to:

#346: -0.1250

bits 111 111 1101 1011

n=(2 2 2 2) iota=(- - - -)



#346 int 15268


block 161 (size 2)

couples to:

#319: -0.1250

bits 001 001 0111 0111

n=(2 2 2 2) iota=(- - - -)



#351 int 15632


block 162 (size 1)

no coupling: the plaquette

maps this state to 0

bits 000 010 0010 1111

n=(0 1 1 1) iota=(- - - 1)



#352 int 15636


block 163 (size 1)

no coupling: the plaquette

maps this state to 0

bits 001 010 0010 1111

n=(2 1 1 1) iota=(- - - 1)



#353 int 15642


block 164 (size 1)

no coupling: the plaquette

maps this state to 0

bits 010 110 0010 1111

n=(1 0 1 1) iota=(- - - 1)



#354 int 15674


block 165 (size 1)

no coupling: the plaquette

maps this state to 0

bits 010 111 0010 1111

n=(1 2 1 1) iota=(- - - 1)



#355 int 15697


block 166 (size 1)

no coupling: the plaquette

maps this state to 0

bits 100 010 1010 1111

n=(1 1 0 1) iota=(- - - 1)



#356 int 15707


block 167 (size 1)

no coupling: the plaquette

maps this state to 0

bits 110 110 1010 1111

n=(0 0 0 1) iota=(- - - 1)



#357 int 15711


block 168 (size 1)

no coupling: the plaquette

maps this state to 0

bits 111 110 1010 1111

n=(2 0 0 1) iota=(- - - 1)



#358 int 15739


block 169 (size 1)

no coupling: the plaquette

maps this state to 0

bits 110 111 1010 1111

n=(0 2 0 1) iota=(- - - 1)



#359 int 15743

block 170 (size 1)


no coupling: the plaquette

maps this state to 0

bits 111 111 1010 1111

n=(2 2 0 1) iota=(- - - 1)

plaq0: valid local states (page 21/22; states 360-377 of 383 in block order)



#360 int 15760


block 171 (size 1)

no coupling: the plaquette

maps this state to 0

bits 000 010 0110 1111

n=(0 1 0 1) iota=(- - - 1)



#361 int 15764


block 172 (size 1)

no coupling: the plaquette

maps this state to 0

bits 001 010 0110 1111

n=(2 1 0 1) iota=(- - - 1)



#362 int 15770


block 173 (size 1)

no coupling: the plaquette

maps this state to 0

bits 010 110 0110 1111

n=(1 0 0 1) iota=(- - - 1)



#363 int 15802


block 174 (size 1)

no coupling: the plaquette

maps this state to 0

bits 010 111 0110 1111

n=(1 2 0 1) iota=(- - - 1)



#364 int 15825


block 175 (size 1)

no coupling: the plaquette

maps this state to 0

bits 100 010 1110 1111

n=(1 1 1 1) iota=(- - 0 1)



#365 int 15835


block 176 (size 1)

no coupling: the plaquette

maps this state to 0

bits 110 110 1110 1111

n=(0 0 1 1) iota=(- - 0 1)



#366 int 15839


block 177 (size 1)

no coupling: the plaquette

maps this state to 0

bits 111 110 1110 1111

n=(2 0 1 1) iota=(- - 0 1)



#367 int 15867


block 178 (size 1)

no coupling: the plaquette

maps this state to 0

bits 110 111 1110 1111

n=(0 2 1 1) iota=(- - 0 1)



#368 int 15871


block 179 (size 1)

no coupling: the plaquette

maps this state to 0

bits 111 111 1110 1111

n=(2 2 1 1) iota=(- - 0 1)



#369 int 16209


block 180 (size 1)

no coupling: the plaquette

maps this state to 0

bits 100 010 1011 1111

n=(1 1 2 1) iota=(- - - 1)



#370 int 16219


block 181 (size 1)

no coupling: the plaquette

maps this state to 0

bits 110 110 1011 1111

n=(0 0 2 1) iota=(- - - 1)



#371 int 16223


block 182 (size 1)

no coupling: the plaquette

maps this state to 0

bits 111 110 1011 1111

n=(2 0 2 1) iota=(- - - 1)



#372 int 16251


block 183 (size 1)

no coupling: the plaquette

maps this state to 0

bits 110 111 1011 1111

n=(0 2 2 1) iota=(- - - 1)



#373 int 16255


block 184 (size 1)

no coupling: the plaquette

maps this state to 0

bits 111 111 1011 1111

n=(2 2 2 1) iota=(- - - 1)



#374 int 16272


block 185 (size 1)

no coupling: the plaquette

maps this state to 0

bits 000 010 0111 1111

n=(0 1 2 1) iota=(- - - 1)



#375 int 16276


block 186 (size 1)

no coupling: the plaquette

maps this state to 0

bits 001 010 0111 1111

n=(2 1 2 1) iota=(- - - 1)



#376 int 16282


block 187 (size 1)

no coupling: the plaquette

maps this state to 0

bits 010 110 0111 1111

n=(1 0 2 1) iota=(- - - 1)



#377 int 16314

block 188 (size 1)


no coupling: the plaquette

maps this state to 0

bits 010 111 0111 1111

n=(1 2 2 1) iota=(- - - 1)

plaq0: valid local states (page 22/22; states 378-382 of 383 in block order)



#378 int 16337


block 189 (size 1)

no coupling: the plaquette

maps this state to 0

bits 100 010 1111 1111

n=(1 1 1 1) iota=(- - 1 1)



#379 int 16347


block 190 (size 1)

no coupling: the plaquette

maps this state to 0

bits 110 110 1111 1111

n=(0 0 1 1) iota=(- - 1 1)



#380 int 16351


block 191 (size 1)

no coupling: the plaquette

maps this state to 0

bits 111 110 1111 1111

n=(2 0 1 1) iota=(- - 1 1)



#381 int 16379


block 192 (size 1)

no coupling: the plaquette

maps this state to 0

bits 110 111 1111 1111

n=(0 2 1 1) iota=(- - 1 1)



#382 int 16383

block 193 (size 1)

no coupling: the plaquette

maps this state to 0

bits 111 111 1111 1111

n=(2 2 1 1) iota=(- - 1 1)

Catalogue: plaq1

Corner sites: c00 = 2, c10 = 4, c11 = 5, c01 = 3 (kinds: 2 interior, 4 interior, 5 interior, 3 interior)

Plaquette links: bottom 3, right 7, top 5, left 4; third links: link 0 at site 2, link 6 at site 4, link 8 at site 5, link 2 at site 3

Qubits (16): q6 q7 q8 q9 q10 q11 q12 q13 q14 q15 q16 q17 q18 q19 q20 q21

Bit groups in the pictures (one per site, qubit order):

```
site 2 (interior): q6=link0, q7=link3, q8=link4, q9=matter/iota
site 3 (interior): q10=link2, q11=link4, q12=link5, q13=matter/iota
site 4 (interior): q14=link3, q15=link6, q16=link7, q17=matter/iota
site 5 (interior): q18=link5, q19=link7, q20=link8, q21=matter/iota
```


Valid local states: 1831 blocks: 811 block sizes: {'1': 163, '2': 375, '3': 225, '4': 9, '5': 36, '9': 3}

(diagonal of the local matrix: max |h_ss| = 0.0e+00, i.e. the plaquette has no diagonal part)


States are listed block by block (largest blocks first); states of one block share a background colour.

Per site: corner sites have 6 valid states, interior sites 13; the counts above are smaller than the product of those (6^2 x 13^2 = 6084 for plaq0/plaq2, 13^4 = 28561 for plaq1) because every plaquette link is stored at both of its ends and the two copies must agree, and because only states that occur in the global gauge-invariant basis are kept (skqd.reference_sim.localize).

#0 (int 0): empty plaquette




#420 (int 13670): one flux loop, <#420|O|#0> = +0.2500



Example of one plaquette move: the empty plaquette is mixed with the state carrying one flux loop around it.

plaq1: valid local states (page 1/102; states 0-17 of 1831 in block order)



#43 int 529


block 40 (size 9)

couples to:

#471: -0.0313
#473: +0.0541
#482: -0.0541
#484: +0.0938
... +4 more (listed on their cards)

bits 1000 1000 0100 0000

n=(1 1 1 0) iota=(- - - -)



#471 int 14199


block 40 (size 9)

couples to:

#43: -0.0313

bits 1110 1110 1110 1100

n=(1 1 1 0) iota=(0 0 0 -)



#473 int 14207


block 40 (size 9)

couples to:

#43: +0.0541

bits 1111 1110 1110 1100

n=(1 1 1 0) iota=(1 0 0 -)



#482 int 14327


block 40 (size 9)

couples to:

#43: -0.0541

bits 1110 1111 1110 1100

n=(1 1 1 0) iota=(0 1 0 -)



#484 int 14335


block 40 (size 9)

couples to:

#43: +0.0938

bits 1111 1111 1110 1100

n=(1 1 1 0) iota=(1 1 0 -)



#542 int 16247


block 40 (size 9)

couples to:

#43: -0.0541

bits 1110 1110 1111 1100

n=(1 1 1 0) iota=(0 0 1 -)



#544 int 16255


block 40 (size 9)

couples to:

#43: +0.0938

bits 1111 1110 1111 1100

n=(1 1 1 0) iota=(1 0 1 -)



#553 int 16375


block 40 (size 9)

couples to:

#43: -0.0938

bits 1110 1111 1111 1100

n=(1 1 1 0) iota=(0 1 1 -)



#555 int 16383


block 40 (size 9)

couples to:

#43: +0.1624

bits 1111 1111 1111 1100

n=(1 1 1 0) iota=(1 1 1 -)



#599 int 16913


block 256 (size 9)

couples to:

#1027: +0.0313
#1029: -0.0541
#1038: +0.0541
#1040: -0.0938
... +4 more (listed on their cards)

bits 1000 1000 0100 0010

n=(1 1 1 1) iota=(- - - -)



#1027 int 30583


block 256 (size 9)

couples to:

#599: +0.0313

bits 1110 1110 1110 1110

n=(1 1 1 1) iota=(0 0 0 0)



#1029 int 30591


block 256 (size 9)

couples to:

#599: -0.0541

bits 1111 1110 1110 1110

n=(1 1 1 1) iota=(1 0 0 0)



#1038 int 30711


block 256 (size 9)

couples to:

#599: +0.0541

bits 1110 1111 1110 1110

n=(1 1 1 1) iota=(0 1 0 0)



#1040 int 30719


block 256 (size 9)

couples to:

#599: -0.0938

bits 1111 1111 1110 1110

n=(1 1 1 1) iota=(1 1 0 0)



#1098 int 32631


block 256 (size 9)

couples to:

#599: +0.0541

bits 1110 1110 1111 1110

n=(1 1 1 1) iota=(0 0 1 0)



#1100 int 32639


block 256 (size 9)

couples to:

#599: -0.0938

bits 1111 1110 1111 1110

n=(1 1 1 1) iota=(1 0 1 0)



#1109 int 32759


block 256 (size 9)

couples to:

#599: +0.0938

bits 1110 1111 1111 1110

n=(1 1 1 1) iota=(0 1 1 0)



#1111 int 32767

block 256 (size 9)


couples to:

#599: -0.1624

bits 1111 1111 1111 1110

n=(1 1 1 1) iota=(1 1 1 0)

plaq1: valid local states (page 2/102; states 18-35 of 1831 in block order)



#1155 int 33297


block 472 (size 9)

couples to:

#1307: -0.0313
#1309: +0.0541
#1318: -0.0541
#1320: +0.0938
... +4 more (listed on their cards)

bits 1000 1000 0100 0001

n=(1 1 1 2) iota=(- - - -)



#1307 int 46967


block 472 (size 9)

couples to:

#1155: -0.0313

bits 1110 1110 1110 1101

n=(1 1 1 2) iota=(0 0 0 -)



#1309 int 46975


block 472 (size 9)

couples to:

#1155: +0.0541

bits 1111 1110 1110 1101

n=(1 1 1 2) iota=(1 0 0 -)



#1318 int 47095


block 472 (size 9)

couples to:

#1155: -0.0541

bits 1110 1111 1110 1101

n=(1 1 1 2) iota=(0 1 0 -)



#1320 int 47103


block 472 (size 9)

couples to:

#1155: +0.0938

bits 1111 1111 1110 1101

n=(1 1 1 2) iota=(1 1 0 -)



#1378 int 49015


block 472 (size 9)

couples to:

#1155: -0.0541

bits 1110 1110 1111 1101

n=(1 1 1 2) iota=(0 0 1 -)



#1380 int 49023


block 472 (size 9)

couples to:

#1155: +0.0938

bits 1111 1110 1111 1101

n=(1 1 1 2) iota=(1 0 1 -)



#1389 int 49143


block 472 (size 9)

couples to:

#1155: -0.0938

bits 1110 1111 1111 1101

n=(1 1 1 2) iota=(0 1 1 -)



#1391 int 49151


block 472 (size 9)

couples to:

#1155: +0.1624

bits 1111 1111 1111 1101

n=(1 1 1 2) iota=(1 1 1 -)



#4 int 17


block 4 (size 5)

couples to:

#425: -0.0625
#427: +0.1083
#436: -0.1083
#438: +0.1875

bits 1000 1000 0000 0000

n=(1 1 0 0) iota=(- - - -)



#425 int 13687


block 4 (size 5)

couples to:

#4: -0.0625

bits 1110 1110 1010 1100

n=(1 1 0 0) iota=(0 0 - -)



#427 int 13695


block 4 (size 5)

couples to:

#4: +0.1083

bits 1111 1110 1010 1100

n=(1 1 0 0) iota=(1 0 - -)



#436 int 13815


block 4 (size 5)

couples to:

#4: -0.1083

bits 1110 1111 1010 1100

n=(1 1 0 0) iota=(0 1 - -)



#438 int 13823


block 4 (size 5)

couples to:

#4: +0.1875

bits 1111 1111 1010 1100

n=(1 1 0 0) iota=(1 1 - -)



#40 int 513


block 37 (size 5)

couples to:

#467: +0.0625
#469: -0.1083
#538: +0.1083
#540: -0.1875

bits 1000 0000 0100 0000

n=(1 0 1 0) iota=(- - - -)



#467 int 14183


block 37 (size 5)

couples to:

#40: +0.0625

bits 1110 0110 1110 1100

n=(1 0 1 0) iota=(0 - 0 -)



#469 int 14191


block 37 (size 5)

couples to:

#40: -0.1083

bits 1111 0110 1110 1100

n=(1 0 1 0) iota=(1 - 0 -)



#538 int 16231

block 37 (size 5)


couples to:

#40: +0.1083

bits 1110 0110 1111 1100

n=(1 0 1 0) iota=(0 - 1 -)

plaq1: valid local states (page 3/102; states 36-53 of 1831 in block order)



#540 int 16239


block 37 (size 5)

couples to:

#40: -0.1875

bits 1111 0110 1111 1100

n=(1 0 1 0) iota=(1 - 1 -)



#42 int 528

block 39 (size 5)

couples to:

#470: -0.0625


#481: -0.1083

#541: -0.1083

#552: -0.1875

bits 0000 1000 0100 0000

n=(0 1 1 0) iota=(- - - -)



#470 int 14198


block 39 (size 5)

couples to:

#42: -0.0625

bits 0110 1110 1110 1100

n=(0 1 1 0) iota=(- 0 0 -)



#481 int 14326


block 39 (size 5)

couples to:

#42: -0.1083

bits 0110 1111 1110 1100

n=(0 1 1 0) iota=(- 1 0 -)



#541 int 16246


block 39 (size 5)

couples to:

#42: -0.1083

bits 0110 1110 1111 1100

n=(0 1 1 0) iota=(- 0 1 -)



#552 int 16374


block 39 (size 5)

couples to:

#42: -0.1875

bits 0110 1111 1111 1100

n=(0 1 1 0) iota=(- 1 1 -)



#44 int 536

block 41 (size 5)

couples to:

#472: -0.0625


#483: -0.1083

#543: -0.1083

#554: -0.1875

bits 0001 1000 0100 0000

n=(2 1 1 0) iota=(- - - -)



#472 int 14206


block 41 (size 5)

couples to:

#44: -0.0625

bits 0111 1110 1110 1100

n=(2 1 1 0) iota=(- 0 0 -)



#483 int 14334


block 41 (size 5)

couples to:

#44: -0.1083

bits 0111 1111 1110 1100

n=(2 1 1 0) iota=(- 1 0 -)



#543 int 16254


block 41 (size 5)

couples to:

#44: -0.1083

bits 0111 1110 1111 1100

n=(2 1 1 0) iota=(- 0 1 -)



#554 int 16382


block 41 (size 5)

couples to:

#44: -0.1875

bits 0111 1111 1111 1100

n=(2 1 1 0) iota=(- 1 1 -)



#52 int 641

block 49 (size 5)

couples to:

#478: +0.0625


#480: -0.1083

#549: +0.1083

#551: -0.1875

bits 1000 0001 0100 0000

n=(1 2 1 0) iota=(- - - -)



#478 int 14311


block 49 (size 5)

couples to:

#52: +0.0625

bits 1110 0111 1110 1100

n=(1 2 1 0) iota=(0 - 0 -)



#480 int 14319


block 49 (size 5)

couples to:

#52: -0.1083

bits 1111 0111 1110 1100

n=(1 2 1 0) iota=(1 - 0 -)



#549 int 16359


block 49 (size 5)

couples to:

#52: +0.1083

bits 1110 0111 1111 1100

n=(1 2 1 0) iota=(0 - 1 -)



#551 int 16367


block 49 (size 5)

couples to:

#52: -0.1875

bits 1111 0111 1111 1100

n=(1 2 1 0) iota=(1 - 1 -)



#82 int 2065

block 76 (size 5)

couples to:

#496: -0.0625


#498: +0.1083

#507: -0.1083

#509: +0.1875

bits 1000 1000 0001 0000

n=(1 1 2 0) iota=(- - - -)



#496 int 15735

block 76 (size 5)


couples to:

#82: -0.0625

bits 1110 1110 1011 1100

n=(1 1 2 0) iota=(0 0 - -)

plaq1: valid local states (page 4/102; states 54-71 of 1831 in block order)



#498 int 15743


block 76 (size 5)

couples to:

#82: +0.1083

bits 1111 1110 1011 1100

n=(1 1 2 0) iota=(1 0 - -)



#507 int 15863


block 76 (size 5)

couples to:

#82: -0.1083

bits 1110 1111 1011 1100

n=(1 1 2 0) iota=(0 1 - -)



#509 int 15871


block 76 (size 5)

couples to:

#82: +0.1875

bits 1111 1111 1011 1100

n=(1 1 2 0) iota=(1 1 - -)



#149 int 4471


block 136 (size 5)

couples to:

#259: +0.0312

bits 1110 1110 1000 1000

n=(1 1 1 1) iota=(0 0 - -)



#151 int 4479


block 136 (size 5)

couples to:

#259: -0.0541

bits 1111 1110 1000 1000

n=(1 1 1 1) iota=(1 0 - -)



#160 int 4599


block 136 (size 5)

couples to:

#259: +0.0541

bits 1110 1111 1000 1000

n=(1 1 1 1) iota=(0 1 - -)



#162 int 4607


block 136 (size 5)

couples to:

#259: -0.0937

bits 1111 1111 1000 1000

n=(1 1 1 1) iota=(1 1 - -)



#259 int 9233


block 136 (size 5)

couples to:

#149: +0.0312
#151: -0.0541
#160: +0.0541
#162: -0.0937

bits 1000 1000 0010 0100

n=(1 1 1 1) iota=(- - - -)



#164 int 4673


block 145 (size 5)

couples to:

#319: +0.0313
#321: -0.0541
#379: +0.0541
#381: -0.0938

bits 1000 0010 0100 1000

n=(1 1 1 1) iota=(- - - -)



#319 int 10023


block 145 (size 5)

couples to:

#164: +0.0313

bits 1110 0100 1110 0100

n=(1 1 1 1) iota=(0 - 0 -)



#321 int 10031


block 145 (size 5)

couples to:

#164: -0.0541

bits 1111 0100 1110 0100

n=(1 1 1 1) iota=(1 - 0 -)



#379 int 12071


block 145 (size 5)

couples to:

#164: +0.0541

bits 1110 0100 1111 0100

n=(1 1 1 1) iota=(0 - 1 -)



#381 int 12079


block 145 (size 5)

couples to:

#164: -0.0938

bits 1111 0100 1111 0100

n=(1 1 1 1) iota=(1 - 1 -)



#167 int 4689


block 148 (size 5)

couples to:

#323: -0.0313
#325: +0.0541
#383: -0.0541
#385: +0.0938

bits 1000 1010 0100 1000

n=(1 0 1 1) iota=(- - - -)



#323 int 10039


block 148 (size 5)

couples to:

#167: -0.0313

bits 1110 1100 1110 0100

n=(1 0 1 1) iota=(0 - 0 -)



#325 int 10047


block 148 (size 5)

couples to:

#167: +0.0541

bits 1111 1100 1110 0100

n=(1 0 1 1) iota=(1 - 0 -)



#383 int 12087


block 148 (size 5)

couples to:

#167: -0.0541

bits 1110 1100 1111 0100

n=(1 0 1 1) iota=(0 - 1 -)



#385 int 12095

block 148 (size 5)


couples to:

#167: +0.0938

bits 1111 1100 1111 0100

n=(1 0 1 1) iota=(1 - 1 -)

plaq1: valid local states (page 5/102; states 72-89 of 1831 in block order)



#176 int 4817


block 157 (size 5)

couples to:

#330: -0.0313
#332: +0.0541
#390: -0.0541
#392: +0.0938

bits 1000 1011 0100 1000

n=(1 2 1 1) iota=(- - - -)



#330 int 10167


block 157 (size 5)

couples to:

#176: -0.0313

bits 1110 1101 1110 0100

n=(1 2 1 1) iota=(0 - 0 -)



#332 int 10175


block 157 (size 5)

couples to:

#176: +0.0541

bits 1111 1101 1110 0100

n=(1 2 1 1) iota=(1 - 0 -)



#390 int 12215


block 157 (size 5)

couples to:

#176: -0.0541

bits 1110 1101 1111 0100

n=(1 2 1 1) iota=(0 - 1 -)



#392 int 12223


block 157 (size 5)

couples to:

#176: +0.0938

bits 1111 1101 1111 0100

n=(1 2 1 1) iota=(1 - 1 -)



#195 int 4983


block 172 (size 5)

couples to:

#298: +0.0312

bits 1110 1110 1100 1000

n=(1 1 0 1) iota=(0 0 - -)



#197 int 4991


block 172 (size 5)

couples to:

#298: -0.0541

bits 1111 1110 1100 1000

n=(1 1 0 1) iota=(1 0 - -)



#206 int 5111


block 172 (size 5)

couples to:

#298: +0.0541

bits 1110 1111 1100 1000

n=(1 1 0 1) iota=(0 1 - -)



#208 int 5119


block 172 (size 5)

couples to:

#298: -0.0937

bits 1111 1111 1100 1000

n=(1 1 0 1) iota=(1 1 - -)



#298 int 9745


block 172 (size 5)

couples to:

#195: +0.0312
#197: -0.0541
#206: +0.0541
#208: -0.0937

bits 1000 1000 0110 0100

n=(1 1 0 1) iota=(- - - -)



#241 int 7031


block 208 (size 5)

couples to:

#358: +0.0312

bits 1110 1110 1101 1000

n=(1 1 2 1) iota=(0 0 - -)



#243 int 7039


block 208 (size 5)

couples to:

#358: -0.0541

bits 1111 1110 1101 1000

n=(1 1 2 1) iota=(1 0 - -)



#252 int 7159


block 208 (size 5)

couples to:

#358: +0.0541

bits 1110 1111 1101 1000

n=(1 1 2 1) iota=(0 1 - -)



#254 int 7167


block 208 (size 5)

couples to:

#358: -0.0937

bits 1111 1111 1101 1000

n=(1 1 2 1) iota=(1 1 - -)



#358 int 11793


block 208 (size 5)

couples to:

#241: +0.0312
#243: -0.0541
#252: +0.0541
#254: -0.0937

bits 1000 1000 0111 0100

n=(1 1 2 1) iota=(- - - -)



#560 int 16401


block 220 (size 5)

couples to:

#981: +0.0625
#983: -0.1083
#992: +0.1083
#994: -0.1875

bits 1000 1000 0000 0010

n=(1 1 0 1) iota=(- - - -)



#981 int 30071


block 220 (size 5)

couples to:

#560: +0.0625

bits 1110 1110 1010 1110

n=(1 1 0 1) iota=(0 0 - 0)



#983 int 30079

block 220 (size 5)


couples to:

#560: -0.1083

bits 1111 1110 1010 1110

n=(1 1 0 1) iota=(1 0 - 0)

plaq1: valid local states (page 6/102; states 90-107 of 1831 in block order)



#992 int 30199


block 220 (size 5)

couples to:

#560: +0.1083

bits 1110 1111 1010 1110

n=(1 1 0 1) iota=(0 1 - 0)



#994 int 30207


block 220 (size 5)

couples to:

#560: -0.1875

bits 1111 1111 1010 1110

n=(1 1 0 1) iota=(1 1 - 0)



#596 int 16897

block 253 (size 5)

couples to:

#1023: -0.0625


#1025: +0.1083

#1094: -0.1083

#1096: +0.1875

bits 1000 0000 0100 0010

n=(1 0 1 1) iota=(- - - -)



#1023 int 30567


block 253 (size 5)

couples to:

#596: -0.0625

bits 1110 0110 1110 1110

n=(1 0 1 1) iota=(0 - 0 0)



#1025 int 30575


block 253 (size 5)

couples to:

#596: +0.1083

bits 1111 0110 1110 1110

n=(1 0 1 1) iota=(1 - 0 0)



#1094 int 32615


block 253 (size 5)

couples to:

#596: -0.1083

bits 1110 0110 1111 1110

n=(1 0 1 1) iota=(0 - 1 0)



#1096 int 32623


block 253 (size 5)

couples to:

#596: +0.1875

bits 1111 0110 1111 1110

n=(1 0 1 1) iota=(1 - 1 0)



#598 int 16912

block 255 (size 5)

couples to:

#1026: +0.0625


#1037: +0.1083

#1097: +0.1083

#1108: +0.1875

bits 0000 1000 0100 0010

n=(0 1 1 1) iota=(- - - -)



#1026 int 30582


block 255 (size 5)

couples to:

#598: +0.0625

bits 0110 1110 1110 1110

n=(0 1 1 1) iota=(- 0 0 0)



#1037 int 30710


block 255 (size 5)

couples to:

#598: +0.1083

bits 0110 1111 1110 1110

n=(0 1 1 1) iota=(- 1 0 0)



#1097 int 32630


block 255 (size 5)

couples to:

#598: +0.1083

bits 0110 1110 1111 1110

n=(0 1 1 1) iota=(- 0 1 0)



#1108 int 32758


block 255 (size 5)

couples to:

#598: +0.1875

bits 0110 1111 1111 1110

n=(0 1 1 1) iota=(- 1 1 0)



#600 int 16920

block 257 (size 5)

couples to:

#1028: +0.0625


#1039: +0.1083

#1099: +0.1083

#1110: +0.1875

bits 0001 1000 0100 0010

n=(2 1 1 1) iota=(- - - -)



#1028 int 30590


block 257 (size 5)

couples to:

#600: +0.0625

bits 0111 1110 1110 1110

n=(2 1 1 1) iota=(- 0 0 0)



#1039 int 30718


block 257 (size 5)

couples to:

#600: +0.1083

bits 0111 1111 1110 1110

n=(2 1 1 1) iota=(- 1 0 0)



#1099 int 32638


block 257 (size 5)

couples to:

#600: +0.1083

bits 0111 1110 1111 1110

n=(2 1 1 1) iota=(- 0 1 0)



#1110 int 32766


block 257 (size 5)

couples to:

#600: +0.1875

bits 0111 1111 1111 1110

n=(2 1 1 1) iota=(- 1 1 0)



#608 int 17025

block 265 (size 5)

couples to:

#1034: -0.0625

#1036: +0.1083


#1105: -0.1083

#1107: +0.1875

bits 1000 0001 0100 0010

n=(1 2 1 1) iota=(- - - -)

plaq1: valid local states (page 7/102; states 108-125 of 1831 in block order)



#1034 int 30695


block 265 (size 5)

couples to:

#608: -0.0625

bits 1110 0111 1110 1110

n=(1 2 1 1) iota=(0 - 0 0)



#1036 int 30703


block 265 (size 5)

couples to:

#608: +0.1083

bits 1111 0111 1110 1110

n=(1 2 1 1) iota=(1 - 0 0)



#1105 int 32743


block 265 (size 5)

couples to:

#608: -0.1083

bits 1110 0111 1111 1110

n=(1 2 1 1) iota=(0 - 1 0)



#1107 int 32751


block 265 (size 5)

couples to:

#608: +0.1875

bits 1111 0111 1111 1110

n=(1 2 1 1) iota=(1 - 1 0)



#638 int 18449

block 292 (size 5)

couples to:

#1052: +0.0625


#1054: -0.1083

#1063: +0.1083

#1065: -0.1875

bits 1000 1000 0001 0010

n=(1 1 2 1) iota=(- - - -)



#1052 int 32119


block 292 (size 5)

couples to:

#638: +0.0625

bits 1110 1110 1011 1110

n=(1 1 2 1) iota=(0 0 - 0)



#1054 int 32127


block 292 (size 5)

couples to:

#638: -0.1083

bits 1111 1110 1011 1110

n=(1 1 2 1) iota=(1 0 - 0)



#1063 int 32247


block 292 (size 5)

couples to:

#638: +0.1083

bits 1110 1111 1011 1110

n=(1 1 2 1) iota=(0 1 - 0)



#1065 int 32255


block 292 (size 5)

couples to:

#638: -0.1875

bits 1111 1111 1011 1110

n=(1 1 2 1) iota=(1 1 - 0)



#705 int 20855


block 352 (size 5)

couples to:

#815: +0.0312

bits 1110 1110 1000 1010

n=(1 1 1 0) iota=(0 0 - -)



#707 int 20863


block 352 (size 5)

couples to:

#815: -0.0541

bits 1111 1110 1000 1010

n=(1 1 1 0) iota=(1 0 - -)



#716 int 20983


block 352 (size 5)

couples to:

#815: +0.0541

bits 1110 1111 1000 1010

n=(1 1 1 0) iota=(0 1 - -)



#718 int 20991


block 352 (size 5)

couples to:

#815: -0.0937

bits 1111 1111 1000 1010

n=(1 1 1 0) iota=(1 1 - -)



#815 int 25617

block 352 (size 5)

couples to:

#705: +0.0312


#707: -0.0541

#716: +0.0541

#718: -0.0937

bits 1000 1000 0010 0110

n=(1 1 1 0) iota=(- - - -)



#720 int 21057

block 361 (size 5)

couples to:

#875: +0.0313


#877: -0.0541

#935: +0.0541

#937: -0.0938

bits 1000 0010 0100 1010

n=(1 1 1 0) iota=(- - - -)



#875 int 26407


block 361 (size 5)

couples to:

#720: +0.0313

bits 1110 0100 1110 0110

n=(1 1 1 0) iota=(0 - 0 -)



#877 int 26415


block 361 (size 5)

couples to:

#720: -0.0541

bits 1111 0100 1110 0110

n=(1 1 1 0) iota=(1 - 0 -)



#935 int 28455

block 361 (size 5)


couples to:

#720: +0.0541

bits 1110 0100 1111 0110

n=(1 1 1 0) iota=(0 - 1 -)

plaq1: valid local states (page 8/102; states 126-143 of 1831 in block order)



#937 int 28463


block 361 (size 5)

couples to:

#720: -0.0938

bits 1111 0100 1111 0110

n=(1 1 1 0) iota=(1 - 1 -)



#723 int 21073

block 364 (size 5)

couples to:

#879: -0.0313


#881: +0.0541

#939: -0.0541

#941: +0.0938

bits 1000 1010 0100 1010

n=(1 0 1 0) iota=(- - - -)



#879 int 26423


block 364 (size 5)

couples to:

#723: -0.0313

bits 1110 1100 1110 0110

n=(1 0 1 0) iota=(0 - 0 -)



#881 int 26431


block 364 (size 5)

couples to:

#723: +0.0541

bits 1111 1100 1110 0110

n=(1 0 1 0) iota=(1 - 0 -)



#939 int 28471


block 364 (size 5)

couples to:

#723: -0.0541

bits 1110 1100 1111 0110

n=(1 0 1 0) iota=(0 - 1 -)



#941 int 28479


block 364 (size 5)

couples to:

#723: +0.0938

bits 1111 1100 1111 0110

n=(1 0 1 0) iota=(1 - 1 -)



#732 int 21201

block 373 (size 5)

couples to:

#886: -0.0313


#888: +0.0541

#946: -0.0541

#948: +0.0938

bits 1000 1011 0100 1010

n=(1 2 1 0) iota=(- - - -)



#886 int 26551


block 373 (size 5)

couples to:

#732: -0.0313

bits 1110 1101 1110 0110

n=(1 2 1 0) iota=(0 - 0 -)



#888 int 26559


block 373 (size 5)

couples to:

#732: +0.0541

bits 1111 1101 1110 0110

n=(1 2 1 0) iota=(1 - 0 -)



#946 int 28599


block 373 (size 5)

couples to:

#732: -0.0541

bits 1110 1101 1111 0110

n=(1 2 1 0) iota=(0 - 1 -)



#948 int 28607


block 373 (size 5)

couples to:

#732: +0.0938

bits 1111 1101 1111 0110

n=(1 2 1 0) iota=(1 - 1 -)



#751 int 21367


block 388 (size 5)

couples to:

#854: +0.0312

bits 1110 1110 1100 1010

n=(1 1 0 0) iota=(0 0 - -)



#753 int 21375


block 388 (size 5)

couples to:

#854: -0.0541

bits 1111 1110 1100 1010

n=(1 1 0 0) iota=(1 0 - -)



#762 int 21495


block 388 (size 5)

couples to:

#854: +0.0541

bits 1110 1111 1100 1010

n=(1 1 0 0) iota=(0 1 - -)



#764 int 21503


block 388 (size 5)

couples to:

#854: -0.0937

bits 1111 1111 1100 1010

n=(1 1 0 0) iota=(1 1 - -)



#854 int 26129

block 388 (size 5)

couples to:

#751: +0.0312


#753: -0.0541

#762: +0.0541

#764: -0.0937

bits 1000 1000 0110 0110

n=(1 1 0 0) iota=(- - - -)



#797 int 23415


block 424 (size 5)

couples to:

#914: +0.0312

bits 1110 1110 1101 1010

n=(1 1 2 0) iota=(0 0 - -)



#799 int 23423

block 424 (size 5)


couples to:

#914: -0.0541

bits 1111 1110 1101 1010

n=(1 1 2 0) iota=(1 0 - -)

plaq1: valid local states (page 9/102; states 144-161 of 1831 in block order)



#808 int 23543


block 424 (size 5)

couples to:

#914: +0.0541

bits 1110 1111 1101 1010

n=(1 1 2 0) iota=(0 1 - -)



#810 int 23551


block 424 (size 5)

couples to:

#914: -0.0937

bits 1111 1111 1101 1010

n=(1 1 2 0) iota=(1 1 - -)



#914 int 28177

block 424 (size 5)

couples to:

#797: +0.0312


#799: -0.0541

#808: +0.0541

#810: -0.0937

bits 1000 1000 0111 0110

n=(1 1 2 0) iota=(- - - -)



#1116 int 32785

block 436 (size 5)

couples to:

#1261: -0.0625


#1263: +0.1083

#1272: -0.1083

#1274: +0.1875

bits 1000 1000 0000 0001

n=(1 1 0 2) iota=(- - - -)



#1261 int 46455


block 436 (size 5)

couples to:

#1116: -0.0625

bits 1110 1110 1010 1101

n=(1 1 0 2) iota=(0 0 - -)



#1263 int 46463


block 436 (size 5)

couples to:

#1116: +0.1083

bits 1111 1110 1010 1101

n=(1 1 0 2) iota=(1 0 - -)



#1272 int 46583


block 436 (size 5)

couples to:

#1116: -0.1083

bits 1110 1111 1010 1101

n=(1 1 0 2) iota=(0 1 - -)



#1274 int 46591


block 436 (size 5)

couples to:

#1116: +0.1875

bits 1111 1111 1010 1101

n=(1 1 0 2) iota=(1 1 - -)



#1152 int 33281

block 469 (size 5)

couples to:

#1303: +0.0625


#1305: -0.1083

#1374: +0.1083

#1376: -0.1875

bits 1000 0000 0100 0001

n=(1 0 1 2) iota=(- - - -)



#1303 int 46951


block 469 (size 5)

couples to:

#1152: +0.0625

bits 1110 0110 1110 1101

n=(1 0 1 2) iota=(0 - 0 -)



#1305 int 46959


block 469 (size 5)

couples to:

#1152: -0.1083

bits 1111 0110 1110 1101

n=(1 0 1 2) iota=(1 - 0 -)



#1374 int 48999


block 469 (size 5)

couples to:

#1152: +0.1083

bits 1110 0110 1111 1101

n=(1 0 1 2) iota=(0 - 1 -)



#1376 int 49007


block 469 (size 5)

couples to:

#1152: -0.1875

bits 1111 0110 1111 1101

n=(1 0 1 2) iota=(1 - 1 -)



#1154 int 33296

block 471 (size 5)

couples to:

#1306: -0.0625


#1317: -0.1083

#1377: -0.1083

#1388: -0.1875

bits 0000 1000 0100 0001

n=(0 1 1 2) iota=(- - - -)



#1306 int 46966


block 471 (size 5)

couples to:

#1154: -0.0625

bits 0110 1110 1110 1101

n=(0 1 1 2) iota=(- 0 0 -)



#1317 int 47094


block 471 (size 5)

couples to:

#1154: -0.1083

bits 0110 1111 1110 1101

n=(0 1 1 2) iota=(- 1 0 -)



#1377 int 49014


block 471 (size 5)

couples to:

#1154: -0.1083

bits 0110 1110 1111 1101

n=(0 1 1 2) iota=(- 0 1 -)



#1388 int 49142

block 471 (size 5)


couples to:

#1154: -0.1875

bits 0110 1111 1111 1101

n=(0 1 1 2) iota=(- 1 1 -)

plaq1: valid local states (page 10/102; states 162-179 of 1831 in block order)



#1156 int 33304


block 473 (size 5)

couples to:

#1308: -0.0625
#1319: -0.1083
#1379: -0.1083
#1390: -0.1875

bits 0001 1000 0100 0001

n=(2 1 1 2) iota=(- - - -)



#1308 int 46974


block 473 (size 5)

couples to:

#1156: -0.0625

bits 0111 1110 1110 1101

n=(2 1 1 2) iota=(- 0 0 -)



#1319 int 47102


block 473 (size 5)

couples to:

#1156: -0.1083

bits 0111 1111 1110 1101

n=(2 1 1 2) iota=(- 1 0 -)



#1379 int 49022


block 473 (size 5)

couples to:

#1156: -0.1083

bits 0111 1110 1111 1101

n=(2 1 1 2) iota=(- 0 1 -)



#1390 int 49150


block 473 (size 5)

couples to:

#1156: -0.1875

bits 0111 1111 1111 1101

n=(2 1 1 2) iota=(- 1 1 -)



#1164 int 33409


block 481 (size 5)

couples to:

#1314: +0.0625
#1316: -0.1083
#1385: +0.1083
#1387: -0.1875

bits 1000 0001 0100 0001

n=(1 2 1 2) iota=(- - - -)



#1314 int 47079


block 481 (size 5)

couples to:

#1164: +0.0625

bits 1110 0111 1110 1101

n=(1 2 1 2) iota=(0 - 0 -)



#1316 int 47087


block 481 (size 5)

couples to:

#1164: -0.1083

bits 1111 0111 1110 1101

n=(1 2 1 2) iota=(1 - 0 -)



#1385 int 49127


block 481 (size 5)

couples to:

#1164: +0.1083

bits 1110 0111 1111 1101

n=(1 2 1 2) iota=(0 - 1 -)



#1387 int 49135


block 481 (size 5)

couples to:

#1164: -0.1875

bits 1111 0111 1111 1101

n=(1 2 1 2) iota=(1 - 1 -)



#1194 int 34833


block 508 (size 5)

couples to:

#1332: -0.0625
#1334: +0.1083
#1343: -0.1083
#1345: +0.1875

bits 1000 1000 0001 0001

n=(1 1 2 2) iota=(- - - -)



#1332 int 48503


block 508 (size 5)

couples to:

#1194: -0.0625

bits 1110 1110 1011 1101

n=(1 1 2 2) iota=(0 0 - -)



#1334 int 48511


block 508 (size 5)

couples to:

#1194: +0.1083

bits 1111 1110 1011 1101

n=(1 1 2 2) iota=(1 0 - -)



#1343 int 48631


block 508 (size 5)

couples to:

#1194: -0.1083

bits 1110 1111 1011 1101

n=(1 1 2 2) iota=(0 1 - -)



#1345 int 48639


block 508 (size 5)

couples to:

#1194: +0.1875

bits 1111 1111 1011 1101

n=(1 1 2 2) iota=(1 1 - -)



#1424 int 53623


block 568 (size 5)

couples to:

#1534: +0.0312

bits 1110 1110 1000 1011

n=(1 1 1 2) iota=(0 0 - -)



#1426 int 53631


block 568 (size 5)

couples to:

#1534: -0.0541

bits 1111 1110 1000 1011

n=(1 1 1 2) iota=(1 0 - -)



#1435 int 53751

block 568 (size 5)


couples to:

#1534: +0.0541

bits 1110 1111 1000 1011

n=(1 1 1 2) iota=(0 1 - -)

plaq1: valid local states (page 11/102; states 180-197 of 1831 in block order)



#1437 int 53759


block 568 (size 5)

couples to:

#1534: -0.0937

bits 1111 1111 1000 1011

n=(1 1 1 2) iota=(1 1 - -)



#1534 int 58385


block 568 (size 5)

couples to:

#1424: +0.0312
#1426: -0.0541
#1435: +0.0541
#1437: -0.0937

bits 1000 1000 0010 0111

n=(1 1 1 2) iota=(- - - -)



#1439 int 53825


block 577 (size 5)

couples to:

#1594: +0.0313
#1596: -0.0541
#1654: +0.0541
#1656: -0.0938

bits 1000 0010 0100 1011

n=(1 1 1 2) iota=(- - - -)



#1594 int 59175


block 577 (size 5)

couples to:

#1439: +0.0313

bits 1110 0100 1110 0111

n=(1 1 1 2) iota=(0 - 0 -)



#1596 int 59183


block 577 (size 5)

couples to:

#1439: -0.0541

bits 1111 0100 1110 0111

n=(1 1 1 2) iota=(1 - 0 -)



#1654 int 61223


block 577 (size 5)

couples to:

#1439: +0.0541

bits 1110 0100 1111 0111

n=(1 1 1 2) iota=(0 - 1 -)



#1656 int 61231


block 577 (size 5)

couples to:

#1439: -0.0938

bits 1111 0100 1111 0111

n=(1 1 1 2) iota=(1 - 1 -)



#1442 int 53841


block 580 (size 5)

couples to:

#1598: -0.0313
#1600: +0.0541
#1658: -0.0541
#1660: +0.0938

bits 1000 1010 0100 1011

n=(1 0 1 2) iota=(- - - -)



#1598 int 59191


block 580 (size 5)

couples to:

#1442: -0.0313

bits 1110 1100 1110 0111

n=(1 0 1 2) iota=(0 - 0 -)



#1600 int 59199


block 580 (size 5)

couples to:

#1442: +0.0541

bits 1111 1100 1110 0111

n=(1 0 1 2) iota=(1 - 0 -)



#1658 int 61239


block 580 (size 5)

couples to:

#1442: -0.0541

bits 1110 1100 1111 0111

n=(1 0 1 2) iota=(0 - 1 -)



#1660 int 61247


block 580 (size 5)

couples to:

#1442: +0.0938

bits 1111 1100 1111 0111

n=(1 0 1 2) iota=(1 - 1 -)



#1451 int 53969


block 589 (size 5)

couples to:

#1605: -0.0313
#1607: +0.0541
#1665: -0.0541
#1667: +0.0938

bits 1000 1011 0100 1011

n=(1 2 1 2) iota=(- - - -)



#1605 int 59319


block 589 (size 5)

couples to:

#1451: -0.0313

bits 1110 1101 1110 0111

n=(1 2 1 2) iota=(0 - 0 -)



#1607 int 59327


block 589 (size 5)

couples to:

#1451: +0.0541

bits 1111 1101 1110 0111

n=(1 2 1 2) iota=(1 - 0 -)



#1665 int 61367


block 589 (size 5)

couples to:

#1451: -0.0541

bits 1110 1101 1111 0111

n=(1 2 1 2) iota=(0 - 1 -)



#1667 int 61375


block 589 (size 5)

couples to:

#1451: +0.0938

bits 1111 1101 1111 0111

n=(1 2 1 2) iota=(1 - 1 -)



#1470 int 54135

block 604 (size 5)


couples to:

#1573: +0.0312

bits 1110 1110 1100 1011

n=(1 1 0 2) iota=(0 0 - -)

plaq1: valid local states (page 12/102; states 198-215 of 1831 in block order)



#1472 int 54143


block 604 (size 5)

couples to:

#1573: -0.0541

bits 1111 1110 1100 1011

n=(1 1 0 2) iota=(1 0 - -)



#1481 int 54263


block 604 (size 5)

couples to:

#1573: +0.0541

bits 1110 1111 1100 1011

n=(1 1 0 2) iota=(0 1 - -)



#1483 int 54271


block 604 (size 5)

couples to:

#1573: -0.0937

bits 1111 1111 1100 1011

n=(1 1 0 2) iota=(1 1 - -)



#1573 int 58897

block 604 (size 5)

couples to:

#1470: +0.0312


#1472: -0.0541

#1481: +0.0541

#1483: -0.0937

bits 1000 1000 0110 0111

n=(1 1 0 2) iota=(- - - -)



#1516 int 56183


block 640 (size 5)

couples to:

#1633: +0.0312

bits 1110 1110 1101 1011

n=(1 1 2 2) iota=(0 0 - -)



#1518 int 56191


block 640 (size 5)

couples to:

#1633: -0.0541

bits 1111 1110 1101 1011

n=(1 1 2 2) iota=(1 0 - -)



#1527 int 56311


block 640 (size 5)

couples to:

#1633: +0.0541

bits 1110 1111 1101 1011

n=(1 1 2 2) iota=(0 1 - -)



#1529 int 56319


block 640 (size 5)

couples to:

#1633: -0.0937

bits 1111 1111 1101 1011

n=(1 1 2 2) iota=(1 1 - -)



#1633 int 60945

block 640 (size 5)

couples to:

#1516: +0.0312


#1518: -0.0541

#1527: +0.0541

#1529: -0.0937

bits 1000 1000 0111 0111

n=(1 1 2 2) iota=(- - - -)



#172 int 4724

block 153 (size 4)


couples to:

#315: +0.0313

#375: +0.0541

bits 0010 1110 0100 1000

n=(1 1 1 1) iota=(- 0 - -)



#181 int 4852

block 153 (size 4)


couples to:

#315: +0.0541

#375: +0.0937

bits 0010 1111 0100 1000

n=(1 1 1 1) iota=(- 1 - -)



#315 int 10002

block 153 (size 4)


couples to:

#172: +0.0313

#181: +0.0541

bits 0100 1000 1110 0100

n=(1 1 1 1) iota=(- - 0 -)



#375 int 12050

block 153 (size 4)


couples to:

#172: +0.0541

#181: +0.0937

bits 0100 1000 1111 0100

n=(1 1 1 1) iota=(- - 1 -)



#173 int 4725

block 154 (size 4)


couples to:

#316: +0.0313

#376: +0.0541

bits 1010 1110 0100 1000

n=(0 1 1 1) iota=(- 0 - -)



#182 int 4853

block 154 (size 4)


couples to:

#316: +0.0541

#376: +0.0937

bits 1010 1111 0100 1000

n=(0 1 1 1) iota=(- 1 - -)



#316 int 10003

block 154 (size 4)


couples to:

#173: +0.0313

#182: +0.0541

bits 1100 1000 1110 0100

n=(0 1 1 1) iota=(- - 0 -)



#376 int 12051

block 154 (size 4)


couples to:

#173: +0.0541

#182: +0.0937

bits 1100 1000 1111 0100

n=(0 1 1 1) iota=(- - 1 -)



#174 int 4733

block 155 (size 4)

couples to:


#317: +0.0313

#377: +0.0541

bits 1011 1110 0100 1000

n=(2 1 1 1) iota=(- 0 - -)

plaq1: valid local states (page 13/102; states 216-233 of 1831 in block order)



#183 int 4861

block 155 (size 4)


couples to:

#317: +0.0541

#377: +0.0937

bits 1011 1111 0100 1000

n=(2 1 1 1) iota=(- 1 - -)



#317 int 10011

block 155 (size 4)


couples to:

#174: +0.0313

#183: +0.0541

bits 1101 1000 1110 0100

n=(2 1 1 1) iota=(- - 0 -)



#377 int 12059

block 155 (size 4)


couples to:

#174: +0.0541

#183: +0.0937

bits 1101 1000 1111 0100

n=(2 1 1 1) iota=(- - 1 -)



#728 int 21108

block 369 (size 4)


couples to:

#871: +0.0313

#931: +0.0541

bits 0010 1110 0100 1010

n=(1 1 1 0) iota=(- 0 - -)



#737 int 21236

block 369 (size 4)


couples to:

#871: +0.0541

#931: +0.0937

bits 0010 1111 0100 1010

n=(1 1 1 0) iota=(- 1 - -)



#871 int 26386

block 369 (size 4)


couples to:

#728: +0.0313

#737: +0.0541

bits 0100 1000 1110 0110

n=(1 1 1 0) iota=(- - 0 -)



#931 int 28434

block 369 (size 4)


couples to:

#728: +0.0541

#737: +0.0937

bits 0100 1000 1111 0110

n=(1 1 1 0) iota=(- - 1 -)



#729 int 21109

block 370 (size 4)


couples to:

#872: +0.0313

#932: +0.0541

bits 1010 1110 0100 1010

n=(0 1 1 0) iota=(- 0 - -)



#738 int 21237

block 370 (size 4)


couples to:

#872: +0.0541

#932: +0.0937

bits 1010 1111 0100 1010

n=(0 1 1 0) iota=(- 1 - -)



#872 int 26387

block 370 (size 4)


couples to:

#729: +0.0313

#738: +0.0541

bits 1100 1000 1110 0110

n=(0 1 1 0) iota=(- - 0 -)



#932 int 28435

block 370 (size 4)


couples to:

#729: +0.0541

#738: +0.0937

bits 1100 1000 1111 0110

n=(0 1 1 0) iota=(- - 1 -)



#730 int 21117

block 371 (size 4)


couples to:

#873: +0.0313

#933: +0.0541

bits 1011 1110 0100 1010

n=(2 1 1 0) iota=(- 0 - -)



#739 int 21245

block 371 (size 4)


couples to:

#873: +0.0541

#933: +0.0937

bits 1011 1111 0100 1010

n=(2 1 1 0) iota=(- 1 - -)



#873 int 26395

block 371 (size 4)


couples to:

#730: +0.0313

#739: +0.0541

bits 1101 1000 1110 0110

n=(2 1 1 0) iota=(- - 0 -)



#933 int 28443

block 371 (size 4)


couples to:

#730: +0.0541

#739: +0.0937

bits 1101 1000 1111 0110

n=(2 1 1 0) iota=(- - 1 -)



#1447 int 53876

block 585 (size 4)


couples to:

#1590: +0.0313

#1650: +0.0541

bits 0010 1110 0100 1011

n=(1 1 1 2) iota=(- 0 - -)



#1456 int 54004

block 585 (size 4)


couples to:

#1590: +0.0541

#1650: +0.0937

bits 0010 1111 0100 1011

n=(1 1 1 2) iota=(- 1 - -)



#1590 int 59154

block 585 (size 4)

couples to:


#1447: +0.0313

#1456: +0.0541

bits 0100 1000 1110 0111

n=(1 1 1 2) iota=(- - 0 -)

plaq1: valid local states (page 14/102; states 234-251 of 1831 in block order)



#1650 int 61202

block 585 (size 4)


couples to:

#1447: +0.0541

#1456: +0.0937

bits 0100 1000 1111 0111

n=(1 1 1 2) iota=(- - 1 -)



#1448 int 53877

block 586 (size 4)


couples to:

#1591: +0.0313

#1651: +0.0541

bits 1010 1110 0100 1011

n=(0 1 1 2) iota=(- 0 - -)



#1457 int 54005

block 586 (size 4)


couples to:

#1591: +0.0541

#1651: +0.0937

bits 1010 1111 0100 1011

n=(0 1 1 2) iota=(- 1 - -)



#1591 int 59155

block 586 (size 4)


couples to:

#1448: +0.0313

#1457: +0.0541

bits 1100 1000 1110 0111

n=(0 1 1 2) iota=(- - 0 -)



#1651 int 61203

block 586 (size 4)


couples to:

#1448: +0.0541

#1457: +0.0937

bits 1100 1000 1111 0111

n=(0 1 1 2) iota=(- - 1 -)



#1449 int 53885

block 587 (size 4)


couples to:

#1592: +0.0313

#1652: +0.0541

bits 1011 1110 0100 1011

n=(2 1 1 2) iota=(- 0 - -)



#1458 int 54013

block 587 (size 4)


couples to:

#1592: +0.0541

#1652: +0.0937

bits 1011 1111 0100 1011

n=(2 1 1 2) iota=(- 1 - -)



#1592 int 59163

block 587 (size 4)


couples to:

#1449: +0.0313

#1458: +0.0541

bits 1101 1000 1110 0111

n=(2 1 1 2) iota=(- - 0 -)



#1652 int 61211

block 587 (size 4)


couples to:

#1449: +0.0541

#1458: +0.0937

bits 1101 1000 1111 0111

n=(2 1 1 2) iota=(- - 1 -)



#1 int 1

block 1 (size 3)


couples to:

#421: +0.1250

#423: -0.2165

bits 1000 0000 0000 0000

n=(1 0 0 0) iota=(- - - -)



#421 int 13671


block 1 (size 3)

couples to:

#1: +0.1250

bits 1110 0110 1010 1100

n=(1 0 0 0) iota=(0 - - -)



#423 int 13679


block 1 (size 3)

couples to:

#1: -0.2165

bits 1111 0110 1010 1100

n=(1 0 0 0) iota=(1 - - -)



#3 int 16

block 3 (size 3)


couples to:

#424: -0.1250

#435: -0.2165

bits 0000 1000 0000 0000

n=(0 1 0 0) iota=(- - - -)



#424 int 13686


block 3 (size 3)

couples to:

#3: -0.1250

bits 0110 1110 1010 1100

n=(0 1 0 0) iota=(- 0 - -)



#435 int 13814


block 3 (size 3)

couples to:

#3: -0.2165

bits 0110 1111 1010 1100

n=(0 1 0 0) iota=(- 1 - -)



#5 int 24

block 5 (size 3)


couples to:

#426: -0.1250

#437: -0.2165

bits 0001 1000 0000 0000

n=(2 1 0 0) iota=(- - - -)



#426 int 13694


block 5 (size 3)

couples to:

#5: -0.1250

bits 0111 1110 1010 1100

n=(2 1 0 0) iota=(- 0 - -)



#437 int 13822

block 5 (size 3)


couples to:

#5: -0.2165

bits 0111 1111 1010 1100

n=(2 1 0 0) iota=(- 1 - -)

plaq1: valid local states (page 15/102; states 252-269 of 1831 in block order)



#13 int 129

block 13 (size 3)


couples to:

#432: +0.1250

#434: -0.2165

bits 1000 0001 0000 0000

n=(1 2 0 0) iota=(- - - -)



#432 int 13799


block 13 (size 3)

couples to:

#13: +0.1250

bits 1110 0111 1010 1100

n=(1 2 0 0) iota=(0 - - -)



#434 int 13807


block 13 (size 3)

couples to:

#13: -0.2165

bits 1111 0111 1010 1100

n=(1 2 0 0) iota=(1 - - -)



#21 int 274

block 21 (size 3)


couples to:

#402: +0.0625

#411: +0.1083

bits 0100 1000 1000 0000

n=(1 1 1 0) iota=(- - - -)



#402 int 13428


block 21 (size 3)

couples to:

#21: +0.0625

bits 0010 1110 0010 1100

n=(1 1 1 0) iota=(- 0 - -)



#411 int 13556


block 21 (size 3)

couples to:

#21: +0.1083

bits 0010 1111 0010 1100

n=(1 1 1 0) iota=(- 1 - -)



#22 int 275

block 22 (size 3)


couples to:

#403: +0.0625

#412: +0.1083

bits 1100 1000 1000 0000

n=(0 1 1 0) iota=(- - - -)



#403 int 13429


block 22 (size 3)

couples to:

#22: +0.0625

bits 1010 1110 0010 1100

n=(0 1 1 0) iota=(- 0 - -)



#412 int 13557


block 22 (size 3)

couples to:

#22: +0.1083

bits 1010 1111 0010 1100

n=(0 1 1 0) iota=(- 1 - -)



#23 int 283

block 23 (size 3)


couples to:

#404: +0.0625

#413: +0.1083

bits 1101 1000 1000 0000

n=(2 1 1 0) iota=(- - - -)



#404 int 13437


block 23 (size 3)

couples to:

#23: +0.0625

bits 1011 1110 0010 1100

n=(2 1 1 0) iota=(- 0 - -)



#413 int 13565


block 23 (size 3)

couples to:

#23: +0.1083

bits 1011 1111 0010 1100

n=(2 1 1 0) iota=(- 1 - -)



#25 int 295


block 25 (size 3)

couples to:

#394: +0.0625

bits 1110 0100 1000 0000

n=(1 1 1 0) iota=(0 - - -)



#27 int 303


block 25 (size 3)

couples to:

#394: -0.1083

bits 1111 0100 1000 0000

n=(1 1 1 0) iota=(1 - - -)



#394 int 13377

block 25 (size 3)


couples to:

#25: +0.0625

#27: -0.1083

bits 1000 0010 0010 1100

n=(1 1 1 0) iota=(- - - -)



#29 int 311


block 28 (size 3)

couples to:

#397: -0.0625

bits 1110 1100 1000 0000

n=(1 0 1 0) iota=(0 - - -)



#31 int 319


block 28 (size 3)

couples to:

#397: +0.1083

bits 1111 1100 1000 0000

n=(1 0 1 0) iota=(1 - - -)



#397 int 13393

block 28 (size 3)

couples to:


#29: -0.0625

#31: +0.1083

bits 1000 1010 0010 1100

n=(1 0 1 0) iota=(- - - -)

plaq1: valid local states (page 16/102; states 270-287 of 1831 in block order)



#36 int 439


block 34 (size 3)

couples to:

#406: -0.0625

bits 1110 1101 1000 0000

n=(1 2 1 0) iota=(0 - - -)



#38 int 447


block 34 (size 3)

couples to:

#406: +0.1083

bits 1111 1101 1000 0000

n=(1 2 1 0) iota=(1 - - -)



#406 int 13521

block 34 (size 3)


couples to:

#36: -0.0625

#38: +0.1083

bits 1000 1011 0010 1100

n=(1 2 1 0) iota=(- - - -)



#39 int 512

block 36 (size 3)


couples to:

#466: +0.1250

#537: +0.2165

bits 0000 0000 0100 0000

n=(0 0 1 0) iota=(- - - -)



#466 int 14182


block 36 (size 3)

couples to:

#39: +0.1250

bits 0110 0110 1110 1100

n=(0 0 1 0) iota=(- - 0 -)



#537 int 16230


block 36 (size 3)

couples to:

#39: +0.2165

bits 0110 0110 1111 1100

n=(0 0 1 0) iota=(- - 1 -)



#41 int 520

block 38 (size 3)


couples to:

#468: +0.1250

#539: +0.2165

bits 0001 0000 0100 0000

n=(2 0 1 0) iota=(- - - -)



#468 int 14190


block 38 (size 3)

couples to:

#41: +0.1250

bits 0111 0110 1110 1100

n=(2 0 1 0) iota=(- - 0 -)



#539 int 16238


block 38 (size 3)

couples to:

#41: +0.2165

bits 0111 0110 1111 1100

n=(2 0 1 0) iota=(- - 1 -)



#45 int 548

block 42 (size 3)


couples to:

#460: +0.0625

#531: +0.1083

bits 0010 0100 0100 0000

n=(1 1 1 0) iota=(- - - -)



#460 int 14146


block 42 (size 3)

couples to:

#45: +0.0625

bits 0100 0010 1110 1100

n=(1 1 1 0) iota=(- - 0 -)



#531 int 16194


block 42 (size 3)

couples to:

#45: +0.1083

bits 0100 0010 1111 1100

n=(1 1 1 0) iota=(- - 1 -)



#46 int 549

block 43 (size 3)


couples to:

#461: +0.0625

#532: +0.1083

bits 1010 0100 0100 0000

n=(0 1 1 0) iota=(- - - -)



#461 int 14147


block 43 (size 3)

couples to:

#46: +0.0625

bits 1100 0010 1110 1100

n=(0 1 1 0) iota=(- - 0 -)



#532 int 16195


block 43 (size 3)

couples to:

#46: +0.1083

bits 1100 0010 1111 1100

n=(0 1 1 0) iota=(- - 1 -)



#47 int 557

block 44 (size 3)


couples to:

#462: +0.0625

#533: +0.1083

bits 1011 0100 0100 0000

n=(2 1 1 0) iota=(- - - -)



#462 int 14155


block 44 (size 3)

couples to:

#47: +0.0625

bits 1101 0010 1110 1100

n=(2 1 1 0) iota=(- - 0 -)



#533 int 16203

block 44 (size 3)


couples to:

#47: +0.1083

bits 1101 0010 1111 1100

n=(2 1 1 0) iota=(- - 1 -)

plaq1: valid local states (page 17/102; states 288-305 of 1831 in block order)



#48 int 564

block 45 (size 3)


couples to:

#463: -0.0625

#534: -0.1083

bits 0010 1100 0100 0000

n=(1 0 1 0) iota=(- - - -)



#463 int 14162


block 45 (size 3)

couples to:

#48: -0.0625

bits 0100 1010 1110 1100

n=(1 0 1 0) iota=(- - 0 -)



#534 int 16210


block 45 (size 3)

couples to:

#48: -0.1083

bits 0100 1010 1111 1100

n=(1 0 1 0) iota=(- - 1 -)



#49 int 565

block 46 (size 3)


couples to:

#464: -0.0625

#535: -0.1083

bits 1010 1100 0100 0000

n=(0 0 1 0) iota=(- - - -)



#464 int 14163


block 46 (size 3)

couples to:

#49: -0.0625

bits 1100 1010 1110 1100

n=(0 0 1 0) iota=(- - 0 -)



#535 int 16211


block 46 (size 3)

couples to:

#49: -0.1083

bits 1100 1010 1111 1100

n=(0 0 1 0) iota=(- - 1 -)



#50 int 573

block 47 (size 3)


couples to:

#465: -0.0625

#536: -0.1083

bits 1011 1100 0100 0000

n=(2 0 1 0) iota=(- - - -)



#465 int 14171


block 47 (size 3)

couples to:

#50: -0.0625

bits 1101 1010 1110 1100

n=(2 0 1 0) iota=(- - 0 -)



#536 int 16219


block 47 (size 3)

couples to:

#50: -0.1083

bits 1101 1010 1111 1100

n=(2 0 1 0) iota=(- - 1 -)



#51 int 640

block 48 (size 3)


couples to:

#477: +0.1250

#548: +0.2165

bits 0000 0001 0100 0000

n=(0 2 1 0) iota=(- - - -)



#477 int 14310


block 48 (size 3)

couples to:

#51: +0.1250

bits 0110 0111 1110 1100

n=(0 2 1 0) iota=(- - 0 -)



#548 int 16358


block 48 (size 3)

couples to:

#51: +0.2165

bits 0110 0111 1111 1100

n=(0 2 1 0) iota=(- - 1 -)



#53 int 648

block 50 (size 3)


couples to:

#479: +0.1250

#550: +0.2165

bits 0001 0001 0100 0000

n=(2 2 1 0) iota=(- - - -)



#479 int 14318


block 50 (size 3)

couples to:

#53: +0.1250

bits 0111 0111 1110 1100

n=(2 2 1 0) iota=(- - 0 -)



#550 int 16366


block 50 (size 3)

couples to:

#53: +0.2165

bits 0111 0111 1111 1100

n=(2 2 1 0) iota=(- - 1 -)



#54 int 692

block 51 (size 3)


couples to:

#474: -0.0625

#545: -0.1083

bits 0010 1101 0100 0000

n=(1 2 1 0) iota=(- - - -)



#474 int 14290


block 51 (size 3)

couples to:

#54: -0.0625

bits 0100 1011 1110 1100

n=(1 2 1 0) iota=(- - 0 -)



#545 int 16338

block 51 (size 3)


couples to:

#54: -0.1083

bits 0100 1011 1111 1100

n=(1 2 1 0) iota=(- - 1 -)

plaq1: valid local states (page 18/102; states 306-323 of 1831 in block order)



#55 int 693

block 52 (size 3)


couples to:

#475: -0.0625

#546: -0.1083

bits 1010 1101 0100 0000

n=(0 2 1 0) iota=(- - - -)



#475 int 14291


block 52 (size 3)

couples to:

#55: -0.0625

bits 1100 1011 1110 1100

n=(0 2 1 0) iota=(- - 0 -)



#546 int 16339


block 52 (size 3)

couples to:

#55: -0.1083

bits 1100 1011 1111 1100

n=(0 2 1 0) iota=(- - 1 -)



#56 int 701

block 53 (size 3)


couples to:

#476: -0.0625

#547: -0.1083

bits 1011 1101 0100 0000

n=(2 2 1 0) iota=(- - - -)



#476 int 14299


block 53 (size 3)

couples to:

#56: -0.0625

bits 1101 1011 1110 1100

n=(2 2 1 0) iota=(- - 0 -)



#547 int 16347


block 53 (size 3)

couples to:

#56: -0.1083

bits 1101 1011 1111 1100

n=(2 2 1 0) iota=(- - 1 -)



#60 int 786

block 57 (size 3)


couples to:

#448: +0.0625

#457: +0.1083

bits 0100 1000 1100 0000

n=(1 1 0 0) iota=(- - - -)



#448 int 13940


block 57 (size 3)

couples to:

#60: +0.0625

bits 0010 1110 0110 1100

n=(1 1 0 0) iota=(- 0 - -)



#457 int 14068


block 57 (size 3)

couples to:

#60: +0.1083

bits 0010 1111 0110 1100

n=(1 1 0 0) iota=(- 1 - -)



#61 int 787

block 58 (size 3)


couples to:

#449: +0.0625

#458: +0.1083

bits 1100 1000 1100 0000

n=(0 1 0 0) iota=(- - - -)



#449 int 13941


block 58 (size 3)

couples to:

#61: +0.0625

bits 1010 1110 0110 1100

n=(0 1 0 0) iota=(- 0 - -)



#458 int 14069


block 58 (size 3)

couples to:

#61: +0.1083

bits 1010 1111 0110 1100

n=(0 1 0 0) iota=(- 1 - -)



#62 int 795

block 59 (size 3)


couples to:

#450: +0.0625

#459: +0.1083

bits 1101 1000 1100 0000

n=(2 1 0 0) iota=(- - - -)



#450 int 13949


block 59 (size 3)

couples to:

#62: +0.0625

bits 1011 1110 0110 1100

n=(2 1 0 0) iota=(- 0 - -)



#459 int 14077


block 59 (size 3)

couples to:

#62: +0.1083

bits 1011 1111 0110 1100

n=(2 1 0 0) iota=(- 1 - -)



#64 int 807


block 61 (size 3)

couples to:

#440: +0.0625

bits 1110 0100 1100 0000

n=(1 1 0 0) iota=(0 - - -)



#66 int 815


block 61 (size 3)

couples to:

#440: -0.1083

bits 1111 0100 1100 0000

n=(1 1 0 0) iota=(1 - - -)



#440 int 13889

block 61 (size 3)

couples to:


#64: +0.0625

#66: -0.1083

bits 1000 0010 0110 1100

n=(1 1 0 0) iota=(- - - -)

plaq1: valid local states (page 19/102; states 324-341 of 1831 in block order)



#68 int 823


block 64 (size 3)

couples to:

#443: -0.0625

bits 1110 1100 1100 0000

n=(1 0 0 0) iota=(0 - - -)



#70 int 831


block 64 (size 3)

couples to:

#443: +0.1083

bits 1111 1100 1100 0000

n=(1 0 0 0) iota=(1 - - -)



#443 int 13905

block 64 (size 3)


couples to:

#68: -0.0625

#70: +0.1083

bits 1000 1010 0110 1100

n=(1 0 0 0) iota=(- - - -)



#75 int 951


block 70 (size 3)

couples to:

#452: -0.0625

bits 1110 1101 1100 0000

n=(1 2 0 0) iota=(0 - - -)



#77 int 959


block 70 (size 3)

couples to:

#452: +0.1083

bits 1111 1101 1100 0000

n=(1 2 0 0) iota=(1 - - -)



#452 int 14033

block 70 (size 3)


couples to:

#75: -0.0625

#77: +0.1083

bits 1000 1011 0110 1100

n=(1 2 0 0) iota=(- - - -)



#79 int 2049

block 73 (size 3)


couples to:

#492: +0.1250

#494: -0.2165

bits 1000 0000 0001 0000

n=(1 0 2 0) iota=(- - - -)



#492 int 15719


block 73 (size 3)

couples to:

#79: +0.1250

bits 1110 0110 1011 1100

n=(1 0 2 0) iota=(0 - - -)



#494 int 15727


block 73 (size 3)

couples to:

#79: -0.2165

bits 1111 0110 1011 1100

n=(1 0 2 0) iota=(1 - - -)



#81 int 2064

block 75 (size 3)


couples to:

#495: -0.1250

#506: -0.2165

bits 0000 1000 0001 0000

n=(0 1 2 0) iota=(- - - -)



#495 int 15734


block 75 (size 3)

couples to:

#81: -0.1250

bits 0110 1110 1011 1100

n=(0 1 2 0) iota=(- 0 - -)



#506 int 15862


block 75 (size 3)

couples to:

#81: -0.2165

bits 0110 1111 1011 1100

n=(0 1 2 0) iota=(- 1 - -)



#83 int 2072

block 77 (size 3)


couples to:

#497: -0.1250

#508: -0.2165

bits 0001 1000 0001 0000

n=(2 1 2 0) iota=(- - - -)



#497 int 15742


block 77 (size 3)

couples to:

#83: -0.1250

bits 0111 1110 1011 1100

n=(2 1 2 0) iota=(- 0 - -)



#508 int 15870


block 77 (size 3)

couples to:

#83: -0.2165

bits 0111 1111 1011 1100

n=(2 1 2 0) iota=(- 1 - -)



#91 int 2177

block 85 (size 3)


couples to:

#503: +0.1250

#505: -0.2165

bits 1000 0001 0001 0000

n=(1 2 2 0) iota=(- - - -)



#503 int 15847


block 85 (size 3)

couples to:

#91: +0.1250

bits 1110 0111 1011 1100

n=(1 2 2 0) iota=(0 - - -)



#505 int 15855

block 85 (size 3)


couples to:

#91: -0.2165

bits 1111 0111 1011 1100

n=(1 2 2 0) iota=(1 - - -)

plaq1: valid local states (page 20/102; states 342-359 of 1831 in block order)



#99 int 2834

block 93 (size 3)


couples to:

#519: +0.0625

#528: +0.1083

bits 0100 1000 1101 0000

n=(1 1 2 0) iota=(- - - -)



#519 int 15988


block 93 (size 3)

couples to:

#99: +0.0625

bits 0010 1110 0111 1100

n=(1 1 2 0) iota=(- 0 - -)



#528 int 16116


block 93 (size 3)

couples to:

#99: +0.1083

bits 0010 1111 0111 1100

n=(1 1 2 0) iota=(- 1 - -)



#100 int 2835

block 94 (size 3)


couples to:

#520: +0.0625

#529: +0.1083

bits 1100 1000 1101 0000

n=(0 1 2 0) iota=(- - - -)



#520 int 15989


block 94 (size 3)

couples to:

#100: +0.0625

bits 1010 1110 0111 1100

n=(0 1 2 0) iota=(- 0 - -)



#529 int 16117


block 94 (size 3)

couples to:

#100: +0.1083

bits 1010 1111 0111 1100

n=(0 1 2 0) iota=(- 1 - -)



#101 int 2843

block 95 (size 3)


couples to:

#521: +0.0625

#530: +0.1083

bits 1101 1000 1101 0000

n=(2 1 2 0) iota=(- - - -)



#521 int 15997


block 95 (size 3)

couples to:

#101: +0.0625

bits 1011 1110 0111 1100

n=(2 1 2 0) iota=(- 0 - -)



#530 int 16125


block 95 (size 3)

couples to:

#101: +0.1083

bits 1011 1111 0111 1100

n=(2 1 2 0) iota=(- 1 - -)



#103 int 2855


block 97 (size 3)

couples to:

#511: +0.0625

bits 1110 0100 1101 0000

n=(1 1 2 0) iota=(0 - - -)



#105 int 2863


block 97 (size 3)

couples to:

#511: -0.1083

bits 1111 0100 1101 0000

n=(1 1 2 0) iota=(1 - - -)



#511 int 15937

block 97 (size 3)


couples to:

#103: +0.0625

#105: -0.1083

bits 1000 0010 0111 1100

n=(1 1 2 0) iota=(- - - -)



#107 int 2871


block 100 (size 3)

couples to:

#514: -0.0625

bits 1110 1100 1101 0000

n=(1 0 2 0) iota=(0 - - -)



#109 int 2879


block 100 (size 3)

couples to:

#514: +0.1083

bits 1111 1100 1101 0000

n=(1 0 2 0) iota=(1 - - -)



#514 int 15953

block 100 (size 3)


couples to:

#107: -0.0625

#109: +0.1083

bits 1000 1010 0111 1100

n=(1 0 2 0) iota=(- - - -)



#114 int 2999


block 106 (size 3)

couples to:

#523: -0.0625

bits 1110 1101 1101 0000

n=(1 2 2 0) iota=(0 - - -)



#116 int 3007


block 106 (size 3)

couples to:

#523: +0.1083

bits 1111 1101 1101 0000

n=(1 2 2 0) iota=(1 - - -)



#523 int 16081

block 106 (size 3)

couples to:


#114: -0.0625

#116: +0.1083

bits 1000 1011 0111 1100

n=(1 2 2 0) iota=(- - - -)

plaq1: valid local states (page 21/102; states 360-377 of 1831 in block order)



#118 int 4161

block 109 (size 3)


couples to:

#280: +0.0625

#282: -0.1083

bits 1000 0010 0000 1000

n=(1 1 0 1) iota=(- - - -)



#280 int 9511


block 109 (size 3)

couples to:

#118: +0.0625

bits 1110 0100 1010 0100

n=(1 1 0 1) iota=(0 - - -)



#282 int 9519


block 109 (size 3)

couples to:

#118: -0.1083

bits 1111 0100 1010 0100

n=(1 1 0 1) iota=(1 - - -)



#121 int 4177

block 112 (size 3)


couples to:

#284: -0.0625

#286: +0.1083

bits 1000 1010 0000 1000

n=(1 0 0 1) iota=(- - - -)



#284 int 9527


block 112 (size 3)

couples to:

#121: -0.0625

bits 1110 1100 1010 0100

n=(1 0 0 1) iota=(0 - - -)



#286 int 9535


block 112 (size 3)

couples to:

#121: +0.1083

bits 1111 1100 1010 0100

n=(1 0 0 1) iota=(1 - - -)



#126 int 4212


block 117 (size 3)

couples to:

#276: +0.0625

bits 0010 1110 0000 1000

n=(1 1 0 1) iota=(- 0 - -)



#135 int 4340


block 117 (size 3)

couples to:

#276: +0.1083

bits 0010 1111 0000 1000

n=(1 1 0 1) iota=(- 1 - -)



#276 int 9490

block 117 (size 3)


couples to:

#126: +0.0625

#135: +0.1083

bits 0100 1000 1010 0100

n=(1 1 0 1) iota=(- - - -)



#127 int 4213


block 118 (size 3)

couples to:

#277: +0.0625

bits 1010 1110 0000 1000

n=(0 1 0 1) iota=(- 0 - -)



#136 int 4341


block 118 (size 3)

couples to:

#277: +0.1083

bits 1010 1111 0000 1000

n=(0 1 0 1) iota=(- 1 - -)



#277 int 9491

block 118 (size 3)


couples to:

#127: +0.0625

#136: +0.1083

bits 1100 1000 1010 0100

n=(0 1 0 1) iota=(- - - -)



#128 int 4221


block 119 (size 3)

couples to:

#278: +0.0625

bits 1011 1110 0000 1000

n=(2 1 0 1) iota=(- 0 - -)



#137 int 4349


block 119 (size 3)

couples to:

#278: +0.1083

bits 1011 1111 0000 1000

n=(2 1 0 1) iota=(- 1 - -)



#278 int 9499

block 119 (size 3)


couples to:

#128: +0.0625

#137: +0.1083

bits 1101 1000 1010 0100

n=(2 1 0 1) iota=(- - - -)



#130 int 4305

block 121 (size 3)


couples to:

#291: -0.0625

#293: +0.1083

bits 1000 1011 0000 1000

n=(1 2 0 1) iota=(- - - -)



#291 int 9655


block 121 (size 3)

couples to:

#130: -0.0625

bits 1110 1101 1010 0100

n=(1 2 0 1) iota=(0 - - -)



#293 int 9663

block 121 (size 3)


couples to:

#130: +0.1083

bits 1111 1101 1010 0100

n=(1 2 0 1) iota=(1 - - -)

plaq1: valid local states (page 22/102; states 378-395 of 1831 in block order)



#145 int 4455


block 133 (size 3)

couples to:

#256: -0.0625

bits 1110 0110 1000 1000

n=(1 0 1 1) iota=(0 - - -)



#147 int 4463


block 133 (size 3)

couples to:

#256: +0.1083

bits 1111 0110 1000 1000

n=(1 0 1 1) iota=(1 - - -)



#256 int 9217

block 133 (size 3)


couples to:

#145: -0.0625

#147: +0.1083

bits 1000 0000 0010 0100

n=(1 0 1 1) iota=(- - - -)



#148 int 4470


block 135 (size 3)

couples to:

#258: +0.0625

bits 0110 1110 1000 1000

n=(0 1 1 1) iota=(- 0 - -)



#159 int 4598


block 135 (size 3)

couples to:

#258: +0.1083

bits 0110 1111 1000 1000

n=(0 1 1 1) iota=(- 1 - -)



#258 int 9232

block 135 (size 3)


couples to:

#148: +0.0625

#159: +0.1083

bits 0000 1000 0010 0100

n=(0 1 1 1) iota=(- - - -)



#150 int 4478


block 137 (size 3)

couples to:

#260: +0.0625

bits 0111 1110 1000 1000

n=(2 1 1 1) iota=(- 0 - -)



#161 int 4606


block 137 (size 3)

couples to:

#260: +0.1083

bits 0111 1111 1000 1000

n=(2 1 1 1) iota=(- 1 - -)



#260 int 9240

block 137 (size 3)


couples to:

#150: +0.0625

#161: +0.1083

bits 0001 1000 0010 0100

n=(2 1 1 1) iota=(- - - -)



#156 int 4583


block 142 (size 3)

couples to:

#268: -0.0625

bits 1110 0111 1000 1000

n=(1 2 1 1) iota=(0 - - -)



#158 int 4591


block 142 (size 3)

couples to:

#268: +0.1083

bits 1111 0111 1000 1000

n=(1 2 1 1) iota=(1 - - -)



#268 int 9345

block 142 (size 3)


couples to:

#156: -0.0625

#158: +0.1083

bits 1000 0001 0010 0100

n=(1 2 1 1) iota=(- - - -)



#163 int 4672

block 144 (size 3)


couples to:

#318: +0.0625

#378: +0.1083

bits 0000 0010 0100 1000

n=(0 1 1 1) iota=(- - - -)



#318 int 10022


block 144 (size 3)

couples to:

#163: +0.0625

bits 0110 0100 1110 0100

n=(0 1 1 1) iota=(- - 0 -)



#378 int 12070


block 144 (size 3)

couples to:

#163: +0.1083

bits 0110 0100 1111 0100

n=(0 1 1 1) iota=(- - 1 -)



#165 int 4680

block 146 (size 3)


couples to:

#320: +0.0625

#380: +0.1083

bits 0001 0010 0100 1000

n=(2 1 1 1) iota=(- - - -)



#320 int 10030


block 146 (size 3)

couples to:

#165: +0.0625

bits 0111 0100 1110 0100

n=(2 1 1 1) iota=(- - 0 -)



#380 int 12078

block 146 (size 3)


couples to:

#165: +0.1083

bits 0111 0100 1111 0100

n=(2 1 1 1) iota=(- - 1 -)

plaq1: valid local states (page 23/102; states 396-413 of 1831 in block order)



#166 int 4688

block 147 (size 3)


couples to:

#322: -0.0625

#382: -0.1083

bits 0000 1010 0100 1000

n=(0 0 1 1) iota=(- - - -)



#322 int 10038


block 147 (size 3)

couples to:

#166: -0.0625

bits 0110 1100 1110 0100

n=(0 0 1 1) iota=(- - 0 -)



#382 int 12086


block 147 (size 3)

couples to:

#166: -0.1083

bits 0110 1100 1111 0100

n=(0 0 1 1) iota=(- - 1 -)



#168 int 4696

block 149 (size 3)


couples to:

#324: -0.0625

#384: -0.1083

bits 0001 1010 0100 1000

n=(2 0 1 1) iota=(- - - -)



#324 int 10046


block 149 (size 3)

couples to:

#168: -0.0625

bits 0111 1100 1110 0100

n=(2 0 1 1) iota=(- - 0 -)



#384 int 12094


block 149 (size 3)

couples to:

#168: -0.1083

bits 0111 1100 1111 0100

n=(2 0 1 1) iota=(- - 1 -)



#169 int 4708

block 150 (size 3)


couples to:

#312: -0.0625

#372: -0.1083

bits 0010 0110 0100 1000

n=(1 0 1 1) iota=(- - - -)



#312 int 9986


block 150 (size 3)

couples to:

#169: -0.0625

bits 0100 0000 1110 0100

n=(1 0 1 1) iota=(- - 0 -)



#372 int 12034


block 150 (size 3)

couples to:

#169: -0.1083

bits 0100 0000 1111 0100

n=(1 0 1 1) iota=(- - 1 -)



#170 int 4709

block 151 (size 3)


couples to:

#313: -0.0625

#373: -0.1083

bits 1010 0110 0100 1000

n=(0 0 1 1) iota=(- - - -)



#313 int 9987


block 151 (size 3)

couples to:

#170: -0.0625

bits 1100 0000 1110 0100

n=(0 0 1 1) iota=(- - 0 -)



#373 int 12035


block 151 (size 3)

couples to:

#170: -0.1083

bits 1100 0000 1111 0100

n=(0 0 1 1) iota=(- - 1 -)



#171 int 4717

block 152 (size 3)


couples to:

#314: -0.0625

#374: -0.1083

bits 1011 0110 0100 1000

n=(2 0 1 1) iota=(- - - -)



#314 int 9995


block 152 (size 3)

couples to:

#171: -0.0625

bits 1101 0000 1110 0100

n=(2 0 1 1) iota=(- - 0 -)



#374 int 12043


block 152 (size 3)

couples to:

#171: -0.1083

bits 1101 0000 1111 0100

n=(2 0 1 1) iota=(- - 1 -)



#175 int 4816

block 156 (size 3)


couples to:

#329: -0.0625

#389: -0.1083

bits 0000 1011 0100 1000

n=(0 2 1 1) iota=(- - - -)



#329 int 10166


block 156 (size 3)

couples to:

#175: -0.0625

bits 0110 1101 1110 0100

n=(0 2 1 1) iota=(- - 0 -)



#389 int 12214

block 156 (size 3)


couples to:

#175: -0.1083

bits 0110 1101 1111 0100

n=(0 2 1 1) iota=(- - 1 -)

plaq1: valid local states (page 24/102; states 414-431 of 1831 in block order)



#177 int 4824

block 158 (size 3)


couples to:

#331: -0.0625

#391: -0.1083

bits 0001 1011 0100 1000

n=(2 2 1 1) iota=(- - - -)



#331 int 10174


block 158 (size 3)

couples to:

#177: -0.0625

bits 0111 1101 1110 0100

n=(2 2 1 1) iota=(- - 0 -)



#391 int 12222


block 158 (size 3)

couples to:

#177: -0.1083

bits 0111 1101 1111 0100

n=(2 2 1 1) iota=(- - 1 -)



#178 int 4836

block 159 (size 3)


couples to:

#326: -0.0625

#386: -0.1083

bits 0010 0111 0100 1000

n=(1 2 1 1) iota=(- - - -)



#326 int 10114


block 159 (size 3)

couples to:

#178: -0.0625

bits 0100 0001 1110 0100

n=(1 2 1 1) iota=(- - 0 -)



#386 int 12162


block 159 (size 3)

couples to:

#178: -0.1083

bits 0100 0001 1111 0100

n=(1 2 1 1) iota=(- - 1 -)



#179 int 4837

block 160 (size 3)


couples to:

#327: -0.0625

#387: -0.1083

bits 1010 0111 0100 1000

n=(0 2 1 1) iota=(- - - -)



#327 int 10115


block 160 (size 3)

couples to:

#179: -0.0625

bits 1100 0001 1110 0100

n=(0 2 1 1) iota=(- - 0 -)



#387 int 12163


block 160 (size 3)

couples to:

#179: -0.1083

bits 1100 0001 1111 0100

n=(0 2 1 1) iota=(- - 1 -)



#180 int 4845

block 161 (size 3)


couples to:

#328: -0.0625

#388: -0.1083

bits 1011 0111 0100 1000

n=(2 2 1 1) iota=(- - - -)



#328 int 10123


block 161 (size 3)

couples to:

#180: -0.0625

bits 1101 0001 1110 0100

n=(2 2 1 1) iota=(- - 0 -)



#388 int 12171


block 161 (size 3)

couples to:

#180: -0.1083

bits 1101 0001 1111 0100

n=(2 2 1 1) iota=(- - 1 -)



#191 int 4967


block 169 (size 3)

couples to:

#295: -0.0625

bits 1110 0110 1100 1000

n=(1 0 0 1) iota=(0 - - -)



#193 int 4975


block 169 (size 3)

couples to:

#295: +0.1083

bits 1111 0110 1100 1000

n=(1 0 0 1) iota=(1 - - -)



#295 int 9729

block 169 (size 3)


couples to:

#191: -0.0625

#193: +0.1083

bits 1000 0000 0110 0100

n=(1 0 0 1) iota=(- - - -)



#194 int 4982


block 171 (size 3)

couples to:

#297: +0.0625

bits 0110 1110 1100 1000

n=(0 1 0 1) iota=(- 0 - -)



#205 int 5110


block 171 (size 3)

couples to:

#297: +0.1083

bits 0110 1111 1100 1000

n=(0 1 0 1) iota=(- 1 - -)



#297 int 9744

block 171 (size 3)

couples to:


#194: +0.0625

#205: +0.1083

bits 0000 1000 0110 0100

n=(0 1 0 1) iota=(- - - -)

plaq1: valid local states (page 25/102; states 432-449 of 1831 in block order)



#196 int 4990


block 173 (size 3)

couples to:

#299: +0.0625

bits 0111 1110 1100 1000

n=(2 1 0 1) iota=(- 0 - -)



#207 int 5118


block 173 (size 3)

couples to:

#299: +0.1083

bits 0111 1111 1100 1000

n=(2 1 0 1) iota=(- 1 - -)



#299 int 9752

block 173 (size 3)


couples to:

#196: +0.0625

#207: +0.1083

bits 0001 1000 0110 0100

n=(2 1 0 1) iota=(- - - -)



#202 int 5095


block 178 (size 3)

couples to:

#307: -0.0625

bits 1110 0111 1100 1000

n=(1 2 0 1) iota=(0 - - -)



#204 int 5103


block 178 (size 3)

couples to:

#307: +0.1083

bits 1111 0111 1100 1000

n=(1 2 0 1) iota=(1 - - -)



#307 int 9857

block 178 (size 3)


couples to:

#202: -0.0625

#204: +0.1083

bits 1000 0001 0110 0100

n=(1 2 0 1) iota=(- - - -)



#210 int 6209

block 181 (size 3)


couples to:

#340: +0.0625

#342: -0.1083

bits 1000 0010 0001 1000

n=(1 1 2 1) iota=(- - - -)



#340 int 11559


block 181 (size 3)

couples to:

#210: +0.0625

bits 1110 0100 1011 0100

n=(1 1 2 1) iota=(0 - - -)



#342 int 11567


block 181 (size 3)

couples to:

#210: -0.1083

bits 1111 0100 1011 0100

n=(1 1 2 1) iota=(1 - - -)



#213 int 6225

block 184 (size 3)


couples to:

#344: -0.0625

#346: +0.1083

bits 1000 1010 0001 1000

n=(1 0 2 1) iota=(- - - -)



#344 int 11575


block 184 (size 3)

couples to:

#213: -0.0625

bits 1110 1100 1011 0100

n=(1 0 2 1) iota=(0 - - -)



#346 int 11583


block 184 (size 3)

couples to:

#213: +0.1083

bits 1111 1100 1011 0100

n=(1 0 2 1) iota=(1 - - -)



#218 int 6260


block 189 (size 3)

couples to:

#336: +0.0625

bits 0010 1110 0001 1000

n=(1 1 2 1) iota=(- 0 - -)



#227 int 6388


block 189 (size 3)

couples to:

#336: +0.1083

bits 0010 1111 0001 1000

n=(1 1 2 1) iota=(- 1 - -)



#336 int 11538

block 189 (size 3)


couples to:

#218: +0.0625

#227: +0.1083

bits 0100 1000 1011 0100

n=(1 1 2 1) iota=(- - - -)



#219 int 6261


block 190 (size 3)

couples to:

#337: +0.0625

bits 1010 1110 0001 1000

n=(0 1 2 1) iota=(- 0 - -)



#228 int 6389


block 190 (size 3)

couples to:

#337: +0.1083

bits 1010 1111 0001 1000

n=(0 1 2 1) iota=(- 1 - -)



#337 int 11539

block 190 (size 3)

couples to:


#219: +0.0625

#228: +0.1083

bits 1100 1000 1011 0100

n=(0 1 2 1) iota=(- - - -)

plaq1: valid local states (page 26/102; states 450-467 of 1831 in block order)



#220 int 6269


block 191 (size 3)

couples to:

#338: +0.0625

bits 1011 1110 0001 1000

n=(2 1 2 1) iota=(- 0 - -)



#229 int 6397


block 191 (size 3)

couples to:

#338: +0.1083

bits 1011 1111 0001 1000

n=(2 1 2 1) iota=(- 1 - -)



#338 int 11547

block 191 (size 3)


couples to:

#220: +0.0625

#229: +0.1083

bits 1101 1000 1011 0100

n=(2 1 2 1) iota=(- - - -)



#222 int 6353

block 193 (size 3)


couples to:

#351: -0.0625

#353: +0.1083

bits 1000 1011 0001 1000

n=(1 2 2 1) iota=(- - - -)



#351 int 11703


block 193 (size 3)

couples to:

#222: -0.0625

bits 1110 1101 1011 0100

n=(1 2 2 1) iota=(0 - - -)



#353 int 11711


block 193 (size 3)

couples to:

#222: +0.1083

bits 1111 1101 1011 0100

n=(1 2 2 1) iota=(1 - - -)



#237 int 7015


block 205 (size 3)

couples to:

#355: -0.0625

bits 1110 0110 1101 1000

n=(1 0 2 1) iota=(0 - - -)



#239 int 7023


block 205 (size 3)

couples to:

#355: +0.1083

bits 1111 0110 1101 1000

n=(1 0 2 1) iota=(1 - - -)



#355 int 11777

block 205 (size 3)


couples to:

#237: -0.0625

#239: +0.1083

bits 1000 0000 0111 0100

n=(1 0 2 1) iota=(- - - -)



#240 int 7030


block 207 (size 3)

couples to:

#357: +0.0625

bits 0110 1110 1101 1000

n=(0 1 2 1) iota=(- 0 - -)



#251 int 7158


block 207 (size 3)

couples to:

#357: +0.1083

bits 0110 1111 1101 1000

n=(0 1 2 1) iota=(- 1 - -)



#357 int 11792

block 207 (size 3)


couples to:

#240: +0.0625

#251: +0.1083

bits 0000 1000 0111 0100

n=(0 1 2 1) iota=(- - - -)



#242 int 7038


block 209 (size 3)

couples to:

#359: +0.0625

bits 0111 1110 1101 1000

n=(2 1 2 1) iota=(- 0 - -)



#253 int 7166


block 209 (size 3)

couples to:

#359: +0.1083

bits 0111 1111 1101 1000

n=(2 1 2 1) iota=(- 1 - -)



#359 int 11800

block 209 (size 3)


couples to:

#242: +0.0625

#253: +0.1083

bits 0001 1000 0111 0100

n=(2 1 2 1) iota=(- - - -)



#248 int 7143


block 214 (size 3)

couples to:

#367: -0.0625

bits 1110 0111 1101 1000

n=(1 2 2 1) iota=(0 - - -)



#250 int 7151


block 214 (size 3)

couples to:

#367: +0.1083

bits 1111 0111 1101 1000

n=(1 2 2 1) iota=(1 - - -)



#367 int 11905

block 214 (size 3)

couples to:


#248: -0.0625

#250: +0.1083

bits 1000 0001 0111 0100

n=(1 2 2 1) iota=(- - - -)

plaq1: valid local states (page 27/102; states 468-485 of 1831 in block order)



#557 int 16385

block 217 (size 3)


couples to:

#977: -0.1250

#979: +0.2165

bits 1000 0000 0000 0010

n=(1 0 0 1) iota=(- - - -)



#977 int 30055


block 217 (size 3)

couples to:

#557: -0.1250

bits 1110 0110 1010 1110

n=(1 0 0 1) iota=(0 - - 0)



#979 int 30063


block 217 (size 3)

couples to:

#557: +0.2165

bits 1111 0110 1010 1110

n=(1 0 0 1) iota=(1 - - 0)



#559 int 16400

block 219 (size 3)


couples to:

#980: +0.1250

#991: +0.2165

bits 0000 1000 0000 0010

n=(0 1 0 1) iota=(- - - -)



#980 int 30070


block 219 (size 3)

couples to:

#559: +0.1250

bits 0110 1110 1010 1110

n=(0 1 0 1) iota=(- 0 - 0)



#991 int 30198


block 219 (size 3)

couples to:

#559: +0.2165

bits 0110 1111 1010 1110

n=(0 1 0 1) iota=(- 1 - 0)



#561 int 16408

block 221 (size 3)


couples to:

#982: +0.1250

#993: +0.2165

bits 0001 1000 0000 0010

n=(2 1 0 1) iota=(- - - -)



#982 int 30078


block 221 (size 3)

couples to:

#561: +0.1250

bits 0111 1110 1010 1110

n=(2 1 0 1) iota=(- 0 - 0)



#993 int 30206


block 221 (size 3)

couples to:

#561: +0.2165

bits 0111 1111 1010 1110

n=(2 1 0 1) iota=(- 1 - 0)



#569 int 16513

block 229 (size 3)


couples to:

#988: -0.1250

#990: +0.2165

bits 1000 0001 0000 0010

n=(1 2 0 1) iota=(- - - -)



#988 int 30183


block 229 (size 3)

couples to:

#569: -0.1250

bits 1110 0111 1010 1110

n=(1 2 0 1) iota=(0 - - 0)



#990 int 30191


block 229 (size 3)

couples to:

#569: +0.2165

bits 1111 0111 1010 1110

n=(1 2 0 1) iota=(1 - - 0)



#577 int 16658

block 237 (size 3)


couples to:

#958: -0.0625

#967: -0.1083

bits 0100 1000 1000 0010

n=(1 1 1 1) iota=(- - - -)



#958 int 29812


block 237 (size 3)

couples to:

#577: -0.0625

bits 0010 1110 0010 1110

n=(1 1 1 1) iota=(- 0 - 0)



#967 int 29940


block 237 (size 3)

couples to:

#577: -0.1083

bits 0010 1111 0010 1110

n=(1 1 1 1) iota=(- 1 - 0)



#578 int 16659

block 238 (size 3)


couples to:

#959: -0.0625

#968: -0.1083

bits 1100 1000 1000 0010

n=(0 1 1 1) iota=(- - - -)



#959 int 29813


block 238 (size 3)

couples to:

#578: -0.0625

bits 1010 1110 0010 1110

n=(0 1 1 1) iota=(- 0 - 0)



#968 int 29941

block 238 (size 3)


couples to:

#578: -0.1083

bits 1010 1111 0010 1110

n=(0 1 1 1) iota=(- 1 - 0)

plaq1: valid local states (page 28/102; states 486-503 of 1831 in block order)



#579 int 16667

block 239 (size 3)


couples to:

#960: -0.0625

#969: -0.1083

bits 1101 1000 1000 0010

n=(2 1 1 1) iota=(- - - -)



#960 int 29821


block 239 (size 3)

couples to:

#579: -0.0625

bits 1011 1110 0010 1110

n=(2 1 1 1) iota=(- 0 - 0)



#969 int 29949


block 239 (size 3)

couples to:

#579: -0.1083

bits 1011 1111 0010 1110

n=(2 1 1 1) iota=(- 1 - 0)



#581 int 16679


block 241 (size 3)

couples to:

#950: -0.0625

bits 1110 0100 1000 0010

n=(1 1 1 1) iota=(0 - - -)



#583 int 16687


block 241 (size 3)

couples to:

#950: +0.1083

bits 1111 0100 1000 0010

n=(1 1 1 1) iota=(1 - - -)



#950 int 29761

block 241 (size 3)


couples to:

#581: -0.0625

#583: +0.1083

bits 1000 0010 0010 1110

n=(1 1 1 1) iota=(- - - 0)



#585 int 16695


block 244 (size 3)

couples to:

#953: +0.0625

bits 1110 1100 1000 0010

n=(1 0 1 1) iota=(0 - - -)



#587 int 16703


block 244 (size 3)

couples to:

#953: -0.1083

bits 1111 1100 1000 0010

n=(1 0 1 1) iota=(1 - - -)



#953 int 29777

block 244 (size 3)


couples to:

#585: +0.0625

#587: -0.1083

bits 1000 1010 0010 1110

n=(1 0 1 1) iota=(- - - 0)



#592 int 16823


block 250 (size 3)

couples to:

#962: +0.0625

bits 1110 1101 1000 0010

n=(1 2 1 1) iota=(0 - - -)



#594 int 16831


block 250 (size 3)

couples to:

#962: -0.1083

bits 1111 1101 1000 0010

n=(1 2 1 1) iota=(1 - - -)



#962 int 29905

block 250 (size 3)


couples to:

#592: +0.0625

#594: -0.1083

bits 1000 1011 0010 1110

n=(1 2 1 1) iota=(- - - 0)



#595 int 16896

block 252 (size 3)


couples to:

#1022: -0.1250

#1093: -0.2165

bits 0000 0000 0100 0010

n=(0 0 1 1) iota=(- - - -)



#1022 int 30566


block 252 (size 3)

couples to:

#595: -0.1250

bits 0110 0110 1110 1110

n=(0 0 1 1) iota=(- - 0 0)



#1093 int 32614


block 252 (size 3)

couples to:

#595: -0.2165

bits 0110 0110 1111 1110

n=(0 0 1 1) iota=(- - 1 0)



#597 int 16904

block 254 (size 3)


couples to:

#1024: -0.1250

#1095: -0.2165

bits 0001 0000 0100 0010

n=(2 0 1 1) iota=(- - - -)



#1024 int 30574


block 254 (size 3)

couples to:

#597: -0.1250

bits 0111 0110 1110 1110

n=(2 0 1 1) iota=(- - 0 0)



#1095 int 32622

block 254 (size 3)


couples to:

#597: -0.2165

bits 0111 0110 1111 1110

n=(2 0 1 1) iota=(- - 1 0)

plaq1: valid local states (page 29/102; states 504-521 of 1831 in block order)



#601 int 16932

block 258 (size 3)


couples to:

#1016: -0.0625

#1087: -0.1083

bits 0010 0100 0100 0010

n=(1 1 1 1) iota=(- - - -)



#1016 int 30530


block 258 (size 3)

couples to:

#601: -0.0625

bits 0100 0010 1110 1110

n=(1 1 1 1) iota=(- - 0 0)



#1087 int 32578


block 258 (size 3)

couples to:

#601: -0.1083

bits 0100 0010 1111 1110

n=(1 1 1 1) iota=(- - 1 0)



#602 int 16933

block 259 (size 3)


couples to:

#1017: -0.0625

#1088: -0.1083

bits 1010 0100 0100 0010

n=(0 1 1 1) iota=(- - - -)



#1017 int 30531


block 259 (size 3)

couples to:

#602: -0.0625

bits 1100 0010 1110 1110

n=(0 1 1 1) iota=(- - 0 0)



#1088 int 32579


block 259 (size 3)

couples to:

#602: -0.1083

bits 1100 0010 1111 1110

n=(0 1 1 1) iota=(- - 1 0)



#603 int 16941

block 260 (size 3)


couples to:

#1018: -0.0625

#1089: -0.1083

bits 1011 0100 0100 0010

n=(2 1 1 1) iota=(- - - -)



#1018 int 30539


block 260 (size 3)

couples to:

#603: -0.0625

bits 1101 0010 1110 1110

n=(2 1 1 1) iota=(- - 0 0)



#1089 int 32587


block 260 (size 3)

couples to:

#603: -0.1083

bits 1101 0010 1111 1110

n=(2 1 1 1) iota=(- - 1 0)



#604 int 16948

block 261 (size 3)


couples to:

#1019: +0.0625

#1090: +0.1083

bits 0010 1100 0100 0010

n=(1 0 1 1) iota=(- - - -)



#1019 int 30546


block 261 (size 3)

couples to:

#604: +0.0625

bits 0100 1010 1110 1110

n=(1 0 1 1) iota=(- - 0 0)



#1090 int 32594


block 261 (size 3)

couples to:

#604: +0.1083

bits 0100 1010 1111 1110

n=(1 0 1 1) iota=(- - 1 0)



#605 int 16949

block 262 (size 3)


couples to:

#1020: +0.0625

#1091: +0.1083

bits 1010 1100 0100 0010

n=(0 0 1 1) iota=(- - - -)



#1020 int 30547


block 262 (size 3)

couples to:

#605: +0.0625

bits 1100 1010 1110 1110

n=(0 0 1 1) iota=(- - 0 0)



#1091 int 32595


block 262 (size 3)

couples to:

#605: +0.1083

bits 1100 1010 1111 1110

n=(0 0 1 1) iota=(- - 1 0)



#606 int 16957

block 263 (size 3)


couples to:

#1021: +0.0625

#1092: +0.1083

bits 1011 1100 0100 0010

n=(2 0 1 1) iota=(- - - -)



#1021 int 30555


block 263 (size 3)

couples to:

#606: +0.0625

bits 1101 1010 1110 1110

n=(2 0 1 1) iota=(- - 0 0)



#1092 int 32603

block 263 (size 3)


couples to:

#606: +0.1083

bits 1101 1010 1111 1110

n=(2 0 1 1) iota=(- - 1 0)

plaq1: valid local states (page 30/102; states 522-539 of 1831 in block order)



#607 int 17024

block 264 (size 3)


couples to:

#1033: -0.1250

#1104: -0.2165

bits 0000 0001 0100 0010

n=(0 2 1 1) iota=(- - - -)



#1033 int 30694


block 264 (size 3)

couples to:

#607: -0.1250

bits 0110 0111 1110 1110

n=(0 2 1 1) iota=(- - 0 0)



#1104 int 32742


block 264 (size 3)

couples to:

#607: -0.2165

bits 0110 0111 1111 1110

n=(0 2 1 1) iota=(- - 1 0)



#609 int 17032

block 266 (size 3)


couples to:

#1035: -0.1250

#1106: -0.2165

bits 0001 0001 0100 0010

n=(2 2 1 1) iota=(- - - -)



#1035 int 30702


block 266 (size 3)

couples to:

#609: -0.1250

bits 0111 0111 1110 1110

n=(2 2 1 1) iota=(- - 0 0)



#1106 int 32750


block 266 (size 3)

couples to:

#609: -0.2165

bits 0111 0111 1111 1110

n=(2 2 1 1) iota=(- - 1 0)



#610 int 17076

block 267 (size 3)


couples to:

#1030: +0.0625

#1101: +0.1083

bits 0010 1101 0100 0010

n=(1 2 1 1) iota=(- - - -)



#1030 int 30674


block 267 (size 3)

couples to:

#610: +0.0625

bits 0100 1011 1110 1110

n=(1 2 1 1) iota=(- - 0 0)



#1101 int 32722


block 267 (size 3)

couples to:

#610: +0.1083

bits 0100 1011 1111 1110

n=(1 2 1 1) iota=(- - 1 0)



#611 int 17077

block 268 (size 3)


couples to:

#1031: +0.0625

#1102: +0.1083

bits 1010 1101 0100 0010

n=(0 2 1 1) iota=(- - - -)



#1031 int 30675


block 268 (size 3)

couples to:

#611: +0.0625

bits 1100 1011 1110 1110

n=(0 2 1 1) iota=(- - 0 0)



#1102 int 32723


block 268 (size 3)

couples to:

#611: +0.1083

bits 1100 1011 1111 1110

n=(0 2 1 1) iota=(- - 1 0)



#612 int 17085

block 269 (size 3)


couples to:

#1032: +0.0625

#1103: +0.1083

bits 1011 1101 0100 0010

n=(2 2 1 1) iota=(- - - -)



#1032 int 30683


block 269 (size 3)

couples to:

#612: +0.0625

bits 1101 1011 1110 1110

n=(2 2 1 1) iota=(- - 0 0)



#1103 int 32731


block 269 (size 3)

couples to:

#612: +0.1083

bits 1101 1011 1111 1110

n=(2 2 1 1) iota=(- - 1 0)



#616 int 17170

block 273 (size 3)


couples to:

#1004: -0.0625

#1013: -0.1083

bits 0100 1000 1100 0010

n=(1 1 0 1) iota=(- - - -)



#1004 int 30324


block 273 (size 3)

couples to:

#616: -0.0625

bits 0010 1110 0110 1110

n=(1 1 0 1) iota=(- 0 - 0)



#1013 int 30452

block 273 (size 3)


couples to:

#616: -0.1083

bits 0010 1111 0110 1110

n=(1 1 0 1) iota=(- 1 - 0)

plaq1: valid local states (page 31/102; states 540-557 of 1831 in block order)



#617 int 17171

block 274 (size 3)


couples to:

#1005: -0.0625

#1014: -0.1083

bits 1100 1000 1100 0010

n=(0 1 0 1) iota=(- - - -)



#1005 int 30325


block 274 (size 3)

couples to:

#617: -0.0625

bits 1010 1110 0110 1110

n=(0 1 0 1) iota=(- 0 - 0)



#1014 int 30453


block 274 (size 3)

couples to:

#617: -0.1083

bits 1010 1111 0110 1110

n=(0 1 0 1) iota=(- 1 - 0)



#618 int 17179

block 275 (size 3)


couples to:

#1006: -0.0625

#1015: -0.1083

bits 1101 1000 1100 0010

n=(2 1 0 1) iota=(- - - -)



#1006 int 30333


block 275 (size 3)

couples to:

#618: -0.0625

bits 1011 1110 0110 1110

n=(2 1 0 1) iota=(- 0 - 0)



#1015 int 30461


block 275 (size 3)

couples to:

#618: -0.1083

bits 1011 1111 0110 1110

n=(2 1 0 1) iota=(- 1 - 0)



#620 int 17191


block 277 (size 3)

couples to:

#996: -0.0625

bits 1110 0100 1100 0010

n=(1 1 0 1) iota=(0 - - -)



#622 int 17199


block 277 (size 3)

couples to:

#996: +0.1083

bits 1111 0100 1100 0010

n=(1 1 0 1) iota=(1 - - -)



#996 int 30273

block 277 (size 3)


couples to:

#620: -0.0625

#622: +0.1083

bits 1000 0010 0110 1110

n=(1 1 0 1) iota=(- - - 0)



#624 int 17207


block 280 (size 3)

couples to:

#999: +0.0625

bits 1110 1100 1100 0010

n=(1 0 0 1) iota=(0 - - -)



#626 int 17215


block 280 (size 3)

couples to:

#999: -0.1083

bits 1111 1100 1100 0010

n=(1 0 0 1) iota=(1 - - -)



#999 int 30289

block 280 (size 3)


couples to:

#624: +0.0625

#626: -0.1083

bits 1000 1010 0110 1110

n=(1 0 0 1) iota=(- - - 0)



#631 int 17335


block 286 (size 3)

couples to:

#1008: +0.0625

bits 1110 1101 1100 0010

n=(1 2 0 1) iota=(0 - - -)



#633 int 17343


block 286 (size 3)

couples to:

#1008: -0.1083

bits 1111 1101 1100 0010

n=(1 2 0 1) iota=(1 - - -)



#1008 int 30417

block 286 (size 3)


couples to:

#631: +0.0625

#633: -0.1083

bits 1000 1011 0110 1110

n=(1 2 0 1) iota=(- - - 0)



#635 int 18433

block 289 (size 3)


couples to:

#1048: -0.1250

#1050: +0.2165

bits 1000 0000 0001 0010

n=(1 0 2 1) iota=(- - - -)



#1048 int 32103


block 289 (size 3)

couples to:

#635: -0.1250

bits 1110 0110 1011 1110

n=(1 0 2 1) iota=(0 - - 0)



#1050 int 32111

block 289 (size 3)


couples to:

#635: +0.2165

bits 1111 0110 1011 1110

n=(1 0 2 1) iota=(1 - - 0)

plaq1: valid local states (page 32/102; states 558-575 of 1831 in block order)



#637 int 18448

block 291 (size 3)


couples to:

#1051: +0.1250

#1062: +0.2165

bits 0000 1000 0001 0010

n=(0 1 2 1) iota=(- - - -)



#1051 int 32118


block 291 (size 3)

couples to:

#637: +0.1250

bits 0110 1110 1011 1110

n=(0 1 2 1) iota=(- 0 - 0)



#1062 int 32246


block 291 (size 3)

couples to:

#637: +0.2165

bits 0110 1111 1011 1110

n=(0 1 2 1) iota=(- 1 - 0)



#639 int 18456

block 293 (size 3)


couples to:

#1053: +0.1250

#1064: +0.2165

bits 0001 1000 0001 0010

n=(2 1 2 1) iota=(- - - -)



#1053 int 32126


block 293 (size 3)

couples to:

#639: +0.1250

bits 0111 1110 1011 1110

n=(2 1 2 1) iota=(- 0 - 0)



#1064 int 32254


block 293 (size 3)

couples to:

#639: +0.2165

bits 0111 1111 1011 1110

n=(2 1 2 1) iota=(- 1 - 0)



#647 int 18561

block 301 (size 3)


couples to:

#1059: -0.1250

#1061: +0.2165

bits 1000 0001 0001 0010

n=(1 2 2 1) iota=(- - - -)



#1059 int 32231


block 301 (size 3)

couples to:

#647: -0.1250

bits 1110 0111 1011 1110

n=(1 2 2 1) iota=(0 - - 0)



#1061 int 32239


block 301 (size 3)

couples to:

#647: +0.2165

bits 1111 0111 1011 1110

n=(1 2 2 1) iota=(1 - - 0)



#655 int 19218

block 309 (size 3)


couples to:

#1075: -0.0625

#1084: -0.1083

bits 0100 1000 1101 0010

n=(1 1 2 1) iota=(- - - -)



#1075 int 32372


block 309 (size 3)

couples to:

#655: -0.0625

bits 0010 1110 0111 1110

n=(1 1 2 1) iota=(- 0 - 0)



#1084 int 32500


block 309 (size 3)

couples to:

#655: -0.1083

bits 0010 1111 0111 1110

n=(1 1 2 1) iota=(- 1 - 0)



#656 int 19219

block 310 (size 3)


couples to:

#1076: -0.0625

#1085: -0.1083

bits 1100 1000 1101 0010

n=(0 1 2 1) iota=(- - - -)



#1076 int 32373


block 310 (size 3)

couples to:

#656: -0.0625

bits 1010 1110 0111 1110

n=(0 1 2 1) iota=(- 0 - 0)



#1085 int 32501


block 310 (size 3)

couples to:

#656: -0.1083

bits 1010 1111 0111 1110

n=(0 1 2 1) iota=(- 1 - 0)



#657 int 19227

block 311 (size 3)


couples to:

#1077: -0.0625

#1086: -0.1083

bits 1101 1000 1101 0010

n=(2 1 2 1) iota=(- - - -)



#1077 int 32381


block 311 (size 3)

couples to:

#657: -0.0625

bits 1011 1110 0111 1110

n=(2 1 2 1) iota=(- 0 - 0)



#1086 int 32509

block 311 (size 3)


couples to:

#657: -0.1083

bits 1011 1111 0111 1110

n=(2 1 2 1) iota=(- 1 - 0)

plaq1: valid local states (page 33/102; states 576-593 of 1831 in block order)



#659 int 19239


block 313 (size 3)

couples to:

#1067: -0.0625

bits 1110 0100 1101 0010

n=(1 1 2 1) iota=(0 - - -)



#661 int 19247


block 313 (size 3)

couples to:

#1067: +0.1083

bits 1111 0100 1101 0010

n=(1 1 2 1) iota=(1 - - -)



#1067 int 32321

block 313 (size 3)


couples to:

#659: -0.0625

#661: +0.1083

bits 1000 0010 0111 1110

n=(1 1 2 1) iota=(- - - 0)



#663 int 19255


block 316 (size 3)

couples to:

#1070: +0.0625

bits 1110 1100 1101 0010

n=(1 0 2 1) iota=(0 - - -)



#665 int 19263


block 316 (size 3)

couples to:

#1070: -0.1083

bits 1111 1100 1101 0010

n=(1 0 2 1) iota=(1 - - -)



#1070 int 32337

block 316 (size 3)


couples to:

#663: +0.0625

#665: -0.1083

bits 1000 1010 0111 1110

n=(1 0 2 1) iota=(- - - 0)



#670 int 19383


block 322 (size 3)

couples to:

#1079: +0.0625

bits 1110 1101 1101 0010

n=(1 2 2 1) iota=(0 - - -)



#672 int 19391


block 322 (size 3)

couples to:

#1079: -0.1083

bits 1111 1101 1101 0010

n=(1 2 2 1) iota=(1 - - -)



#1079 int 32465

block 322 (size 3)


couples to:

#670: +0.0625

#672: -0.1083

bits 1000 1011 0111 1110

n=(1 2 2 1) iota=(- - - 0)



#674 int 20545

block 325 (size 3)


couples to:

#836: +0.0625

#838: -0.1083

bits 1000 0010 0000 1010

n=(1 1 0 0) iota=(- - - -)



#836 int 25895


block 325 (size 3)

couples to:

#674: +0.0625

bits 1110 0100 1010 0110

n=(1 1 0 0) iota=(0 - - -)



#838 int 25903


block 325 (size 3)

couples to:

#674: -0.1083

bits 1111 0100 1010 0110

n=(1 1 0 0) iota=(1 - - -)



#677 int 20561

block 328 (size 3)


couples to:

#840: -0.0625

#842: +0.1083

bits 1000 1010 0000 1010

n=(1 0 0 0) iota=(- - - -)



#840 int 25911


block 328 (size 3)

couples to:

#677: -0.0625

bits 1110 1100 1010 0110

n=(1 0 0 0) iota=(0 - - -)



#842 int 25919


block 328 (size 3)

couples to:

#677: +0.1083

bits 1111 1100 1010 0110

n=(1 0 0 0) iota=(1 - - -)



#682 int 20596


block 333 (size 3)

couples to:

#832: +0.0625

bits 0010 1110 0000 1010

n=(1 1 0 0) iota=(- 0 - -)



#691 int 20724


block 333 (size 3)

couples to:

#832: +0.1083

bits 0010 1111 0000 1010

n=(1 1 0 0) iota=(- 1 - -)



#832 int 25874

block 333 (size 3)

couples to:


#682: +0.0625

#691: +0.1083

bits 0100 1000 1010 0110

n=(1 1 0 0) iota=(- - - -)

plaq1: valid local states (page 34/102; states 594-611 of 1831 in block order)



#683 int 20597


block 334 (size 3)

couples to:

#833: +0.0625

bits 1010 1110 0000 1010

n=(0 1 0 0) iota=(- 0 - -)



#692 int 20725


block 334 (size 3)

couples to:

#833: +0.1083

bits 1010 1111 0000 1010

n=(0 1 0 0) iota=(- 1 - -)



#833 int 25875

block 334 (size 3)


couples to:

#683: +0.0625

#692: +0.1083

bits 1100 1000 1010 0110

n=(0 1 0 0) iota=(- - - -)



#684 int 20605


block 335 (size 3)

couples to:

#834: +0.0625

bits 1011 1110 0000 1010

n=(2 1 0 0) iota=(- 0 - -)



#693 int 20733


block 335 (size 3)

couples to:

#834: +0.1083

bits 1011 1111 0000 1010

n=(2 1 0 0) iota=(- 1 - -)



#834 int 25883

block 335 (size 3)


couples to:

#684: +0.0625

#693: +0.1083

bits 1101 1000 1010 0110

n=(2 1 0 0) iota=(- - - -)



#686 int 20689

block 337 (size 3)


couples to:

#847: -0.0625

#849: +0.1083

bits 1000 1011 0000 1010

n=(1 2 0 0) iota=(- - - -)



#847 int 26039


block 337 (size 3)

couples to:

#686: -0.0625

bits 1110 1101 1010 0110

n=(1 2 0 0) iota=(0 - - -)



#849 int 26047


block 337 (size 3)

couples to:

#686: +0.1083

bits 1111 1101 1010 0110

n=(1 2 0 0) iota=(1 - - -)



#701 int 20839


block 349 (size 3)

couples to:

#812: -0.0625

bits 1110 0110 1000 1010

n=(1 0 1 0) iota=(0 - - -)



#703 int 20847


block 349 (size 3)

couples to:

#812: +0.1083

bits 1111 0110 1000 1010

n=(1 0 1 0) iota=(1 - - -)



#812 int 25601

block 349 (size 3)


couples to:

#701: -0.0625

#703: +0.1083

bits 1000 0000 0010 0110

n=(1 0 1 0) iota=(- - - -)



#704 int 20854


block 351 (size 3)

couples to:

#814: +0.0625

bits 0110 1110 1000 1010

n=(0 1 1 0) iota=(- 0 - -)



#715 int 20982


block 351 (size 3)

couples to:

#814: +0.1083

bits 0110 1111 1000 1010

n=(0 1 1 0) iota=(- 1 - -)



#814 int 25616

block 351 (size 3)


couples to:

#704: +0.0625

#715: +0.1083

bits 0000 1000 0010 0110

n=(0 1 1 0) iota=(- - - -)



#706 int 20862


block 353 (size 3)

couples to:

#816: +0.0625

bits 0111 1110 1000 1010

n=(2 1 1 0) iota=(- 0 - -)



#717 int 20990


block 353 (size 3)

couples to:

#816: +0.1083

bits 0111 1111 1000 1010

n=(2 1 1 0) iota=(- 1 - -)



#816 int 25624

block 353 (size 3)

couples to:


#706: +0.0625

#717: +0.1083

bits 0001 1000 0010 0110

n=(2 1 1 0) iota=(- - - -)

plaq1: valid local states (page 35/102; states 612-629 of 1831 in block order)



#712 int 20967


block 358 (size 3)

couples to:

#824: -0.0625

bits 1110 0111 1000 1010

n=(1 2 1 0) iota=(0 - - -)



#714 int 20975


block 358 (size 3)

couples to:

#824: +0.1083

bits 1111 0111 1000 1010

n=(1 2 1 0) iota=(1 - - -)



#824 int 25729

block 358 (size 3)


couples to:

#712: -0.0625

#714: +0.1083

bits 1000 0001 0010 0110

n=(1 2 1 0) iota=(- - - -)



#719 int 21056

block 360 (size 3)


couples to:

#874: +0.0625

#934: +0.1083

bits 0000 0010 0100 1010

n=(0 1 1 0) iota=(- - - -)



#874 int 26406


block 360 (size 3)

couples to:

#719: +0.0625

bits 0110 0100 1110 0110

n=(0 1 1 0) iota=(- - 0 -)



#934 int 28454


block 360 (size 3)

couples to:

#719: +0.1083

bits 0110 0100 1111 0110

n=(0 1 1 0) iota=(- - 1 -)



#721 int 21064

block 362 (size 3)


couples to:

#876: +0.0625

#936: +0.1083

bits 0001 0010 0100 1010

n=(2 1 1 0) iota=(- - - -)



#876 int 26414


block 362 (size 3)

couples to:

#721: +0.0625

bits 0111 0100 1110 0110

n=(2 1 1 0) iota=(- - 0 -)



#936 int 28462


block 362 (size 3)

couples to:

#721: +0.1083

bits 0111 0100 1111 0110

n=(2 1 1 0) iota=(- - 1 -)



#722 int 21072

block 363 (size 3)


couples to:

#878: -0.0625

#938: -0.1083

bits 0000 1010 0100 1010

n=(0 0 1 0) iota=(- - - -)



#878 int 26422


block 363 (size 3)

couples to:

#722: -0.0625

bits 0110 1100 1110 0110

n=(0 0 1 0) iota=(- - 0 -)



#938 int 28470


block 363 (size 3)

couples to:

#722: -0.1083

bits 0110 1100 1111 0110

n=(0 0 1 0) iota=(- - 1 -)



#724 int 21080

block 365 (size 3)


couples to:

#880: -0.0625

#940: -0.1083

bits 0001 1010 0100 1010

n=(2 0 1 0) iota=(- - - -)



#880 int 26430


block 365 (size 3)

couples to:

#724: -0.0625

bits 0111 1100 1110 0110

n=(2 0 1 0) iota=(- - 0 -)



#940 int 28478


block 365 (size 3)

couples to:

#724: -0.1083

bits 0111 1100 1111 0110

n=(2 0 1 0) iota=(- - 1 -)



#725 int 21092

block 366 (size 3)


couples to:

#868: -0.0625

#928: -0.1083

bits 0010 0110 0100 1010

n=(1 0 1 0) iota=(- - - -)



#868 int 26370


block 366 (size 3)

couples to:

#725: -0.0625

bits 0100 0000 1110 0110

n=(1 0 1 0) iota=(- - 0 -)



#928 int 28418

block 366 (size 3)


couples to:

#725: -0.1083

bits 0100 0000 1111 0110

n=(1 0 1 0) iota=(- - 1 -)

plaq1: valid local states (page 36/102; states 630-647 of 1831 in block order)



#726 int 21093

block 367 (size 3)


couples to:

#869: -0.0625

#929: -0.1083

bits 1010 0110 0100 1010

n=(0 0 1 0) iota=(- - - -)



#869 int 26371


block 367 (size 3)

couples to:

#726: -0.0625

bits 1100 0000 1110 0110

n=(0 0 1 0) iota=(- - 0 -)



#929 int 28419


block 367 (size 3)

couples to:

#726: -0.1083

bits 1100 0000 1111 0110

n=(0 0 1 0) iota=(- - 1 -)



#727 int 21101

block 368 (size 3)


couples to:

#870: -0.0625

#930: -0.1083

bits 1011 0110 0100 1010

n=(2 0 1 0) iota=(- - - -)



#870 int 26379


block 368 (size 3)

couples to:

#727: -0.0625

bits 1101 0000 1110 0110

n=(2 0 1 0) iota=(- - 0 -)



#930 int 28427


block 368 (size 3)

couples to:

#727: -0.1083

bits 1101 0000 1111 0110

n=(2 0 1 0) iota=(- - 1 -)



#731 int 21200

block 372 (size 3)


couples to:

#885: -0.0625

#945: -0.1083

bits 0000 1011 0100 1010

n=(0 2 1 0) iota=(- - - -)



#885 int 26550


block 372 (size 3)

couples to:

#731: -0.0625

bits 0110 1101 1110 0110

n=(0 2 1 0) iota=(- - 0 -)



#945 int 28598


block 372 (size 3)

couples to:

#731: -0.1083

bits 0110 1101 1111 0110

n=(0 2 1 0) iota=(- - 1 -)



#733 int 21208

block 374 (size 3)


couples to:

#887: -0.0625

#947: -0.1083

bits 0001 1011 0100 1010

n=(2 2 1 0) iota=(- - - -)



#887 int 26558


block 374 (size 3)

couples to:

#733: -0.0625

bits 0111 1101 1110 0110

n=(2 2 1 0) iota=(- - 0 -)



#947 int 28606


block 374 (size 3)

couples to:

#733: -0.1083

bits 0111 1101 1111 0110

n=(2 2 1 0) iota=(- - 1 -)



#734 int 21220

block 375 (size 3)


couples to:

#882: -0.0625

#942: -0.1083

bits 0010 0111 0100 1010

n=(1 2 1 0) iota=(- - - -)



#882 int 26498


block 375 (size 3)

couples to:

#734: -0.0625

bits 0100 0001 1110 0110

n=(1 2 1 0) iota=(- - 0 -)



#942 int 28546


block 375 (size 3)

couples to:

#734: -0.1083

bits 0100 0001 1111 0110

n=(1 2 1 0) iota=(- - 1 -)



#735 int 21221

block 376 (size 3)


couples to:

#883: -0.0625

#943: -0.1083

bits 1010 0111 0100 1010

n=(0 2 1 0) iota=(- - - -)



#883 int 26499


block 376 (size 3)

couples to:

#735: -0.0625

bits 1100 0001 1110 0110

n=(0 2 1 0) iota=(- - 0 -)



#943 int 28547

block 376 (size 3)


couples to:

#735: -0.1083

bits 1100 0001 1111 0110

n=(0 2 1 0) iota=(- - 1 -)

plaq1: valid local states (page 37/102; states 648-665 of 1831 in block order)



#736 int 21229

block 377 (size 3)


couples to:

#884: -0.0625

#944: -0.1083

bits 1011 0111 0100 1010

n=(2 2 1 0) iota=(- - - -)



#884 int 26507


block 377 (size 3)

couples to:

#736: -0.0625

bits 1101 0001 1110 0110

n=(2 2 1 0) iota=(- - 0 -)



#944 int 28555


block 377 (size 3)

couples to:

#736: -0.1083

bits 1101 0001 1111 0110

n=(2 2 1 0) iota=(- - 1 -)



#747 int 21351


block 385 (size 3)

couples to:

#851: -0.0625

bits 1110 0110 1100 1010

n=(1 0 0 0) iota=(0 - - -)



#749 int 21359


block 385 (size 3)

couples to:

#851: +0.1083

bits 1111 0110 1100 1010

n=(1 0 0 0) iota=(1 - - -)



#851 int 26113

block 385 (size 3)


couples to:

#747: -0.0625

#749: +0.1083

bits 1000 0000 0110 0110

n=(1 0 0 0) iota=(- - - -)



#750 int 21366


block 387 (size 3)

couples to:

#853: +0.0625

bits 0110 1110 1100 1010

n=(0 1 0 0) iota=(- 0 - -)



#761 int 21494


block 387 (size 3)

couples to:

#853: +0.1083

bits 0110 1111 1100 1010

n=(0 1 0 0) iota=(- 1 - -)



#853 int 26128

block 387 (size 3)


couples to:

#750: +0.0625

#761: +0.1083

bits 0000 1000 0110 0110

n=(0 1 0 0) iota=(- - - -)



#752 int 21374


block 389 (size 3)

couples to:

#855: +0.0625

bits 0111 1110 1100 1010

n=(2 1 0 0) iota=(- 0 - -)



#763 int 21502


block 389 (size 3)

couples to:

#855: +0.1083

bits 0111 1111 1100 1010

n=(2 1 0 0) iota=(- 1 - -)



#855 int 26136

block 389 (size 3)


couples to:

#752: +0.0625

#763: +0.1083

bits 0001 1000 0110 0110

n=(2 1 0 0) iota=(- - - -)



#758 int 21479


block 394 (size 3)

couples to:

#863: -0.0625

bits 1110 0111 1100 1010

n=(1 2 0 0) iota=(0 - - -)



#760 int 21487


block 394 (size 3)

couples to:

#863: +0.1083

bits 1111 0111 1100 1010

n=(1 2 0 0) iota=(1 - - -)



#863 int 26241

block 394 (size 3)


couples to:

#758: -0.0625

#760: +0.1083

bits 1000 0001 0110 0110

n=(1 2 0 0) iota=(- - - -)



#766 int 22593

block 397 (size 3)


couples to:

#896: +0.0625

#898: -0.1083

bits 1000 0010 0001 1010

n=(1 1 2 0) iota=(- - - -)



#896 int 27943


block 397 (size 3)

couples to:

#766: +0.0625

bits 1110 0100 1011 0110

n=(1 1 2 0) iota=(0 - - -)



#898 int 27951

block 397 (size 3)


couples to:

#766: -0.1083

bits 1111 0100 1011 0110

n=(1 1 2 0) iota=(1 - - -)

plaq1: valid local states (page 38/102; states 666-683 of 1831 in block order)



#769 int 22609

block 400 (size 3)


couples to:

#900: -0.0625

#902: +0.1083

bits 1000 1010 0001 1010

n=(1 0 2 0) iota=(- - - -)



#900 int 27959


block 400 (size 3)

couples to:

#769: -0.0625

bits 1110 1100 1011 0110

n=(1 0 2 0) iota=(0 - - -)



#902 int 27967


block 400 (size 3)

couples to:

#769: +0.1083

bits 1111 1100 1011 0110

n=(1 0 2 0) iota=(1 - - -)



#774 int 22644


block 405 (size 3)

couples to:

#892: +0.0625

bits 0010 1110 0001 1010

n=(1 1 2 0) iota=(- 0 - -)



#783 int 22772


block 405 (size 3)

couples to:

#892: +0.1083

bits 0010 1111 0001 1010

n=(1 1 2 0) iota=(- 1 - -)



#892 int 27922

block 405 (size 3)


couples to:

#774: +0.0625

#783: +0.1083

bits 0100 1000 1011 0110

n=(1 1 2 0) iota=(- - - -)



#775 int 22645


block 406 (size 3)

couples to:

#893: +0.0625

bits 1010 1110 0001 1010

n=(0 1 2 0) iota=(- 0 - -)



#784 int 22773


block 406 (size 3)

couples to:

#893: +0.1083

bits 1010 1111 0001 1010

n=(0 1 2 0) iota=(- 1 - -)



#893 int 27923

block 406 (size 3)


couples to:

#775: +0.0625

#784: +0.1083

bits 1100 1000 1011 0110

n=(0 1 2 0) iota=(- - - -)



#776 int 22653


block 407 (size 3)

couples to:

#894: +0.0625

bits 1011 1110 0001 1010

n=(2 1 2 0) iota=(- 0 - -)



#785 int 22781


block 407 (size 3)

couples to:

#894: +0.1083

bits 1011 1111 0001 1010

n=(2 1 2 0) iota=(- 1 - -)



#894 int 27931

block 407 (size 3)


couples to:

#776: +0.0625

#785: +0.1083

bits 1101 1000 1011 0110

n=(2 1 2 0) iota=(- - - -)



#778 int 22737

block 409 (size 3)


couples to:

#907: -0.0625

#909: +0.1083

bits 1000 1011 0001 1010

n=(1 2 2 0) iota=(- - - -)



#907 int 28087


block 409 (size 3)

couples to:

#778: -0.0625

bits 1110 1101 1011 0110

n=(1 2 2 0) iota=(0 - - -)



#909 int 28095


block 409 (size 3)

couples to:

#778: +0.1083

bits 1111 1101 1011 0110

n=(1 2 2 0) iota=(1 - - -)



#793 int 23399


block 421 (size 3)

couples to:

#911: -0.0625

bits 1110 0110 1101 1010

n=(1 0 2 0) iota=(0 - - -)



#795 int 23407


block 421 (size 3)

couples to:

#911: +0.1083

bits 1111 0110 1101 1010

n=(1 0 2 0) iota=(1 - - -)



#911 int 28161

block 421 (size 3)

couples to:


#793: -0.0625

#795: +0.1083

bits 1000 0000 0111 0110

n=(1 0 2 0) iota=(- - - -)

plaq1: valid local states (page 39/102; states 684-701 of 1831 in block order)



#796 int 23414


block 423 (size 3)

couples to:

#913: +0.0625

bits 0110 1110 1101 1010

n=(0 1 2 0) iota=(- 0 - -)



#807 int 23542


block 423 (size 3)

couples to:

#913: +0.1083

bits 0110 1111 1101 1010

n=(0 1 2 0) iota=(- 1 - -)



#913 int 28176

block 423 (size 3)


couples to:

#796: +0.0625

#807: +0.1083

bits 0000 1000 0111 0110

n=(0 1 2 0) iota=(- - - -)



#798 int 23422


block 425 (size 3)

couples to:

#915: +0.0625

bits 0111 1110 1101 1010

n=(2 1 2 0) iota=(- 0 - -)



#809 int 23550


block 425 (size 3)

couples to:

#915: +0.1083

bits 0111 1111 1101 1010

n=(2 1 2 0) iota=(- 1 - -)



#915 int 28184

block 425 (size 3)


couples to:

#798: +0.0625

#809: +0.1083

bits 0001 1000 0111 0110

n=(2 1 2 0) iota=(- - - -)



#804 int 23527


block 430 (size 3)

couples to:

#923: -0.0625

bits 1110 0111 1101 1010

n=(1 2 2 0) iota=(0 - - -)



#806 int 23535


block 430 (size 3)

couples to:

#923: +0.1083

bits 1111 0111 1101 1010

n=(1 2 2 0) iota=(1 - - -)



#923 int 28289

block 430 (size 3)


couples to:

#804: -0.0625

#806: +0.1083

bits 1000 0001 0111 0110

n=(1 2 2 0) iota=(- - - -)



#1113 int 32769

block 433 (size 3)


couples to:

#1257: +0.1250

#1259: -0.2165

bits 1000 0000 0000 0001

n=(1 0 0 2) iota=(- - - -)



#1257 int 46439


block 433 (size 3)

couples to:

#1113: +0.1250

bits 1110 0110 1010 1101

n=(1 0 0 2) iota=(0 - - -)



#1259 int 46447


block 433 (size 3)

couples to:

#1113: -0.2165

bits 1111 0110 1010 1101

n=(1 0 0 2) iota=(1 - - -)



#1115 int 32784

block 435 (size 3)


couples to:

#1260: -0.1250

#1271: -0.2165

bits 0000 1000 0000 0001

n=(0 1 0 2) iota=(- - - -)



#1260 int 46454


block 435 (size 3)

couples to:

#1115: -0.1250

bits 0110 1110 1010 1101

n=(0 1 0 2) iota=(- 0 - -)



#1271 int 46582


block 435 (size 3)

couples to:

#1115: -0.2165

bits 0110 1111 1010 1101

n=(0 1 0 2) iota=(- 1 - -)



#1117 int 32792

block 437 (size 3)


couples to:

#1262: -0.1250

#1273: -0.2165

bits 0001 1000 0000 0001

n=(2 1 0 2) iota=(- - - -)



#1262 int 46462


block 437 (size 3)

couples to:

#1117: -0.1250

bits 0111 1110 1010 1101

n=(2 1 0 2) iota=(- 0 - -)



#1273 int 46590

block 437 (size 3)


couples to:

#1117: -0.2165

bits 0111 1111 1010 1101

n=(2 1 0 2) iota=(- 1 - -)

plaq1: valid local states (page 40/102; states 702-719 of 1831 in block order)



#1125 int 32897

block 445 (size 3)


couples to:

#1268: +0.1250

#1270: -0.2165

bits 1000 0001 0000 0001

n=(1 2 0 2) iota=(- - - -)



#1268 int 46567


block 445 (size 3)

couples to:

#1125: +0.1250

bits 1110 0111 1010 1101

n=(1 2 0 2) iota=(0 - - -)



#1270 int 46575


block 445 (size 3)

couples to:

#1125: -0.2165

bits 1111 0111 1010 1101

n=(1 2 0 2) iota=(1 - - -)



#1133 int 33042

block 453 (size 3)


couples to:

#1238: +0.0625

#1247: +0.1083

bits 0100 1000 1000 0001

n=(1 1 1 2) iota=(- - - -)



#1238 int 46196


block 453 (size 3)

couples to:

#1133: +0.0625

bits 0010 1110 0010 1101

n=(1 1 1 2) iota=(- 0 - -)



#1247 int 46324


block 453 (size 3)

couples to:

#1133: +0.1083

bits 0010 1111 0010 1101

n=(1 1 1 2) iota=(- 1 - -)



#1134 int 33043

block 454 (size 3)


couples to:

#1239: +0.0625

#1248: +0.1083

bits 1100 1000 1000 0001

n=(0 1 1 2) iota=(- - - -)



#1239 int 46197


block 454 (size 3)

couples to:

#1134: +0.0625

bits 1010 1110 0010 1101

n=(0 1 1 2) iota=(- 0 - -)



#1248 int 46325


block 454 (size 3)

couples to:

#1134: +0.1083

bits 1010 1111 0010 1101

n=(0 1 1 2) iota=(- 1 - -)



#1135 int 33051

block 455 (size 3)


couples to:

#1240: +0.0625

#1249: +0.1083

bits 1101 1000 1000 0001

n=(2 1 1 2) iota=(- - - -)



#1240 int 46205


block 455 (size 3)

couples to:

#1135: +0.0625

bits 1011 1110 0010 1101

n=(2 1 1 2) iota=(- 0 - -)



#1249 int 46333


block 455 (size 3)

couples to:

#1135: +0.1083

bits 1011 1111 0010 1101

n=(2 1 1 2) iota=(- 1 - -)



#1137 int 33063


block 457 (size 3)

couples to:

#1230: +0.0625

bits 1110 0100 1000 0001

n=(1 1 1 2) iota=(0 - - -)



#1139 int 33071


block 457 (size 3)

couples to:

#1230: -0.1083

bits 1111 0100 1000 0001

n=(1 1 1 2) iota=(1 - - -)



#1230 int 46145

block 457 (size 3)


couples to:

#1137: +0.0625

#1139: -0.1083

bits 1000 0010 0010 1101

n=(1 1 1 2) iota=(- - - -)



#1141 int 33079


block 460 (size 3)

couples to:

#1233: -0.0625

bits 1110 1100 1000 0001

n=(1 0 1 2) iota=(0 - - -)



#1143 int 33087


block 460 (size 3)

couples to:

#1233: +0.1083

bits 1111 1100 1000 0001

n=(1 0 1 2) iota=(1 - - -)



#1233 int 46161

block 460 (size 3)

couples to:


#1141: -0.0625

#1143: +0.1083

bits 1000 1010 0010 1101

n=(1 0 1 2) iota=(- - - -)

plaq1: valid local states (page 41/102; states 720-737 of 1831 in block order)



#1148 int 33207


block 466 (size 3)

couples to:

#1242: -0.0625

bits 1110 1101 1000 0001

n=(1 2 1 2) iota=(0 - - -)



#1150 int 33215


block 466 (size 3)

couples to:

#1242: +0.1083

bits 1111 1101 1000 0001

n=(1 2 1 2) iota=(1 - - -)



#1242 int 46289

block 466 (size 3)


couples to:

#1148: -0.0625

#1150: +0.1083

bits 1000 1011 0010 1101

n=(1 2 1 2) iota=(- - - -)



#1151 int 33280

block 468 (size 3)


couples to:

#1302: +0.1250

#1373: +0.2165

bits 0000 0000 0100 0001

n=(0 0 1 2) iota=(- - - -)



#1302 int 46950


block 468 (size 3)

couples to:

#1151: +0.1250

bits 0110 0110 1110 1101

n=(0 0 1 2) iota=(- - 0 -)



#1373 int 48998


block 468 (size 3)

couples to:

#1151: +0.2165

bits 0110 0110 1111 1101

n=(0 0 1 2) iota=(- - 1 -)



#1153 int 33288

block 470 (size 3)


couples to:

#1304: +0.1250

#1375: +0.2165

bits 0001 0000 0100 0001

n=(2 0 1 2) iota=(- - - -)



#1304 int 46958


block 470 (size 3)

couples to:

#1153: +0.1250

bits 0111 0110 1110 1101

n=(2 0 1 2) iota=(- - 0 -)



#1375 int 49006


block 470 (size 3)

couples to:

#1153: +0.2165

bits 0111 0110 1111 1101

n=(2 0 1 2) iota=(- - 1 -)



#1157 int 33316

block 474 (size 3)


couples to:

#1296: +0.0625

#1367: +0.1083

bits 0010 0100 0100 0001

n=(1 1 1 2) iota=(- - - -)



#1296 int 46914


block 474 (size 3)

couples to:

#1157: +0.0625

bits 0100 0010 1110 1101

n=(1 1 1 2) iota=(- - 0 -)



#1367 int 48962


block 474 (size 3)

couples to:

#1157: +0.1083

bits 0100 0010 1111 1101

n=(1 1 1 2) iota=(- - 1 -)



#1158 int 33317

block 475 (size 3)


couples to:

#1297: +0.0625

#1368: +0.1083

bits 1010 0100 0100 0001

n=(0 1 1 2) iota=(- - - -)



#1297 int 46915


block 475 (size 3)

couples to:

#1158: +0.0625

bits 1100 0010 1110 1101

n=(0 1 1 2) iota=(- - 0 -)



#1368 int 48963


block 475 (size 3)

couples to:

#1158: +0.1083

bits 1100 0010 1111 1101

n=(0 1 1 2) iota=(- - 1 -)



#1159 int 33325

block 476 (size 3)


couples to:

#1298: +0.0625

#1369: +0.1083

bits 1011 0100 0100 0001

n=(2 1 1 2) iota=(- - - -)



#1298 int 46923


block 476 (size 3)

couples to:

#1159: +0.0625

bits 1101 0010 1110 1101

n=(2 1 1 2) iota=(- - 0 -)



#1369 int 48971

block 476 (size 3)


couples to:

#1159: +0.1083

bits 1101 0010 1111 1101

n=(2 1 1 2) iota=(- - 1 -)

plaq1: valid local states (page 42/102; states 738-755 of 1831 in block order)



#1160 int 33332

block 477 (size 3)


couples to:

#1299: -0.0625

#1370: -0.1083

bits 0010 1100 0100 0001

n=(1 0 1 2) iota=(- - - -)



#1299 int 46930


block 477 (size 3)

couples to:

#1160: -0.0625

bits 0100 1010 1110 1101

n=(1 0 1 2) iota=(- - 0 -)



#1370 int 48978


block 477 (size 3)

couples to:

#1160: -0.1083

bits 0100 1010 1111 1101

n=(1 0 1 2) iota=(- - 1 -)



#1161 int 33333

block 478 (size 3)


couples to:

#1300: -0.0625

#1371: -0.1083

bits 1010 1100 0100 0001

n=(0 0 1 2) iota=(- - - -)



#1300 int 46931


block 478 (size 3)

couples to:

#1161: -0.0625

bits 1100 1010 1110 1101

n=(0 0 1 2) iota=(- - 0 -)



#1371 int 48979


block 478 (size 3)

couples to:

#1161: -0.1083

bits 1100 1010 1111 1101

n=(0 0 1 2) iota=(- - 1 -)



#1162 int 33341

block 479 (size 3)


couples to:

#1301: -0.0625

#1372: -0.1083

bits 1011 1100 0100 0001

n=(2 0 1 2) iota=(- - - -)



#1301 int 46939


block 479 (size 3)

couples to:

#1162: -0.0625

bits 1101 1010 1110 1101

n=(2 0 1 2) iota=(- - 0 -)



#1372 int 48987


block 479 (size 3)

couples to:

#1162: -0.1083

bits 1101 1010 1111 1101

n=(2 0 1 2) iota=(- - 1 -)



#1163 int 33408

block 480 (size 3)


couples to:

#1313: +0.1250

#1384: +0.2165

bits 0000 0001 0100 0001

n=(0 2 1 2) iota=(- - - -)



#1313 int 47078


block 480 (size 3)

couples to:

#1163: +0.1250

bits 0110 0111 1110 1101

n=(0 2 1 2) iota=(- - 0 -)



#1384 int 49126


block 480 (size 3)

couples to:

#1163: +0.2165

bits 0110 0111 1111 1101

n=(0 2 1 2) iota=(- - 1 -)



#1165 int 33416

block 482 (size 3)


couples to:

#1315: +0.1250

#1386: +0.2165

bits 0001 0001 0100 0001

n=(2 2 1 2) iota=(- - - -)



#1315 int 47086


block 482 (size 3)

couples to:

#1165: +0.1250

bits 0111 0111 1110 1101

n=(2 2 1 2) iota=(- - 0 -)



#1386 int 49134


block 482 (size 3)

couples to:

#1165: +0.2165

bits 0111 0111 1111 1101

n=(2 2 1 2) iota=(- - 1 -)



#1166 int 33460

block 483 (size 3)


couples to:

#1310: -0.0625

#1381: -0.1083

bits 0010 1101 0100 0001

n=(1 2 1 2) iota=(- - - -)



#1310 int 47058


block 483 (size 3)

couples to:

#1166: -0.0625

bits 0100 1011 1110 1101

n=(1 2 1 2) iota=(- - 0 -)



#1381 int 49106

block 483 (size 3)


couples to:

#1166: -0.1083

bits 0100 1011 1111 1101

n=(1 2 1 2) iota=(- - 1 -)

plaq1: valid local states (page 43/102; states 756-773 of 1831 in block order)



#1167 int 33461

block 484 (size 3)


couples to:

#1311: -0.0625

#1382: -0.1083

bits 1010 1101 0100 0001

n=(0 2 1 2) iota=(- - - -)



#1311 int 47059


block 484 (size 3)

couples to:

#1167: -0.0625

bits 1100 1011 1110 1101

n=(0 2 1 2) iota=(- - 0 -)



#1382 int 49107


block 484 (size 3)

couples to:

#1167: -0.1083

bits 1100 1011 1111 1101

n=(0 2 1 2) iota=(- - 1 -)



#1168 int 33469

block 485 (size 3)


couples to:

#1312: -0.0625

#1383: -0.1083

bits 1011 1101 0100 0001

n=(2 2 1 2) iota=(- - - -)



#1312 int 47067


block 485 (size 3)

couples to:

#1168: -0.0625

bits 1101 1011 1110 1101

n=(2 2 1 2) iota=(- - 0 -)



#1383 int 49115


block 485 (size 3)

couples to:

#1168: -0.1083

bits 1101 1011 1111 1101

n=(2 2 1 2) iota=(- - 1 -)



#1172 int 33554

block 489 (size 3)


couples to:

#1284: +0.0625

#1293: +0.1083

bits 0100 1000 1100 0001

n=(1 1 0 2) iota=(- - - -)



#1284 int 46708


block 489 (size 3)

couples to:

#1172: +0.0625

bits 0010 1110 0110 1101

n=(1 1 0 2) iota=(- 0 - -)



#1293 int 46836


block 489 (size 3)

couples to:

#1172: +0.1083

bits 0010 1111 0110 1101

n=(1 1 0 2) iota=(- 1 - -)



#1173 int 33555

block 490 (size 3)


couples to:

#1285: +0.0625

#1294: +0.1083

bits 1100 1000 1100 0001

n=(0 1 0 2) iota=(- - - -)



#1285 int 46709


block 490 (size 3)

couples to:

#1173: +0.0625

bits 1010 1110 0110 1101

n=(0 1 0 2) iota=(- 0 - -)



#1294 int 46837


block 490 (size 3)

couples to:

#1173: +0.1083

bits 1010 1111 0110 1101

n=(0 1 0 2) iota=(- 1 - -)



#1174 int 33563

block 491 (size 3)


couples to:

#1286: +0.0625

#1295: +0.1083

bits 1101 1000 1100 0001

n=(2 1 0 2) iota=(- - - -)



#1286 int 46717


block 491 (size 3)

couples to:

#1174: +0.0625

bits 1011 1110 0110 1101

n=(2 1 0 2) iota=(- 0 - -)



#1295 int 46845


block 491 (size 3)

couples to:

#1174: +0.1083

bits 1011 1111 0110 1101

n=(2 1 0 2) iota=(- 1 - -)



#1176 int 33575


block 493 (size 3)

couples to:

#1276: +0.0625

bits 1110 0100 1100 0001

n=(1 1 0 2) iota=(0 - - -)



#1178 int 33583


block 493 (size 3)

couples to:

#1276: -0.1083

bits 1111 0100 1100 0001

n=(1 1 0 2) iota=(1 - - -)



#1276 int 46657

block 493 (size 3)

couples to:


#1176: +0.0625

#1178: -0.1083

bits 1000 0010 0110 1101

n=(1 1 0 2) iota=(- - - -)

plaq1: valid local states (page 44/102; states 774-791 of 1831 in block order)



#1180 int 33591


block 496 (size 3)

couples to:

#1279: -0.0625

bits 1110 1100 1100 0001

n=(1 0 0 2) iota=(0 - - -)



#1182 int 33599


block 496 (size 3)

couples to:

#1279: +0.1083

bits 1111 1100 1100 0001

n=(1 0 0 2) iota=(1 - - -)



#1279 int 46673

block 496 (size 3)


couples to:

#1180: -0.0625

#1182: +0.1083

bits 1000 1010 0110 1101

n=(1 0 0 2) iota=(- - - -)



#1187 int 33719


block 502 (size 3)

couples to:

#1288: -0.0625

bits 1110 1101 1100 0001

n=(1 2 0 2) iota=(0 - - -)



#1189 int 33727


block 502 (size 3)

couples to:

#1288: +0.1083

bits 1111 1101 1100 0001

n=(1 2 0 2) iota=(1 - - -)



#1288 int 46801

block 502 (size 3)


couples to:

#1187: -0.0625

#1189: +0.1083

bits 1000 1011 0110 1101

n=(1 2 0 2) iota=(- - - -)



#1191 int 34817

block 505 (size 3)


couples to:

#1328: +0.1250

#1330: -0.2165

bits 1000 0000 0001 0001

n=(1 0 2 2) iota=(- - - -)



#1328 int 48487


block 505 (size 3)

couples to:

#1191: +0.1250

bits 1110 0110 1011 1101

n=(1 0 2 2) iota=(0 - - -)



#1330 int 48495


block 505 (size 3)

couples to:

#1191: -0.2165

bits 1111 0110 1011 1101

n=(1 0 2 2) iota=(1 - - -)



#1193 int 34832

block 507 (size 3)


couples to:

#1331: -0.1250

#1342: -0.2165

bits 0000 1000 0001 0001

n=(0 1 2 2) iota=(- - - -)



#1331 int 48502


block 507 (size 3)

couples to:

#1193: -0.1250

bits 0110 1110 1011 1101

n=(0 1 2 2) iota=(- 0 - -)



#1342 int 48630


block 507 (size 3)

couples to:

#1193: -0.2165

bits 0110 1111 1011 1101

n=(0 1 2 2) iota=(- 1 - -)



#1195 int 34840

block 509 (size 3)


couples to:

#1333: -0.1250

#1344: -0.2165

bits 0001 1000 0001 0001

n=(2 1 2 2) iota=(- - - -)



#1333 int 48510


block 509 (size 3)

couples to:

#1195: -0.1250

bits 0111 1110 1011 1101

n=(2 1 2 2) iota=(- 0 - -)



#1344 int 48638


block 509 (size 3)

couples to:

#1195: -0.2165

bits 0111 1111 1011 1101

n=(2 1 2 2) iota=(- 1 - -)



#1203 int 34945

block 517 (size 3)


couples to:

#1339: +0.1250

#1341: -0.2165

bits 1000 0001 0001 0001

n=(1 2 2 2) iota=(- - - -)



#1339 int 48615


block 517 (size 3)

couples to:

#1203: +0.1250

bits 1110 0111 1011 1101

n=(1 2 2 2) iota=(0 - - -)



#1341 int 48623

block 517 (size 3)


couples to:

#1203: -0.2165

bits 1111 0111 1011 1101

n=(1 2 2 2) iota=(1 - - -)

plaq1: valid local states (page 45/102; states 792-809 of 1831 in block order)



#1211 int 35602

block 525 (size 3)


couples to:

#1355: +0.0625

#1364: +0.1083

bits 0100 1000 1101 0001

n=(1 1 2 2) iota=(- - - -)



#1355 int 48756


block 525 (size 3)

couples to:

#1211: +0.0625

bits 0010 1110 0111 1101

n=(1 1 2 2) iota=(- 0 - -)



#1364 int 48884


block 525 (size 3)

couples to:

#1211: +0.1083

bits 0010 1111 0111 1101

n=(1 1 2 2) iota=(- 1 - -)



#1212 int 35603

block 526 (size 3)


couples to:

#1356: +0.0625

#1365: +0.1083

bits 1100 1000 1101 0001

n=(0 1 2 2) iota=(- - - -)



#1356 int 48757


block 526 (size 3)

couples to:

#1212: +0.0625

bits 1010 1110 0111 1101

n=(0 1 2 2) iota=(- 0 - -)



#1365 int 48885


block 526 (size 3)

couples to:

#1212: +0.1083

bits 1010 1111 0111 1101

n=(0 1 2 2) iota=(- 1 - -)



#1213 int 35611

block 527 (size 3)


couples to:

#1357: +0.0625

#1366: +0.1083

bits 1101 1000 1101 0001

n=(2 1 2 2) iota=(- - - -)



#1357 int 48765


block 527 (size 3)

couples to:

#1213: +0.0625

bits 1011 1110 0111 1101

n=(2 1 2 2) iota=(- 0 - -)



#1366 int 48893


block 527 (size 3)

couples to:

#1213: +0.1083

bits 1011 1111 0111 1101

n=(2 1 2 2) iota=(- 1 - -)



#1215 int 35623


block 529 (size 3)

couples to:

#1347: +0.0625

bits 1110 0100 1101 0001

n=(1 1 2 2) iota=(0 - - -)



#1217 int 35631


block 529 (size 3)

couples to:

#1347: -0.1083

bits 1111 0100 1101 0001

n=(1 1 2 2) iota=(1 - - -)



#1347 int 48705

block 529 (size 3)


couples to:

#1215: +0.0625

#1217: -0.1083

bits 1000 0010 0111 1101

n=(1 1 2 2) iota=(- - - -)



#1219 int 35639


block 532 (size 3)

couples to:

#1350: -0.0625

bits 1110 1100 1101 0001

n=(1 0 2 2) iota=(0 - - -)



#1221 int 35647


block 532 (size 3)

couples to:

#1350: +0.1083

bits 1111 1100 1101 0001

n=(1 0 2 2) iota=(1 - - -)



#1350 int 48721

block 532 (size 3)


couples to:

#1219: -0.0625

#1221: +0.1083

bits 1000 1010 0111 1101

n=(1 0 2 2) iota=(- - - -)



#1226 int 35767


block 538 (size 3)

couples to:

#1359: -0.0625

bits 1110 1101 1101 0001

n=(1 2 2 2) iota=(0 - - -)



#1228 int 35775


block 538 (size 3)

couples to:

#1359: +0.1083

bits 1111 1101 1101 0001

n=(1 2 2 2) iota=(1 - - -)



#1359 int 48849

block 538 (size 3)

couples to:


#1226: -0.0625

#1228: +0.1083

bits 1000 1011 0111 1101

n=(1 2 2 2) iota=(- - - -)

plaq1: valid local states (page 46/102; states 810-827 of 1831 in block order)



#1393 int 53313

block 541 (size 3)


couples to:

#1555: +0.0625

#1557: -0.1083

bits 1000 0010 0000 1011

n=(1 1 0 2) iota=(- - - -)



#1555 int 58663


block 541 (size 3)

couples to:

#1393: +0.0625

bits 1110 0100 1010 0111

n=(1 1 0 2) iota=(0 - - -)



#1557 int 58671


block 541 (size 3)

couples to:

#1393: -0.1083

bits 1111 0100 1010 0111

n=(1 1 0 2) iota=(1 - - -)



#1396 int 53329

block 544 (size 3)


couples to:

#1559: -0.0625

#1561: +0.1083

bits 1000 1010 0000 1011

n=(1 0 0 2) iota=(- - - -)



#1559 int 58679


block 544 (size 3)

couples to:

#1396: -0.0625

bits 1110 1100 1010 0111

n=(1 0 0 2) iota=(0 - - -)



#1561 int 58687


block 544 (size 3)

couples to:

#1396: +0.1083

bits 1111 1100 1010 0111

n=(1 0 0 2) iota=(1 - - -)



#1401 int 53364


block 549 (size 3)

couples to:

#1551: +0.0625

bits 0010 1110 0000 1011

n=(1 1 0 2) iota=(- 0 - -)



#1410 int 53492


block 549 (size 3)

couples to:

#1551: +0.1083

bits 0010 1111 0000 1011

n=(1 1 0 2) iota=(- 1 - -)



#1551 int 58642

block 549 (size 3)


couples to:

#1401: +0.0625

#1410: +0.1083

bits 0100 1000 1010 0111

n=(1 1 0 2) iota=(- - - -)



#1402 int 53365


block 550 (size 3)

couples to:

#1552: +0.0625

bits 1010 1110 0000 1011

n=(0 1 0 2) iota=(- 0 - -)



#1411 int 53493


block 550 (size 3)

couples to:

#1552: +0.1083

bits 1010 1111 0000 1011

n=(0 1 0 2) iota=(- 1 - -)



#1552 int 58643

block 550 (size 3)


couples to:

#1402: +0.0625

#1411: +0.1083

bits 1100 1000 1010 0111

n=(0 1 0 2) iota=(- - - -)



#1403 int 53373


block 551 (size 3)

couples to:

#1553: +0.0625

bits 1011 1110 0000 1011

n=(2 1 0 2) iota=(- 0 - -)



#1412 int 53501


block 551 (size 3)

couples to:

#1553: +0.1083

bits 1011 1111 0000 1011

n=(2 1 0 2) iota=(- 1 - -)



#1553 int 58651

block 551 (size 3)


couples to:

#1403: +0.0625

#1412: +0.1083

bits 1101 1000 1010 0111

n=(2 1 0 2) iota=(- - - -)



#1405 int 53457

block 553 (size 3)


couples to:

#1566: -0.0625

#1568: +0.1083

bits 1000 1011 0000 1011

n=(1 2 0 2) iota=(- - - -)



#1566 int 58807


block 553 (size 3)

couples to:

#1405: -0.0625

bits 1110 1101 1010 0111

n=(1 2 0 2) iota=(0 - - -)



#1568 int 58815

block 553 (size 3)


couples to:

#1405: +0.1083

bits 1111 1101 1010 0111

n=(1 2 0 2) iota=(1 - - -)

plaq1: valid local states (page 47/102; states 828-845 of 1831 in block order)



#1420 int 53607


block 565 (size 3)

couples to:

#1531: -0.0625

bits 1110 0110 1000 1011

n=(1 0 1 2) iota=(0 - - -)



#1422 int 53615


block 565 (size 3)

couples to:

#1531: +0.1083

bits 1111 0110 1000 1011

n=(1 0 1 2) iota=(1 - - -)



#1531 int 58369

block 565 (size 3)


couples to:

#1420: -0.0625

#1422: +0.1083

bits 1000 0000 0010 0111

n=(1 0 1 2) iota=(- - - -)



#1423 int 53622


block 567 (size 3)

couples to:

#1533: +0.0625

bits 0110 1110 1000 1011

n=(0 1 1 2) iota=(- 0 - -)



#1434 int 53750


block 567 (size 3)

couples to:

#1533: +0.1083

bits 0110 1111 1000 1011

n=(0 1 1 2) iota=(- 1 - -)



#1533 int 58384

block 567 (size 3)


couples to:

#1423: +0.0625

#1434: +0.1083

bits 0000 1000 0010 0111

n=(0 1 1 2) iota=(- - - -)



#1425 int 53630


block 569 (size 3)

couples to:

#1535: +0.0625

bits 0111 1110 1000 1011

n=(2 1 1 2) iota=(- 0 - -)



#1436 int 53758


block 569 (size 3)

couples to:

#1535: +0.1083

bits 0111 1111 1000 1011

n=(2 1 1 2) iota=(- 1 - -)



#1535 int 58392

block 569 (size 3)


couples to:

#1425: +0.0625

#1436: +0.1083

bits 0001 1000 0010 0111

n=(2 1 1 2) iota=(- - - -)



#1431 int 53735


block 574 (size 3)

couples to:

#1543: -0.0625

bits 1110 0111 1000 1011

n=(1 2 1 2) iota=(0 - - -)



#1433 int 53743


block 574 (size 3)

couples to:

#1543: +0.1083

bits 1111 0111 1000 1011

n=(1 2 1 2) iota=(1 - - -)



#1543 int 58497

block 574 (size 3)


couples to:

#1431: -0.0625

#1433: +0.1083

bits 1000 0001 0010 0111

n=(1 2 1 2) iota=(- - - -)



#1438 int 53824

block 576 (size 3)


couples to:

#1593: +0.0625

#1653: +0.1083

bits 0000 0010 0100 1011

n=(0 1 1 2) iota=(- - - -)



#1593 int 59174


block 576 (size 3)

couples to:

#1438: +0.0625

bits 0110 0100 1110 0111

n=(0 1 1 2) iota=(- - 0 -)



#1653 int 61222


block 576 (size 3)

couples to:

#1438: +0.1083

bits 0110 0100 1111 0111

n=(0 1 1 2) iota=(- - 1 -)



#1440 int 53832

block 578 (size 3)


couples to:

#1595: +0.0625

#1655: +0.1083

bits 0001 0010 0100 1011

n=(2 1 1 2) iota=(- - - -)



#1595 int 59182


block 578 (size 3)

couples to:

#1440: +0.0625

bits 0111 0100 1110 0111

n=(2 1 1 2) iota=(- - 0 -)



#1655 int 61230

block 578 (size 3)


couples to:

#1440: +0.1083

bits 0111 0100 1111 0111

n=(2 1 1 2) iota=(- - 1 -)

plaq1: valid local states (page 48/102; states 846-863 of 1831 in block order)



#1441 int 53840

block 579 (size 3)


couples to:

#1597: -0.0625

#1657: -0.1083

bits 0000 1010 0100 1011

n=(0 0 1 2) iota=(- - - -)



#1597 int 59190


block 579 (size 3)

couples to:

#1441: -0.0625

bits 0110 1100 1110 0111

n=(0 0 1 2) iota=(- - 0 -)



#1657 int 61238


block 579 (size 3)

couples to:

#1441: -0.1083

bits 0110 1100 1111 0111

n=(0 0 1 2) iota=(- - 1 -)



#1443 int 53848

block 581 (size 3)


couples to:

#1599: -0.0625

#1659: -0.1083

bits 0001 1010 0100 1011

n=(2 0 1 2) iota=(- - - -)



#1599 int 59198


block 581 (size 3)

couples to:

#1443: -0.0625

bits 0111 1100 1110 0111

n=(2 0 1 2) iota=(- - 0 -)



#1659 int 61246


block 581 (size 3)

couples to:

#1443: -0.1083

bits 0111 1100 1111 0111

n=(2 0 1 2) iota=(- - 1 -)



#1444 int 53860

block 582 (size 3)


couples to:

#1587: -0.0625

#1647: -0.1083

bits 0010 0110 0100 1011

n=(1 0 1 2) iota=(- - - -)



#1587 int 59138


block 582 (size 3)

couples to:

#1444: -0.0625

bits 0100 0000 1110 0111

n=(1 0 1 2) iota=(- - 0 -)



#1647 int 61186


block 582 (size 3)

couples to:

#1444: -0.1083

bits 0100 0000 1111 0111

n=(1 0 1 2) iota=(- - 1 -)



#1445 int 53861

block 583 (size 3)


couples to:

#1588: -0.0625

#1648: -0.1083

bits 1010 0110 0100 1011

n=(0 0 1 2) iota=(- - - -)



#1588 int 59139


block 583 (size 3)

couples to:

#1445: -0.0625

bits 1100 0000 1110 0111

n=(0 0 1 2) iota=(- - 0 -)



#1648 int 61187


block 583 (size 3)

couples to:

#1445: -0.1083

bits 1100 0000 1111 0111

n=(0 0 1 2) iota=(- - 1 -)



#1446 int 53869

block 584 (size 3)


couples to:

#1589: -0.0625

#1649: -0.1083

bits 1011 0110 0100 1011

n=(2 0 1 2) iota=(- - - -)



#1589 int 59147


block 584 (size 3)

couples to:

#1446: -0.0625

bits 1101 0000 1110 0111

n=(2 0 1 2) iota=(- - 0 -)



#1649 int 61195


block 584 (size 3)

couples to:

#1446: -0.1083

bits 1101 0000 1111 0111

n=(2 0 1 2) iota=(- - 1 -)



#1450 int 53968

block 588 (size 3)


couples to:

#1604: -0.0625

#1664: -0.1083

bits 0000 1011 0100 1011

n=(0 2 1 2) iota=(- - - -)



#1604 int 59318


block 588 (size 3)

couples to:

#1450: -0.0625

bits 0110 1101 1110 0111

n=(0 2 1 2) iota=(- - 0 -)



#1664 int 61366

block 588 (size 3)


couples to:

#1450: -0.1083

bits 0110 1101 1111 0111

n=(0 2 1 2) iota=(- - 1 -)

plaq1: valid local states (page 49/102; states 864-881 of 1831 in block order)



#1452 int 53976

block 590 (size 3)


couples to:

#1606: -0.0625

#1666: -0.1083

bits 0001 1011 0100 1011

n=(2 2 1 2) iota=(- - - -)



#1606 int 59326


block 590 (size 3)

couples to:

#1452: -0.0625

bits 0111 1101 1110 0111

n=(2 2 1 2) iota=(- - 0 -)



#1666 int 61374


block 590 (size 3)

couples to:

#1452: -0.1083

bits 0111 1101 1111 0111

n=(2 2 1 2) iota=(- - 1 -)



#1453 int 53988

block 591 (size 3)


couples to:

#1601: -0.0625

#1661: -0.1083

bits 0010 0111 0100 1011

n=(1 2 1 2) iota=(- - - -)



#1601 int 59266


block 591 (size 3)

couples to:

#1453: -0.0625

bits 0100 0001 1110 0111

n=(1 2 1 2) iota=(- - 0 -)



#1661 int 61314


block 591 (size 3)

couples to:

#1453: -0.1083

bits 0100 0001 1111 0111

n=(1 2 1 2) iota=(- - 1 -)



#1454 int 53989

block 592 (size 3)


couples to:

#1602: -0.0625

#1662: -0.1083

bits 1010 0111 0100 1011

n=(0 2 1 2) iota=(- - - -)



#1602 int 59267


block 592 (size 3)

couples to:

#1454: -0.0625

bits 1100 0001 1110 0111

n=(0 2 1 2) iota=(- - 0 -)



#1662 int 61315


block 592 (size 3)

couples to:

#1454: -0.1083

bits 1100 0001 1111 0111

n=(0 2 1 2) iota=(- - 1 -)



#1455 int 53997

block 593 (size 3)


couples to:

#1603: -0.0625

#1663: -0.1083

bits 1011 0111 0100 1011

n=(2 2 1 2) iota=(- - - -)



#1603 int 59275


block 593 (size 3)

couples to:

#1455: -0.0625

bits 1101 0001 1110 0111

n=(2 2 1 2) iota=(- - 0 -)



#1663 int 61323


block 593 (size 3)

couples to:

#1455: -0.1083

bits 1101 0001 1111 0111

n=(2 2 1 2) iota=(- - 1 -)



#1466 int 54119


block 601 (size 3)

couples to:

#1570: -0.0625

bits 1110 0110 1100 1011

n=(1 0 0 2) iota=(0 - - -)



#1468 int 54127


block 601 (size 3)

couples to:

#1570: +0.1083

bits 1111 0110 1100 1011

n=(1 0 0 2) iota=(1 - - -)



#1570 int 58881

block 601 (size 3)


couples to:

#1466: -0.0625

#1468: +0.1083

bits 1000 0000 0110 0111

n=(1 0 0 2) iota=(- - - -)



#1469 int 54134


block 603 (size 3)

couples to:

#1572: +0.0625

bits 0110 1110 1100 1011

n=(0 1 0 2) iota=(- 0 - -)



#1480 int 54262


block 603 (size 3)

couples to:

#1572: +0.1083

bits 0110 1111 1100 1011

n=(0 1 0 2) iota=(- 1 - -)



#1572 int 58896

block 603 (size 3)

couples to:


#1469: +0.0625

#1480: +0.1083

bits 0000 1000 0110 0111

n=(0 1 0 2) iota=(- - - -)

plaq1: valid local states (page 50/102; states 882-899 of 1831 in block order)



#1471 int 54142


block 605 (size 3)

couples to:

#1574: +0.0625

bits 0111 1110 1100 1011

n=(2 1 0 2) iota=(- 0 - -)



#1482 int 54270


block 605 (size 3)

couples to:

#1574: +0.1083

bits 0111 1111 1100 1011

n=(2 1 0 2) iota=(- 1 - -)



#1574 int 58904

block 605 (size 3)


couples to:

#1471: +0.0625

#1482: +0.1083

bits 0001 1000 0110 0111

n=(2 1 0 2) iota=(- - - -)



#1477 int 54247


block 610 (size 3)

couples to:

#1582: -0.0625

bits 1110 0111 1100 1011

n=(1 2 0 2) iota=(0 - - -)



#1479 int 54255


block 610 (size 3)

couples to:

#1582: +0.1083

bits 1111 0111 1100 1011

n=(1 2 0 2) iota=(1 - - -)



#1582 int 59009

block 610 (size 3)


couples to:

#1477: -0.0625

#1479: +0.1083

bits 1000 0001 0110 0111

n=(1 2 0 2) iota=(- - - -)



#1485 int 55361

block 613 (size 3)


couples to:

#1615: +0.0625

#1617: -0.1083

bits 1000 0010 0001 1011

n=(1 1 2 2) iota=(- - - -)



#1615 int 60711


block 613 (size 3)

couples to:

#1485: +0.0625

bits 1110 0100 1011 0111

n=(1 1 2 2) iota=(0 - - -)



#1617 int 60719


block 613 (size 3)

couples to:

#1485: -0.1083

bits 1111 0100 1011 0111

n=(1 1 2 2) iota=(1 - - -)



#1488 int 55377

block 616 (size 3)


couples to:

#1619: -0.0625

#1621: +0.1083

bits 1000 1010 0001 1011

n=(1 0 2 2) iota=(- - - -)



#1619 int 60727


block 616 (size 3)

couples to:

#1488: -0.0625

bits 1110 1100 1011 0111

n=(1 0 2 2) iota=(0 - - -)



#1621 int 60735


block 616 (size 3)

couples to:

#1488: +0.1083

bits 1111 1100 1011 0111

n=(1 0 2 2) iota=(1 - - -)



#1493 int 55412


block 621 (size 3)

couples to:

#1611: +0.0625

bits 0010 1110 0001 1011

n=(1 1 2 2) iota=(- 0 - -)



#1502 int 55540


block 621 (size 3)

couples to:

#1611: +0.1083

bits 0010 1111 0001 1011

n=(1 1 2 2) iota=(- 1 - -)



#1611 int 60690

block 621 (size 3)


couples to:

#1493: +0.0625

#1502: +0.1083

bits 0100 1000 1011 0111

n=(1 1 2 2) iota=(- - - -)



#1494 int 55413


block 622 (size 3)

couples to:

#1612: +0.0625

bits 1010 1110 0001 1011

n=(0 1 2 2) iota=(- 0 - -)



#1503 int 55541


block 622 (size 3)

couples to:

#1612: +0.1083

bits 1010 1111 0001 1011

n=(0 1 2 2) iota=(- 1 - -)



#1612 int 60691

block 622 (size 3)

couples to:


#1494: +0.0625

#1503: +0.1083

bits 1100 1000 1011 0111

n=(0 1 2 2) iota=(- - - -)

plaq1: valid local states (page 51/102; states 900-917 of 1831 in block order)



#1495 int 55421


block 623 (size 3)

couples to:

#1613: +0.0625

bits 1011 1110 0001 1011

n=(2 1 2 2) iota=(- 0 - -)



#1504 int 55549


block 623 (size 3)

couples to:

#1613: +0.1083

bits 1011 1111 0001 1011

n=(2 1 2 2) iota=(- 1 - -)



#1613 int 60699

block 623 (size 3)


couples to:

#1495: +0.0625

#1504: +0.1083

bits 1101 1000 1011 0111

n=(2 1 2 2) iota=(- - - -)



#1497 int 55505

block 625 (size 3)


couples to:

#1626: -0.0625

#1628: +0.1083

bits 1000 1011 0001 1011

n=(1 2 2 2) iota=(- - - -)



#1626 int 60855


block 625 (size 3)

couples to:

#1497: -0.0625

bits 1110 1101 1011 0111

n=(1 2 2 2) iota=(0 - - -)



#1628 int 60863


block 625 (size 3)

couples to:

#1497: +0.1083

bits 1111 1101 1011 0111

n=(1 2 2 2) iota=(1 - - -)



#1512 int 56167


block 637 (size 3)

couples to:

#1630: -0.0625

bits 1110 0110 1101 1011

n=(1 0 2 2) iota=(0 - - -)



#1514 int 56175


block 637 (size 3)

couples to:

#1630: +0.1083

bits 1111 0110 1101 1011

n=(1 0 2 2) iota=(1 - - -)



#1630 int 60929

block 637 (size 3)


couples to:

#1512: -0.0625

#1514: +0.1083

bits 1000 0000 0111 0111

n=(1 0 2 2) iota=(- - - -)



#1515 int 56182


block 639 (size 3)

couples to:

#1632: +0.0625

bits 0110 1110 1101 1011

n=(0 1 2 2) iota=(- 0 - -)



#1526 int 56310


block 639 (size 3)

couples to:

#1632: +0.1083

bits 0110 1111 1101 1011

n=(0 1 2 2) iota=(- 1 - -)



#1632 int 60944

block 639 (size 3)


couples to:

#1515: +0.0625

#1526: +0.1083

bits 0000 1000 0111 0111

n=(0 1 2 2) iota=(- - - -)



#1517 int 56190


block 641 (size 3)

couples to:

#1634: +0.0625

bits 0111 1110 1101 1011

n=(2 1 2 2) iota=(- 0 - -)



#1528 int 56318


block 641 (size 3)

couples to:

#1634: +0.1083

bits 0111 1111 1101 1011

n=(2 1 2 2) iota=(- 1 - -)



#1634 int 60952

block 641 (size 3)


couples to:

#1517: +0.0625

#1528: +0.1083

bits 0001 1000 0111 0111

n=(2 1 2 2) iota=(- - - -)



#1523 int 56295


block 646 (size 3)

couples to:

#1642: -0.0625

bits 1110 0111 1101 1011

n=(1 2 2 2) iota=(0 - - -)



#1525 int 56303


block 646 (size 3)

couples to:

#1642: +0.1083

bits 1111 0111 1101 1011

n=(1 2 2 2) iota=(1 - - -)



#1642 int 61057

block 646 (size 3)

couples to:


#1523: -0.0625

#1525: +0.1083

bits 1000 0001 0111 0111

n=(1 2 2 2) iota=(- - - -)

plaq1: valid local states (page 52/102; states 918-935 of 1831 in block order)



#0 int 0


block 0 (size 2)

couples to:

#420: +0.2500

bits 0000 0000 0000 0000

n=(0 0 0 0) iota=(- - - -)



#420 int 13670


block 0 (size 2)

couples to:

#0: +0.2500

bits 0110 0110 1010 1100

n=(0 0 0 0) iota=(- - - -)



#2 int 8


block 2 (size 2)

couples to:

#422: +0.2500

bits 0001 0000 0000 0000

n=(2 0 0 0) iota=(- - - -)



#422 int 13678


block 2 (size 2)

couples to:

#2: +0.2500

bits 0111 0110 1010 1100

n=(2 0 0 0) iota=(- - - -)



#6 int 36


block 6 (size 2)

couples to:

#414: +0.1250

bits 0010 0100 0000 0000

n=(1 1 0 0) iota=(- - - -)



#414 int 13634


block 6 (size 2)

couples to:

#6: +0.1250

bits 0100 0010 1010 1100

n=(1 1 0 0) iota=(- - - -)



#7 int 37


block 7 (size 2)

couples to:

#415: +0.1250

bits 1010 0100 0000 0000

n=(0 1 0 0) iota=(- - - -)



#415 int 13635


block 7 (size 2)

couples to:

#7: +0.1250

bits 1100 0010 1010 1100

n=(0 1 0 0) iota=(- - - -)



#8 int 45


block 8 (size 2)

couples to:

#416: +0.1250

bits 1011 0100 0000 0000

n=(2 1 0 0) iota=(- - - -)



#416 int 13643


block 8 (size 2)

couples to:

#8: +0.1250

bits 1101 0010 1010 1100

n=(2 1 0 0) iota=(- - - -)



#9 int 52


block 9 (size 2)

couples to:

#417: -0.1250

bits 0010 1100 0000 0000

n=(1 0 0 0) iota=(- - - -)



#417 int 13650


block 9 (size 2)

couples to:

#9: -0.1250

bits 0100 1010 1010 1100

n=(1 0 0 0) iota=(- - - -)



#10 int 53


block 10 (size 2)

couples to:

#418: -0.1250

bits 1010 1100 0000 0000

n=(0 0 0 0) iota=(- - - -)



#418 int 13651


block 10 (size 2)

couples to:

#10: -0.1250

bits 1100 1010 1010 1100

n=(0 0 0 0) iota=(- - - -)



#11 int 61


block 11 (size 2)

couples to:

#419: -0.1250

bits 1011 1100 0000 0000

n=(2 0 0 0) iota=(- - - -)



#419 int 13659


block 11 (size 2)

couples to:

#11: -0.1250

bits 1101 1010 1010 1100

n=(2 0 0 0) iota=(- - - -)



#12 int 128


block 12 (size 2)

couples to:

#431: +0.2500

bits 0000 0001 0000 0000

n=(0 2 0 0) iota=(- - - -)



#431 int 13798

block 12 (size 2)


couples to:

#12: +0.2500

bits 0110 0111 1010 1100

n=(0 2 0 0) iota=(- - - -)

plaq1: valid local states (page 53/102; states 936-953 of 1831 in block order)



#14 int 136


block 14 (size 2)

couples to:

#433: +0.2500

bits 0001 0001 0000 0000

n=(2 2 0 0) iota=(- - - -)



#433 int 13806


block 14 (size 2)

couples to:

#14: +0.2500

bits 0111 0111 1010 1100

n=(2 2 0 0) iota=(- - - -)



#15 int 180


block 15 (size 2)

couples to:

#428: -0.1250

bits 0010 1101 0000 0000

n=(1 2 0 0) iota=(- - - -)



#428 int 13778


block 15 (size 2)

couples to:

#15: -0.1250

bits 0100 1011 1010 1100

n=(1 2 0 0) iota=(- - - -)



#16 int 181


block 16 (size 2)

couples to:

#429: -0.1250

bits 1010 1101 0000 0000

n=(0 2 0 0) iota=(- - - -)



#429 int 13779


block 16 (size 2)

couples to:

#16: -0.1250

bits 1100 1011 1010 1100

n=(0 2 0 0) iota=(- - - -)



#17 int 189


block 17 (size 2)

couples to:

#430: -0.1250

bits 1011 1101 0000 0000

n=(2 2 0 0) iota=(- - - -)



#430 int 13787


block 17 (size 2)

couples to:

#17: -0.1250

bits 1101 1011 1010 1100

n=(2 2 0 0) iota=(- - - -)



#18 int 258


block 18 (size 2)

couples to:

#399: -0.1250

bits 0100 0000 1000 0000

n=(1 0 1 0) iota=(- - - -)



#399 int 13412


block 18 (size 2)

couples to:

#18: -0.1250

bits 0010 0110 0010 1100

n=(1 0 1 0) iota=(- - - -)



#19 int 259


block 19 (size 2)

couples to:

#400: -0.1250

bits 1100 0000 1000 0000

n=(0 0 1 0) iota=(- - - -)



#400 int 13413


block 19 (size 2)

couples to:

#19: -0.1250

bits 1010 0110 0010 1100

n=(0 0 1 0) iota=(- - - -)



#20 int 267


block 20 (size 2)

couples to:

#401: -0.1250

bits 1101 0000 1000 0000

n=(2 0 1 0) iota=(- - - -)



#401 int 13421


block 20 (size 2)

couples to:

#20: -0.1250

bits 1011 0110 0010 1100

n=(2 0 1 0) iota=(- - - -)



#24 int 294


block 24 (size 2)

couples to:

#393: +0.1250

bits 0110 0100 1000 0000

n=(0 1 1 0) iota=(- - - -)



#393 int 13376


block 24 (size 2)

couples to:

#24: +0.1250

bits 0000 0010 0010 1100

n=(0 1 1 0) iota=(- - - -)



#26 int 302


block 26 (size 2)

couples to:

#395: +0.1250

bits 0111 0100 1000 0000

n=(2 1 1 0) iota=(- - - -)



#395 int 13384

block 26 (size 2)


couples to:

#26: +0.1250

bits 0001 0010 0010 1100

n=(2 1 1 0) iota=(- - - -)

plaq1: valid local states (page 54/102; states 954-971 of 1831 in block order)



#28 int 310


block 27 (size 2)

couples to:

#396: -0.1250

bits 0110 1100 1000 0000

n=(0 0 1 0) iota=(- - - -)



#396 int 13392


block 27 (size 2)

couples to:

#28: -0.1250

bits 0000 1010 0010 1100

n=(0 0 1 0) iota=(- - - -)



#30 int 318


block 29 (size 2)

couples to:

#398: -0.1250

bits 0111 1100 1000 0000

n=(2 0 1 0) iota=(- - - -)



#398 int 13400


block 29 (size 2)

couples to:

#30: -0.1250

bits 0001 1010 0010 1100

n=(2 0 1 0) iota=(- - - -)



#32 int 386


block 30 (size 2)

couples to:

#408: -0.1250

bits 0100 0001 1000 0000

n=(1 2 1 0) iota=(- - - -)



#408 int 13540


block 30 (size 2)

couples to:

#32: -0.1250

bits 0010 0111 0010 1100

n=(1 2 1 0) iota=(- - - -)



#33 int 387


block 31 (size 2)

couples to:

#409: -0.1250

bits 1100 0001 1000 0000

n=(0 2 1 0) iota=(- - - -)



#409 int 13541


block 31 (size 2)

couples to:

#33: -0.1250

bits 1010 0111 0010 1100

n=(0 2 1 0) iota=(- - - -)



#34 int 395


block 32 (size 2)

couples to:

#410: -0.1250

bits 1101 0001 1000 0000

n=(2 2 1 0) iota=(- - - -)



#410 int 13549


block 32 (size 2)

couples to:

#34: -0.1250

bits 1011 0111 0010 1100

n=(2 2 1 0) iota=(- - - -)



#35 int 438


block 33 (size 2)

couples to:

#405: -0.1250

bits 0110 1101 1000 0000

n=(0 2 1 0) iota=(- - - -)



#405 int 13520


block 33 (size 2)

couples to:

#35: -0.1250

bits 0000 1011 0010 1100

n=(0 2 1 0) iota=(- - - -)



#37 int 446


block 35 (size 2)

couples to:

#407: -0.1250

bits 0111 1101 1000 0000

n=(2 2 1 0) iota=(- - - -)



#407 int 13528


block 35 (size 2)

couples to:

#37: -0.1250

bits 0001 1011 0010 1100

n=(2 2 1 0) iota=(- - - -)



#57 int 770


block 54 (size 2)

couples to:

#445: -0.1250

bits 0100 0000 1100 0000

n=(1 0 0 0) iota=(- - - -)



#445 int 13924


block 54 (size 2)

couples to:

#57: -0.1250

bits 0010 0110 0110 1100

n=(1 0 0 0) iota=(- - - -)



#58 int 771


block 55 (size 2)

couples to:

#446: -0.1250

bits 1100 0000 1100 0000

n=(0 0 0 0) iota=(- - - -)



#446 int 13925

block 55 (size 2)


couples to:

#58: -0.1250

bits 1010 0110 0110 1100

n=(0 0 0 0) iota=(- - - -)

plaq1: valid local states (page 55/102; states 972-989 of 1831 in block order)



#59 int 779


block 56 (size 2)

couples to:

#447: -0.1250

bits 1101 0000 1100 0000

n=(2 0 0 0) iota=(- - - -)



#447 int 13933


block 56 (size 2)

couples to:

#59: -0.1250

bits 1011 0110 0110 1100

n=(2 0 0 0) iota=(- - - -)



#63 int 806


block 60 (size 2)

couples to:

#439: +0.1250

bits 0110 0100 1100 0000

n=(0 1 0 0) iota=(- - - -)



#439 int 13888


block 60 (size 2)

couples to:

#63: +0.1250

bits 0000 0010 0110 1100

n=(0 1 0 0) iota=(- - - -)



#65 int 814


block 62 (size 2)

couples to:

#441: +0.1250

bits 0111 0100 1100 0000

n=(2 1 0 0) iota=(- - - -)



#441 int 13896


block 62 (size 2)

couples to:

#65: +0.1250

bits 0001 0010 0110 1100

n=(2 1 0 0) iota=(- - - -)



#67 int 822


block 63 (size 2)

couples to:

#442: -0.1250

bits 0110 1100 1100 0000

n=(0 0 0 0) iota=(- - - -)



#442 int 13904


block 63 (size 2)

couples to:

#67: -0.1250

bits 0000 1010 0110 1100

n=(0 0 0 0) iota=(- - - -)



#69 int 830


block 65 (size 2)

couples to:

#444: -0.1250

bits 0111 1100 1100 0000

n=(2 0 0 0) iota=(- - - -)



#444 int 13912


block 65 (size 2)

couples to:

#69: -0.1250

bits 0001 1010 0110 1100

n=(2 0 0 0) iota=(- - - -)



#71 int 898


block 66 (size 2)

couples to:

#454: -0.1250

bits 0100 0001 1100 0000

n=(1 2 0 0) iota=(- - - -)



#454 int 14052


block 66 (size 2)

couples to:

#71: -0.1250

bits 0010 0111 0110 1100

n=(1 2 0 0) iota=(- - - -)



#72 int 899


block 67 (size 2)

couples to:

#455: -0.1250

bits 1100 0001 1100 0000

n=(0 2 0 0) iota=(- - - -)



#455 int 14053


block 67 (size 2)

couples to:

#72: -0.1250

bits 1010 0111 0110 1100

n=(0 2 0 0) iota=(- - - -)



#73 int 907


block 68 (size 2)

couples to:

#456: -0.1250

bits 1101 0001 1100 0000

n=(2 2 0 0) iota=(- - - -)



#456 int 14061


block 68 (size 2)

couples to:

#73: -0.1250

bits 1011 0111 0110 1100

n=(2 2 0 0) iota=(- - - -)



#74 int 950


block 69 (size 2)

couples to:

#451: -0.1250

bits 0110 1101 1100 0000

n=(0 2 0 0) iota=(- - - -)



#451 int 14032

block 69 (size 2)


couples to:

#74: -0.1250

bits 0000 1011 0110 1100

n=(0 2 0 0) iota=(- - - -)

plaq1: valid local states (page 56/102; states 990-1007 of 1831 in block order)



#76 int 958


block 71 (size 2)

couples to:

#453: -0.1250

bits 0111 1101 1100 0000

n=(2 2 0 0) iota=(- - - -)



#453 int 14040


block 71 (size 2)

couples to:

#76: -0.1250

bits 0001 1011 0110 1100

n=(2 2 0 0) iota=(- - - -)



#78 int 2048


block 72 (size 2)

couples to:

#491: +0.2500

bits 0000 0000 0001 0000

n=(0 0 2 0) iota=(- - - -)



#491 int 15718


block 72 (size 2)

couples to:

#78: +0.2500

bits 0110 0110 1011 1100

n=(0 0 2 0) iota=(- - - -)



#80 int 2056


block 74 (size 2)

couples to:

#493: +0.2500

bits 0001 0000 0001 0000

n=(2 0 2 0) iota=(- - - -)



#493 int 15726


block 74 (size 2)

couples to:

#80: +0.2500

bits 0111 0110 1011 1100

n=(2 0 2 0) iota=(- - - -)



#84 int 2084


block 78 (size 2)

couples to:

#485: +0.1250

bits 0010 0100 0001 0000

n=(1 1 2 0) iota=(- - - -)



#485 int 15682


block 78 (size 2)

couples to:

#84: +0.1250

bits 0100 0010 1011 1100

n=(1 1 2 0) iota=(- - - -)



#85 int 2085


block 79 (size 2)

couples to:

#486: +0.1250

bits 1010 0100 0001 0000

n=(0 1 2 0) iota=(- - - -)



#486 int 15683


block 79 (size 2)

couples to:

#85: +0.1250

bits 1100 0010 1011 1100

n=(0 1 2 0) iota=(- - - -)



#86 int 2093


block 80 (size 2)

couples to:

#487: +0.1250

bits 1011 0100 0001 0000

n=(2 1 2 0) iota=(- - - -)



#487 int 15691


block 80 (size 2)

couples to:

#86: +0.1250

bits 1101 0010 1011 1100

n=(2 1 2 0) iota=(- - - -)



#87 int 2100


block 81 (size 2)

couples to:

#488: -0.1250

bits 0010 1100 0001 0000

n=(1 0 2 0) iota=(- - - -)



#488 int 15698


block 81 (size 2)

couples to:

#87: -0.1250

bits 0100 1010 1011 1100

n=(1 0 2 0) iota=(- - - -)



#88 int 2101


block 82 (size 2)

couples to:

#489: -0.1250

bits 1010 1100 0001 0000

n=(0 0 2 0) iota=(- - - -)



#489 int 15699


block 82 (size 2)

couples to:

#88: -0.1250

bits 1100 1010 1011 1100

n=(0 0 2 0) iota=(- - - -)



#89 int 2109


block 83 (size 2)

couples to:

#490: -0.1250

bits 1011 1100 0001 0000

n=(2 0 2 0) iota=(- - - -)



#490 int 15707

block 83 (size 2)


couples to:

#89: -0.1250

bits 1101 1010 1011 1100

n=(2 0 2 0) iota=(- - - -)

plaq1: valid local states (page 57/102; states 1008-1025 of 1831 in block order)



#90 int 2176


block 84 (size 2)

couples to:

#502: +0.2500

bits 0000 0001 0001 0000

n=(0 2 2 0) iota=(- - - -)



#502 int 15846


block 84 (size 2)

couples to:

#90: +0.2500

bits 0110 0111 1011 1100

n=(0 2 2 0) iota=(- - - -)



#92 int 2184


block 86 (size 2)

couples to:

#504: +0.2500

bits 0001 0001 0001 0000

n=(2 2 2 0) iota=(- - - -)



#504 int 15854


block 86 (size 2)

couples to:

#92: +0.2500

bits 0111 0111 1011 1100

n=(2 2 2 0) iota=(- - - -)



#93 int 2228


block 87 (size 2)

couples to:

#499: -0.1250

bits 0010 1101 0001 0000

n=(1 2 2 0) iota=(- - - -)



#499 int 15826


block 87 (size 2)

couples to:

#93: -0.1250

bits 0100 1011 1011 1100

n=(1 2 2 0) iota=(- - - -)



#94 int 2229


block 88 (size 2)

couples to:

#500: -0.1250

bits 1010 1101 0001 0000

n=(0 2 2 0) iota=(- - - -)



#500 int 15827


block 88 (size 2)

couples to:

#94: -0.1250

bits 1100 1011 1011 1100

n=(0 2 2 0) iota=(- - - -)



#95 int 2237


block 89 (size 2)

couples to:

#501: -0.1250

bits 1011 1101 0001 0000

n=(2 2 2 0) iota=(- - - -)



#501 int 15835


block 89 (size 2)

couples to:

#95: -0.1250

bits 1101 1011 1011 1100

n=(2 2 2 0) iota=(- - - -)



#96 int 2818


block 90 (size 2)

couples to:

#516: -0.1250

bits 0100 0000 1101 0000

n=(1 0 2 0) iota=(- - - -)



#516 int 15972


block 90 (size 2)

couples to:

#96: -0.1250

bits 0010 0110 0111 1100

n=(1 0 2 0) iota=(- - - -)



#97 int 2819


block 91 (size 2)

couples to:

#517: -0.1250

bits 1100 0000 1101 0000

n=(0 0 2 0) iota=(- - - -)



#517 int 15973


block 91 (size 2)

couples to:

#97: -0.1250

bits 1010 0110 0111 1100

n=(0 0 2 0) iota=(- - - -)



#98 int 2827


block 92 (size 2)

couples to:

#518: -0.1250

bits 1101 0000 1101 0000

n=(2 0 2 0) iota=(- - - -)



#518 int 15981


block 92 (size 2)

couples to:

#98: -0.1250

bits 1011 0110 0111 1100

n=(2 0 2 0) iota=(- - - -)



#102 int 2854


block 96 (size 2)

couples to:

#510: +0.1250

bits 0110 0100 1101 0000

n=(0 1 2 0) iota=(- - - -)



#510 int 15936

block 96 (size 2)


couples to:

#102: +0.1250

bits 0000 0010 0111 1100

n=(0 1 2 0) iota=(- - - -)

plaq1: valid local states (page 58/102; states 1026-1043 of 1831 in block order)



#104 int 2862


block 98 (size 2)

couples to:

#512: +0.1250

bits 0111 0100 1101 0000

n=(2 1 2 0) iota=(- - - -)



#512 int 15944


block 98 (size 2)

couples to:

#104: +0.1250

bits 0001 0010 0111 1100

n=(2 1 2 0) iota=(- - - -)



#106 int 2870


block 99 (size 2)

couples to:

#513: -0.1250

bits 0110 1100 1101 0000

n=(0 0 2 0) iota=(- - - -)



#513 int 15952


block 99 (size 2)

couples to:

#106: -0.1250

bits 0000 1010 0111 1100

n=(0 0 2 0) iota=(- - - -)



#108 int 2878


block 101 (size 2)

couples to:

#515: -0.1250

bits 0111 1100 1101 0000

n=(2 0 2 0) iota=(- - - -)



#515 int 15960


block 101 (size 2)

couples to:

#108: -0.1250

bits 0001 1010 0111 1100

n=(2 0 2 0) iota=(- - - -)



#110 int 2946


block 102 (size 2)

couples to:

#525: -0.1250

bits 0100 0001 1101 0000

n=(1 2 2 0) iota=(- - - -)



#525 int 16100


block 102 (size 2)

couples to:

#110: -0.1250

bits 0010 0111 0111 1100

n=(1 2 2 0) iota=(- - - -)



#111 int 2947


block 103 (size 2)

couples to:

#526: -0.1250

bits 1100 0001 1101 0000

n=(0 2 2 0) iota=(- - - -)



#526 int 16101


block 103 (size 2)

couples to:

#111: -0.1250

bits 1010 0111 0111 1100

n=(0 2 2 0) iota=(- - - -)



#112 int 2955


block 104 (size 2)

couples to:

#527: -0.1250

bits 1101 0001 1101 0000

n=(2 2 2 0) iota=(- - - -)



#527 int 16109


block 104 (size 2)

couples to:

#112: -0.1250

bits 1011 0111 0111 1100

n=(2 2 2 0) iota=(- - - -)



#113 int 2998


block 105 (size 2)

couples to:

#522: -0.1250

bits 0110 1101 1101 0000

n=(0 2 2 0) iota=(- - - -)



#522 int 16080


block 105 (size 2)

couples to:

#113: -0.1250

bits 0000 1011 0111 1100

n=(0 2 2 0) iota=(- - - -)



#115 int 3006


block 107 (size 2)

couples to:

#524: -0.1250

bits 0111 1101 1101 0000

n=(2 2 2 0) iota=(- - - -)



#524 int 16088


block 107 (size 2)

couples to:

#115: -0.1250

bits 0001 1011 0111 1100

n=(2 2 2 0) iota=(- - - -)



#117 int 4160


block 108 (size 2)

couples to:

#279: +0.1250

bits 0000 0010 0000 1000

n=(0 1 0 1) iota=(- - - -)



#279 int 9510

block 108 (size 2)


couples to:

#117: +0.1250

bits 0110 0100 1010 0100

n=(0 1 0 1) iota=(- - - -)

plaq1: valid local states (page 59/102; states 1044-1061 of 1831 in block order)



#119 int 4168


block 110 (size 2)

couples to:

#281: +0.1250

bits 0001 0010 0000 1000

n=(2 1 0 1) iota=(- - - -)



#281 int 9518


block 110 (size 2)

couples to:

#119: +0.1250

bits 0111 0100 1010 0100

n=(2 1 0 1) iota=(- - - -)



#120 int 4176


block 111 (size 2)

couples to:

#283: -0.1250

bits 0000 1010 0000 1000

n=(0 0 0 1) iota=(- - - -)



#283 int 9526


block 111 (size 2)

couples to:

#120: -0.1250

bits 0110 1100 1010 0100

n=(0 0 0 1) iota=(- - - -)



#122 int 4184


block 113 (size 2)

couples to:

#285: -0.1250

bits 0001 1010 0000 1000

n=(2 0 0 1) iota=(- - - -)



#285 int 9534


block 113 (size 2)

couples to:

#122: -0.1250

bits 0111 1100 1010 0100

n=(2 0 0 1) iota=(- - - -)



#123 int 4196


block 114 (size 2)

couples to:

#273: -0.1250

bits 0010 0110 0000 1000

n=(1 0 0 1) iota=(- - - -)



#273 int 9474


block 114 (size 2)

couples to:

#123: -0.1250

bits 0100 0000 1010 0100

n=(1 0 0 1) iota=(- - - -)



#124 int 4197


block 115 (size 2)

couples to:

#274: -0.1250

bits 1010 0110 0000 1000

n=(0 0 0 1) iota=(- - - -)



#274 int 9475


block 115 (size 2)

couples to:

#124: -0.1250

bits 1100 0000 1010 0100

n=(0 0 0 1) iota=(- - - -)



#125 int 4205


block 116 (size 2)

couples to:

#275: -0.1250

bits 1011 0110 0000 1000

n=(2 0 0 1) iota=(- - - -)



#275 int 9483


block 116 (size 2)

couples to:

#125: -0.1250

bits 1101 0000 1010 0100

n=(2 0 0 1) iota=(- - - -)



#129 int 4304


block 120 (size 2)

couples to:

#290: -0.1250

bits 0000 1011 0000 1000

n=(0 2 0 1) iota=(- - - -)



#290 int 9654


block 120 (size 2)

couples to:

#129: -0.1250

bits 0110 1101 1010 0100

n=(0 2 0 1) iota=(- - - -)



#131 int 4312


block 122 (size 2)

couples to:

#292: -0.1250

bits 0001 1011 0000 1000

n=(2 2 0 1) iota=(- - - -)



#292 int 9662


block 122 (size 2)

couples to:

#131: -0.1250

bits 0111 1101 1010 0100

n=(2 2 0 1) iota=(- - - -)



#132 int 4324


block 123 (size 2)

couples to:

#287: -0.1250

bits 0010 0111 0000 1000

n=(1 2 0 1) iota=(- - - -)



#287 int 9602

block 123 (size 2)


couples to:

#132: -0.1250

bits 0100 0001 1010 0100

n=(1 2 0 1) iota=(- - - -)

plaq1: valid local states (page 60/102; states 1062-1079 of 1831 in block order)



#133 int 4325


block 124 (size 2)

couples to:

#288: -0.1250

bits 1010 0111 0000 1000

n=(0 2 0 1) iota=(- - - -)



#288 int 9603


block 124 (size 2)

couples to:

#133: -0.1250

bits 1100 0001 1010 0100

n=(0 2 0 1) iota=(- - - -)



#134 int 4333


block 125 (size 2)

couples to:

#289: -0.1250

bits 1011 0111 0000 1000

n=(2 2 0 1) iota=(- - - -)



#289 int 9611


block 125 (size 2)

couples to:

#134: -0.1250

bits 1101 0001 1010 0100

n=(2 2 0 1) iota=(- - - -)



#138 int 4418


block 126 (size 2)

couples to:

#261: -0.0625

bits 0100 0010 1000 1000

n=(1 1 1 1) iota=(- - - -)



#261 int 9252


block 126 (size 2)

couples to:

#138: -0.0625

bits 0010 0100 0010 0100

n=(1 1 1 1) iota=(- - - -)



#139 int 4419


block 127 (size 2)

couples to:

#262: -0.0625

bits 1100 0010 1000 1000

n=(0 1 1 1) iota=(- - - -)



#262 int 9253


block 127 (size 2)

couples to:

#139: -0.0625

bits 1010 0100 0010 0100

n=(0 1 1 1) iota=(- - - -)



#140 int 4427


block 128 (size 2)

couples to:

#263: -0.0625

bits 1101 0010 1000 1000

n=(2 1 1 1) iota=(- - - -)



#263 int 9261


block 128 (size 2)

couples to:

#140: -0.0625

bits 1011 0100 0010 0100

n=(2 1 1 1) iota=(- - - -)



#141 int 4434


block 129 (size 2)

couples to:

#264: +0.0625

bits 0100 1010 1000 1000

n=(1 0 1 1) iota=(- - - -)



#264 int 9268


block 129 (size 2)

couples to:

#141: +0.0625

bits 0010 1100 0010 0100

n=(1 0 1 1) iota=(- - - -)



#142 int 4435


block 130 (size 2)

couples to:

#265: +0.0625

bits 1100 1010 1000 1000

n=(0 0 1 1) iota=(- - - -)



#265 int 9269


block 130 (size 2)

couples to:

#142: +0.0625

bits 1010 1100 0010 0100

n=(0 0 1 1) iota=(- - - -)



#143 int 4443


block 131 (size 2)

couples to:

#266: +0.0625

bits 1101 1010 1000 1000

n=(2 0 1 1) iota=(- - - -)



#266 int 9277


block 131 (size 2)

couples to:

#143: +0.0625

bits 1011 1100 0010 0100

n=(2 0 1 1) iota=(- - - -)



#144 int 4454


block 132 (size 2)

couples to:

#255: -0.1250

bits 0110 0110 1000 1000

n=(0 0 1 1) iota=(- - - -)



#255 int 9216

block 132 (size 2)


couples to:

#144: -0.1250

bits 0000 0000 0010 0100

n=(0 0 1 1) iota=(- - - -)

plaq1: valid local states (page 61/102; states 1080-1097 of 1831 in block order)



#146 int 4462


block 134 (size 2)

couples to:

#257: -0.1250

bits 0111 0110 1000 1000

n=(2 0 1 1) iota=(- - - -)



#257 int 9224


block 134 (size 2)

couples to:

#146: -0.1250

bits 0001 0000 0010 0100

n=(2 0 1 1) iota=(- - - -)



#152 int 4562


block 138 (size 2)

couples to:

#270: +0.0625

bits 0100 1011 1000 1000

n=(1 2 1 1) iota=(- - - -)



#270 int 9396


block 138 (size 2)

couples to:

#152: +0.0625

bits 0010 1101 0010 0100

n=(1 2 1 1) iota=(- - - -)



#153 int 4563


block 139 (size 2)

couples to:

#271: +0.0625

bits 1100 1011 1000 1000

n=(0 2 1 1) iota=(- - - -)



#271 int 9397


block 139 (size 2)

couples to:

#153: +0.0625

bits 1010 1101 0010 0100

n=(0 2 1 1) iota=(- - - -)



#154 int 4571


block 140 (size 2)

couples to:

#272: +0.0625

bits 1101 1011 1000 1000

n=(2 2 1 1) iota=(- - - -)



#272 int 9405


block 140 (size 2)

couples to:

#154: +0.0625

bits 1011 1101 0010 0100

n=(2 2 1 1) iota=(- - - -)



#155 int 4582


block 141 (size 2)

couples to:

#267: -0.1250

bits 0110 0111 1000 1000

n=(0 2 1 1) iota=(- - - -)



#267 int 9344


block 141 (size 2)

couples to:

#155: -0.1250

bits 0000 0001 0010 0100

n=(0 2 1 1) iota=(- - - -)



#157 int 4590


block 143 (size 2)

couples to:

#269: -0.1250

bits 0111 0111 1000 1000

n=(2 2 1 1) iota=(- - - -)



#269 int 9352


block 143 (size 2)

couples to:

#157: -0.1250

bits 0001 0001 0010 0100

n=(2 2 1 1) iota=(- - - -)



#184 int 4930


block 162 (size 2)

couples to:

#300: -0.0625

bits 0100 0010 1100 1000

n=(1 1 0 1) iota=(- - - -)



#300 int 9764


block 162 (size 2)

couples to:

#184: -0.0625

bits 0010 0100 0110 0100

n=(1 1 0 1) iota=(- - - -)



#185 int 4931


block 163 (size 2)

couples to:

#301: -0.0625

bits 1100 0010 1100 1000

n=(0 1 0 1) iota=(- - - -)



#301 int 9765


block 163 (size 2)

couples to:

#185: -0.0625

bits 1010 0100 0110 0100

n=(0 1 0 1) iota=(- - - -)



#186 int 4939


block 164 (size 2)

couples to:

#302: -0.0625

bits 1101 0010 1100 1000

n=(2 1 0 1) iota=(- - - -)



#302 int 9773

block 164 (size 2)


couples to:

#186: -0.0625

bits 1011 0100 0110 0100

n=(2 1 0 1) iota=(- - - -)

plaq1: valid local states (page 62/102; states 1098-1115 of 1831 in block order)



#187 int 4946


block 165 (size 2)

couples to:

#303: +0.0625

bits 0100 1010 1100 1000

n=(1 0 0 1) iota=(- - - -)



#303 int 9780


block 165 (size 2)

couples to:

#187: +0.0625

bits 0010 1100 0110 0100

n=(1 0 0 1) iota=(- - - -)



#188 int 4947


block 166 (size 2)

couples to:

#304: +0.0625

bits 1100 1010 1100 1000

n=(0 0 0 1) iota=(- - - -)



#304 int 9781


block 166 (size 2)

couples to:

#188: +0.0625

bits 1010 1100 0110 0100

n=(0 0 0 1) iota=(- - - -)



#189 int 4955


block 167 (size 2)

couples to:

#305: +0.0625

bits 1101 1010 1100 1000

n=(2 0 0 1) iota=(- - - -)



#305 int 9789


block 167 (size 2)

couples to:

#189: +0.0625

bits 1011 1100 0110 0100

n=(2 0 0 1) iota=(- - - -)



#190 int 4966


block 168 (size 2)

couples to:

#294: -0.1250

bits 0110 0110 1100 1000

n=(0 0 0 1) iota=(- - - -)



#294 int 9728


block 168 (size 2)

couples to:

#190: -0.1250

bits 0000 0000 0110 0100

n=(0 0 0 1) iota=(- - - -)



#192 int 4974


block 170 (size 2)

couples to:

#296: -0.1250

bits 0111 0110 1100 1000

n=(2 0 0 1) iota=(- - - -)



#296 int 9736


block 170 (size 2)

couples to:

#192: -0.1250

bits 0001 0000 0110 0100

n=(2 0 0 1) iota=(- - - -)



#198 int 5074


block 174 (size 2)

couples to:

#309: +0.0625

bits 0100 1011 1100 1000

n=(1 2 0 1) iota=(- - - -)



#309 int 9908


block 174 (size 2)

couples to:

#198: +0.0625

bits 0010 1101 0110 0100

n=(1 2 0 1) iota=(- - - -)



#199 int 5075


block 175 (size 2)

couples to:

#310: +0.0625

bits 1100 1011 1100 1000

n=(0 2 0 1) iota=(- - - -)



#310 int 9909


block 175 (size 2)

couples to:

#199: +0.0625

bits 1010 1101 0110 0100

n=(0 2 0 1) iota=(- - - -)



#200 int 5083


block 176 (size 2)

couples to:

#311: +0.0625

bits 1101 1011 1100 1000

n=(2 2 0 1) iota=(- - - -)



#311 int 9917


block 176 (size 2)

couples to:

#200: +0.0625

bits 1011 1101 0110 0100

n=(2 2 0 1) iota=(- - - -)



#201 int 5094


block 177 (size 2)

couples to:

#306: -0.1250

bits 0110 0111 1100 1000

n=(0 2 0 1) iota=(- - - -)



#306 int 9856

block 177 (size 2)


couples to:

#201: -0.1250

bits 0000 0001 0110 0100

n=(0 2 0 1) iota=(- - - -)

plaq1: valid local states (page 63/102; states 1116-1133 of 1831 in block order)



#203 int 5102


block 179 (size 2)

couples to:

#308: -0.1250

bits 0111 0111 1100 1000

n=(2 2 0 1) iota=(- - - -)



#308 int 9864


block 179 (size 2)

couples to:

#203: -0.1250

bits 0001 0001 0110 0100

n=(2 2 0 1) iota=(- - - -)



#209 int 6208


block 180 (size 2)

couples to:

#339: +0.1250

bits 0000 0010 0001 1000

n=(0 1 2 1) iota=(- - - -)



#339 int 11558


block 180 (size 2)

couples to:

#209: +0.1250

bits 0110 0100 1011 0100

n=(0 1 2 1) iota=(- - - -)



#211 int 6216


block 182 (size 2)

couples to:

#341: +0.1250

bits 0001 0010 0001 1000

n=(2 1 2 1) iota=(- - - -)



#341 int 11566


block 182 (size 2)

couples to:

#211: +0.1250

bits 0111 0100 1011 0100

n=(2 1 2 1) iota=(- - - -)



#212 int 6224


block 183 (size 2)

couples to:

#343: -0.1250

bits 0000 1010 0001 1000

n=(0 0 2 1) iota=(- - - -)



#343 int 11574


block 183 (size 2)

couples to:

#212: -0.1250

bits 0110 1100 1011 0100

n=(0 0 2 1) iota=(- - - -)



#214 int 6232


block 185 (size 2)

couples to:

#345: -0.1250

bits 0001 1010 0001 1000

n=(2 0 2 1) iota=(- - - -)



#345 int 11582


block 185 (size 2)

couples to:

#214: -0.1250

bits 0111 1100 1011 0100

n=(2 0 2 1) iota=(- - - -)



#215 int 6244


block 186 (size 2)

couples to:

#333: -0.1250

bits 0010 0110 0001 1000

n=(1 0 2 1) iota=(- - - -)



#333 int 11522


block 186 (size 2)

couples to:

#215: -0.1250

bits 0100 0000 1011 0100

n=(1 0 2 1) iota=(- - - -)



#216 int 6245


block 187 (size 2)

couples to:

#334: -0.1250

bits 1010 0110 0001 1000

n=(0 0 2 1) iota=(- - - -)



#334 int 11523


block 187 (size 2)

couples to:

#216: -0.1250

bits 1100 0000 1011 0100

n=(0 0 2 1) iota=(- - - -)



#217 int 6253


block 188 (size 2)

couples to:

#335: -0.1250

bits 1011 0110 0001 1000

n=(2 0 2 1) iota=(- - - -)



#335 int 11531


block 188 (size 2)

couples to:

#217: -0.1250

bits 1101 0000 1011 0100

n=(2 0 2 1) iota=(- - - -)



#221 int 6352


block 192 (size 2)

couples to:

#350: -0.1250

bits 0000 1011 0001 1000

n=(0 2 2 1) iota=(- - - -)



#350 int 11702

block 192 (size 2)


couples to:

#221: -0.1250

bits 0110 1101 1011 0100

n=(0 2 2 1) iota=(- - - -)

plaq1: valid local states (page 64/102; states 1134-1151 of 1831 in block order)



#223 int 6360


block 194 (size 2)

couples to:

#352: -0.1250

bits 0001 1011 0001 1000

n=(2 2 2 1) iota=(- - - -)



#352 int 11710


block 194 (size 2)

couples to:

#223: -0.1250

bits 0111 1101 1011 0100

n=(2 2 2 1) iota=(- - - -)



#224 int 6372


block 195 (size 2)

couples to:

#347: -0.1250

bits 0010 0111 0001 1000

n=(1 2 2 1) iota=(- - - -)



#347 int 11650


block 195 (size 2)

couples to:

#224: -0.1250

bits 0100 0001 1011 0100

n=(1 2 2 1) iota=(- - - -)



#225 int 6373


block 196 (size 2)

couples to:

#348: -0.1250

bits 1010 0111 0001 1000

n=(0 2 2 1) iota=(- - - -)



#348 int 11651


block 196 (size 2)

couples to:

#225: -0.1250

bits 1100 0001 1011 0100

n=(0 2 2 1) iota=(- - - -)



#226 int 6381


block 197 (size 2)

couples to:

#349: -0.1250

bits 1011 0111 0001 1000

n=(2 2 2 1) iota=(- - - -)



#349 int 11659


block 197 (size 2)

couples to:

#226: -0.1250

bits 1101 0001 1011 0100

n=(2 2 2 1) iota=(- - - -)



#230 int 6978


block 198 (size 2)

couples to:

#360: -0.0625

bits 0100 0010 1101 1000

n=(1 1 2 1) iota=(- - - -)



#360 int 11812


block 198 (size 2)

couples to:

#230: -0.0625

bits 0010 0100 0111 0100

n=(1 1 2 1) iota=(- - - -)



#231 int 6979


block 199 (size 2)

couples to:

#361: -0.0625

bits 1100 0010 1101 1000

n=(0 1 2 1) iota=(- - - -)



#361 int 11813


block 199 (size 2)

couples to:

#231: -0.0625

bits 1010 0100 0111 0100

n=(0 1 2 1) iota=(- - - -)



#232 int 6987


block 200 (size 2)

couples to:

#362: -0.0625

bits 1101 0010 1101 1000

n=(2 1 2 1) iota=(- - - -)



#362 int 11821


block 200 (size 2)

couples to:

#232: -0.0625

bits 1011 0100 0111 0100

n=(2 1 2 1) iota=(- - - -)



#233 int 6994


block 201 (size 2)

couples to:

#363: +0.0625

bits 0100 1010 1101 1000

n=(1 0 2 1) iota=(- - - -)



#363 int 11828


block 201 (size 2)

couples to:

#233: +0.0625

bits 0010 1100 0111 0100

n=(1 0 2 1) iota=(- - - -)



#234 int 6995


block 202 (size 2)

couples to:

#364: +0.0625

bits 1100 1010 1101 1000

n=(0 0 2 1) iota=(- - - -)



#364 int 11829

block 202 (size 2)


couples to:

#234: +0.0625

bits 1010 1100 0111 0100

n=(0 0 2 1) iota=(- - - -)

plaq1: valid local states (page 65/102; states 1152-1169 of 1831 in block order)



#235 int 7003


block 203 (size 2)

couples to:

#365: +0.0625

bits 1101 1010 1101 1000

n=(2 0 2 1) iota=(- - - -)



#365 int 11837


block 203 (size 2)

couples to:

#235: +0.0625

bits 1011 1100 0111 0100

n=(2 0 2 1) iota=(- - - -)



#236 int 7014


block 204 (size 2)

couples to:

#354: -0.1250

bits 0110 0110 1101 1000

n=(0 0 2 1) iota=(- - - -)



#354 int 11776


block 204 (size 2)

couples to:

#236: -0.1250

bits 0000 0000 0111 0100

n=(0 0 2 1) iota=(- - - -)



#238 int 7022


block 206 (size 2)

couples to:

#356: -0.1250

bits 0111 0110 1101 1000

n=(2 0 2 1) iota=(- - - -)



#356 int 11784


block 206 (size 2)

couples to:

#238: -0.1250

bits 0001 0000 0111 0100

n=(2 0 2 1) iota=(- - - -)



#244 int 7122


block 210 (size 2)

couples to:

#369: +0.0625

bits 0100 1011 1101 1000

n=(1 2 2 1) iota=(- - - -)



#369 int 11956


block 210 (size 2)

couples to:

#244: +0.0625

bits 0010 1101 0111 0100

n=(1 2 2 1) iota=(- - - -)



#245 int 7123


block 211 (size 2)

couples to:

#370: +0.0625

bits 1100 1011 1101 1000

n=(0 2 2 1) iota=(- - - -)



#370 int 11957


block 211 (size 2)

couples to:

#245: +0.0625

bits 1010 1101 0111 0100

n=(0 2 2 1) iota=(- - - -)



#246 int 7131


block 212 (size 2)

couples to:

#371: +0.0625

bits 1101 1011 1101 1000

n=(2 2 2 1) iota=(- - - -)



#371 int 11965


block 212 (size 2)

couples to:

#246: +0.0625

bits 1011 1101 0111 0100

n=(2 2 2 1) iota=(- - - -)



#247 int 7142


block 213 (size 2)

couples to:

#366: -0.1250

bits 0110 0111 1101 1000

n=(0 2 2 1) iota=(- - - -)



#366 int 11904


block 213 (size 2)

couples to:

#247: -0.1250

bits 0000 0001 0111 0100

n=(0 2 2 1) iota=(- - - -)



#249 int 7150


block 215 (size 2)

couples to:

#368: -0.1250

bits 0111 0111 1101 1000

n=(2 2 2 1) iota=(- - - -)



#368 int 11912


block 215 (size 2)

couples to:

#249: -0.1250

bits 0001 0001 0111 0100

n=(2 2 2 1) iota=(- - - -)



#556 int 16384


block 216 (size 2)

couples to:

#976: -0.2500

bits 0000 0000 0000 0010

n=(0 0 0 1) iota=(- - - -)



#976 int 30054

block 216 (size 2)


couples to:

#556: -0.2500

bits 0110 0110 1010 1110

n=(0 0 0 1) iota=(- - - 0)

plaq1: valid local states (page 66/102; states 1170-1187 of 1831 in block order)



#558 int 16392


block 218 (size 2)

couples to:

#978: -0.2500

bits 0001 0000 0000 0010

n=(2 0 0 1) iota=(- - - -)



#978 int 30062


block 218 (size 2)

couples to:

#558: -0.2500

bits 0111 0110 1010 1110

n=(2 0 0 1) iota=(- - - 0)



#562 int 16420


block 222 (size 2)

couples to:

#970: -0.1250

bits 0010 0100 0000 0010

n=(1 1 0 1) iota=(- - - -)



#970 int 30018


block 222 (size 2)

couples to:

#562: -0.1250

bits 0100 0010 1010 1110

n=(1 1 0 1) iota=(- - - 0)



#563 int 16421


block 223 (size 2)

couples to:

#971: -0.1250

bits 1010 0100 0000 0010

n=(0 1 0 1) iota=(- - - -)



#971 int 30019


block 223 (size 2)

couples to:

#563: -0.1250

bits 1100 0010 1010 1110

n=(0 1 0 1) iota=(- - - 0)



#564 int 16429


block 224 (size 2)

couples to:

#972: -0.1250

bits 1011 0100 0000 0010

n=(2 1 0 1) iota=(- - - -)



#972 int 30027


block 224 (size 2)

couples to:

#564: -0.1250

bits 1101 0010 1010 1110

n=(2 1 0 1) iota=(- - - 0)



#565 int 16436


block 225 (size 2)

couples to:

#973: +0.1250

bits 0010 1100 0000 0010

n=(1 0 0 1) iota=(- - - -)



#973 int 30034


block 225 (size 2)

couples to:

#565: +0.1250

bits 0100 1010 1010 1110

n=(1 0 0 1) iota=(- - - 0)



#566 int 16437


block 226 (size 2)

couples to:

#974: +0.1250

bits 1010 1100 0000 0010

n=(0 0 0 1) iota=(- - - -)



#974 int 30035


block 226 (size 2)

couples to:

#566: +0.1250

bits 1100 1010 1010 1110

n=(0 0 0 1) iota=(- - - 0)



#567 int 16445


block 227 (size 2)

couples to:

#975: +0.1250

bits 1011 1100 0000 0010

n=(2 0 0 1) iota=(- - - -)



#975 int 30043


block 227 (size 2)

couples to:

#567: +0.1250

bits 1101 1010 1010 1110

n=(2 0 0 1) iota=(- - - 0)



#568 int 16512


block 228 (size 2)

couples to:

#987: -0.2500

bits 0000 0001 0000 0010

n=(0 2 0 1) iota=(- - - -)



#987 int 30182


block 228 (size 2)

couples to:

#568: -0.2500

bits 0110 0111 1010 1110

n=(0 2 0 1) iota=(- - - 0)



#570 int 16520


block 230 (size 2)

couples to:

#989: -0.2500

bits 0001 0001 0000 0010

n=(2 2 0 1) iota=(- - - -)



#989 int 30190

block 230 (size 2)


couples to:

#570: -0.2500

bits 0111 0111 1010 1110

n=(2 2 0 1) iota=(- - - 0)

plaq1: valid local states (page 67/102; states 1188-1205 of 1831 in block order)



#571 int 16564


block 231 (size 2)

couples to:

#984: +0.1250

bits 0010 1101 0000 0010

n=(1 2 0 1) iota=(- - - -)



#984 int 30162


block 231 (size 2)

couples to:

#571: +0.1250

bits 0100 1011 1010 1110

n=(1 2 0 1) iota=(- - - 0)



#572 int 16565


block 232 (size 2)

couples to:

#985: +0.1250

bits 1010 1101 0000 0010

n=(0 2 0 1) iota=(- - - -)



#985 int 30163


block 232 (size 2)

couples to:

#572: +0.1250

bits 1100 1011 1010 1110

n=(0 2 0 1) iota=(- - - 0)



#573 int 16573


block 233 (size 2)

couples to:

#986: +0.1250

bits 1011 1101 0000 0010

n=(2 2 0 1) iota=(- - - -)



#986 int 30171


block 233 (size 2)

couples to:

#573: +0.1250

bits 1101 1011 1010 1110

n=(2 2 0 1) iota=(- - - 0)



#574 int 16642


block 234 (size 2)

couples to:

#955: +0.1250

bits 0100 0000 1000 0010

n=(1 0 1 1) iota=(- - - -)



#955 int 29796


block 234 (size 2)

couples to:

#574: +0.1250

bits 0010 0110 0010 1110

n=(1 0 1 1) iota=(- - - 0)



#575 int 16643


block 235 (size 2)

couples to:

#956: +0.1250

bits 1100 0000 1000 0010

n=(0 0 1 1) iota=(- - - -)



#956 int 29797


block 235 (size 2)

couples to:

#575: +0.1250

bits 1010 0110 0010 1110

n=(0 0 1 1) iota=(- - - 0)



#576 int 16651


block 236 (size 2)

couples to:

#957: +0.1250

bits 1101 0000 1000 0010

n=(2 0 1 1) iota=(- - - -)



#957 int 29805


block 236 (size 2)

couples to:

#576: +0.1250

bits 1011 0110 0010 1110

n=(2 0 1 1) iota=(- - - 0)



#580 int 16678


block 240 (size 2)

couples to:

#949: -0.1250

bits 0110 0100 1000 0010

n=(0 1 1 1) iota=(- - - -)



#949 int 29760


block 240 (size 2)

couples to:

#580: -0.1250

bits 0000 0010 0010 1110

n=(0 1 1 1) iota=(- - - 0)



#582 int 16686


block 242 (size 2)

couples to:

#951: -0.1250

bits 0111 0100 1000 0010

n=(2 1 1 1) iota=(- - - -)



#951 int 29768


block 242 (size 2)

couples to:

#582: -0.1250

bits 0001 0010 0010 1110

n=(2 1 1 1) iota=(- - - 0)



#584 int 16694


block 243 (size 2)

couples to:

#952: +0.1250

bits 0110 1100 1000 0010

n=(0 0 1 1) iota=(- - - -)



#952 int 29776

block 243 (size 2)


couples to:

#584: +0.1250

bits 0000 1010 0010 1110

n=(0 0 1 1) iota=(- - - 0)

plaq1: valid local states (page 68/102; states 1206-1223 of 1831 in block order)



#586 int 16702


block 245 (size 2)

couples to:

#954: +0.1250

bits 0111 1100 1000 0010

n=(2 0 1 1) iota=(- - - -)



#954 int 29784


block 245 (size 2)

couples to:

#586: +0.1250

bits 0001 1010 0010 1110

n=(2 0 1 1) iota=(- - - 0)



#588 int 16770


block 246 (size 2)

couples to:

#964: +0.1250

bits 0100 0001 1000 0010

n=(1 2 1 1) iota=(- - - -)



#964 int 29924


block 246 (size 2)

couples to:

#588: +0.1250

bits 0010 0111 0010 1110

n=(1 2 1 1) iota=(- - - 0)



#589 int 16771


block 247 (size 2)

couples to:

#965: +0.1250

bits 1100 0001 1000 0010

n=(0 2 1 1) iota=(- - - -)



#965 int 29925


block 247 (size 2)

couples to:

#589: +0.1250

bits 1010 0111 0010 1110

n=(0 2 1 1) iota=(- - - 0)



#590 int 16779


block 248 (size 2)

couples to:

#966: +0.1250

bits 1101 0001 1000 0010

n=(2 2 1 1) iota=(- - - -)



#966 int 29933


block 248 (size 2)

couples to:

#590: +0.1250

bits 1011 0111 0010 1110

n=(2 2 1 1) iota=(- - - 0)



#591 int 16822


block 249 (size 2)

couples to:

#961: +0.1250

bits 0110 1101 1000 0010

n=(0 2 1 1) iota=(- - - -)



#961 int 29904


block 249 (size 2)

couples to:

#591: +0.1250

bits 0000 1011 0010 1110

n=(0 2 1 1) iota=(- - - 0)



#593 int 16830


block 251 (size 2)

couples to:

#963: +0.1250

bits 0111 1101 1000 0010

n=(2 2 1 1) iota=(- - - -)



#963 int 29912


block 251 (size 2)

couples to:

#593: +0.1250

bits 0001 1011 0010 1110

n=(2 2 1 1) iota=(- - - 0)



#613 int 17154


block 270 (size 2)

couples to:

#1001: +0.1250

bits 0100 0000 1100 0010

n=(1 0 0 1) iota=(- - - -)



#1001 int 30308


block 270 (size 2)

couples to:

#613: +0.1250

bits 0010 0110 0110 1110

n=(1 0 0 1) iota=(- - - 0)



#614 int 17155


block 271 (size 2)

couples to:

#1002: +0.1250

bits 1100 0000 1100 0010

n=(0 0 0 1) iota=(- - - -)



#1002 int 30309


block 271 (size 2)

couples to:

#614: +0.1250

bits 1010 0110 0110 1110

n=(0 0 0 1) iota=(- - - 0)



#615 int 17163


block 272 (size 2)

couples to:

#1003: +0.1250

bits 1101 0000 1100 0010

n=(2 0 0 1) iota=(- - - -)



#1003 int 30317

block 272 (size 2)


couples to:

#615: +0.1250

bits 1011 0110 0110 1110

n=(2 0 0 1) iota=(- - - 0)

plaq1: valid local states (page 69/102; states 1224-1241 of 1831 in block order)



#619 int 17190


block 276 (size 2)

couples to:

#995: -0.1250

bits 0110 0100 1100 0010

n=(0 1 0 1) iota=(- - - -)



#995 int 30272


block 276 (size 2)

couples to:

#619: -0.1250

bits 0000 0010 0110 1110

n=(0 1 0 1) iota=(- - - 0)



#621 int 17198


block 278 (size 2)

couples to:

#997: -0.1250

bits 0111 0100 1100 0010

n=(2 1 0 1) iota=(- - - -)



#997 int 30280


block 278 (size 2)

couples to:

#621: -0.1250

bits 0001 0010 0110 1110

n=(2 1 0 1) iota=(- - - 0)



#623 int 17206


block 279 (size 2)

couples to:

#998: +0.1250

bits 0110 1100 1100 0010

n=(0 0 0 1) iota=(- - - -)



#998 int 30288


block 279 (size 2)

couples to:

#623: +0.1250

bits 0000 1010 0110 1110

n=(0 0 0 1) iota=(- - - 0)



#625 int 17214


block 281 (size 2)

couples to:

#1000: +0.1250

bits 0111 1100 1100 0010

n=(2 0 0 1) iota=(- - - -)



#1000 int 30296


block 281 (size 2)

couples to:

#625: +0.1250

bits 0001 1010 0110 1110

n=(2 0 0 1) iota=(- - - 0)



#627 int 17282


block 282 (size 2)

couples to:

#1010: +0.1250

bits 0100 0001 1100 0010

n=(1 2 0 1) iota=(- - - -)



#1010 int 30436


block 282 (size 2)

couples to:

#627: +0.1250

bits 0010 0111 0110 1110

n=(1 2 0 1) iota=(- - - 0)



#628 int 17283


block 283 (size 2)

couples to:

#1011: +0.1250

bits 1100 0001 1100 0010

n=(0 2 0 1) iota=(- - - -)



#1011 int 30437


block 283 (size 2)

couples to:

#628: +0.1250

bits 1010 0111 0110 1110

n=(0 2 0 1) iota=(- - - 0)



#629 int 17291


block 284 (size 2)

couples to:

#1012: +0.1250

bits 1101 0001 1100 0010

n=(2 2 0 1) iota=(- - - -)



#1012 int 30445


block 284 (size 2)

couples to:

#629: +0.1250

bits 1011 0111 0110 1110

n=(2 2 0 1) iota=(- - - 0)



#630 int 17334


block 285 (size 2)

couples to:

#1007: +0.1250

bits 0110 1101 1100 0010

n=(0 2 0 1) iota=(- - - -)



#1007 int 30416


block 285 (size 2)

couples to:

#630: +0.1250

bits 0000 1011 0110 1110

n=(0 2 0 1) iota=(- - - 0)



#632 int 17342


block 287 (size 2)

couples to:

#1009: +0.1250

bits 0111 1101 1100 0010

n=(2 2 0 1) iota=(- - - -)



#1009 int 30424

block 287 (size 2)


couples to:

#632: +0.1250

bits 0001 1011 0110 1110

n=(2 2 0 1) iota=(- - - 0)

plaq1: valid local states (page 70/102; states 1242-1259 of 1831 in block order)



#634 int 18432


block 288 (size 2)

couples to:

#1047: -0.2500

bits 0000 0000 0001 0010

n=(0 0 2 1) iota=(- - - -)



#1047 int 32102


block 288 (size 2)

couples to:

#634: -0.2500

bits 0110 0110 1011 1110

n=(0 0 2 1) iota=(- - - 0)



#636 int 18440


block 290 (size 2)

couples to:

#1049: -0.2500

bits 0001 0000 0001 0010

n=(2 0 2 1) iota=(- - - -)



#1049 int 32110


block 290 (size 2)

couples to:

#636: -0.2500

bits 0111 0110 1011 1110

n=(2 0 2 1) iota=(- - - 0)



#640 int 18468


block 294 (size 2)

couples to:

#1041: -0.1250

bits 0010 0100 0001 0010

n=(1 1 2 1) iota=(- - - -)



#1041 int 32066


block 294 (size 2)

couples to:

#640: -0.1250

bits 0100 0010 1011 1110

n=(1 1 2 1) iota=(- - - 0)



#641 int 18469


block 295 (size 2)

couples to:

#1042: -0.1250

bits 1010 0100 0001 0010

n=(0 1 2 1) iota=(- - - -)



#1042 int 32067


block 295 (size 2)

couples to:

#641: -0.1250

bits 1100 0010 1011 1110

n=(0 1 2 1) iota=(- - - 0)



#642 int 18477


block 296 (size 2)

couples to:

#1043: -0.1250

bits 1011 0100 0001 0010

n=(2 1 2 1) iota=(- - - -)



#1043 int 32075


block 296 (size 2)

couples to:

#642: -0.1250

bits 1101 0010 1011 1110

n=(2 1 2 1) iota=(- - - 0)



#643 int 18484


block 297 (size 2)

couples to:

#1044: +0.1250

bits 0010 1100 0001 0010

n=(1 0 2 1) iota=(- - - -)



#1044 int 32082


block 297 (size 2)

couples to:

#643: +0.1250

bits 0100 1010 1011 1110

n=(1 0 2 1) iota=(- - - 0)



#644 int 18485


block 298 (size 2)

couples to:

#1045: +0.1250

bits 1010 1100 0001 0010

n=(0 0 2 1) iota=(- - - -)



#1045 int 32083


block 298 (size 2)

couples to:

#644: +0.1250

bits 1100 1010 1011 1110

n=(0 0 2 1) iota=(- - - 0)



#645 int 18493


block 299 (size 2)

couples to:

#1046: +0.1250

bits 1011 1100 0001 0010

n=(2 0 2 1) iota=(- - - -)



#1046 int 32091


block 299 (size 2)

couples to:

#645: +0.1250

bits 1101 1010 1011 1110

n=(2 0 2 1) iota=(- - - 0)



#646 int 18560


block 300 (size 2)

couples to:

#1058: -0.2500

bits 0000 0001 0001 0010

n=(0 2 2 1) iota=(- - - -)



#1058 int 32230

block 300 (size 2)


couples to:

#646: -0.2500

bits 0110 0111 1011 1110

n=(0 2 2 1) iota=(- - - 0)

plaq1: valid local states (page 71/102; states 1260-1277 of 1831 in block order)



#648 int 18568


block 302 (size 2)

couples to:

#1060: -0.2500

bits 0001 0001 0001 0010

n=(2 2 2 1) iota=(- - - -)



#1060 int 32238


block 302 (size 2)

couples to:

#648: -0.2500

bits 0111 0111 1011 1110

n=(2 2 2 1) iota=(- - - 0)



#649 int 18612


block 303 (size 2)

couples to:

#1055: +0.1250

bits 0010 1101 0001 0010

n=(1 2 2 1) iota=(- - - -)



#1055 int 32210


block 303 (size 2)

couples to:

#649: +0.1250

bits 0100 1011 1011 1110

n=(1 2 2 1) iota=(- - - 0)



#650 int 18613


block 304 (size 2)

couples to:

#1056: +0.1250

bits 1010 1101 0001 0010

n=(0 2 2 1) iota=(- - - -)



#1056 int 32211


block 304 (size 2)

couples to:

#650: +0.1250

bits 1100 1011 1011 1110

n=(0 2 2 1) iota=(- - - 0)



#651 int 18621


block 305 (size 2)

couples to:

#1057: +0.1250

bits 1011 1101 0001 0010

n=(2 2 2 1) iota=(- - - -)



#1057 int 32219


block 305 (size 2)

couples to:

#651: +0.1250

bits 1101 1011 1011 1110

n=(2 2 2 1) iota=(- - - 0)



#652 int 19202


block 306 (size 2)

couples to:

#1072: +0.1250

bits 0100 0000 1101 0010

n=(1 0 2 1) iota=(- - - -)



#1072 int 32356


block 306 (size 2)

couples to:

#652: +0.1250

bits 0010 0110 0111 1110

n=(1 0 2 1) iota=(- - - 0)



#653 int 19203


block 307 (size 2)

couples to:

#1073: +0.1250

bits 1100 0000 1101 0010

n=(0 0 2 1) iota=(- - - -)



#1073 int 32357


block 307 (size 2)

couples to:

#653: +0.1250

bits 1010 0110 0111 1110

n=(0 0 2 1) iota=(- - - 0)



#654 int 19211


block 308 (size 2)

couples to:

#1074: +0.1250

bits 1101 0000 1101 0010

n=(2 0 2 1) iota=(- - - -)



#1074 int 32365


block 308 (size 2)

couples to:

#654: +0.1250

bits 1011 0110 0111 1110

n=(2 0 2 1) iota=(- - - 0)



#658 int 19238


block 312 (size 2)

couples to:

#1066: -0.1250

bits 0110 0100 1101 0010

n=(0 1 2 1) iota=(- - - -)



#1066 int 32320


block 312 (size 2)

couples to:

#658: -0.1250

bits 0000 0010 0111 1110

n=(0 1 2 1) iota=(- - - 0)



#660 int 19246


block 314 (size 2)

couples to:

#1068: -0.1250

bits 0111 0100 1101 0010

n=(2 1 2 1) iota=(- - - -)



#1068 int 32328

block 314 (size 2)


couples to:

#660: -0.1250

bits 0001 0010 0111 1110

n=(2 1 2 1) iota=(- - - 0)

plaq1: valid local states (page 72/102; states 1278-1295 of 1831 in block order)



#662 int 19254


block 315 (size 2)

couples to:

#1069: +0.1250

bits 0110 1100 1101 0010

n=(0 0 2 1) iota=(- - - -)



#1069 int 32336


block 315 (size 2)

couples to:

#662: +0.1250

bits 0000 1010 0111 1110

n=(0 0 2 1) iota=(- - - 0)



#664 int 19262


block 317 (size 2)

couples to:

#1071: +0.1250

bits 0111 1100 1101 0010

n=(2 0 2 1) iota=(- - - -)



#1071 int 32344


block 317 (size 2)

couples to:

#664: +0.1250

bits 0001 1010 0111 1110

n=(2 0 2 1) iota=(- - - 0)



#666 int 19330


block 318 (size 2)

couples to:

#1081: +0.1250

bits 0100 0001 1101 0010

n=(1 2 2 1) iota=(- - - -)



#1081 int 32484


block 318 (size 2)

couples to:

#666: +0.1250

bits 0010 0111 0111 1110

n=(1 2 2 1) iota=(- - - 0)



#667 int 19331


block 319 (size 2)

couples to:

#1082: +0.1250

bits 1100 0001 1101 0010

n=(0 2 2 1) iota=(- - - -)



#1082 int 32485


block 319 (size 2)

couples to:

#667: +0.1250

bits 1010 0111 0111 1110

n=(0 2 2 1) iota=(- - - 0)



#668 int 19339


block 320 (size 2)

couples to:

#1083: +0.1250

bits 1101 0001 1101 0010

n=(2 2 2 1) iota=(- - - -)



#1083 int 32493


block 320 (size 2)

couples to:

#668: +0.1250

bits 1011 0111 0111 1110

n=(2 2 2 1) iota=(- - - 0)



#669 int 19382


block 321 (size 2)

couples to:

#1078: +0.1250

bits 0110 1101 1101 0010

n=(0 2 2 1) iota=(- - - -)



#1078 int 32464


block 321 (size 2)

couples to:

#669: +0.1250

bits 0000 1011 0111 1110

n=(0 2 2 1) iota=(- - - 0)



#671 int 19390


block 323 (size 2)

couples to:

#1080: +0.1250

bits 0111 1101 1101 0010

n=(2 2 2 1) iota=(- - - -)



#1080 int 32472


block 323 (size 2)

couples to:

#671: +0.1250

bits 0001 1011 0111 1110

n=(2 2 2 1) iota=(- - - 0)



#673 int 20544


block 324 (size 2)

couples to:

#835: +0.1250

bits 0000 0010 0000 1010

n=(0 1 0 0) iota=(- - - -)



#835 int 25894


block 324 (size 2)

couples to:

#673: +0.1250

bits 0110 0100 1010 0110

n=(0 1 0 0) iota=(- - - -)



#675 int 20552


block 326 (size 2)

couples to:

#837: +0.1250

bits 0001 0010 0000 1010

n=(2 1 0 0) iota=(- - - -)



#837 int 25902

block 326 (size 2)


couples to:

#675: +0.1250

bits 0111 0100 1010 0110

n=(2 1 0 0) iota=(- - - -)

plaq1: valid local states (page 73/102; states 1296-1313 of 1831 in block order)



#676 int 20560


block 327 (size 2)

couples to:

#839: -0.1250

bits 0000 1010 0000 1010

n=(0 0 0 0) iota=(- - - -)



#839 int 25910


block 327 (size 2)

couples to:

#676: -0.1250

bits 0110 1100 1010 0110

n=(0 0 0 0) iota=(- - - -)



#678 int 20568


block 329 (size 2)

couples to:

#841: -0.1250

bits 0001 1010 0000 1010

n=(2 0 0 0) iota=(- - - -)



#841 int 25918


block 329 (size 2)

couples to:

#678: -0.1250

bits 0111 1100 1010 0110

n=(2 0 0 0) iota=(- - - -)



#679 int 20580


block 330 (size 2)

couples to:

#829: -0.1250

bits 0010 0110 0000 1010

n=(1 0 0 0) iota=(- - - -)



#829 int 25858


block 330 (size 2)

couples to:

#679: -0.1250

bits 0100 0000 1010 0110

n=(1 0 0 0) iota=(- - - -)



#680 int 20581


block 331 (size 2)

couples to:

#830: -0.1250

bits 1010 0110 0000 1010

n=(0 0 0 0) iota=(- - - -)



#830 int 25859


block 331 (size 2)

couples to:

#680: -0.1250

bits 1100 0000 1010 0110

n=(0 0 0 0) iota=(- - - -)



#681 int 20589


block 332 (size 2)

couples to:

#831: -0.1250

bits 1011 0110 0000 1010

n=(2 0 0 0) iota=(- - - -)



#831 int 25867


block 332 (size 2)

couples to:

#681: -0.1250

bits 1101 0000 1010 0110

n=(2 0 0 0) iota=(- - - -)



#685 int 20688


block 336 (size 2)

couples to:

#846: -0.1250

bits 0000 1011 0000 1010

n=(0 2 0 0) iota=(- - - -)



#846 int 26038


block 336 (size 2)

couples to:

#685: -0.1250

bits 0110 1101 1010 0110

n=(0 2 0 0) iota=(- - - -)



#687 int 20696


block 338 (size 2)

couples to:

#848: -0.1250

bits 0001 1011 0000 1010

n=(2 2 0 0) iota=(- - - -)



#848 int 26046


block 338 (size 2)

couples to:

#687: -0.1250

bits 0111 1101 1010 0110

n=(2 2 0 0) iota=(- - - -)



#688 int 20708


block 339 (size 2)

couples to:

#843: -0.1250

bits 0010 0111 0000 1010

n=(1 2 0 0) iota=(- - - -)



#843 int 25986


block 339 (size 2)

couples to:

#688: -0.1250

bits 0100 0001 1010 0110

n=(1 2 0 0) iota=(- - - -)



#689 int 20709


block 340 (size 2)

couples to:

#844: -0.1250

bits 1010 0111 0000 1010

n=(0 2 0 0) iota=(- - - -)



#844 int 25987

block 340 (size 2)


couples to:

#689: -0.1250

bits 1100 0001 1010 0110

n=(0 2 0 0) iota=(- - - -)

plaq1: valid local states (page 74/102; states 1314-1331 of 1831 in block order)



#690 int 20717


block 341 (size 2)

couples to:

#845: -0.1250

bits 1011 0111 0000 1010

n=(2 2 0 0) iota=(- - - -)



#845 int 25995


block 341 (size 2)

couples to:

#690: -0.1250

bits 1101 0001 1010 0110

n=(2 2 0 0) iota=(- - - -)



#694 int 20802


block 342 (size 2)

couples to:

#817: -0.0625

bits 0100 0010 1000 1010

n=(1 1 1 0) iota=(- - - -)



#817 int 25636


block 342 (size 2)

couples to:

#694: -0.0625

bits 0010 0100 0010 0110

n=(1 1 1 0) iota=(- - - -)



#695 int 20803


block 343 (size 2)

couples to:

#818: -0.0625

bits 1100 0010 1000 1010

n=(0 1 1 0) iota=(- - - -)



#818 int 25637


block 343 (size 2)

couples to:

#695: -0.0625

bits 1010 0100 0010 0110

n=(0 1 1 0) iota=(- - - -)



#696 int 20811


block 344 (size 2)

couples to:

#819: -0.0625

bits 1101 0010 1000 1010

n=(2 1 1 0) iota=(- - - -)



#819 int 25645


block 344 (size 2)

couples to:

#696: -0.0625

bits 1011 0100 0010 0110

n=(2 1 1 0) iota=(- - - -)



#697 int 20818


block 345 (size 2)

couples to:

#820: +0.0625

bits 0100 1010 1000 1010

n=(1 0 1 0) iota=(- - - -)



#820 int 25652


block 345 (size 2)

couples to:

#697: +0.0625

bits 0010 1100 0010 0110

n=(1 0 1 0) iota=(- - - -)



#698 int 20819


block 346 (size 2)

couples to:

#821: +0.0625

bits 1100 1010 1000 1010

n=(0 0 1 0) iota=(- - - -)



#821 int 25653


block 346 (size 2)

couples to:

#698: +0.0625

bits 1010 1100 0010 0110

n=(0 0 1 0) iota=(- - - -)



#699 int 20827


block 347 (size 2)

couples to:

#822: +0.0625

bits 1101 1010 1000 1010

n=(2 0 1 0) iota=(- - - -)



#822 int 25661


block 347 (size 2)

couples to:

#699: +0.0625

bits 1011 1100 0010 0110

n=(2 0 1 0) iota=(- - - -)



#700 int 20838


block 348 (size 2)

couples to:

#811: -0.1250

bits 0110 0110 1000 1010

n=(0 0 1 0) iota=(- - - -)



#811 int 25600


block 348 (size 2)

couples to:

#700: -0.1250

bits 0000 0000 0010 0110

n=(0 0 1 0) iota=(- - - -)



#702 int 20846


block 350 (size 2)

couples to:

#813: -0.1250

bits 0111 0110 1000 1010

n=(2 0 1 0) iota=(- - - -)



#813 int 25608

block 350 (size 2)


couples to:

#702: -0.1250

bits 0001 0000 0010 0110

n=(2 0 1 0) iota=(- - - -)

plaq1: valid local states (page 75/102; states 1332-1349 of 1831 in block order)



#708 int 20946


block 354 (size 2)

couples to:

#826: +0.0625

bits 0100 1011 1000 1010

n=(1 2 1 0) iota=(- - - -)



#826 int 25780


block 354 (size 2)

couples to:

#708: +0.0625

bits 0010 1101 0010 0110

n=(1 2 1 0) iota=(- - - -)



#709 int 20947


block 355 (size 2)

couples to:

#827: +0.0625

bits 1100 1011 1000 1010

n=(0 2 1 0) iota=(- - - -)



#827 int 25781


block 355 (size 2)

couples to:

#709: +0.0625

bits 1010 1101 0010 0110

n=(0 2 1 0) iota=(- - - -)



#710 int 20955


block 356 (size 2)

couples to:

#828: +0.0625

bits 1101 1011 1000 1010

n=(2 2 1 0) iota=(- - - -)



#828 int 25789


block 356 (size 2)

couples to:

#710: +0.0625

bits 1011 1101 0010 0110

n=(2 2 1 0) iota=(- - - -)



#711 int 20966


block 357 (size 2)

couples to:

#823: -0.1250

bits 0110 0111 1000 1010

n=(0 2 1 0) iota=(- - - -)



#823 int 25728


block 357 (size 2)

couples to:

#711: -0.1250

bits 0000 0001 0010 0110

n=(0 2 1 0) iota=(- - - -)



#713 int 20974


block 359 (size 2)

couples to:

#825: -0.1250

bits 0111 0111 1000 1010

n=(2 2 1 0) iota=(- - - -)



#825 int 25736


block 359 (size 2)

couples to:

#713: -0.1250

bits 0001 0001 0010 0110

n=(2 2 1 0) iota=(- - - -)



#740 int 21314


block 378 (size 2)

couples to:

#856: -0.0625

bits 0100 0010 1100 1010

n=(1 1 0 0) iota=(- - - -)



#856 int 26148


block 378 (size 2)

couples to:

#740: -0.0625

bits 0010 0100 0110 0110

n=(1 1 0 0) iota=(- - - -)



#741 int 21315


block 379 (size 2)

couples to:

#857: -0.0625

bits 1100 0010 1100 1010

n=(0 1 0 0) iota=(- - - -)



#857 int 26149


block 379 (size 2)

couples to:

#741: -0.0625

bits 1010 0100 0110 0110

n=(0 1 0 0) iota=(- - - -)



#742 int 21323


block 380 (size 2)

couples to:

#858: -0.0625

bits 1101 0010 1100 1010

n=(2 1 0 0) iota=(- - - -)



#858 int 26157


block 380 (size 2)

couples to:

#742: -0.0625

bits 1011 0100 0110 0110

n=(2 1 0 0) iota=(- - - -)



#743 int 21330


block 381 (size 2)

couples to:

#859: +0.0625

bits 0100 1010 1100 1010

n=(1 0 0 0) iota=(- - - -)



#859 int 26164

block 381 (size 2)


couples to:

#743: +0.0625

bits 0010 1100 0110 0110

n=(1 0 0 0) iota=(- - - -)

plaq1: valid local states (page 76/102; states 1350-1367 of 1831 in block order)



#744 int 21331


block 382 (size 2)

couples to:

#860: +0.0625

bits 1100 1010 1100 1010

n=(0 0 0 0) iota=(- - - -)



#860 int 26165


block 382 (size 2)

couples to:

#744: +0.0625

bits 1010 1100 0110 0110

n=(0 0 0 0) iota=(- - - -)



#745 int 21339


block 383 (size 2)

couples to:

#861: +0.0625

bits 1101 1010 1100 1010

n=(2 0 0 0) iota=(- - - -)



#861 int 26173


block 383 (size 2)

couples to:

#745: +0.0625

bits 1011 1100 0110 0110

n=(2 0 0 0) iota=(- - - -)



#746 int 21350


block 384 (size 2)

couples to:

#850: -0.1250

bits 0110 0110 1100 1010

n=(0 0 0 0) iota=(- - - -)



#850 int 26112


block 384 (size 2)

couples to:

#746: -0.1250

bits 0000 0000 0110 0110

n=(0 0 0 0) iota=(- - - -)



#748 int 21358


block 386 (size 2)

couples to:

#852: -0.1250

bits 0111 0110 1100 1010

n=(2 0 0 0) iota=(- - - -)



#852 int 26120


block 386 (size 2)

couples to:

#748: -0.1250

bits 0001 0000 0110 0110

n=(2 0 0 0) iota=(- - - -)



#754 int 21458


block 390 (size 2)

couples to:

#865: +0.0625

bits 0100 1011 1100 1010

n=(1 2 0 0) iota=(- - - -)



#865 int 26292


block 390 (size 2)

couples to:

#754: +0.0625

bits 0010 1101 0110 0110

n=(1 2 0 0) iota=(- - - -)



#755 int 21459


block 391 (size 2)

couples to:

#866: +0.0625

bits 1100 1011 1100 1010

n=(0 2 0 0) iota=(- - - -)



#866 int 26293


block 391 (size 2)

couples to:

#755: +0.0625

bits 1010 1101 0110 0110

n=(0 2 0 0) iota=(- - - -)



#756 int 21467


block 392 (size 2)

couples to:

#867: +0.0625

bits 1101 1011 1100 1010

n=(2 2 0 0) iota=(- - - -)



#867 int 26301


block 392 (size 2)

couples to:

#756: +0.0625

bits 1011 1101 0110 0110

n=(2 2 0 0) iota=(- - - -)



#757 int 21478


block 393 (size 2)

couples to:

#862: -0.1250

bits 0110 0111 1100 1010

n=(0 2 0 0) iota=(- - - -)



#862 int 26240


block 393 (size 2)

couples to:

#757: -0.1250

bits 0000 0001 0110 0110

n=(0 2 0 0) iota=(- - - -)



#759 int 21486


block 395 (size 2)

couples to:

#864: -0.1250

bits 0111 0111 1100 1010

n=(2 2 0 0) iota=(- - - -)



#864 int 26248

block 395 (size 2)


couples to:

#759: -0.1250

bits 0001 0001 0110 0110

n=(2 2 0 0) iota=(- - - -)

plaq1: valid local states (page 77/102; states 1368-1385 of 1831 in block order)



#765 int 22592


block 396 (size 2)

couples to:

#895: +0.1250

bits 0000 0010 0001 1010

n=(0 1 2 0) iota=(- - - -)



#895 int 27942


block 396 (size 2)

couples to:

#765: +0.1250

bits 0110 0100 1011 0110

n=(0 1 2 0) iota=(- - - -)



#767 int 22600


block 398 (size 2)

couples to:

#897: +0.1250

bits 0001 0010 0001 1010

n=(2 1 2 0) iota=(- - - -)



#897 int 27950


block 398 (size 2)

couples to:

#767: +0.1250

bits 0111 0100 1011 0110

n=(2 1 2 0) iota=(- - - -)



#768 int 22608


block 399 (size 2)

couples to:

#899: -0.1250

bits 0000 1010 0001 1010

n=(0 0 2 0) iota=(- - - -)



#899 int 27958


block 399 (size 2)

couples to:

#768: -0.1250

bits 0110 1100 1011 0110

n=(0 0 2 0) iota=(- - - -)



#770 int 22616


block 401 (size 2)

couples to:

#901: -0.1250

bits 0001 1010 0001 1010

n=(2 0 2 0) iota=(- - - -)



#901 int 27966


block 401 (size 2)

couples to:

#770: -0.1250

bits 0111 1100 1011 0110

n=(2 0 2 0) iota=(- - - -)



#771 int 22628


block 402 (size 2)

couples to:

#889: -0.1250

bits 0010 0110 0001 1010

n=(1 0 2 0) iota=(- - - -)



#889 int 27906


block 402 (size 2)

couples to:

#771: -0.1250

bits 0100 0000 1011 0110

n=(1 0 2 0) iota=(- - - -)



#772 int 22629


block 403 (size 2)

couples to:

#890: -0.1250

bits 1010 0110 0001 1010

n=(0 0 2 0) iota=(- - - -)



#890 int 27907


block 403 (size 2)

couples to:

#772: -0.1250

bits 1100 0000 1011 0110

n=(0 0 2 0) iota=(- - - -)



#773 int 22637


block 404 (size 2)

couples to:

#891: -0.1250

bits 1011 0110 0001 1010

n=(2 0 2 0) iota=(- - - -)



#891 int 27915


block 404 (size 2)

couples to:

#773: -0.1250

bits 1101 0000 1011 0110

n=(2 0 2 0) iota=(- - - -)



#777 int 22736


block 408 (size 2)

couples to:

#906: -0.1250

bits 0000 1011 0001 1010

n=(0 2 2 0) iota=(- - - -)



#906 int 28086


block 408 (size 2)

couples to:

#777: -0.1250

bits 0110 1101 1011 0110

n=(0 2 2 0) iota=(- - - -)



#779 int 22744


block 410 (size 2)

couples to:

#908: -0.1250

bits 0001 1011 0001 1010

n=(2 2 2 0) iota=(- - - -)



#908 int 28094

block 410 (size 2)


couples to:

#779: -0.1250

bits 0111 1101 1011 0110

n=(2 2 2 0) iota=(- - - -)

plaq1: valid local states (page 78/102; states 1386-1403 of 1831 in block order)



#780 int 22756


block 411 (size 2)

couples to:

#903: -0.1250

bits 0010 0111 0001 1010

n=(1 2 2 0) iota=(- - - -)



#903 int 28034


block 411 (size 2)

couples to:

#780: -0.1250

bits 0100 0001 1011 0110

n=(1 2 2 0) iota=(- - - -)



#781 int 22757


block 412 (size 2)

couples to:

#904: -0.1250

bits 1010 0111 0001 1010

n=(0 2 2 0) iota=(- - - -)



#904 int 28035


block 412 (size 2)

couples to:

#781: -0.1250

bits 1100 0001 1011 0110

n=(0 2 2 0) iota=(- - - -)



#782 int 22765


block 413 (size 2)

couples to:

#905: -0.1250

bits 1011 0111 0001 1010

n=(2 2 2 0) iota=(- - - -)



#905 int 28043


block 413 (size 2)

couples to:

#782: -0.1250

bits 1101 0001 1011 0110

n=(2 2 2 0) iota=(- - - -)



#786 int 23362


block 414 (size 2)

couples to:

#916: -0.0625

bits 0100 0010 1101 1010

n=(1 1 2 0) iota=(- - - -)



#916 int 28196


block 414 (size 2)

couples to:

#786: -0.0625

bits 0010 0100 0111 0110

n=(1 1 2 0) iota=(- - - -)



#787 int 23363


block 415 (size 2)

couples to:

#917: -0.0625

bits 1100 0010 1101 1010

n=(0 1 2 0) iota=(- - - -)



#917 int 28197


block 415 (size 2)

couples to:

#787: -0.0625

bits 1010 0100 0111 0110

n=(0 1 2 0) iota=(- - - -)



#788 int 23371


block 416 (size 2)

couples to:

#918: -0.0625

bits 1101 0010 1101 1010

n=(2 1 2 0) iota=(- - - -)



#918 int 28205


block 416 (size 2)

couples to:

#788: -0.0625

bits 1011 0100 0111 0110

n=(2 1 2 0) iota=(- - - -)



#789 int 23378


block 417 (size 2)

couples to:

#919: +0.0625

bits 0100 1010 1101 1010

n=(1 0 2 0) iota=(- - - -)



#919 int 28212


block 417 (size 2)

couples to:

#789: +0.0625

bits 0010 1100 0111 0110

n=(1 0 2 0) iota=(- - - -)



#790 int 23379


block 418 (size 2)

couples to:

#920: +0.0625

bits 1100 1010 1101 1010

n=(0 0 2 0) iota=(- - - -)



#920 int 28213


block 418 (size 2)

couples to:

#790: +0.0625

bits 1010 1100 0111 0110

n=(0 0 2 0) iota=(- - - -)



#791 int 23387


block 419 (size 2)

couples to:

#921: +0.0625

bits 1101 1010 1101 1010

n=(2 0 2 0) iota=(- - - -)



#921 int 28221

block 419 (size 2)


couples to:

#791: +0.0625

bits 1011 1100 0111 0110

n=(2 0 2 0) iota=(- - - -)

plaq1: valid local states (page 79/102; states 1404-1421 of 1831 in block order)



#792 int 23398


block 420 (size 2)

couples to:

#910: -0.1250

bits 0110 0110 1101 1010

n=(0 0 2 0) iota=(- - - -)



#910 int 28160


block 420 (size 2)

couples to:

#792: -0.1250

bits 0000 0000 0111 0110

n=(0 0 2 0) iota=(- - - -)



#794 int 23406


block 422 (size 2)

couples to:

#912: -0.1250

bits 0111 0110 1101 1010

n=(2 0 2 0) iota=(- - - -)



#912 int 28168


block 422 (size 2)

couples to:

#794: -0.1250

bits 0001 0000 0111 0110

n=(2 0 2 0) iota=(- - - -)



#800 int 23506


block 426 (size 2)

couples to:

#925: +0.0625

bits 0100 1011 1101 1010

n=(1 2 2 0) iota=(- - - -)



#925 int 28340


block 426 (size 2)

couples to:

#800: +0.0625

bits 0010 1101 0111 0110

n=(1 2 2 0) iota=(- - - -)



#801 int 23507


block 427 (size 2)

couples to:

#926: +0.0625

bits 1100 1011 1101 1010

n=(0 2 2 0) iota=(- - - -)



#926 int 28341


block 427 (size 2)

couples to:

#801: +0.0625

bits 1010 1101 0111 0110

n=(0 2 2 0) iota=(- - - -)



#802 int 23515


block 428 (size 2)

couples to:

#927: +0.0625

bits 1101 1011 1101 1010

n=(2 2 2 0) iota=(- - - -)



#927 int 28349


block 428 (size 2)

couples to:

#802: +0.0625

bits 1011 1101 0111 0110

n=(2 2 2 0) iota=(- - - -)



#803 int 23526


block 429 (size 2)

couples to:

#922: -0.1250

bits 0110 0111 1101 1010

n=(0 2 2 0) iota=(- - - -)



#922 int 28288


block 429 (size 2)

couples to:

#803: -0.1250

bits 0000 0001 0111 0110

n=(0 2 2 0) iota=(- - - -)



#805 int 23534


block 431 (size 2)

couples to:

#924: -0.1250

bits 0111 0111 1101 1010

n=(2 2 2 0) iota=(- - - -)



#924 int 28296


block 431 (size 2)

couples to:

#805: -0.1250

bits 0001 0001 0111 0110

n=(2 2 2 0) iota=(- - - -)



#1112 int 32768


block 432 (size 2)

couples to:

#1256: +0.2500

bits 0000 0000 0000 0001

n=(0 0 0 2) iota=(- - - -)



#1256 int 46438


block 432 (size 2)

couples to:

#1112: +0.2500

bits 0110 0110 1010 1101

n=(0 0 0 2) iota=(- - - -)



#1114 int 32776


block 434 (size 2)

couples to:

#1258: +0.2500

bits 0001 0000 0000 0001

n=(2 0 0 2) iota=(- - - -)



#1258 int 46446

block 434 (size 2)


couples to:

#1114: +0.2500

bits 0111 0110 1010 1101

n=(2 0 0 2) iota=(- - - -)

plaq1: valid local states (page 80/102; states 1422-1439 of 1831 in block order)



#1118 int 32804


block 438 (size 2)

couples to:

#1250: +0.1250

bits 0010 0100 0000 0001

n=(1 1 0 2) iota=(- - - -)



#1250 int 46402


block 438 (size 2)

couples to:

#1118: +0.1250

bits 0100 0010 1010 1101

n=(1 1 0 2) iota=(- - - -)



#1119 int 32805


block 439 (size 2)

couples to:

#1251: +0.1250

bits 1010 0100 0000 0001

n=(0 1 0 2) iota=(- - - -)



#1251 int 46403


block 439 (size 2)

couples to:

#1119: +0.1250

bits 1100 0010 1010 1101

n=(0 1 0 2) iota=(- - - -)



#1120 int 32813


block 440 (size 2)

couples to:

#1252: +0.1250

bits 1011 0100 0000 0001

n=(2 1 0 2) iota=(- - - -)



#1252 int 46411


block 440 (size 2)

couples to:

#1120: +0.1250

bits 1101 0010 1010 1101

n=(2 1 0 2) iota=(- - - -)



#1121 int 32820


block 441 (size 2)

couples to:

#1253: -0.1250

bits 0010 1100 0000 0001

n=(1 0 0 2) iota=(- - - -)



#1253 int 46418


block 441 (size 2)

couples to:

#1121: -0.1250

bits 0100 1010 1010 1101

n=(1 0 0 2) iota=(- - - -)



#1122 int 32821


block 442 (size 2)

couples to:

#1254: -0.1250

bits 1010 1100 0000 0001

n=(0 0 0 2) iota=(- - - -)



#1254 int 46419


block 442 (size 2)

couples to:

#1122: -0.1250

bits 1100 1010 1010 1101

n=(0 0 0 2) iota=(- - - -)



#1123 int 32829


block 443 (size 2)

couples to:

#1255: -0.1250

bits 1011 1100 0000 0001

n=(2 0 0 2) iota=(- - - -)



#1255 int 46427


block 443 (size 2)

couples to:

#1123: -0.1250

bits 1101 1010 1010 1101

n=(2 0 0 2) iota=(- - - -)



#1124 int 32896


block 444 (size 2)

couples to:

#1267: +0.2500

bits 0000 0001 0000 0001

n=(0 2 0 2) iota=(- - - -)



#1267 int 46566


block 444 (size 2)

couples to:

#1124: +0.2500

bits 0110 0111 1010 1101

n=(0 2 0 2) iota=(- - - -)



#1126 int 32904


block 446 (size 2)

couples to:

#1269: +0.2500

bits 0001 0001 0000 0001

n=(2 2 0 2) iota=(- - - -)



#1269 int 46574


block 446 (size 2)

couples to:

#1126: +0.2500

bits 0111 0111 1010 1101

n=(2 2 0 2) iota=(- - - -)



#1127 int 32948


block 447 (size 2)

couples to:

#1264: -0.1250

bits 0010 1101 0000 0001

n=(1 2 0 2) iota=(- - - -)



#1264 int 46546

block 447 (size 2)


couples to:

#1127: -0.1250

bits 0100 1011 1010 1101

n=(1 2 0 2) iota=(- - - -)

plaq1: valid local states (page 81/102; states 1440-1457 of 1831 in block order)



#1128 int 32949


block 448 (size 2)

couples to:

#1265: -0.1250

bits 1010 1101 0000 0001

n=(0 2 0 2) iota=(- - - -)



#1265 int 46547


block 448 (size 2)

couples to:

#1128: -0.1250

bits 1100 1011 1010 1101

n=(0 2 0 2) iota=(- - - -)



#1129 int 32957


block 449 (size 2)

couples to:

#1266: -0.1250

bits 1011 1101 0000 0001

n=(2 2 0 2) iota=(- - - -)



#1266 int 46555


block 449 (size 2)

couples to:

#1129: -0.1250

bits 1101 1011 1010 1101

n=(2 2 0 2) iota=(- - - -)



#1130 int 33026


block 450 (size 2)

couples to:

#1235: -0.1250

bits 0100 0000 1000 0001

n=(1 0 1 2) iota=(- - - -)



#1235 int 46180


block 450 (size 2)

couples to:

#1130: -0.1250

bits 0010 0110 0010 1101

n=(1 0 1 2) iota=(- - - -)



#1131 int 33027


block 451 (size 2)

couples to:

#1236: -0.1250

bits 1100 0000 1000 0001

n=(0 0 1 2) iota=(- - - -)



#1236 int 46181


block 451 (size 2)

couples to:

#1131: -0.1250

bits 1010 0110 0010 1101

n=(0 0 1 2) iota=(- - - -)



#1132 int 33035


block 452 (size 2)

couples to:

#1237: -0.1250

bits 1101 0000 1000 0001

n=(2 0 1 2) iota=(- - - -)



#1237 int 46189


block 452 (size 2)

couples to:

#1132: -0.1250

bits 1011 0110 0010 1101

n=(2 0 1 2) iota=(- - - -)



#1136 int 33062


block 456 (size 2)

couples to:

#1229: +0.1250

bits 0110 0100 1000 0001

n=(0 1 1 2) iota=(- - - -)



#1229 int 46144


block 456 (size 2)

couples to:

#1136: +0.1250

bits 0000 0010 0010 1101

n=(0 1 1 2) iota=(- - - -)



#1138 int 33070


block 458 (size 2)

couples to:

#1231: +0.1250

bits 0111 0100 1000 0001

n=(2 1 1 2) iota=(- - - -)



#1231 int 46152


block 458 (size 2)

couples to:

#1138: +0.1250

bits 0001 0010 0010 1101

n=(2 1 1 2) iota=(- - - -)



#1140 int 33078


block 459 (size 2)

couples to:

#1232: -0.1250

bits 0110 1100 1000 0001

n=(0 0 1 2) iota=(- - - -)



#1232 int 46160


block 459 (size 2)

couples to:

#1140: -0.1250

bits 0000 1010 0010 1101

n=(0 0 1 2) iota=(- - - -)



#1142 int 33086


block 461 (size 2)

couples to:

#1234: -0.1250

bits 0111 1100 1000 0001

n=(2 0 1 2) iota=(- - - -)



#1234 int 46168

block 461 (size 2)


couples to:

#1142: -0.1250

bits 0001 1010 0010 1101

n=(2 0 1 2) iota=(- - - -)

plaq1: valid local states (page 82/102; states 1458-1475 of 1831 in block order)



#1144 int 33154


block 462 (size 2)

couples to:

#1244: -0.1250

bits 0100 0001 1000 0001

n=(1 2 1 2) iota=(- - - -)



#1244 int 46308


block 462 (size 2)

couples to:

#1144: -0.1250

bits 0010 0111 0010 1101

n=(1 2 1 2) iota=(- - - -)



#1145 int 33155


block 463 (size 2)

couples to:

#1245: -0.1250

bits 1100 0001 1000 0001

n=(0 2 1 2) iota=(- - - -)



#1245 int 46309


block 463 (size 2)

couples to:

#1145: -0.1250

bits 1010 0111 0010 1101

n=(0 2 1 2) iota=(- - - -)



#1146 int 33163


block 464 (size 2)

couples to:

#1246: -0.1250

bits 1101 0001 1000 0001

n=(2 2 1 2) iota=(- - - -)



#1246 int 46317


block 464 (size 2)

couples to:

#1146: -0.1250

bits 1011 0111 0010 1101

n=(2 2 1 2) iota=(- - - -)



#1147 int 33206


block 465 (size 2)

couples to:

#1241: -0.1250

bits 0110 1101 1000 0001

n=(0 2 1 2) iota=(- - - -)



#1241 int 46288


block 465 (size 2)

couples to:

#1147: -0.1250

bits 0000 1011 0010 1101

n=(0 2 1 2) iota=(- - - -)



#1149 int 33214


block 467 (size 2)

couples to:

#1243: -0.1250

bits 0111 1101 1000 0001

n=(2 2 1 2) iota=(- - - -)



#1243 int 46296


block 467 (size 2)

couples to:

#1149: -0.1250

bits 0001 1011 0010 1101

n=(2 2 1 2) iota=(- - - -)



#1169 int 33538


block 486 (size 2)

couples to:

#1281: -0.1250

bits 0100 0000 1100 0001

n=(1 0 0 2) iota=(- - - -)



#1281 int 46692


block 486 (size 2)

couples to:

#1169: -0.1250

bits 0010 0110 0110 1101

n=(1 0 0 2) iota=(- - - -)



#1170 int 33539


block 487 (size 2)

couples to:

#1282: -0.1250

bits 1100 0000 1100 0001

n=(0 0 0 2) iota=(- - - -)



#1282 int 46693


block 487 (size 2)

couples to:

#1170: -0.1250

bits 1010 0110 0110 1101

n=(0 0 0 2) iota=(- - - -)



#1171 int 33547


block 488 (size 2)

couples to:

#1283: -0.1250

bits 1101 0000 1100 0001

n=(2 0 0 2) iota=(- - - -)



#1283 int 46701


block 488 (size 2)

couples to:

#1171: -0.1250

bits 1011 0110 0110 1101

n=(2 0 0 2) iota=(- - - -)



#1175 int 33574


block 492 (size 2)

couples to:

#1275: +0.1250

bits 0110 0100 1100 0001

n=(0 1 0 2) iota=(- - - -)



#1275 int 46656

block 492 (size 2)


couples to:

#1175: +0.1250

bits 0000 0010 0110 1101

n=(0 1 0 2) iota=(- - - -)

plaq1: valid local states (page 83/102; states 1476-1493 of 1831 in block order)



#1177 int 33582


block 494 (size 2)

couples to:

#1277: +0.1250

bits 0111 0100 1100 0001

n=(2 1 0 2) iota=(- - - -)



#1277 int 46664


block 494 (size 2)

couples to:

#1177: +0.1250

bits 0001 0010 0110 1101

n=(2 1 0 2) iota=(- - - -)



#1179 int 33590


block 495 (size 2)

couples to:

#1278: -0.1250

bits 0110 1100 1100 0001

n=(0 0 0 2) iota=(- - - -)



#1278 int 46672


block 495 (size 2)

couples to:

#1179: -0.1250

bits 0000 1010 0110 1101

n=(0 0 0 2) iota=(- - - -)



#1181 int 33598


block 497 (size 2)

couples to:

#1280: -0.1250

bits 0111 1100 1100 0001

n=(2 0 0 2) iota=(- - - -)



#1280 int 46680


block 497 (size 2)

couples to:

#1181: -0.1250

bits 0001 1010 0110 1101

n=(2 0 0 2) iota=(- - - -)



#1183 int 33666


block 498 (size 2)

couples to:

#1290: -0.1250

bits 0100 0001 1100 0001

n=(1 2 0 2) iota=(- - - -)



#1290 int 46820


block 498 (size 2)

couples to:

#1183: -0.1250

bits 0010 0111 0110 1101

n=(1 2 0 2) iota=(- - - -)



#1184 int 33667


block 499 (size 2)

couples to:

#1291: -0.1250

bits 1100 0001 1100 0001

n=(0 2 0 2) iota=(- - - -)



#1291 int 46821


block 499 (size 2)

couples to:

#1184: -0.1250

bits 1010 0111 0110 1101

n=(0 2 0 2) iota=(- - - -)



#1185 int 33675


block 500 (size 2)

couples to:

#1292: -0.1250

bits 1101 0001 1100 0001

n=(2 2 0 2) iota=(- - - -)



#1292 int 46829


block 500 (size 2)

couples to:

#1185: -0.1250

bits 1011 0111 0110 1101

n=(2 2 0 2) iota=(- - - -)



#1186 int 33718


block 501 (size 2)

couples to:

#1287: -0.1250

bits 0110 1101 1100 0001

n=(0 2 0 2) iota=(- - - -)



#1287 int 46800


block 501 (size 2)

couples to:

#1186: -0.1250

bits 0000 1011 0110 1101

n=(0 2 0 2) iota=(- - - -)



#1188 int 33726


block 503 (size 2)

couples to:

#1289: -0.1250

bits 0111 1101 1100 0001

n=(2 2 0 2) iota=(- - - -)



#1289 int 46808


block 503 (size 2)

couples to:

#1188: -0.1250

bits 0001 1011 0110 1101

n=(2 2 0 2) iota=(- - - -)



#1190 int 34816


block 504 (size 2)

couples to:

#1327: +0.2500

bits 0000 0000 0001 0001

n=(0 0 2 2) iota=(- - - -)



#1327 int 48486

block 504 (size 2)


couples to:

#1190: +0.2500

bits 0110 0110 1011 1101

n=(0 0 2 2) iota=(- - - -)

plaq1: valid local states (page 84/102; states 1494-1511 of 1831 in block order)



#1192 int 34824


block 506 (size 2)

couples to:

#1329: +0.2500

bits 0001 0000 0001 0001

n=(2 0 2 2) iota=(- - - -)



#1329 int 48494


block 506 (size 2)

couples to:

#1192: +0.2500

bits 0111 0110 1011 1101

n=(2 0 2 2) iota=(- - - -)



#1196 int 34852


block 510 (size 2)

couples to:

#1321: +0.1250

bits 0010 0100 0001 0001

n=(1 1 2 2) iota=(- - - -)



#1321 int 48450


block 510 (size 2)

couples to:

#1196: +0.1250

bits 0100 0010 1011 1101

n=(1 1 2 2) iota=(- - - -)



#1197 int 34853


block 511 (size 2)

couples to:

#1322: +0.1250

bits 1010 0100 0001 0001

n=(0 1 2 2) iota=(- - - -)



#1322 int 48451


block 511 (size 2)

couples to:

#1197: +0.1250

bits 1100 0010 1011 1101

n=(0 1 2 2) iota=(- - - -)



#1198 int 34861


block 512 (size 2)

couples to:

#1323: +0.1250

bits 1011 0100 0001 0001

n=(2 1 2 2) iota=(- - - -)



#1323 int 48459


block 512 (size 2)

couples to:

#1198: +0.1250

bits 1101 0010 1011 1101

n=(2 1 2 2) iota=(- - - -)



#1199 int 34868


block 513 (size 2)

couples to:

#1324: -0.1250

bits 0010 1100 0001 0001

n=(1 0 2 2) iota=(- - - -)



#1324 int 48466


block 513 (size 2)

couples to:

#1199: -0.1250

bits 0100 1010 1011 1101

n=(1 0 2 2) iota=(- - - -)



#1200 int 34869


block 514 (size 2)

couples to:

#1325: -0.1250

bits 1010 1100 0001 0001

n=(0 0 2 2) iota=(- - - -)



#1325 int 48467


block 514 (size 2)

couples to:

#1200: -0.1250

bits 1100 1010 1011 1101

n=(0 0 2 2) iota=(- - - -)



#1201 int 34877


block 515 (size 2)

couples to:

#1326: -0.1250

bits 1011 1100 0001 0001

n=(2 0 2 2) iota=(- - - -)



#1326 int 48475


block 515 (size 2)

couples to:

#1201: -0.1250

bits 1101 1010 1011 1101

n=(2 0 2 2) iota=(- - - -)



#1202 int 34944


block 516 (size 2)

couples to:

#1338: +0.2500

bits 0000 0001 0001 0001

n=(0 2 2 2) iota=(- - - -)



#1338 int 48614


block 516 (size 2)

couples to:

#1202: +0.2500

bits 0110 0111 1011 1101

n=(0 2 2 2) iota=(- - - -)



#1204 int 34952


block 518 (size 2)

couples to:

#1340: +0.2500

bits 0001 0001 0001 0001

n=(2 2 2 2) iota=(- - - -)



#1340 int 48622

block 518 (size 2)


couples to:

#1204: +0.2500

bits 0111 0111 1011 1101

n=(2 2 2 2) iota=(- - - -)

plaq1: valid local states (page 85/102; states 1512-1529 of 1831 in block order)



#1205 int 34996


block 519 (size 2)

couples to:

#1335: -0.1250

bits 0010 1101 0001 0001

n=(1 2 2 2) iota=(- - - -)



#1335 int 48594


block 519 (size 2)

couples to:

#1205: -0.1250

bits 0100 1011 1011 1101

n=(1 2 2 2) iota=(- - - -)



#1206 int 34997


block 520 (size 2)

couples to:

#1336: -0.1250

bits 1010 1101 0001 0001

n=(0 2 2 2) iota=(- - - -)



#1336 int 48595


block 520 (size 2)

couples to:

#1206: -0.1250

bits 1100 1011 1011 1101

n=(0 2 2 2) iota=(- - - -)



#1207 int 35005


block 521 (size 2)

couples to:

#1337: -0.1250

bits 1011 1101 0001 0001

n=(2 2 2 2) iota=(- - - -)



#1337 int 48603


block 521 (size 2)

couples to:

#1207: -0.1250

bits 1101 1011 1011 1101

n=(2 2 2 2) iota=(- - - -)



#1208 int 35586


block 522 (size 2)

couples to:

#1352: -0.1250

bits 0100 0000 1101 0001

n=(1 0 2 2) iota=(- - - -)



#1352 int 48740


block 522 (size 2)

couples to:

#1208: -0.1250

bits 0010 0110 0111 1101

n=(1 0 2 2) iota=(- - - -)



#1209 int 35587


block 523 (size 2)

couples to:

#1353: -0.1250

bits 1100 0000 1101 0001

n=(0 0 2 2) iota=(- - - -)



#1353 int 48741


block 523 (size 2)

couples to:

#1209: -0.1250

bits 1010 0110 0111 1101

n=(0 0 2 2) iota=(- - - -)



#1210 int 35595


block 524 (size 2)

couples to:

#1354: -0.1250

bits 1101 0000 1101 0001

n=(2 0 2 2) iota=(- - - -)



#1354 int 48749


block 524 (size 2)

couples to:

#1210: -0.1250

bits 1011 0110 0111 1101

n=(2 0 2 2) iota=(- - - -)



#1214 int 35622


block 528 (size 2)

couples to:

#1346: +0.1250

bits 0110 0100 1101 0001

n=(0 1 2 2) iota=(- - - -)



#1346 int 48704


block 528 (size 2)

couples to:

#1214: +0.1250

bits 0000 0010 0111 1101

n=(0 1 2 2) iota=(- - - -)



#1216 int 35630


block 530 (size 2)

couples to:

#1348: +0.1250

bits 0111 0100 1101 0001

n=(2 1 2 2) iota=(- - - -)



#1348 int 48712


block 530 (size 2)

couples to:

#1216: +0.1250

bits 0001 0010 0111 1101

n=(2 1 2 2) iota=(- - - -)



#1218 int 35638


block 531 (size 2)

couples to:

#1349: -0.1250

bits 0110 1100 1101 0001

n=(0 0 2 2) iota=(- - - -)



#1349 int 48720

block 531 (size 2)


couples to:

#1218: -0.1250

bits 0000 1010 0111 1101

n=(0 0 2 2) iota=(- - - -)

plaq1: valid local states (page 86/102; states 1530-1547 of 1831 in block order)



#1220 int 35646


block 533 (size 2)

couples to:

#1351: -0.1250

bits 0111 1100 1101 0001

n=(2 0 2 2) iota=(- - - -)



#1351 int 48728


block 533 (size 2)

couples to:

#1220: -0.1250

bits 0001 1010 0111 1101

n=(2 0 2 2) iota=(- - - -)



#1222 int 35714


block 534 (size 2)

couples to:

#1361: -0.1250

bits 0100 0001 1101 0001

n=(1 2 2 2) iota=(- - - -)



#1361 int 48868


block 534 (size 2)

couples to:

#1222: -0.1250

bits 0010 0111 0111 1101

n=(1 2 2 2) iota=(- - - -)



#1223 int 35715


block 535 (size 2)

couples to:

#1362: -0.1250

bits 1100 0001 1101 0001

n=(0 2 2 2) iota=(- - - -)



#1362 int 48869


block 535 (size 2)

couples to:

#1223: -0.1250

bits 1010 0111 0111 1101

n=(0 2 2 2) iota=(- - - -)



#1224 int 35723


block 536 (size 2)

couples to:

#1363: -0.1250

bits 1101 0001 1101 0001

n=(2 2 2 2) iota=(- - - -)



#1363 int 48877


block 536 (size 2)

couples to:

#1224: -0.1250

bits 1011 0111 0111 1101

n=(2 2 2 2) iota=(- - - -)



#1225 int 35766


block 537 (size 2)

couples to:

#1358: -0.1250

bits 0110 1101 1101 0001

n=(0 2 2 2) iota=(- - - -)



#1358 int 48848


block 537 (size 2)

couples to:

#1225: -0.1250

bits 0000 1011 0111 1101

n=(0 2 2 2) iota=(- - - -)



#1227 int 35774


block 539 (size 2)

couples to:

#1360: -0.1250

bits 0111 1101 1101 0001

n=(2 2 2 2) iota=(- - - -)



#1360 int 48856


block 539 (size 2)

couples to:

#1227: -0.1250

bits 0001 1011 0111 1101

n=(2 2 2 2) iota=(- - - -)



#1392 int 53312


block 540 (size 2)

couples to:

#1554: +0.1250

bits 0000 0010 0000 1011

n=(0 1 0 2) iota=(- - - -)



#1554 int 58662


block 540 (size 2)

couples to:

#1392: +0.1250

bits 0110 0100 1010 0111

n=(0 1 0 2) iota=(- - - -)



#1394 int 53320


block 542 (size 2)

couples to:

#1556: +0.1250

bits 0001 0010 0000 1011

n=(2 1 0 2) iota=(- - - -)



#1556 int 58670


block 542 (size 2)

couples to:

#1394: +0.1250

bits 0111 0100 1010 0111

n=(2 1 0 2) iota=(- - - -)



#1395 int 53328


block 543 (size 2)

couples to:

#1558: -0.1250

bits 0000 1010 0000 1011

n=(0 0 0 2) iota=(- - - -)



#1558 int 58678

block 543 (size 2)


couples to:

#1395: -0.1250

bits 0110 1100 1010 0111

n=(0 0 0 2) iota=(- - - -)

plaq1: valid local states (page 87/102; states 1548-1565 of 1831 in block order)



#1397 int 53336


block 545 (size 2)

couples to:

#1560: -0.1250

bits 0001 1010 0000 1011

n=(2 0 0 2) iota=(- - - -)



#1560 int 58686


block 545 (size 2)

couples to:

#1397: -0.1250

bits 0111 1100 1010 0111

n=(2 0 0 2) iota=(- - - -)



#1398 int 53348


block 546 (size 2)

couples to:

#1548: -0.1250

bits 0010 0110 0000 1011

n=(1 0 0 2) iota=(- - - -)



#1548 int 58626


block 546 (size 2)

couples to:

#1398: -0.1250

bits 0100 0000 1010 0111

n=(1 0 0 2) iota=(- - - -)



#1399 int 53349


block 547 (size 2)

couples to:

#1549: -0.1250

bits 1010 0110 0000 1011

n=(0 0 0 2) iota=(- - - -)



#1549 int 58627


block 547 (size 2)

couples to:

#1399: -0.1250

bits 1100 0000 1010 0111

n=(0 0 0 2) iota=(- - - -)



#1400 int 53357


block 548 (size 2)

couples to:

#1550: -0.1250

bits 1011 0110 0000 1011

n=(2 0 0 2) iota=(- - - -)



#1550 int 58635


block 548 (size 2)

couples to:

#1400: -0.1250

bits 1101 0000 1010 0111

n=(2 0 0 2) iota=(- - - -)



#1404 int 53456


block 552 (size 2)

couples to:

#1565: -0.1250

bits 0000 1011 0000 1011

n=(0 2 0 2) iota=(- - - -)



#1565 int 58806


block 552 (size 2)

couples to:

#1404: -0.1250

bits 0110 1101 1010 0111

n=(0 2 0 2) iota=(- - - -)



#1406 int 53464


block 554 (size 2)

couples to:

#1567: -0.1250

bits 0001 1011 0000 1011

n=(2 2 0 2) iota=(- - - -)



#1567 int 58814


block 554 (size 2)

couples to:

#1406: -0.1250

bits 0111 1101 1010 0111

n=(2 2 0 2) iota=(- - - -)



#1407 int 53476


block 555 (size 2)

couples to:

#1562: -0.1250

bits 0010 0111 0000 1011

n=(1 2 0 2) iota=(- - - -)



#1562 int 58754


block 555 (size 2)

couples to:

#1407: -0.1250

bits 0100 0001 1010 0111

n=(1 2 0 2) iota=(- - - -)



#1408 int 53477


block 556 (size 2)

couples to:

#1563: -0.1250

bits 1010 0111 0000 1011

n=(0 2 0 2) iota=(- - - -)



#1563 int 58755


block 556 (size 2)

couples to:

#1408: -0.1250

bits 1100 0001 1010 0111

n=(0 2 0 2) iota=(- - - -)



#1409 int 53485


block 557 (size 2)

couples to:

#1564: -0.1250

bits 1011 0111 0000 1011

n=(2 2 0 2) iota=(- - - -)



#1564 int 58763

block 557 (size 2)


couples to:

#1409: -0.1250

bits 1101 0001 1010 0111

n=(2 2 0 2) iota=(- - - -)

plaq1: valid local states (page 88/102; states 1566-1583 of 1831 in block order)



#1413 int 53570


block 558 (size 2)

couples to:

#1536: -0.0625

bits 0100 0010 1000 1011

n=(1 1 1 2) iota=(- - - -)



#1536 int 58404


block 558 (size 2)

couples to:

#1413: -0.0625

bits 0010 0100 0010 0111

n=(1 1 1 2) iota=(- - - -)



#1414 int 53571


block 559 (size 2)

couples to:

#1537: -0.0625

bits 1100 0010 1000 1011

n=(0 1 1 2) iota=(- - - -)



#1537 int 58405


block 559 (size 2)

couples to:

#1414: -0.0625

bits 1010 0100 0010 0111

n=(0 1 1 2) iota=(- - - -)



#1415 int 53579


block 560 (size 2)

couples to:

#1538: -0.0625

bits 1101 0010 1000 1011

n=(2 1 1 2) iota=(- - - -)



#1538 int 58413


block 560 (size 2)

couples to:

#1415: -0.0625

bits 1011 0100 0010 0111

n=(2 1 1 2) iota=(- - - -)



#1416 int 53586


block 561 (size 2)

couples to:

#1539: +0.0625

bits 0100 1010 1000 1011

n=(1 0 1 2) iota=(- - - -)



#1539 int 58420


block 561 (size 2)

couples to:

#1416: +0.0625

bits 0010 1100 0010 0111

n=(1 0 1 2) iota=(- - - -)



#1417 int 53587


block 562 (size 2)

couples to:

#1540: +0.0625

bits 1100 1010 1000 1011

n=(0 0 1 2) iota=(- - - -)



#1540 int 58421


block 562 (size 2)

couples to:

#1417: +0.0625

bits 1010 1100 0010 0111

n=(0 0 1 2) iota=(- - - -)



#1418 int 53595


block 563 (size 2)

couples to:

#1541: +0.0625

bits 1101 1010 1000 1011

n=(2 0 1 2) iota=(- - - -)



#1541 int 58429


block 563 (size 2)

couples to:

#1418: +0.0625

bits 1011 1100 0010 0111

n=(2 0 1 2) iota=(- - - -)



#1419 int 53606


block 564 (size 2)

couples to:

#1530: -0.1250

bits 0110 0110 1000 1011

n=(0 0 1 2) iota=(- - - -)



#1530 int 58368


block 564 (size 2)

couples to:

#1419: -0.1250

bits 0000 0000 0010 0111

n=(0 0 1 2) iota=(- - - -)



#1421 int 53614


block 566 (size 2)

couples to:

#1532: -0.1250

bits 0111 0110 1000 1011

n=(2 0 1 2) iota=(- - - -)



#1532 int 58376


block 566 (size 2)

couples to:

#1421: -0.1250

bits 0001 0000 0010 0111

n=(2 0 1 2) iota=(- - - -)



#1427 int 53714


block 570 (size 2)

couples to:

#1545: +0.0625

bits 0100 1011 1000 1011

n=(1 2 1 2) iota=(- - - -)



#1545 int 58548

block 570 (size 2)


couples to:

#1427: +0.0625

bits 0010 1101 0010 0111

n=(1 2 1 2) iota=(- - - -)

plaq1: valid local states (page 89/102; states 1584-1601 of 1831 in block order)



#1428 int 53715


block 571 (size 2)

couples to:

#1546: +0.0625

bits 1100 1011 1000 1011

n=(0 2 1 2) iota=(- - - -)



#1546 int 58549


block 571 (size 2)

couples to:

#1428: +0.0625

bits 1010 1101 0010 0111

n=(0 2 1 2) iota=(- - - -)



#1429 int 53723


block 572 (size 2)

couples to:

#1547: +0.0625

bits 1101 1011 1000 1011

n=(2 2 1 2) iota=(- - - -)



#1547 int 58557


block 572 (size 2)

couples to:

#1429: +0.0625

bits 1011 1101 0010 0111

n=(2 2 1 2) iota=(- - - -)



#1430 int 53734


block 573 (size 2)

couples to:

#1542: -0.1250

bits 0110 0111 1000 1011

n=(0 2 1 2) iota=(- - - -)



#1542 int 58496


block 573 (size 2)

couples to:

#1430: -0.1250

bits 0000 0001 0010 0111

n=(0 2 1 2) iota=(- - - -)



#1432 int 53742


block 575 (size 2)

couples to:

#1544: -0.1250

bits 0111 0111 1000 1011

n=(2 2 1 2) iota=(- - - -)



#1544 int 58504


block 575 (size 2)

couples to:

#1432: -0.1250

bits 0001 0001 0010 0111

n=(2 2 1 2) iota=(- - - -)



#1459 int 54082


block 594 (size 2)

couples to:

#1575: -0.0625

bits 0100 0010 1100 1011

n=(1 1 0 2) iota=(- - - -)



#1575 int 58916


block 594 (size 2)

couples to:

#1459: -0.0625

bits 0010 0100 0110 0111

n=(1 1 0 2) iota=(- - - -)



#1460 int 54083


block 595 (size 2)

couples to:

#1576: -0.0625

bits 1100 0010 1100 1011

n=(0 1 0 2) iota=(- - - -)



#1576 int 58917


block 595 (size 2)

couples to:

#1460: -0.0625

bits 1010 0100 0110 0111

n=(0 1 0 2) iota=(- - - -)



#1461 int 54091


block 596 (size 2)

couples to:

#1577: -0.0625

bits 1101 0010 1100 1011

n=(2 1 0 2) iota=(- - - -)



#1577 int 58925


block 596 (size 2)

couples to:

#1461: -0.0625

bits 1011 0100 0110 0111

n=(2 1 0 2) iota=(- - - -)



#1462 int 54098


block 597 (size 2)

couples to:

#1578: +0.0625

bits 0100 1010 1100 1011

n=(1 0 0 2) iota=(- - - -)



#1578 int 58932


block 597 (size 2)

couples to:

#1462: +0.0625

bits 0010 1100 0110 0111

n=(1 0 0 2) iota=(- - - -)



#1463 int 54099


block 598 (size 2)

couples to:

#1579: +0.0625

bits 1100 1010 1100 1011

n=(0 0 0 2) iota=(- - - -)



#1579 int 58933

block 598 (size 2)


couples to:

#1463: +0.0625

bits 1010 1100 0110 0111

n=(0 0 0 2) iota=(- - - -)

plaq1: valid local states (page 90/102; states 1602-1619 of 1831 in block order)



#1464 int 54107


block 599 (size 2)

couples to:

#1580: +0.0625

bits 1101 1010 1100 1011

n=(2 0 0 2) iota=(- - - -)



#1580 int 58941


block 599 (size 2)

couples to:

#1464: +0.0625

bits 1011 1100 0110 0111

n=(2 0 0 2) iota=(- - - -)



#1465 int 54118


block 600 (size 2)

couples to:

#1569: -0.1250

bits 0110 0110 1100 1011

n=(0 0 0 2) iota=(- - - -)



#1569 int 58880


block 600 (size 2)

couples to:

#1465: -0.1250

bits 0000 0000 0110 0111

n=(0 0 0 2) iota=(- - - -)



#1467 int 54126


block 602 (size 2)

couples to:

#1571: -0.1250

bits 0111 0110 1100 1011

n=(2 0 0 2) iota=(- - - -)



#1571 int 58888


block 602 (size 2)

couples to:

#1467: -0.1250

bits 0001 0000 0110 0111

n=(2 0 0 2) iota=(- - - -)



#1473 int 54226


block 606 (size 2)

couples to:

#1584: +0.0625

bits 0100 1011 1100 1011

n=(1 2 0 2) iota=(- - - -)



#1584 int 59060


block 606 (size 2)

couples to:

#1473: +0.0625

bits 0010 1101 0110 0111

n=(1 2 0 2) iota=(- - - -)



#1474 int 54227


block 607 (size 2)

couples to:

#1585: +0.0625

bits 1100 1011 1100 1011

n=(0 2 0 2) iota=(- - - -)



#1585 int 59061


block 607 (size 2)

couples to:

#1474: +0.0625

bits 1010 1101 0110 0111

n=(0 2 0 2) iota=(- - - -)



#1475 int 54235


block 608 (size 2)

couples to:

#1586: +0.0625

bits 1101 1011 1100 1011

n=(2 2 0 2) iota=(- - - -)



#1586 int 59069


block 608 (size 2)

couples to:

#1475: +0.0625

bits 1011 1101 0110 0111

n=(2 2 0 2) iota=(- - - -)



#1476 int 54246


block 609 (size 2)

couples to:

#1581: -0.1250

bits 0110 0111 1100 1011

n=(0 2 0 2) iota=(- - - -)



#1581 int 59008


block 609 (size 2)

couples to:

#1476: -0.1250

bits 0000 0001 0110 0111

n=(0 2 0 2) iota=(- - - -)



#1478 int 54254


block 611 (size 2)

couples to:

#1583: -0.1250

bits 0111 0111 1100 1011

n=(2 2 0 2) iota=(- - - -)



#1583 int 59016


block 611 (size 2)

couples to:

#1478: -0.1250

bits 0001 0001 0110 0111

n=(2 2 0 2) iota=(- - - -)



#1484 int 55360


block 612 (size 2)

couples to:

#1614: +0.1250

bits 0000 0010 0001 1011

n=(0 1 2 2) iota=(- - - -)



#1614 int 60710

block 612 (size 2)


couples to:

#1484: +0.1250

bits 0110 0100 1011 0111

n=(0 1 2 2) iota=(- - - -)

plaq1: valid local states (page 91/102; states 1620-1637 of 1831 in block order)



#1486 int 55368


block 614 (size 2)

couples to:

#1616: +0.1250

bits 0001 0010 0001 1011

n=(2 1 2 2) iota=(- - - -)



#1616 int 60718


block 614 (size 2)

couples to:

#1486: +0.1250

bits 0111 0100 1011 0111

n=(2 1 2 2) iota=(- - - -)



#1487 int 55376


block 615 (size 2)

couples to:

#1618: -0.1250

bits 0000 1010 0001 1011

n=(0 0 2 2) iota=(- - - -)



#1618 int 60726


block 615 (size 2)

couples to:

#1487: -0.1250

bits 0110 1100 1011 0111

n=(0 0 2 2) iota=(- - - -)



#1489 int 55384


block 617 (size 2)

couples to:

#1620: -0.1250

bits 0001 1010 0001 1011

n=(2 0 2 2) iota=(- - - -)



#1620 int 60734


block 617 (size 2)

couples to:

#1489: -0.1250

bits 0111 1100 1011 0111

n=(2 0 2 2) iota=(- - - -)



#1490 int 55396


block 618 (size 2)

couples to:

#1608: -0.1250

bits 0010 0110 0001 1011

n=(1 0 2 2) iota=(- - - -)



#1608 int 60674


block 618 (size 2)

couples to:

#1490: -0.1250

bits 0100 0000 1011 0111

n=(1 0 2 2) iota=(- - - -)



#1491 int 55397


block 619 (size 2)

couples to:

#1609: -0.1250

bits 1010 0110 0001 1011

n=(0 0 2 2) iota=(- - - -)



#1609 int 60675


block 619 (size 2)

couples to:

#1491: -0.1250

bits 1100 0000 1011 0111

n=(0 0 2 2) iota=(- - - -)



#1492 int 55405


block 620 (size 2)

couples to:

#1610: -0.1250

bits 1011 0110 0001 1011

n=(2 0 2 2) iota=(- - - -)



#1610 int 60683


block 620 (size 2)

couples to:

#1492: -0.1250

bits 1101 0000 1011 0111

n=(2 0 2 2) iota=(- - - -)



#1496 int 55504


block 624 (size 2)

couples to:

#1625: -0.1250

bits 0000 1011 0001 1011

n=(0 2 2 2) iota=(- - - -)



#1625 int 60854


block 624 (size 2)

couples to:

#1496: -0.1250

bits 0110 1101 1011 0111

n=(0 2 2 2) iota=(- - - -)



#1498 int 55512


block 626 (size 2)

couples to:

#1627: -0.1250

bits 0001 1011 0001 1011

n=(2 2 2 2) iota=(- - - -)



#1627 int 60862


block 626 (size 2)

couples to:

#1498: -0.1250

bits 0111 1101 1011 0111

n=(2 2 2 2) iota=(- - - -)



#1499 int 55524


block 627 (size 2)

couples to:

#1622: -0.1250

bits 0010 0111 0001 1011

n=(1 2 2 2) iota=(- - - -)



#1622 int 60802

block 627 (size 2)


couples to:

#1499: -0.1250

bits 0100 0001 1011 0111

n=(1 2 2 2) iota=(- - - -)

plaq1: valid local states (page 92/102; states 1638-1655 of 1831 in block order)



#1500 int 55525


block 628 (size 2)

couples to:

#1623: -0.1250

bits 1010 0111 0001 1011

n=(0 2 2 2) iota=(- - - -)



#1623 int 60803


block 628 (size 2)

couples to:

#1500: -0.1250

bits 1100 0001 1011 0111

n=(0 2 2 2) iota=(- - - -)



#1501 int 55533


block 629 (size 2)

couples to:

#1624: -0.1250

bits 1011 0111 0001 1011

n=(2 2 2 2) iota=(- - - -)



#1624 int 60811


block 629 (size 2)

couples to:

#1501: -0.1250

bits 1101 0001 1011 0111

n=(2 2 2 2) iota=(- - - -)



#1505 int 56130


block 630 (size 2)

couples to:

#1635: -0.0625

bits 0100 0010 1101 1011

n=(1 1 2 2) iota=(- - - -)



#1635 int 60964


block 630 (size 2)

couples to:

#1505: -0.0625

bits 0010 0100 0111 0111

n=(1 1 2 2) iota=(- - - -)



#1506 int 56131


block 631 (size 2)

couples to:

#1636: -0.0625

bits 1100 0010 1101 1011

n=(0 1 2 2) iota=(- - - -)



#1636 int 60965


block 631 (size 2)

couples to:

#1506: -0.0625

bits 1010 0100 0111 0111

n=(0 1 2 2) iota=(- - - -)



#1507 int 56139


block 632 (size 2)

couples to:

#1637: -0.0625

bits 1101 0010 1101 1011

n=(2 1 2 2) iota=(- - - -)



#1637 int 60973


block 632 (size 2)

couples to:

#1507: -0.0625

bits 1011 0100 0111 0111

n=(2 1 2 2) iota=(- - - -)



#1508 int 56146


block 633 (size 2)

couples to:

#1638: +0.0625

bits 0100 1010 1101 1011

n=(1 0 2 2) iota=(- - - -)



#1638 int 60980


block 633 (size 2)

couples to:

#1508: +0.0625

bits 0010 1100 0111 0111

n=(1 0 2 2) iota=(- - - -)



#1509 int 56147


block 634 (size 2)

couples to:

#1639: +0.0625

bits 1100 1010 1101 1011

n=(0 0 2 2) iota=(- - - -)



#1639 int 60981


block 634 (size 2)

couples to:

#1509: +0.0625

bits 1010 1100 0111 0111

n=(0 0 2 2) iota=(- - - -)



#1510 int 56155


block 635 (size 2)

couples to:

#1640: +0.0625

bits 1101 1010 1101 1011

n=(2 0 2 2) iota=(- - - -)



#1640 int 60989


block 635 (size 2)

couples to:

#1510: +0.0625

bits 1011 1100 0111 0111

n=(2 0 2 2) iota=(- - - -)



#1511 int 56166


block 636 (size 2)

couples to:

#1629: -0.1250

bits 0110 0110 1101 1011

n=(0 0 2 2) iota=(- - - -)



#1629 int 60928

block 636 (size 2)


couples to:

#1511: -0.1250

bits 0000 0000 0111 0111

n=(0 0 2 2) iota=(- - - -)

plaq1: valid local states (page 93/102; states 1656-1673 of 1831 in block order)



#1513 int 56174


block 638 (size 2)

couples to:

#1631: -0.1250

bits 0111 0110 1101 1011

n=(2 0 2 2) iota=(- - - -)



#1631 int 60936


block 638 (size 2)

couples to:

#1513: -0.1250

bits 0001 0000 0111 0111

n=(2 0 2 2) iota=(- - - -)



#1519 int 56274


block 642 (size 2)

couples to:

#1644: +0.0625

bits 0100 1011 1101 1011

n=(1 2 2 2) iota=(- - - -)



#1644 int 61108


block 642 (size 2)

couples to:

#1519: +0.0625

bits 0010 1101 0111 0111

n=(1 2 2 2) iota=(- - - -)



#1520 int 56275


block 643 (size 2)

couples to:

#1645: +0.0625

bits 1100 1011 1101 1011

n=(0 2 2 2) iota=(- - - -)



#1645 int 61109


block 643 (size 2)

couples to:

#1520: +0.0625

bits 1010 1101 0111 0111

n=(0 2 2 2) iota=(- - - -)



#1521 int 56283


block 644 (size 2)

couples to:

#1646: +0.0625

bits 1101 1011 1101 1011

n=(2 2 2 2) iota=(- - - -)



#1646 int 61117


block 644 (size 2)

couples to:

#1521: +0.0625

bits 1011 1101 0111 0111

n=(2 2 2 2) iota=(- - - -)



#1522 int 56294


block 645 (size 2)

couples to:

#1641: -0.1250

bits 0110 0111 1101 1011

n=(0 2 2 2) iota=(- - - -)



#1641 int 61056


block 645 (size 2)

couples to:

#1522: -0.1250

bits 0000 0001 0111 0111

n=(0 2 2 2) iota=(- - - -)



#1524 int 56302


block 647 (size 2)

couples to:

#1643: -0.1250

bits 0111 0111 1101 1011

n=(2 2 2 2) iota=(- - - -)



#1643 int 61064


block 647 (size 2)

couples to:

#1524: -0.1250

bits 0001 0001 0111 0111

n=(2 2 2 2) iota=(- - - -)



#1668 int 62528


block 648 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0000 0010 0010 1111

n=(0 1 1 1) iota=(- - - 1)



#1669 int 62529


block 649 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1000 0010 0010 1111

n=(1 1 1 1) iota=(- - - 1)



#1670 int 62536


block 650 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0001 0010 0010 1111

n=(2 1 1 1) iota=(- - - 1)



#1671 int 62544


block 651 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0000 1010 0010 1111

n=(0 0 1 1) iota=(- - - 1)



#1672 int 62545


block 652 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1000 1010 0010 1111

n=(1 0 1 1) iota=(- - - 1)



#1673 int 62552

block 653 (size 1)


no coupling: the plaquette

maps this state to 0

bits 0001 1010 0010 1111

n=(2 0 1 1) iota=(- - - 1)

plaq1: valid local states (page 94/102; states 1674-1691 of 1831 in block order)



#1674 int 62564


block 654 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0010 0110 0010 1111

n=(1 0 1 1) iota=(- - - 1)



#1675 int 62565


block 655 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1010 0110 0010 1111

n=(0 0 1 1) iota=(- - - 1)



#1676 int 62573


block 656 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1011 0110 0010 1111

n=(2 0 1 1) iota=(- - - 1)



#1677 int 62580


block 657 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0010 1110 0010 1111

n=(1 1 1 1) iota=(- 0 - 1)



#1678 int 62581


block 658 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1010 1110 0010 1111

n=(0 1 1 1) iota=(- 0 - 1)



#1679 int 62589


block 659 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1011 1110 0010 1111

n=(2 1 1 1) iota=(- 0 - 1)



#1680 int 62672


block 660 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0000 1011 0010 1111

n=(0 2 1 1) iota=(- - - 1)



#1681 int 62673


block 661 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1000 1011 0010 1111

n=(1 2 1 1) iota=(- - - 1)



#1682 int 62680


block 662 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0001 1011 0010 1111

n=(2 2 1 1) iota=(- - - 1)



#1683 int 62692


block 663 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0010 0111 0010 1111

n=(1 2 1 1) iota=(- - - 1)



#1684 int 62693


block 664 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1010 0111 0010 1111

n=(0 2 1 1) iota=(- - - 1)



#1685 int 62701


block 665 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1011 0111 0010 1111

n=(2 2 1 1) iota=(- - - 1)



#1686 int 62708


block 666 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0010 1111 0010 1111

n=(1 1 1 1) iota=(- 1 - 1)



#1687 int 62709


block 667 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1010 1111 0010 1111

n=(0 1 1 1) iota=(- 1 - 1)



#1688 int 62717


block 668 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1011 1111 0010 1111

n=(2 1 1 1) iota=(- 1 - 1)



#1689 int 62786


block 669 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0100 0010 1010 1111

n=(1 1 0 1) iota=(- - - 1)



#1690 int 62787


block 670 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1100 0010 1010 1111

n=(0 1 0 1) iota=(- - - 1)



#1691 int 62795

block 671 (size 1)


no coupling: the plaquette

maps this state to 0

bits 1101 0010 1010 1111

n=(2 1 0 1) iota=(- - - 1)

plaq1: valid local states (page 95/102; states 1692-1709 of 1831 in block order)




#1692 int 62802

block 672 (size 1)

no coupling: the plaquette maps this state to 0

bits 0100 1010 1010 1111

n=(1 0 0 1) iota=(- - - 1)




#1693 int 62803

block 673 (size 1)

no coupling: the plaquette maps this state to 0

bits 1100 1010 1010 1111

n=(0 0 0 1) iota=(- - - 1)




#1694 int 62811

block 674 (size 1)

no coupling: the plaquette maps this state to 0

bits 1101 1010 1010 1111

n=(2 0 0 1) iota=(- - - 1)




#1695 int 62822

block 675 (size 1)

no coupling: the plaquette maps this state to 0

bits 0110 0110 1010 1111

n=(0 0 0 1) iota=(- - - 1)




#1696 int 62823

block 676 (size 1)

no coupling: the plaquette maps this state to 0

bits 1110 0110 1010 1111

n=(1 0 0 1) iota=(0 - - 1)




#1697 int 62830

block 677 (size 1)

no coupling: the plaquette maps this state to 0

bits 0111 0110 1010 1111

n=(2 0 0 1) iota=(- - - 1)




#1698 int 62831

block 678 (size 1)

no coupling: the plaquette maps this state to 0

bits 1111 0110 1010 1111

n=(1 0 0 1) iota=(1 - - 1)




#1699 int 62838

block 679 (size 1)

no coupling: the plaquette maps this state to 0

bits 0110 1110 1010 1111

n=(0 1 0 1) iota=(- 0 - 1)




#1700 int 62839

block 680 (size 1)

no coupling: the plaquette maps this state to 0

bits 1110 1110 1010 1111

n=(1 1 0 1) iota=(0 0 - 1)




#1701 int 62846

block 681 (size 1)

no coupling: the plaquette maps this state to 0

bits 0111 1110 1010 1111

n=(2 1 0 1) iota=(- 0 - 1)




#1702 int 62847

block 682 (size 1)

no coupling: the plaquette maps this state to 0

bits 1111 1110 1010 1111

n=(1 1 0 1) iota=(1 0 - 1)




#1703 int 62930

block 683 (size 1)

no coupling: the plaquette maps this state to 0

bits 0100 1011 1010 1111

n=(1 2 0 1) iota=(- - - 1)




#1704 int 62931

block 684 (size 1)

no coupling: the plaquette maps this state to 0

bits 1100 1011 1010 1111

n=(0 2 0 1) iota=(- - - 1)




#1705 int 62939

block 685 (size 1)

no coupling: the plaquette maps this state to 0

bits 1101 1011 1010 1111

n=(2 2 0 1) iota=(- - - 1)




#1706 int 62950

block 686 (size 1)

no coupling: the plaquette maps this state to 0

bits 0110 0111 1010 1111

n=(0 2 0 1) iota=(- - - 1)




#1707 int 62951

block 687 (size 1)

no coupling: the plaquette maps this state to 0

bits 1110 0111 1010 1111

n=(1 2 0 1) iota=(0 - - 1)




#1708 int 62958

block 688 (size 1)

no coupling: the plaquette maps this state to 0

bits 0111 0111 1010 1111

n=(2 2 0 1) iota=(- - - 1)



#1709 int 62959


block 689 (size 1)

no coupling: the plaquette maps this state to 0

bits 1111 0111 1010 1111

n=(1 2 0 1) iota=(1 - - 1)

plaq1: valid local states (page 96/102; states 1710-1727 of 1831 in block order)




#1710 int 62966

block 690 (size 1)

no coupling: the plaquette maps this state to 0

bits 0110 1111 1010 1111

n=(0 1 0 1) iota=(- 1 - 1)




#1711 int 62967

block 691 (size 1)

no coupling: the plaquette maps this state to 0

bits 1110 1111 1010 1111

n=(1 1 0 1) iota=(0 1 - 1)




#1712 int 62974

block 692 (size 1)

no coupling: the plaquette maps this state to 0

bits 0111 1111 1010 1111

n=(2 1 0 1) iota=(- 1 - 1)




#1713 int 62975

block 693 (size 1)

no coupling: the plaquette maps this state to 0

bits 1111 1111 1010 1111

n=(1 1 0 1) iota=(1 1 - 1)




#1714 int 63040

block 694 (size 1)

no coupling: the plaquette maps this state to 0

bits 0000 0010 0110 1111

n=(0 1 0 1) iota=(- - - 1)




#1715 int 63041

block 695 (size 1)

no coupling: the plaquette maps this state to 0

bits 1000 0010 0110 1111

n=(1 1 0 1) iota=(- - - 1)




#1716 int 63048

block 696 (size 1)

no coupling: the plaquette maps this state to 0

bits 0001 0010 0110 1111

n=(2 1 0 1) iota=(- - - 1)




#1717 int 63056

block 697 (size 1)

no coupling: the plaquette maps this state to 0

bits 0000 1010 0110 1111

n=(0 0 0 1) iota=(- - - 1)




#1718 int 63057

block 698 (size 1)

no coupling: the plaquette maps this state to 0

bits 1000 1010 0110 1111

n=(1 0 0 1) iota=(- - - 1)




#1719 int 63064

block 699 (size 1)

no coupling: the plaquette maps this state to 0

bits 0001 1010 0110 1111

n=(2 0 0 1) iota=(- - - 1)




#1720 int 63076

block 700 (size 1)

no coupling: the plaquette maps this state to 0

bits 0010 0110 0110 1111

n=(1 0 0 1) iota=(- - - 1)




#1721 int 63077

block 701 (size 1)

no coupling: the plaquette maps this state to 0

bits 1010 0110 0110 1111

n=(0 0 0 1) iota=(- - - 1)




#1722 int 63085

block 702 (size 1)

no coupling: the plaquette maps this state to 0

bits 1011 0110 0110 1111

n=(2 0 0 1) iota=(- - - 1)




#1723 int 63092

block 703 (size 1)

no coupling: the plaquette maps this state to 0

bits 0010 1110 0110 1111

n=(1 1 0 1) iota=(- 0 - 1)




#1724 int 63093

block 704 (size 1)

no coupling: the plaquette maps this state to 0

bits 1010 1110 0110 1111

n=(0 1 0 1) iota=(- 0 - 1)




#1725 int 63101

block 705 (size 1)

no coupling: the plaquette maps this state to 0

bits 1011 1110 0110 1111

n=(2 1 0 1) iota=(- 0 - 1)




#1726 int 63184

block 706 (size 1)

no coupling: the plaquette maps this state to 0

bits 0000 1011 0110 1111

n=(0 2 0 1) iota=(- - - 1)



#1727 int 63185


block 707 (size 1)

no coupling: the plaquette maps this state to 0

bits 1000 1011 0110 1111

n=(1 2 0 1) iota=(- - - 1)

plaq1: valid local states (page 97/102; states 1728-1745 of 1831 in block order)




#1728 int 63192

block 708 (size 1)

no coupling: the plaquette maps this state to 0

bits 0001 1011 0110 1111

n=(2 2 0 1) iota=(- - - 1)




#1729 int 63204

block 709 (size 1)

no coupling: the plaquette maps this state to 0

bits 0010 0111 0110 1111

n=(1 2 0 1) iota=(- - - 1)




#1730 int 63205

block 710 (size 1)

no coupling: the plaquette maps this state to 0

bits 1010 0111 0110 1111

n=(0 2 0 1) iota=(- - - 1)




#1731 int 63213

block 711 (size 1)

no coupling: the plaquette maps this state to 0

bits 1011 0111 0110 1111

n=(2 2 0 1) iota=(- - - 1)




#1732 int 63220

block 712 (size 1)

no coupling: the plaquette maps this state to 0

bits 0010 1111 0110 1111

n=(1 1 0 1) iota=(- 1 - 1)




#1733 int 63221

block 713 (size 1)

no coupling: the plaquette maps this state to 0

bits 1010 1111 0110 1111

n=(0 1 0 1) iota=(- 1 - 1)




#1734 int 63229

block 714 (size 1)

no coupling: the plaquette maps this state to 0

bits 1011 1111 0110 1111

n=(2 1 0 1) iota=(- 1 - 1)




#1735 int 63298

block 715 (size 1)

no coupling: the plaquette maps this state to 0

bits 0100 0010 1110 1111

n=(1 1 1 1) iota=(- - 0 1)




#1736 int 63299

block 716 (size 1)

no coupling: the plaquette maps this state to 0

bits 1100 0010 1110 1111

n=(0 1 1 1) iota=(- - 0 1)




#1737 int 63307

block 717 (size 1)

no coupling: the plaquette maps this state to 0

bits 1101 0010 1110 1111

n=(2 1 1 1) iota=(- - 0 1)




#1738 int 63314

block 718 (size 1)

no coupling: the plaquette maps this state to 0

bits 0100 1010 1110 1111

n=(1 0 1 1) iota=(- - 0 1)




#1739 int 63315

block 719 (size 1)

no coupling: the plaquette maps this state to 0

bits 1100 1010 1110 1111

n=(0 0 1 1) iota=(- - 0 1)




#1740 int 63323

block 720 (size 1)

no coupling: the plaquette maps this state to 0

bits 1101 1010 1110 1111

n=(2 0 1 1) iota=(- - 0 1)




#1741 int 63334

block 721 (size 1)

no coupling: the plaquette maps this state to 0

bits 0110 0110 1110 1111

n=(0 0 1 1) iota=(- - 0 1)




#1742 int 63335

block 722 (size 1)

no coupling: the plaquette maps this state to 0

bits 1110 0110 1110 1111

n=(1 0 1 1) iota=(0 - 0 1)




#1743 int 63342

block 723 (size 1)

no coupling: the plaquette maps this state to 0

bits 0111 0110 1110 1111

n=(2 0 1 1) iota=(- - 0 1)




#1744 int 63343

block 724 (size 1)

no coupling: the plaquette maps this state to 0

bits 1111 0110 1110 1111

n=(1 0 1 1) iota=(1 - 0 1)



#1745 int 63350


block 725 (size 1)

no coupling: the plaquette maps this state to 0

bits 0110 1110 1110 1111

n=(0 1 1 1) iota=(- 0 0 1)

plaq1: valid local states (page 98/102; states 1746-1763 of 1831 in block order)




#1746 int 63351

block 726 (size 1)

no coupling: the plaquette maps this state to 0

bits 1110 1110 1110 1111

n=(1 1 1 1) iota=(0 0 0 1)




#1747 int 63358

block 727 (size 1)

no coupling: the plaquette maps this state to 0

bits 0111 1110 1110 1111

n=(2 1 1 1) iota=(- 0 0 1)




#1748 int 63359

block 728 (size 1)

no coupling: the plaquette maps this state to 0

bits 1111 1110 1110 1111

n=(1 1 1 1) iota=(1 0 0 1)




#1749 int 63442

block 729 (size 1)

no coupling: the plaquette maps this state to 0

bits 0100 1011 1110 1111

n=(1 2 1 1) iota=(- - 0 1)




#1750 int 63443

block 730 (size 1)

no coupling: the plaquette maps this state to 0

bits 1100 1011 1110 1111

n=(0 2 1 1) iota=(- - 0 1)




#1751 int 63451

block 731 (size 1)

no coupling: the plaquette maps this state to 0

bits 1101 1011 1110 1111

n=(2 2 1 1) iota=(- - 0 1)




#1752 int 63462

block 732 (size 1)

no coupling: the plaquette maps this state to 0

bits 0110 0111 1110 1111

n=(0 2 1 1) iota=(- - 0 1)




#1753 int 63463

block 733 (size 1)

no coupling: the plaquette maps this state to 0

bits 1110 0111 1110 1111

n=(1 2 1 1) iota=(0 - 0 1)




#1754 int 63470

block 734 (size 1)

no coupling: the plaquette maps this state to 0

bits 0111 0111 1110 1111

n=(2 2 1 1) iota=(- - 0 1)




#1755 int 63471

block 735 (size 1)

no coupling: the plaquette maps this state to 0

bits 1111 0111 1110 1111

n=(1 2 1 1) iota=(1 - 0 1)




#1756 int 63478

block 736 (size 1)

no coupling: the plaquette maps this state to 0

bits 0110 1111 1110 1111

n=(0 1 1 1) iota=(- 1 0 1)




#1757 int 63479

block 737 (size 1)

no coupling: the plaquette maps this state to 0

bits 1110 1111 1110 1111

n=(1 1 1 1) iota=(0 1 0 1)




#1758 int 63486

block 738 (size 1)

no coupling: the plaquette maps this state to 0

bits 0111 1111 1110 1111

n=(2 1 1 1) iota=(- 1 0 1)




#1759 int 63487

block 739 (size 1)

no coupling: the plaquette maps this state to 0

bits 1111 1111 1110 1111

n=(1 1 1 1) iota=(1 1 0 1)




#1760 int 64834

block 740 (size 1)

no coupling: the plaquette maps this state to 0

bits 0100 0010 1011 1111

n=(1 1 2 1) iota=(- - - 1)




#1761 int 64835

block 741 (size 1)

no coupling: the plaquette maps this state to 0

bits 1100 0010 1011 1111

n=(0 1 2 1) iota=(- - - 1)




#1762 int 64843

block 742 (size 1)

no coupling: the plaquette maps this state to 0

bits 1101 0010 1011 1111

n=(2 1 2 1) iota=(- - - 1)



#1763 int 64850


block 743 (size 1)

no coupling: the plaquette maps this state to 0

bits 0100 1010 1011 1111

n=(1 0 2 1) iota=(- - - 1)

plaq1: valid local states (page 99/102; states 1764-1781 of 1831 in block order)



#1764 int 64851


block 744 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1100 1010 1011 1111

n=(0 0 2 1) iota=(- - - 1)



#1765 int 64859


block 745 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1101 1010 1011 1111

n=(2 0 2 1) iota=(- - - 1)



#1766 int 64870


block 746 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0110 0110 1011 1111

n=(0 0 2 1) iota=(- - - 1)



#1767 int 64871


block 747 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1110 0110 1011 1111

n=(1 0 2 1) iota=(0 - - 1)



#1768 int 64878


block 748 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0111 0110 1011 1111

n=(2 0 2 1) iota=(- - - 1)



#1769 int 64879


block 749 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1111 0110 1011 1111

n=(1 0 2 1) iota=(1 - - 1)



#1770 int 64886


block 750 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0110 1110 1011 1111

n=(0 1 2 1) iota=(- 0 - 1)



#1771 int 64887


block 751 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1110 1110 1011 1111

n=(1 1 2 1) iota=(0 0 - 1)



#1772 int 64894


block 752 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0111 1110 1011 1111

n=(2 1 2 1) iota=(- 0 - 1)



#1773 int 64895


block 753 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1111 1110 1011 1111

n=(1 1 2 1) iota=(1 0 - 1)



#1774 int 64978


block 754 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0100 1011 1011 1111

n=(1 2 2 1) iota=(- - - 1)



#1775 int 64979


block 755 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1100 1011 1011 1111

n=(0 2 2 1) iota=(- - - 1)



#1776 int 64987


block 756 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1101 1011 1011 1111

n=(2 2 2 1) iota=(- - - 1)



#1777 int 64998


block 757 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0110 0111 1011 1111

n=(0 2 2 1) iota=(- - - 1)



#1778 int 64999


block 758 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1110 0111 1011 1111

n=(1 2 2 1) iota=(0 - - 1)



#1779 int 65006


block 759 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0111 0111 1011 1111

n=(2 2 2 1) iota=(- - - 1)



#1780 int 65007


block 760 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1111 0111 1011 1111

n=(1 2 2 1) iota=(1 - - 1)



#1781 int 65014

block 761 (size 1)


no coupling: the plaquette

maps this state to 0

bits 0110 1111 1011 1111

n=(0 1 2 1) iota=(- 1 - 1)

plaq1: valid local states (page 100/102; states 1782-1799 of 1831 in block order)



#1782 int 65015


block 762 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1110 1111 1011 1111

n=(1 1 2 1) iota=(0 1 - 1)



#1783 int 65022


block 763 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0111 1111 1011 1111

n=(2 1 2 1) iota=(- 1 - 1)



#1784 int 65023


block 764 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1111 1111 1011 1111

n=(1 1 2 1) iota=(1 1 - 1)



#1785 int 65088


block 765 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0000 0010 0111 1111

n=(0 1 2 1) iota=(- - - 1)



#1786 int 65089


block 766 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1000 0010 0111 1111

n=(1 1 2 1) iota=(- - - 1)



#1787 int 65096


block 767 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0001 0010 0111 1111

n=(2 1 2 1) iota=(- - - 1)



#1788 int 65104


block 768 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0000 1010 0111 1111

n=(0 0 2 1) iota=(- - - 1)



#1789 int 65105


block 769 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1000 1010 0111 1111

n=(1 0 2 1) iota=(- - - 1)



#1790 int 65112


block 770 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0001 1010 0111 1111

n=(2 0 2 1) iota=(- - - 1)



#1791 int 65124


block 771 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0010 0110 0111 1111

n=(1 0 2 1) iota=(- - - 1)



#1792 int 65125


block 772 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1010 0110 0111 1111

n=(0 0 2 1) iota=(- - - 1)



#1793 int 65133


block 773 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1011 0110 0111 1111

n=(2 0 2 1) iota=(- - - 1)



#1794 int 65140


block 774 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0010 1110 0111 1111

n=(1 1 2 1) iota=(- 0 - 1)



#1795 int 65141


block 775 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1010 1110 0111 1111

n=(0 1 2 1) iota=(- 0 - 1)



#1796 int 65149


block 776 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1011 1110 0111 1111

n=(2 1 2 1) iota=(- 0 - 1)



#1797 int 65232


block 777 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0000 1011 0111 1111

n=(0 2 2 1) iota=(- - - 1)



#1798 int 65233


block 778 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1000 1011 0111 1111

n=(1 2 2 1) iota=(- - - 1)



#1799 int 65240

block 779 (size 1)


no coupling: the plaquette

maps this state to 0

bits 0001 1011 0111 1111

n=(2 2 2 1) iota=(- - - 1)

plaq1: valid local states (page 101/102; states 1800-1817 of 1831 in block order)




#1800 int 65252

block 780 (size 1)

no coupling: the plaquette maps this state to 0

bits 0010 0111 0111 1111

n=(1 2 2 1) iota=(- - - 1)




#1801 int 65253

block 781 (size 1)

no coupling: the plaquette maps this state to 0

bits 1010 0111 0111 1111

n=(0 2 2 1) iota=(- - - 1)




#1802 int 65261

block 782 (size 1)

no coupling: the plaquette maps this state to 0

bits 1011 0111 0111 1111

n=(2 2 2 1) iota=(- - - 1)




#1803 int 65268

block 783 (size 1)

no coupling: the plaquette maps this state to 0

bits 0010 1111 0111 1111

n=(1 1 2 1) iota=(- 1 - 1)




#1804 int 65269

block 784 (size 1)

no coupling: the plaquette maps this state to 0

bits 1010 1111 0111 1111

n=(0 1 2 1) iota=(- 1 - 1)




#1805 int 65277

block 785 (size 1)

no coupling: the plaquette maps this state to 0

bits 1011 1111 0111 1111

n=(2 1 2 1) iota=(- 1 - 1)




#1806 int 65346

block 786 (size 1)

no coupling: the plaquette maps this state to 0

bits 0100 0010 1111 1111

n=(1 1 1 1) iota=(- - 1 1)




#1807 int 65347

block 787 (size 1)

no coupling: the plaquette maps this state to 0

bits 1100 0010 1111 1111

n=(0 1 1 1) iota=(- - 1 1)




#1808 int 65355

block 788 (size 1)

no coupling: the plaquette maps this state to 0

bits 1101 0010 1111 1111

n=(2 1 1 1) iota=(- - 1 1)




#1809 int 65362

block 789 (size 1)

no coupling: the plaquette maps this state to 0

bits 0100 1010 1111 1111

n=(1 0 1 1) iota=(- - 1 1)




#1810 int 65363

block 790 (size 1)

no coupling: the plaquette maps this state to 0

bits 1100 1010 1111 1111

n=(0 0 1 1) iota=(- - 1 1)




#1811 int 65371

block 791 (size 1)

no coupling: the plaquette maps this state to 0

bits 1101 1010 1111 1111

n=(2 0 1 1) iota=(- - 1 1)




#1812 int 65382

block 792 (size 1)

no coupling: the plaquette maps this state to 0

bits 0110 0110 1111 1111

n=(0 0 1 1) iota=(- - 1 1)




#1813 int 65383

block 793 (size 1)

no coupling: the plaquette maps this state to 0

bits 1110 0110 1111 1111

n=(1 0 1 1) iota=(0 - 1 1)




#1814 int 65390

block 794 (size 1)

no coupling: the plaquette maps this state to 0

bits 0111 0110 1111 1111

n=(2 0 1 1) iota=(- - 1 1)




#1815 int 65391

block 795 (size 1)

no coupling: the plaquette maps this state to 0

bits 1111 0110 1111 1111

n=(1 0 1 1) iota=(1 - 1 1)




#1816 int 65398

block 796 (size 1)

no coupling: the plaquette maps this state to 0

bits 0110 1110 1111 1111

n=(0 1 1 1) iota=(- 0 1 1)



#1817 int 65399


block 797 (size 1)

no coupling: the plaquette maps this state to 0

bits 1110 1110 1111 1111

n=(1 1 1 1) iota=(0 0 1 1)

plaq1: valid local states (page 102/102; states 1818-1830 of 1831 in block order)



#1818 int 65406


block 798 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0111 1110 1111 1111

n=(2 1 1 1) iota=(- 0 1 1)



#1819 int 65407


block 799 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1111 1110 1111 1111

n=(1 1 1 1) iota=(1 0 1 1)



#1820 int 65490


block 800 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0100 1011 1111 1111

n=(1 2 1 1) iota=(- - 1 1)



#1821 int 65491


block 801 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1100 1011 1111 1111

n=(0 2 1 1) iota=(- - 1 1)



#1822 int 65499


block 802 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1101 1011 1111 1111

n=(2 2 1 1) iota=(- - 1 1)



#1823 int 65510


block 803 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0110 0111 1111 1111

n=(0 2 1 1) iota=(- - 1 1)



#1824 int 65511


block 804 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1110 0111 1111 1111

n=(1 2 1 1) iota=(0 - 1 1)



#1825 int 65518


block 805 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0111 0111 1111 1111

n=(2 2 1 1) iota=(- - 1 1)



#1826 int 65519


block 806 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1111 0111 1111 1111

n=(1 2 1 1) iota=(1 - 1 1)



#1827 int 65526


block 807 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0110 1111 1111 1111

n=(0 1 1 1) iota=(- 1 1 1)



#1828 int 65527


block 808 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1110 1111 1111 1111

n=(1 1 1 1) iota=(0 1 1 1)



#1829 int 65534


block 809 (size 1)

no coupling: the plaquette

maps this state to 0

bits 0111 1111 1111 1111

n=(2 1 1 1) iota=(- 1 1 1)



#1830 int 65535

block 810 (size 1)

no coupling: the plaquette

maps this state to 0

bits 1111 1111 1111 1111

n=(1 1 1 1) iota=(1 1 1 1)

Catalogue: plaq2

Corner sites: c00 = 4, c10 = 6, c11 = 7, c01 = 5 (kinds: 4 interior, 6 corner, 7 corner, 5 interior)

Plaquette links: bottom 6, right 9, top 8, left 7; third links: link 3 at site 4, link 5 at site 5

Qubits (14): q14 q15 q16 q17 q18 q19 q20 q21 q22 q23 q24 q25 q26 q27

Bit groups in the pictures (one per site, qubit order):


```
site 4 (interior): q14=link3, q15=link6, q16=link7, q17=matter/iota
site 5 (interior): q18=link5, q19=link7, q20=link8, q21=matter/iota
site 6 (corner): q22=link6, q23=link9, q24=matter/iota
site 7 (corner): q25=link8, q26=link9, q27=matter/iota
```

Valid local states: 383 blocks: 162 block sizes: {'2': 113, '3': 44, '5': 5}


(diagonal of the local matrix: max |h_ss| = 0.0e+00, i.e. the plaquette has no diagonal part)

States are listed block by block (largest blocks first); states of one block share a background colour.
Per site: corner sites have 6 valid states, interior sites 13; the counts above are smaller than the
product of those (6^2 x 13^2 = 6084 for plaq0/plaq2, 13^4 = 28561 for plaq1) because every plaquette link is
stored at both of its ends and the two copies must agree, and because only states that occur in the
global gauge-invariant basis are kept (skqd.reference_sim.localize).

#0 (int 0): empty plaquette




#211 (int 7014): one flux loop, <#211|O|#0> = +0.2500



Example of one plaquette move: the empty plaquette is mixed with the state carrying one flux loop around it.

plaq2: valid local states (page 1/22; states 0-17 of 383 in block order)



#4 int 17


block 4 (size 5)

couples to:

#216: -0.0625
#218: +0.1083
#227: -0.1083
#229: +0.1875

bits 1000 1000 000 000

n=(1 1 0 0) iota=(- - - -)



#216 int 7031


block 4 (size 5)

couples to:

#4: -0.0625

bits 1110 1110 110 110

n=(1 1 0 0) iota=(0 0 - -)



#218 int 7039


block 4 (size 5)

couples to:

#4: +0.1083

bits 1111 1110 110 110

n=(1 1 0 0) iota=(1 0 - -)



#227 int 7159


block 4 (size 5)

couples to:

#4: -0.1083

bits 1110 1111 110 110

n=(1 1 0 0) iota=(0 1 - -)



#229 int 7167


block 4 (size 5)

couples to:

#4: +0.1875

bits 1111 1111 110 110

n=(1 1 0 0) iota=(1 1 - -)



#43 int 1041


block 40 (size 5)

couples to:

#241: -0.0625
#243: +0.1083
#252: -0.1083
#254: +0.1875

bits 1000 1000 001 000

n=(1 1 2 0) iota=(- - - -)



#241 int 8055


block 40 (size 5)

couples to:

#43: -0.0625

bits 1110 1110 111 110

n=(1 1 2 0) iota=(0 0 - -)



#243 int 8063


block 40 (size 5)

couples to:

#43: +0.1083

bits 1111 1110 111 110

n=(1 1 2 0) iota=(1 0 - -)



#252 int 8183


block 40 (size 5)

couples to:

#43: -0.1083

bits 1110 1111 111 110

n=(1 1 2 0) iota=(0 1 - -)



#254 int 8191


block 40 (size 5)

couples to:

#43: +0.1875

bits 1111 1111 111 110

n=(1 1 2 0) iota=(1 1 - -)



#89 int 2423


block 82 (size 5)

couples to:

#128: +0.0312

bits 1110 1110 100 100

n=(1 1 1 1) iota=(0 0 - -)



#91 int 2431


block 82 (size 5)

couples to:

#128: -0.0541

bits 1111 1110 100 100

n=(1 1 1 1) iota=(1 0 - -)



#100 int 2551


block 82 (size 5)

couples to:

#128: +0.0541

bits 1110 1111 100 100

n=(1 1 1 1) iota=(0 1 - -)



#102 int 2559


block 82 (size 5)

couples to:

#128: -0.0937

bits 1111 1111 100 100

n=(1 1 1 1) iota=(1 1 - -)



#128 int 4625


block 82 (size 5)

couples to:

#89: +0.0312
#91: -0.0541
#100: +0.0541
#102: -0.0937

bits 1000 1000 010 010

n=(1 1 1 1) iota=(- - - -)



#259 int 8209


block 112 (size 5)

couples to:

#344: -0.0625
#346: +0.1083
#355: -0.1083
#357: +0.1875

bits 1000 1000 000 001

n=(1 1 0 2) iota=(- - - -)



#344 int 15223


block 112 (size 5)

couples to:

#259: -0.0625

bits 1110 1110 110 111

n=(1 1 0 2) iota=(0 0 - -)



#346 int 15231

block 112 (size 5)


couples to:

#259: +0.1083

bits 1111 1110 110 111

n=(1 1 0 2) iota=(1 0 - -)

plaq2: valid local states (page 2/22; states 18-35 of 383 in block order)



#355 int 15351


block 112 (size 5)

couples to:

#259: -0.1083

bits 1110 1111 110 111

n=(1 1 0 2) iota=(0 1 - -)



#357 int 15359


block 112 (size 5)

couples to:

#259: +0.1875

bits 1111 1111 110 111

n=(1 1 0 2) iota=(1 1 - -)



#298 int 9233

block 148 (size 5)

couples to:

#369: -0.0625


#371: +0.1083

#380: -0.1083

#382: +0.1875

bits 1000 1000 001 001

n=(1 1 2 2) iota=(- - - -)



#369 int 16247


block 148 (size 5)

couples to:

#298: -0.0625

bits 1110 1110 111 111

n=(1 1 2 2) iota=(0 0 - -)



#371 int 16255


block 148 (size 5)

couples to:

#298: +0.1083

bits 1111 1110 111 111

n=(1 1 2 2) iota=(1 0 - -)



#380 int 16375


block 148 (size 5)

couples to:

#298: -0.1083

bits 1110 1111 111 111

n=(1 1 2 2) iota=(0 1 - -)



#382 int 16383


block 148 (size 5)

couples to:

#298: +0.1875

bits 1111 1111 111 111

n=(1 1 2 2) iota=(1 1 - -)



#1 int 1

block 1 (size 3)


couples to:

#212: +0.1250

#214: -0.2165

bits 1000 0000 000 000

n=(1 0 0 0) iota=(- - - -)



#212 int 7015


block 1 (size 3)

couples to:

#1: +0.1250

bits 1110 0110 110 110

n=(1 0 0 0) iota=(0 - - -)



#214 int 7023


block 1 (size 3)

couples to:

#1: -0.2165

bits 1111 0110 110 110

n=(1 0 0 0) iota=(1 - - -)



#3 int 16

block 3 (size 3)


couples to:

#215: -0.1250

#226: -0.2165

bits 0000 1000 000 000

n=(0 1 0 0) iota=(- - - -)



#215 int 7030


block 3 (size 3)

couples to:

#3: -0.1250

bits 0110 1110 110 110

n=(0 1 0 0) iota=(- 0 - -)



#226 int 7158


block 3 (size 3)

couples to:

#3: -0.2165

bits 0110 1111 110 110

n=(0 1 0 0) iota=(- 1 - -)



#5 int 24

block 5 (size 3)


couples to:

#217: -0.1250

#228: -0.2165

bits 0001 1000 000 000

n=(2 1 0 0) iota=(- - - -)



#217 int 7038


block 5 (size 3)

couples to:

#5: -0.1250

bits 0111 1110 110 110

n=(2 1 0 0) iota=(- 0 - -)



#228 int 7166


block 5 (size 3)

couples to:

#5: -0.2165

bits 0111 1111 110 110

n=(2 1 0 0) iota=(- 1 - -)



#13 int 129

block 13 (size 3)


couples to:

#223: +0.1250

#225: -0.2165

bits 1000 0001 000 000

n=(1 2 0 0) iota=(- - - -)



#223 int 7143

block 13 (size 3)


couples to:

#13: +0.1250

bits 1110 0111 110 110

n=(1 2 0 0) iota=(0 - - -)

plaq2: valid local states (page 3/22; states 36-53 of 383 in block order)



#225 int 7151


block 13 (size 3)

couples to:

#13: -0.2165

bits 1111 0111 110 110

n=(1 2 0 0) iota=(1 - - -)



#21 int 274

block 21 (size 3)


couples to:

#193: +0.0625

#202: +0.1083

bits 0100 1000 100 000

n=(1 1 1 0) iota=(- - - -)



#193 int 6772


block 21 (size 3)

couples to:

#21: +0.0625

bits 0010 1110 010 110

n=(1 1 1 0) iota=(- 0 - -)



#202 int 6900


block 21 (size 3)

couples to:

#21: +0.1083

bits 0010 1111 010 110

n=(1 1 1 0) iota=(- 1 - -)



#22 int 275

block 22 (size 3)


couples to:

#194: +0.0625

#203: +0.1083

bits 1100 1000 100 000

n=(0 1 1 0) iota=(- - - -)



#194 int 6773


block 22 (size 3)

couples to:

#22: +0.0625

bits 1010 1110 010 110

n=(0 1 1 0) iota=(- 0 - -)



#203 int 6901


block 22 (size 3)

couples to:

#22: +0.1083

bits 1010 1111 010 110

n=(0 1 1 0) iota=(- 1 - -)



#23 int 283

block 23 (size 3)


couples to:

#195: +0.0625

#204: +0.1083

bits 1101 1000 100 000

n=(2 1 1 0) iota=(- - - -)



#195 int 6781


block 23 (size 3)

couples to:

#23: +0.0625

bits 1011 1110 010 110

n=(2 1 1 0) iota=(- 0 - -)



#204 int 6909


block 23 (size 3)

couples to:

#23: +0.1083

bits 1011 1111 010 110

n=(2 1 1 0) iota=(- 1 - -)



#25 int 295


block 25 (size 3)

couples to:

#185: +0.0625

bits 1110 0100 100 000

n=(1 1 1 0) iota=(0 - - -)



#27 int 303


block 25 (size 3)

couples to:

#185: -0.1083

bits 1111 0100 100 000

n=(1 1 1 0) iota=(1 - - -)



#185 int 6721

block 25 (size 3)


couples to:

#25: +0.0625

#27: -0.1083

bits 1000 0010 010 110

n=(1 1 1 0) iota=(- - - -)



#29 int 311


block 28 (size 3)

couples to:

#188: -0.0625

bits 1110 1100 100 000

n=(1 0 1 0) iota=(0 - - -)



#31 int 319


block 28 (size 3)

couples to:

#188: +0.1083

bits 1111 1100 100 000

n=(1 0 1 0) iota=(1 - - -)



#188 int 6737

block 28 (size 3)


couples to:

#29: -0.0625

#31: +0.1083

bits 1000 1010 010 110

n=(1 0 1 0) iota=(- - - -)



#36 int 439


block 34 (size 3)

couples to:

#197: -0.0625

bits 1110 1101 100 000

n=(1 2 1 0) iota=(0 - - -)



#38 int 447

block 34 (size 3)


couples to:

#197: +0.1083

bits 1111 1101 100 000

n=(1 2 1 0) iota=(1 - - -)

plaq2: valid local states (page 4/22; states 54-71 of 383 in block order)



#197 int 6865

block 34 (size 3)


couples to:

#36: -0.0625

#38: +0.1083

bits 1000 1011 010 110

n=(1 2 1 0) iota=(- - - -)



#40 int 1025

block 37 (size 3)


couples to:

#237: +0.1250

#239: -0.2165

bits 1000 0000 001 000

n=(1 0 2 0) iota=(- - - -)



#237 int 8039


block 37 (size 3)

couples to:

#40: +0.1250

bits 1110 0110 111 110

n=(1 0 2 0) iota=(0 - - -)



#239 int 8047


block 37 (size 3)

couples to:

#40: -0.2165

bits 1111 0110 111 110

n=(1 0 2 0) iota=(1 - - -)



#42 int 1040

block 39 (size 3)


couples to:

#240: -0.1250

#251: -0.2165

bits 0000 1000 001 000

n=(0 1 2 0) iota=(- - - -)



#240 int 8054


block 39 (size 3)

couples to:

#42: -0.1250

bits 0110 1110 111 110

n=(0 1 2 0) iota=(- 0 - -)



#251 int 8182


block 39 (size 3)

couples to:

#42: -0.2165

bits 0110 1111 111 110

n=(0 1 2 0) iota=(- 1 - -)



#44 int 1048

block 41 (size 3)


couples to:

#242: -0.1250

#253: -0.2165

bits 0001 1000 001 000

n=(2 1 2 0) iota=(- - - -)



#242 int 8062


block 41 (size 3)

couples to:

#44: -0.1250

bits 0111 1110 111 110

n=(2 1 2 0) iota=(- 0 - -)



#253 int 8190


block 41 (size 3)

couples to:

#44: -0.2165

bits 0111 1111 111 110

n=(2 1 2 0) iota=(- 1 - -)



#52 int 1153

block 49 (size 3)


couples to:

#248: +0.1250

#250: -0.2165

bits 1000 0001 001 000

n=(1 2 2 0) iota=(- - - -)



#248 int 8167


block 49 (size 3)

couples to:

#52: +0.1250

bits 1110 0111 111 110

n=(1 2 2 0) iota=(0 - - -)



#250 int 8175


block 49 (size 3)

couples to:

#52: -0.2165

bits 1111 0111 111 110

n=(1 2 2 0) iota=(1 - - -)



#58 int 2113

block 55 (size 3)


couples to:

#149: +0.0625

#151: -0.1083

bits 1000 0010 000 100

n=(1 1 0 1) iota=(- - - -)



#149 int 4903


block 55 (size 3)

couples to:

#58: +0.0625

bits 1110 0100 110 010

n=(1 1 0 1) iota=(0 - - -)



#151 int 4911


block 55 (size 3)

couples to:

#58: -0.1083

bits 1111 0100 110 010

n=(1 1 0 1) iota=(1 - - -)



#61 int 2129

block 58 (size 3)


couples to:

#153: -0.0625

#155: +0.1083

bits 1000 1010 000 100

n=(1 0 0 1) iota=(- - - -)



#153 int 4919

block 58 (size 3)


couples to:

#61: -0.0625

bits 1110 1100 110 010

n=(1 0 0 1) iota=(0 - - -)

plaq2: valid local states (page 5/22; states 72-89 of 383 in block order)



#155 int 4927


block 58 (size 3)

couples to:

#61: +0.1083

bits 1111 1100 110 010

n=(1 0 0 1) iota=(1 - - -)



#66 int 2164


block 63 (size 3)

couples to:

#145: +0.0625

bits 0010 1110 000 100

n=(1 1 0 1) iota=(- 0 - -)



#75 int 2292


block 63 (size 3)

couples to:

#145: +0.1083

bits 0010 1111 000 100

n=(1 1 0 1) iota=(- 1 - -)



#145 int 4882

block 63 (size 3)


couples to:

#66: +0.0625

#75: +0.1083

bits 0100 1000 110 010

n=(1 1 0 1) iota=(- - - -)



#67 int 2165


block 64 (size 3)

couples to:

#146: +0.0625

bits 1010 1110 000 100

n=(0 1 0 1) iota=(- 0 - -)



#76 int 2293


block 64 (size 3)

couples to:

#146: +0.1083

bits 1010 1111 000 100

n=(0 1 0 1) iota=(- 1 - -)



#146 int 4883

block 64 (size 3)


couples to:

#67: +0.0625

#76: +0.1083

bits 1100 1000 110 010

n=(0 1 0 1) iota=(- - - -)



#68 int 2173


block 65 (size 3)

couples to:

#147: +0.0625

bits 1011 1110 000 100

n=(2 1 0 1) iota=(- 0 - -)



#77 int 2301


block 65 (size 3)

couples to:

#147: +0.1083

bits 1011 1111 000 100

n=(2 1 0 1) iota=(- 1 - -)



#147 int 4891

block 65 (size 3)


couples to:

#68: +0.0625

#77: +0.1083

bits 1101 1000 110 010

n=(2 1 0 1) iota=(- - - -)



#70 int 2257

block 67 (size 3)


couples to:

#160: -0.0625

#162: +0.1083

bits 1000 1011 000 100

n=(1 2 0 1) iota=(- - - -)



#160 int 5047


block 67 (size 3)

couples to:

#70: -0.0625

bits 1110 1101 110 010

n=(1 2 0 1) iota=(0 - - -)



#162 int 5055


block 67 (size 3)

couples to:

#70: +0.1083

bits 1111 1101 110 010

n=(1 2 0 1) iota=(1 - - -)



#85 int 2407


block 79 (size 3)

couples to:

#125: -0.0625

bits 1110 0110 100 100

n=(1 0 1 1) iota=(0 - - -)



#87 int 2415


block 79 (size 3)

couples to:

#125: +0.1083

bits 1111 0110 100 100

n=(1 0 1 1) iota=(1 - - -)



#125 int 4609

block 79 (size 3)


couples to:

#85: -0.0625

#87: +0.1083

bits 1000 0000 010 010

n=(1 0 1 1) iota=(- - - -)



#88 int 2422


block 81 (size 3)

couples to:

#127: +0.0625

bits 0110 1110 100 100

n=(0 1 1 1) iota=(- 0 - -)



#99 int 2550

block 81 (size 3)


couples to:

#127: +0.1083

bits 0110 1111 100 100

n=(0 1 1 1) iota=(- 1 - -)

plaq2: valid local states (page 6/22; states 90-107 of 383 in block order)



#127 int 4624

block 81 (size 3)


couples to:

#88: +0.0625

#99: +0.1083

bits 0000 1000 010 010

n=(0 1 1 1) iota=(- - - -)



#90 int 2430


block 83 (size 3)

couples to:

#129: +0.0625

bits 0111 1110 100 100

n=(2 1 1 1) iota=(- 0 - -)



#101 int 2558


block 83 (size 3)

couples to:

#129: +0.1083

bits 0111 1111 100 100

n=(2 1 1 1) iota=(- 1 - -)



#129 int 4632

block 83 (size 3)


couples to:

#90: +0.0625

#101: +0.1083

bits 0001 1000 010 010

n=(2 1 1 1) iota=(- - - -)



#96 int 2535


block 88 (size 3)

couples to:

#137: -0.0625

bits 1110 0111 100 100

n=(1 2 1 1) iota=(0 - - -)



#98 int 2543


block 88 (size 3)

couples to:

#137: +0.1083

bits 1111 0111 100 100

n=(1 2 1 1) iota=(1 - - -)



#137 int 4737

block 88 (size 3)


couples to:

#96: -0.0625

#98: +0.1083

bits 1000 0001 010 010

n=(1 2 1 1) iota=(- - - -)



#104 int 3137

block 91 (size 3)


couples to:

#170: +0.0625

#172: -0.1083

bits 1000 0010 001 100

n=(1 1 2 1) iota=(- - - -)



#170 int 5927


block 91 (size 3)

couples to:

#104: +0.0625

bits 1110 0100 111 010

n=(1 1 2 1) iota=(0 - - -)



#172 int 5935


block 91 (size 3)

couples to:

#104: -0.1083

bits 1111 0100 111 010

n=(1 1 2 1) iota=(1 - - -)



#107 int 3153

block 94 (size 3)


couples to:

#174: -0.0625

#176: +0.1083

bits 1000 1010 001 100

n=(1 0 2 1) iota=(- - - -)



#174 int 5943


block 94 (size 3)

couples to:

#107: -0.0625

bits 1110 1100 111 010

n=(1 0 2 1) iota=(0 - - -)



#176 int 5951


block 94 (size 3)

couples to:

#107: +0.1083

bits 1111 1100 111 010

n=(1 0 2 1) iota=(1 - - -)



#112 int 3188


block 99 (size 3)

couples to:

#166: +0.0625

bits 0010 1110 001 100

n=(1 1 2 1) iota=(- 0 - -)



#121 int 3316


block 99 (size 3)

couples to:

#166: +0.1083

bits 0010 1111 001 100

n=(1 1 2 1) iota=(- 1 - -)



#166 int 5906

block 99 (size 3)


couples to:

#112: +0.0625

#121: +0.1083

bits 0100 1000 111 010

n=(1 1 2 1) iota=(- - - -)



#113 int 3189


block 100 (size 3)

couples to:

#167: +0.0625

bits 1010 1110 001 100

n=(0 1 2 1) iota=(- 0 - -)



#122 int 3317

block 100 (size 3)


couples to:

#167: +0.1083

bits 1010 1111 001 100

n=(0 1 2 1) iota=(- 1 - -)

plaq2: valid local states (page 7/22; states 108-125 of 383 in block order)



#167 int 5907

block 100 (size 3)


couples to:

#113: +0.0625

#122: +0.1083

bits 1100 1000 111 010

n=(0 1 2 1) iota=(- - - -)



#114 int 3197


block 101 (size 3)

couples to:

#168: +0.0625

bits 1011 1110 001 100

n=(2 1 2 1) iota=(- 0 - -)



#123 int 3325


block 101 (size 3)

couples to:

#168: +0.1083

bits 1011 1111 001 100

n=(2 1 2 1) iota=(- 1 - -)



#168 int 5915

block 101 (size 3)


couples to:

#114: +0.0625

#123: +0.1083

bits 1101 1000 111 010

n=(2 1 2 1) iota=(- - - -)



#116 int 3281

block 103 (size 3)


couples to:

#181: -0.0625

#183: +0.1083

bits 1000 1011 001 100

n=(1 2 2 1) iota=(- - - -)



#181 int 6071


block 103 (size 3)

couples to:

#116: -0.0625

bits 1110 1101 111 010

n=(1 2 2 1) iota=(0 - - -)



#183 int 6079


block 103 (size 3)

couples to:

#116: +0.1083

bits 1111 1101 111 010

n=(1 2 2 1) iota=(1 - - -)



#256 int 8193

block 109 (size 3)


couples to:

#340: +0.1250

#342: -0.2165

bits 1000 0000 000 001

n=(1 0 0 2) iota=(- - - -)



#340 int 15207


block 109 (size 3)

couples to:

#256: +0.1250

bits 1110 0110 110 111

n=(1 0 0 2) iota=(0 - - -)



#342 int 15215


block 109 (size 3)

couples to:

#256: -0.2165

bits 1111 0110 110 111

n=(1 0 0 2) iota=(1 - - -)



#258 int 8208

block 111 (size 3)


couples to:

#343: -0.1250

#354: -0.2165

bits 0000 1000 000 001

n=(0 1 0 2) iota=(- - - -)



#343 int 15222


block 111 (size 3)

couples to:

#258: -0.1250

bits 0110 1110 110 111

n=(0 1 0 2) iota=(- 0 - -)



#354 int 15350


block 111 (size 3)

couples to:

#258: -0.2165

bits 0110 1111 110 111

n=(0 1 0 2) iota=(- 1 - -)



#260 int 8216

block 113 (size 3)


couples to:

#345: -0.1250

#356: -0.2165

bits 0001 1000 000 001

n=(2 1 0 2) iota=(- - - -)



#345 int 15230


block 113 (size 3)

couples to:

#260: -0.1250

bits 0111 1110 110 111

n=(2 1 0 2) iota=(- 0 - -)



#356 int 15358


block 113 (size 3)

couples to:

#260: -0.2165

bits 0111 1111 110 111

n=(2 1 0 2) iota=(- 1 - -)



#268 int 8321

block 121 (size 3)


couples to:

#351: +0.1250

#353: -0.2165

bits 1000 0001 000 001

n=(1 2 0 2) iota=(- - - -)



#351 int 15335

block 121 (size 3)


couples to:

#268: +0.1250

bits 1110 0111 110 111

n=(1 2 0 2) iota=(0 - - -)

plaq2: valid local states (page 8/22; states 126-143 of 383 in block order)



#353 int 15343


block 121 (size 3)

couples to:

#268: -0.2165

bits 1111 0111 110 111

n=(1 2 0 2) iota=(1 - - -)



#276 int 8466

block 129 (size 3)


couples to:

#321: +0.0625

#330: +0.1083

bits 0100 1000 100 001

n=(1 1 1 2) iota=(- - - -)



#321 int 14964


block 129 (size 3)

couples to:

#276: +0.0625

bits 0010 1110 010 111

n=(1 1 1 2) iota=(- 0 - -)



#330 int 15092


block 129 (size 3)

couples to:

#276: +0.1083

bits 0010 1111 010 111

n=(1 1 1 2) iota=(- 1 - -)



#277 int 8467

block 130 (size 3)


couples to:

#322: +0.0625

#331: +0.1083

bits 1100 1000 100 001

n=(0 1 1 2) iota=(- - - -)



#322 int 14965


block 130 (size 3)

couples to:

#277: +0.0625

bits 1010 1110 010 111

n=(0 1 1 2) iota=(- 0 - -)



#331 int 15093


block 130 (size 3)

couples to:

#277: +0.1083

bits 1010 1111 010 111

n=(0 1 1 2) iota=(- 1 - -)



#278 int 8475

block 131 (size 3)


couples to:

#323: +0.0625

#332: +0.1083

bits 1101 1000 100 001

n=(2 1 1 2) iota=(- - - -)



#323 int 14973


block 131 (size 3)

couples to:

#278: +0.0625

bits 1011 1110 010 111

n=(2 1 1 2) iota=(- 0 - -)



#332 int 15101


block 131 (size 3)

couples to:

#278: +0.1083

bits 1011 1111 010 111

n=(2 1 1 2) iota=(- 1 - -)



#280 int 8487


block 133 (size 3)

couples to:

#313: +0.0625

bits 1110 0100 100 001

n=(1 1 1 2) iota=(0 - - -)



#282 int 8495


block 133 (size 3)

couples to:

#313: -0.1083

bits 1111 0100 100 001

n=(1 1 1 2) iota=(1 - - -)



#313 int 14913

block 133 (size 3)


couples to:

#280: +0.0625

#282: -0.1083

bits 1000 0010 010 111

n=(1 1 1 2) iota=(- - - -)



#284 int 8503


block 136 (size 3)

couples to:

#316: -0.0625

bits 1110 1100 100 001

n=(1 0 1 2) iota=(0 - - -)



#286 int 8511


block 136 (size 3)

couples to:

#316: +0.1083

bits 1111 1100 100 001

n=(1 0 1 2) iota=(1 - - -)



#316 int 14929

block 136 (size 3)


couples to:

#284: -0.0625

#286: +0.1083

bits 1000 1010 010 111

n=(1 0 1 2) iota=(- - - -)



#291 int 8631


block 142 (size 3)

couples to:

#325: -0.0625

bits 1110 1101 100 001

n=(1 2 1 2) iota=(0 - - -)



#293 int 8639

block 142 (size 3)


couples to:

#325: +0.1083

bits 1111 1101 100 001

n=(1 2 1 2) iota=(1 - - -)

plaq2: valid local states (page 9/22; states 144-161 of 383 in block order)



#325 int 15057

block 142 (size 3)


couples to:

#291: -0.0625

#293: +0.1083

bits 1000 1011 010 111

n=(1 2 1 2) iota=(- - - -)



#295 int 9217

block 145 (size 3)


couples to:

#365: +0.1250

#367: -0.2165

bits 1000 0000 001 001

n=(1 0 2 2) iota=(- - - -)



#365 int 16231


block 145 (size 3)

couples to:

#295: +0.1250

bits 1110 0110 111 111

n=(1 0 2 2) iota=(0 - - -)



#367 int 16239


block 145 (size 3)

couples to:

#295: -0.2165

bits 1111 0110 111 111

n=(1 0 2 2) iota=(1 - - -)



#297 int 9232

block 147 (size 3)


couples to:

#368: -0.1250

#379: -0.2165

bits 0000 1000 001 001

n=(0 1 2 2) iota=(- - - -)



#368 int 16246


block 147 (size 3)

couples to:

#297: -0.1250

bits 0110 1110 111 111

n=(0 1 2 2) iota=(- 0 - -)



#379 int 16374


block 147 (size 3)

couples to:

#297: -0.2165

bits 0110 1111 111 111

n=(0 1 2 2) iota=(- 1 - -)



#299 int 9240

block 149 (size 3)


couples to:

#370: -0.1250

#381: -0.2165

bits 0001 1000 001 001

n=(2 1 2 2) iota=(- - - -)



#370 int 16254


block 149 (size 3)

couples to:

#299: -0.1250

bits 0111 1110 111 111

n=(2 1 2 2) iota=(- 0 - -)



#381 int 16382


block 149 (size 3)

couples to:

#299: -0.2165

bits 0111 1111 111 111

n=(2 1 2 2) iota=(- 1 - -)



#307 int 9345

block 157 (size 3)


couples to:

#376: +0.1250

#378: -0.2165

bits 1000 0001 001 001

n=(1 2 2 2) iota=(- - - -)



#376 int 16359


block 157 (size 3)

couples to:

#307: +0.1250

bits 1110 0111 111 111

n=(1 2 2 2) iota=(0 - - -)



#378 int 16367


block 157 (size 3)

couples to:

#307: -0.2165

bits 1111 0111 111 111

n=(1 2 2 2) iota=(1 - - -)



#0 int 0


block 0 (size 2)

couples to:

#211: +0.2500

bits 0000 0000 000 000

n=(0 0 0 0) iota=(- - - -)



#211 int 7014


block 0 (size 2)

couples to:

#0: +0.2500

bits 0110 0110 110 110

n=(0 0 0 0) iota=(- - - -)



#2 int 8


block 2 (size 2)

couples to:

#213: +0.2500

bits 0001 0000 000 000

n=(2 0 0 0) iota=(- - - -)



#213 int 7022


block 2 (size 2)

couples to:

#2: +0.2500

bits 0111 0110 110 110

n=(2 0 0 0) iota=(- - - -)



#6 int 36

block 6 (size 2)


couples to:

#205: +0.1250

bits 0010 0100 000 000

n=(1 1 0 0) iota=(- - - -)

plaq2: valid local states (page 10/22; states 162-179 of 383 in block order)



#205 int 6978


block 6 (size 2)

couples to:

#6: +0.1250

bits 0100 0010 110 110

n=(1 1 0 0) iota=(- - - -)



#7 int 37


block 7 (size 2)

couples to:

#206: +0.1250

bits 1010 0100 000 000

n=(0 1 0 0) iota=(- - - -)



#206 int 6979


block 7 (size 2)

couples to:

#7: +0.1250

bits 1100 0010 110 110

n=(0 1 0 0) iota=(- - - -)



#8 int 45


block 8 (size 2)

couples to:

#207: +0.1250

bits 1011 0100 000 000

n=(2 1 0 0) iota=(- - - -)



#207 int 6987


block 8 (size 2)

couples to:

#8: +0.1250

bits 1101 0010 110 110

n=(2 1 0 0) iota=(- - - -)



#9 int 52


block 9 (size 2)

couples to:

#208: -0.1250

bits 0010 1100 000 000

n=(1 0 0 0) iota=(- - - -)



#208 int 6994


block 9 (size 2)

couples to:

#9: -0.1250

bits 0100 1010 110 110

n=(1 0 0 0) iota=(- - - -)



#10 int 53


block 10 (size 2)

couples to:

#209: -0.1250

bits 1010 1100 000 000

n=(0 0 0 0) iota=(- - - -)



#209 int 6995


block 10 (size 2)

couples to:

#10: -0.1250

bits 1100 1010 110 110

n=(0 0 0 0) iota=(- - - -)



#11 int 61


block 11 (size 2)

couples to:

#210: -0.1250

bits 1011 1100 000 000

n=(2 0 0 0) iota=(- - - -)



#210 int 7003


block 11 (size 2)

couples to:

#11: -0.1250

bits 1101 1010 110 110

n=(2 0 0 0) iota=(- - - -)



#12 int 128


block 12 (size 2)

couples to:

#222: +0.2500

bits 0000 0001 000 000

n=(0 2 0 0) iota=(- - - -)



#222 int 7142


block 12 (size 2)

couples to:

#12: +0.2500

bits 0110 0111 110 110

n=(0 2 0 0) iota=(- - - -)



#14 int 136


block 14 (size 2)

couples to:

#224: +0.2500

bits 0001 0001 000 000

n=(2 2 0 0) iota=(- - - -)



#224 int 7150


block 14 (size 2)

couples to:

#14: +0.2500

bits 0111 0111 110 110

n=(2 2 0 0) iota=(- - - -)



#15 int 180


block 15 (size 2)

couples to:

#219: -0.1250

bits 0010 1101 000 000

n=(1 2 0 0) iota=(- - - -)



#219 int 7122


block 15 (size 2)

couples to:

#15: -0.1250

bits 0100 1011 110 110

n=(1 2 0 0) iota=(- - - -)



#16 int 181

block 16 (size 2)


couples to:

#220: -0.1250

bits 1010 1101 000 000

n=(0 2 0 0) iota=(- - - -)

plaq2: valid local states (page 11/22; states 180-197 of 383 in block order)



#220 int 7123


block 16 (size 2)

couples to:

#16: -0.1250

bits 1100 1011 110 110

n=(0 2 0 0) iota=(- - - -)



#17 int 189


block 17 (size 2)

couples to:

#221: -0.1250

bits 1011 1101 000 000

n=(2 2 0 0) iota=(- - - -)



#221 int 7131


block 17 (size 2)

couples to:

#17: -0.1250

bits 1101 1011 110 110

n=(2 2 0 0) iota=(- - - -)



#18 int 258


block 18 (size 2)

couples to:

#190: -0.1250

bits 0100 0000 100 000

n=(1 0 1 0) iota=(- - - -)



#190 int 6756


block 18 (size 2)

couples to:

#18: -0.1250

bits 0010 0110 010 110

n=(1 0 1 0) iota=(- - - -)



#19 int 259


block 19 (size 2)

couples to:

#191: -0.1250

bits 1100 0000 100 000

n=(0 0 1 0) iota=(- - - -)



#191 int 6757


block 19 (size 2)

couples to:

#19: -0.1250

bits 1010 0110 010 110

n=(0 0 1 0) iota=(- - - -)



#20 int 267


block 20 (size 2)

couples to:

#192: -0.1250

bits 1101 0000 100 000

n=(2 0 1 0) iota=(- - - -)



#192 int 6765


block 20 (size 2)

couples to:

#20: -0.1250

bits 1011 0110 010 110

n=(2 0 1 0) iota=(- - - -)



#24 int 294


block 24 (size 2)

couples to:

#184: +0.1250

bits 0110 0100 100 000

n=(0 1 1 0) iota=(- - - -)



#184 int 6720


block 24 (size 2)

couples to:

#24: +0.1250

bits 0000 0010 010 110

n=(0 1 1 0) iota=(- - - -)



#26 int 302


block 26 (size 2)

couples to:

#186: +0.1250

bits 0111 0100 100 000

n=(2 1 1 0) iota=(- - - -)



#186 int 6728


block 26 (size 2)

couples to:

#26: +0.1250

bits 0001 0010 010 110

n=(2 1 1 0) iota=(- - - -)



#28 int 310


block 27 (size 2)

couples to:

#187: -0.1250

bits 0110 1100 100 000

n=(0 0 1 0) iota=(- - - -)



#187 int 6736


block 27 (size 2)

couples to:

#28: -0.1250

bits 0000 1010 010 110

n=(0 0 1 0) iota=(- - - -)



#30 int 318


block 29 (size 2)

couples to:

#189: -0.1250

bits 0111 1100 100 000

n=(2 0 1 0) iota=(- - - -)



#189 int 6744


block 29 (size 2)

couples to:

#30: -0.1250

bits 0001 1010 010 110

n=(2 0 1 0) iota=(- - - -)



#32 int 386

block 30 (size 2)


couples to:

#199: -0.1250

bits 0100 0001 100 000

n=(1 2 1 0) iota=(- - - -)

plaq2: valid local states (page 12/22; states 198-215 of 383 in block order)



#199 int 6884


block 30 (size 2)

couples to:

#32: -0.1250

bits 0010 0111 010 110

n=(1 2 1 0) iota=(- - - -)



#33 int 387


block 31 (size 2)

couples to:

#200: -0.1250

bits 1100 0001 100 000

n=(0 2 1 0) iota=(- - - -)



#200 int 6885


block 31 (size 2)

couples to:

#33: -0.1250

bits 1010 0111 010 110

n=(0 2 1 0) iota=(- - - -)



#34 int 395


block 32 (size 2)

couples to:

#201: -0.1250

bits 1101 0001 100 000

n=(2 2 1 0) iota=(- - - -)



#201 int 6893


block 32 (size 2)

couples to:

#34: -0.1250

bits 1011 0111 010 110

n=(2 2 1 0) iota=(- - - -)



#35 int 438


block 33 (size 2)

couples to:

#196: -0.1250

bits 0110 1101 100 000

n=(0 2 1 0) iota=(- - - -)



#196 int 6864


block 33 (size 2)

couples to:

#35: -0.1250

bits 0000 1011 010 110

n=(0 2 1 0) iota=(- - - -)



#37 int 446


block 35 (size 2)

couples to:

#198: -0.1250

bits 0111 1101 100 000

n=(2 2 1 0) iota=(- - - -)



#198 int 6872


block 35 (size 2)

couples to:

#37: -0.1250

bits 0001 1011 010 110

n=(2 2 1 0) iota=(- - - -)



#39 int 1024


block 36 (size 2)

couples to:

#236: +0.2500

bits 0000 0000 001 000

n=(0 0 2 0) iota=(- - - -)



#236 int 8038


block 36 (size 2)

couples to:

#39: +0.2500

bits 0110 0110 111 110

n=(0 0 2 0) iota=(- - - -)



#41 int 1032


block 38 (size 2)

couples to:

#238: +0.2500

bits 0001 0000 001 000

n=(2 0 2 0) iota=(- - - -)



#238 int 8046


block 38 (size 2)

couples to:

#41: +0.2500

bits 0111 0110 111 110

n=(2 0 2 0) iota=(- - - -)



#45 int 1060


block 42 (size 2)

couples to:

#230: +0.1250

bits 0010 0100 001 000

n=(1 1 2 0) iota=(- - - -)



#230 int 8002


block 42 (size 2)

couples to:

#45: +0.1250

bits 0100 0010 111 110

n=(1 1 2 0) iota=(- - - -)



#46 int 1061


block 43 (size 2)

couples to:

#231: +0.1250

bits 1010 0100 001 000

n=(0 1 2 0) iota=(- - - -)



#231 int 8003


block 43 (size 2)

couples to:

#46: +0.1250

bits 1100 0010 111 110

n=(0 1 2 0) iota=(- - - -)



#47 int 1069

block 44 (size 2)


couples to:

#232: +0.1250

bits 1011 0100 001 000

n=(2 1 2 0) iota=(- - - -)

plaq2: valid local states (page 13/22; states 216-233 of 383 in block order)



#232 int 8011


block 44 (size 2)

couples to:

#47: +0.1250

bits 1101 0010 111 110

n=(2 1 2 0) iota=(- - - -)



#48 int 1076


block 45 (size 2)

couples to:

#233: -0.1250

bits 0010 1100 001 000

n=(1 0 2 0) iota=(- - - -)



#233 int 8018


block 45 (size 2)

couples to:

#48: -0.1250

bits 0100 1010 111 110

n=(1 0 2 0) iota=(- - - -)



#49 int 1077


block 46 (size 2)

couples to:

#234: -0.1250

bits 1010 1100 001 000

n=(0 0 2 0) iota=(- - - -)



#234 int 8019


block 46 (size 2)

couples to:

#49: -0.1250

bits 1100 1010 111 110

n=(0 0 2 0) iota=(- - - -)



#50 int 1085


block 47 (size 2)

couples to:

#235: -0.1250

bits 1011 1100 001 000

n=(2 0 2 0) iota=(- - - -)



#235 int 8027


block 47 (size 2)

couples to:

#50: -0.1250

bits 1101 1010 111 110

n=(2 0 2 0) iota=(- - - -)



#51 int 1152


block 48 (size 2)

couples to:

#247: +0.2500

bits 0000 0001 001 000

n=(0 2 2 0) iota=(- - - -)



#247 int 8166


block 48 (size 2)

couples to:

#51: +0.2500

bits 0110 0111 111 110

n=(0 2 2 0) iota=(- - - -)



#53 int 1160


block 50 (size 2)

couples to:

#249: +0.2500

bits 0001 0001 001 000

n=(2 2 2 0) iota=(- - - -)



#249 int 8174


block 50 (size 2)

couples to:

#53: +0.2500

bits 0111 0111 111 110

n=(2 2 2 0) iota=(- - - -)



#54 int 1204


block 51 (size 2)

couples to:

#244: -0.1250

bits 0010 1101 001 000

n=(1 2 2 0) iota=(- - - -)



#244 int 8146


block 51 (size 2)

couples to:

#54: -0.1250

bits 0100 1011 111 110

n=(1 2 2 0) iota=(- - - -)



#55 int 1205


block 52 (size 2)

couples to:

#245: -0.1250

bits 1010 1101 001 000

n=(0 2 2 0) iota=(- - - -)



#245 int 8147


block 52 (size 2)

couples to:

#55: -0.1250

bits 1100 1011 111 110

n=(0 2 2 0) iota=(- - - -)



#56 int 1213


block 53 (size 2)

couples to:

#246: -0.1250

bits 1011 1101 001 000

n=(2 2 2 0) iota=(- - - -)



#246 int 8155


block 53 (size 2)

couples to:

#56: -0.1250

bits 1101 1011 111 110

n=(2 2 2 0) iota=(- - - -)



#57 int 2112

block 54 (size 2)


couples to:

#148: +0.1250

bits 0000 0010 000 100

n=(0 1 0 1) iota=(- - - -)

plaq2: valid local states (page 14/22; states 234-251 of 383 in block order)



#148 int 4902


block 54 (size 2)

couples to:

#57: +0.1250

bits 0110 0100 110 010

n=(0 1 0 1) iota=(- - - -)



#59 int 2120


block 56 (size 2)

couples to:

#150: +0.1250

bits 0001 0010 000 100

n=(2 1 0 1) iota=(- - - -)



#150 int 4910


block 56 (size 2)

couples to:

#59: +0.1250

bits 0111 0100 110 010

n=(2 1 0 1) iota=(- - - -)



#60 int 2128


block 57 (size 2)

couples to:

#152: -0.1250

bits 0000 1010 000 100

n=(0 0 0 1) iota=(- - - -)



#152 int 4918


block 57 (size 2)

couples to:

#60: -0.1250

bits 0110 1100 110 010

n=(0 0 0 1) iota=(- - - -)



#62 int 2136


block 59 (size 2)

couples to:

#154: -0.1250

bits 0001 1010 000 100

n=(2 0 0 1) iota=(- - - -)



#154 int 4926


block 59 (size 2)

couples to:

#62: -0.1250

bits 0111 1100 110 010

n=(2 0 0 1) iota=(- - - -)



#63 int 2148


block 60 (size 2)

couples to:

#142: -0.1250

bits 0010 0110 000 100

n=(1 0 0 1) iota=(- - - -)



#142 int 4866


block 60 (size 2)

couples to:

#63: -0.1250

bits 0100 0000 110 010

n=(1 0 0 1) iota=(- - - -)



#64 int 2149


block 61 (size 2)

couples to:

#143: -0.1250

bits 1010 0110 000 100

n=(0 0 0 1) iota=(- - - -)



#143 int 4867


block 61 (size 2)

couples to:

#64: -0.1250

bits 1100 0000 110 010

n=(0 0 0 1) iota=(- - - -)



#65 int 2157


block 62 (size 2)

couples to:

#144: -0.1250

bits 1011 0110 000 100

n=(2 0 0 1) iota=(- - - -)



#144 int 4875


block 62 (size 2)

couples to:

#65: -0.1250

bits 1101 0000 110 010

n=(2 0 0 1) iota=(- - - -)



#69 int 2256


block 66 (size 2)

couples to:

#159: -0.1250

bits 0000 1011 000 100

n=(0 2 0 1) iota=(- - - -)



#159 int 5046


block 66 (size 2)

couples to:

#69: -0.1250

bits 0110 1101 110 010

n=(0 2 0 1) iota=(- - - -)



#71 int 2264


block 68 (size 2)

couples to:

#161: -0.1250

bits 0001 1011 000 100

n=(2 2 0 1) iota=(- - - -)



#161 int 5054


block 68 (size 2)

couples to:

#71: -0.1250

bits 0111 1101 110 010

n=(2 2 0 1) iota=(- - - -)



#72 int 2276

block 69 (size 2)


couples to:

#156: -0.1250

bits 0010 0111 000 100

n=(1 2 0 1) iota=(- - - -)

plaq2: valid local states (page 15/22; states 252-269 of 383 in block order)



#156 int 4994


block 69 (size 2)

couples to:

#72: -0.1250

bits 0100 0001 110 010

n=(1 2 0 1) iota=(- - - -)



#73 int 2277


block 70 (size 2)

couples to:

#157: -0.1250

bits 1010 0111 000 100

n=(0 2 0 1) iota=(- - - -)



#157 int 4995


block 70 (size 2)

couples to:

#73: -0.1250

bits 1100 0001 110 010

n=(0 2 0 1) iota=(- - - -)



#74 int 2285


block 71 (size 2)

couples to:

#158: -0.1250

bits 1011 0111 000 100

n=(2 2 0 1) iota=(- - - -)



#158 int 5003


block 71 (size 2)

couples to:

#74: -0.1250

bits 1101 0001 110 010

n=(2 2 0 1) iota=(- - - -)



#78 int 2370


block 72 (size 2)

couples to:

#130: -0.0625

bits 0100 0010 100 100

n=(1 1 1 1) iota=(- - - -)



#130 int 4644


block 72 (size 2)

couples to:

#78: -0.0625

bits 0010 0100 010 010

n=(1 1 1 1) iota=(- - - -)



#79 int 2371


block 73 (size 2)

couples to:

#131: -0.0625

bits 1100 0010 100 100

n=(0 1 1 1) iota=(- - - -)



#131 int 4645


block 73 (size 2)

couples to:

#79: -0.0625

bits 1010 0100 010 010

n=(0 1 1 1) iota=(- - - -)



#80 int 2379


block 74 (size 2)

couples to:

#132: -0.0625

bits 1101 0010 100 100

n=(2 1 1 1) iota=(- - - -)



#132 int 4653


block 74 (size 2)

couples to:

#80: -0.0625

bits 1011 0100 010 010

n=(2 1 1 1) iota=(- - - -)



#81 int 2386


block 75 (size 2)

couples to:

#133: +0.0625

bits 0100 1010 100 100

n=(1 0 1 1) iota=(- - - -)



#133 int 4660


block 75 (size 2)

couples to:

#81: +0.0625

bits 0010 1100 010 010

n=(1 0 1 1) iota=(- - - -)



#82 int 2387


block 76 (size 2)

couples to:

#134: +0.0625

bits 1100 1010 100 100

n=(0 0 1 1) iota=(- - - -)



#134 int 4661


block 76 (size 2)

couples to:

#82: +0.0625

bits 1010 1100 010 010

n=(0 0 1 1) iota=(- - - -)



#83 int 2395


block 77 (size 2)

couples to:

#135: +0.0625

bits 1101 1010 100 100

n=(2 0 1 1) iota=(- - - -)



#135 int 4669


block 77 (size 2)

couples to:

#83: +0.0625

bits 1011 1100 010 010

n=(2 0 1 1) iota=(- - - -)



#84 int 2406

block 78 (size 2)


couples to:

#124: -0.1250

bits 0110 0110 100 100

n=(0 0 1 1) iota=(- - - -)

plaq2: valid local states (page 16/22; states 270-287 of 383 in block order)



#124 int 4608


block 78 (size 2)

couples to:

#84: -0.1250

bits 0000 0000 010 010

n=(0 0 1 1) iota=(- - - -)



#86 int 2414


block 80 (size 2)

couples to:

#126: -0.1250

bits 0111 0110 100 100

n=(2 0 1 1) iota=(- - - -)



#126 int 4616


block 80 (size 2)

couples to:

#86: -0.1250

bits 0001 0000 010 010

n=(2 0 1 1) iota=(- - - -)



#92 int 2514


block 84 (size 2)

couples to:

#139: +0.0625

bits 0100 1011 100 100

n=(1 2 1 1) iota=(- - - -)



#139 int 4788


block 84 (size 2)

couples to:

#92: +0.0625

bits 0010 1101 010 010

n=(1 2 1 1) iota=(- - - -)



#93 int 2515


block 85 (size 2)

couples to:

#140: +0.0625

bits 1100 1011 100 100

n=(0 2 1 1) iota=(- - - -)



#140 int 4789


block 85 (size 2)

couples to:

#93: +0.0625

bits 1010 1101 010 010

n=(0 2 1 1) iota=(- - - -)



#94 int 2523


block 86 (size 2)

couples to:

#141: +0.0625

bits 1101 1011 100 100

n=(2 2 1 1) iota=(- - - -)



#141 int 4797


block 86 (size 2)

couples to:

#94: +0.0625

bits 1011 1101 010 010

n=(2 2 1 1) iota=(- - - -)



#95 int 2534


block 87 (size 2)

couples to:

#136: -0.1250

bits 0110 0111 100 100

n=(0 2 1 1) iota=(- - - -)



#136 int 4736


block 87 (size 2)

couples to:

#95: -0.1250

bits 0000 0001 010 010

n=(0 2 1 1) iota=(- - - -)



#97 int 2542


block 89 (size 2)

couples to:

#138: -0.1250

bits 0111 0111 100 100

n=(2 2 1 1) iota=(- - - -)



#138 int 4744


block 89 (size 2)

couples to:

#97: -0.1250

bits 0001 0001 010 010

n=(2 2 1 1) iota=(- - - -)



#103 int 3136


block 90 (size 2)

couples to:

#169: +0.1250

bits 0000 0010 001 100

n=(0 1 2 1) iota=(- - - -)



#169 int 5926


block 90 (size 2)

couples to:

#103: +0.1250

bits 0110 0100 111 010

n=(0 1 2 1) iota=(- - - -)



#105 int 3144


block 92 (size 2)

couples to:

#171: +0.1250

bits 0001 0010 001 100

n=(2 1 2 1) iota=(- - - -)



#171 int 5934


block 92 (size 2)

couples to:

#105: +0.1250

bits 0111 0100 111 010

n=(2 1 2 1) iota=(- - - -)



#106 int 3152

block 93 (size 2)


couples to:

#173: -0.1250

bits 0000 1010 001 100

n=(0 0 2 1) iota=(- - - -)

plaq2: valid local states (page 17/22; states 288-305 of 383 in block order)



#173 int 5942


block 93 (size 2)

couples to:

#106: -0.1250

bits 0110 1100 111 010

n=(0 0 2 1) iota=(- - - -)



#108 int 3160


block 95 (size 2)

couples to:

#175: -0.1250

bits 0001 1010 001 100

n=(2 0 2 1) iota=(- - - -)



#175 int 5950


block 95 (size 2)

couples to:

#108: -0.1250

bits 0111 1100 111 010

n=(2 0 2 1) iota=(- - - -)



#109 int 3172


block 96 (size 2)

couples to:

#163: -0.1250

bits 0010 0110 001 100

n=(1 0 2 1) iota=(- - - -)



#163 int 5890


block 96 (size 2)

couples to:

#109: -0.1250

bits 0100 0000 111 010

n=(1 0 2 1) iota=(- - - -)



#110 int 3173


block 97 (size 2)

couples to:

#164: -0.1250

bits 1010 0110 001 100

n=(0 0 2 1) iota=(- - - -)



#164 int 5891


block 97 (size 2)

couples to:

#110: -0.1250

bits 1100 0000 111 010

n=(0 0 2 1) iota=(- - - -)



#111 int 3181


block 98 (size 2)

couples to:

#165: -0.1250

bits 1011 0110 001 100

n=(2 0 2 1) iota=(- - - -)



#165 int 5899


block 98 (size 2)

couples to:

#111: -0.1250

bits 1101 0000 111 010

n=(2 0 2 1) iota=(- - - -)



#115 int 3280


block 102 (size 2)

couples to:

#180: -0.1250

bits 0000 1011 001 100

n=(0 2 2 1) iota=(- - - -)



#180 int 6070


block 102 (size 2)

couples to:

#115: -0.1250

bits 0110 1101 111 010

n=(0 2 2 1) iota=(- - - -)



#117 int 3288


block 104 (size 2)

couples to:

#182: -0.1250

bits 0001 1011 001 100

n=(2 2 2 1) iota=(- - - -)



#182 int 6078


block 104 (size 2)

couples to:

#117: -0.1250

bits 0111 1101 111 010

n=(2 2 2 1) iota=(- - - -)



#118 int 3300


block 105 (size 2)

couples to:

#177: -0.1250

bits 0010 0111 001 100

n=(1 2 2 1) iota=(- - - -)



#177 int 6018


block 105 (size 2)

couples to:

#118: -0.1250

bits 0100 0001 111 010

n=(1 2 2 1) iota=(- - - -)



#119 int 3301


block 106 (size 2)

couples to:

#178: -0.1250

bits 1010 0111 001 100

n=(0 2 2 1) iota=(- - - -)



#178 int 6019


block 106 (size 2)

couples to:

#119: -0.1250

bits 1100 0001 111 010

n=(0 2 2 1) iota=(- - - -)



#120 int 3309

block 107 (size 2)


couples to:

#179: -0.1250

bits 1011 0111 001 100

n=(2 2 2 1) iota=(- - - -)

plaq2: valid local states (page 18/22; states 306-323 of 383 in block order)



#179 int 6027


block 107 (size 2)

couples to:

#120: -0.1250

bits 1101 0001 111 010

n=(2 2 2 1) iota=(- - - -)



#255 int 8192


block 108 (size 2)

couples to:

#339: +0.2500

bits 0000 0000 000 001

n=(0 0 0 2) iota=(- - - -)



#339 int 15206


block 108 (size 2)

couples to:

#255: +0.2500

bits 0110 0110 110 111

n=(0 0 0 2) iota=(- - - -)



#257 int 8200


block 110 (size 2)

couples to:

#341: +0.2500

bits 0001 0000 000 001

n=(2 0 0 2) iota=(- - - -)



#341 int 15214


block 110 (size 2)

couples to:

#257: +0.2500

bits 0111 0110 110 111

n=(2 0 0 2) iota=(- - - -)



#261 int 8228


block 114 (size 2)

couples to:

#333: +0.1250

bits 0010 0100 000 001

n=(1 1 0 2) iota=(- - - -)



#333 int 15170


block 114 (size 2)

couples to:

#261: +0.1250

bits 0100 0010 110 111

n=(1 1 0 2) iota=(- - - -)



#262 int 8229


block 115 (size 2)

couples to:

#334: +0.1250

bits 1010 0100 000 001

n=(0 1 0 2) iota=(- - - -)



#334 int 15171


block 115 (size 2)

couples to:

#262: +0.1250

bits 1100 0010 110 111

n=(0 1 0 2) iota=(- - - -)



#263 int 8237


block 116 (size 2)

couples to:

#335: +0.1250

bits 1011 0100 000 001

n=(2 1 0 2) iota=(- - - -)



#335 int 15179


block 116 (size 2)

couples to:

#263: +0.1250

bits 1101 0010 110 111

n=(2 1 0 2) iota=(- - - -)



#264 int 8244


block 117 (size 2)

couples to:

#336: -0.1250

bits 0010 1100 000 001

n=(1 0 0 2) iota=(- - - -)



#336 int 15186


block 117 (size 2)

couples to:

#264: -0.1250

bits 0100 1010 110 111

n=(1 0 0 2) iota=(- - - -)



#265 int 8245


block 118 (size 2)

couples to:

#337: -0.1250

bits 1010 1100 000 001

n=(0 0 0 2) iota=(- - - -)



#337 int 15187


block 118 (size 2)

couples to:

#265: -0.1250

bits 1100 1010 110 111

n=(0 0 0 2) iota=(- - - -)



#266 int 8253


block 119 (size 2)

couples to:

#338: -0.1250

bits 1011 1100 000 001

n=(2 0 0 2) iota=(- - - -)



#338 int 15195


block 119 (size 2)

couples to:

#266: -0.1250

bits 1101 1010 110 111

n=(2 0 0 2) iota=(- - - -)



#267 int 8320

block 120 (size 2)


couples to:

#350: +0.2500

bits 0000 0001 000 001

n=(0 2 0 2) iota=(- - - -)

plaq2: valid local states (page 19/22; states 324-341 of 383 in block order)



#350 int 15334


block 120 (size 2)

couples to:

#267: +0.2500

bits 0110 0111 110 111

n=(0 2 0 2) iota=(- - - -)



#269 int 8328


block 122 (size 2)

couples to:

#352: +0.2500

bits 0001 0001 000 001

n=(2 2 0 2) iota=(- - - -)



#352 int 15342


block 122 (size 2)

couples to:

#269: +0.2500

bits 0111 0111 110 111

n=(2 2 0 2) iota=(- - - -)



#270 int 8372


block 123 (size 2)

couples to:

#347: -0.1250

bits 0010 1101 000 001

n=(1 2 0 2) iota=(- - - -)



#347 int 15314


block 123 (size 2)

couples to:

#270: -0.1250

bits 0100 1011 110 111

n=(1 2 0 2) iota=(- - - -)



#271 int 8373


block 124 (size 2)

couples to:

#348: -0.1250

bits 1010 1101 000 001

n=(0 2 0 2) iota=(- - - -)



#348 int 15315


block 124 (size 2)

couples to:

#271: -0.1250

bits 1100 1011 110 111

n=(0 2 0 2) iota=(- - - -)



#272 int 8381


block 125 (size 2)

couples to:

#349: -0.1250

bits 1011 1101 000 001

n=(2 2 0 2) iota=(- - - -)



#349 int 15323


block 125 (size 2)

couples to:

#272: -0.1250

bits 1101 1011 110 111

n=(2 2 0 2) iota=(- - - -)



#273 int 8450


block 126 (size 2)

couples to:

#318: -0.1250

bits 0100 0000 100 001

n=(1 0 1 2) iota=(- - - -)



#318 int 14948


block 126 (size 2)

couples to:

#273: -0.1250

bits 0010 0110 010 111

n=(1 0 1 2) iota=(- - - -)



#274 int 8451


block 127 (size 2)

couples to:

#319: -0.1250

bits 1100 0000 100 001

n=(0 0 1 2) iota=(- - - -)



#319 int 14949


block 127 (size 2)

couples to:

#274: -0.1250

bits 1010 0110 010 111

n=(0 0 1 2) iota=(- - - -)



#275 int 8459


block 128 (size 2)

couples to:

#320: -0.1250

bits 1101 0000 100 001

n=(2 0 1 2) iota=(- - - -)



#320 int 14957


block 128 (size 2)

couples to:

#275: -0.1250

bits 1011 0110 010 111

n=(2 0 1 2) iota=(- - - -)



#279 int 8486


block 132 (size 2)

couples to:

#312: +0.1250

bits 0110 0100 100 001

n=(0 1 1 2) iota=(- - - -)



#312 int 14912


block 132 (size 2)

couples to:

#279: +0.1250

bits 0000 0010 010 111

n=(0 1 1 2) iota=(- - - -)



#281 int 8494

block 134 (size 2)


couples to:

#314: +0.1250

bits 0111 0100 100 001

n=(2 1 1 2) iota=(- - - -)

plaq2: valid local states (page 20/22; states 342-359 of 383 in block order)



#314 int 14920


block 134 (size 2)

couples to:

#281: +0.1250

bits 0001 0010 010 111

n=(2 1 1 2) iota=(- - - -)



#283 int 8502


block 135 (size 2)

couples to:

#315: -0.1250

bits 0110 1100 100 001

n=(0 0 1 2) iota=(- - - -)



#315 int 14928


block 135 (size 2)

couples to:

#283: -0.1250

bits 0000 1010 010 111

n=(0 0 1 2) iota=(- - - -)



#285 int 8510


block 137 (size 2)

couples to:

#317: -0.1250

bits 0111 1100 100 001

n=(2 0 1 2) iota=(- - - -)



#317 int 14936


block 137 (size 2)

couples to:

#285: -0.1250

bits 0001 1010 010 111

n=(2 0 1 2) iota=(- - - -)



#287 int 8578


block 138 (size 2)

couples to:

#327: -0.1250

bits 0100 0001 100 001

n=(1 2 1 2) iota=(- - - -)



#327 int 15076


block 138 (size 2)

couples to:

#287: -0.1250

bits 0010 0111 010 111

n=(1 2 1 2) iota=(- - - -)



#288 int 8579


block 139 (size 2)

couples to:

#328: -0.1250

bits 1100 0001 100 001

n=(0 2 1 2) iota=(- - - -)



#328 int 15077


block 139 (size 2)

couples to:

#288: -0.1250

bits 1010 0111 010 111

n=(0 2 1 2) iota=(- - - -)



#289 int 8587


block 140 (size 2)

couples to:

#329: -0.1250

bits 1101 0001 100 001

n=(2 2 1 2) iota=(- - - -)



#329 int 15085


block 140 (size 2)

couples to:

#289: -0.1250

bits 1011 0111 010 111

n=(2 2 1 2) iota=(- - - -)



#290 int 8630


block 141 (size 2)

couples to:

#324: -0.1250

bits 0110 1101 100 001

n=(0 2 1 2) iota=(- - - -)



#324 int 15056


block 141 (size 2)

couples to:

#290: -0.1250

bits 0000 1011 010 111

n=(0 2 1 2) iota=(- - - -)



#292 int 8638


block 143 (size 2)

couples to:

#326: -0.1250

bits 0111 1101 100 001

n=(2 2 1 2) iota=(- - - -)



#326 int 15064


block 143 (size 2)

couples to:

#292: -0.1250

bits 0001 1011 010 111

n=(2 2 1 2) iota=(- - - -)



#294 int 9216


block 144 (size 2)

couples to:

#364: +0.2500

bits 0000 0000 001 001

n=(0 0 2 2) iota=(- - - -)



#364 int 16230


block 144 (size 2)

couples to:

#294: +0.2500

bits 0110 0110 111 111

n=(0 0 2 2) iota=(- - - -)



#296 int 9224

block 146 (size 2)


couples to:

#366: +0.2500

bits 0001 0000 001 001

n=(2 0 2 2) iota=(- - - -)

plaq2: valid local states (page 21/22; states 360-377 of 383 in block order)



#366 int 16238


block 146 (size 2)

couples to:

#296: +0.2500

bits 0111 0110 111 111

n=(2 0 2 2) iota=(- - - -)



#300 int 9252


block 150 (size 2)

couples to:

#358: +0.1250

bits 0010 0100 001 001

n=(1 1 2 2) iota=(- - - -)



#358 int 16194


block 150 (size 2)

couples to:

#300: +0.1250

bits 0100 0010 111 111

n=(1 1 2 2) iota=(- - - -)



#301 int 9253


block 151 (size 2)

couples to:

#359: +0.1250

bits 1010 0100 001 001

n=(0 1 2 2) iota=(- - - -)



#359 int 16195


block 151 (size 2)

couples to:

#301: +0.1250

bits 1100 0010 111 111

n=(0 1 2 2) iota=(- - - -)



#302 int 9261


block 152 (size 2)

couples to:

#360: +0.1250

bits 1011 0100 001 001

n=(2 1 2 2) iota=(- - - -)



#360 int 16203


block 152 (size 2)

couples to:

#302: +0.1250

bits 1101 0010 111 111

n=(2 1 2 2) iota=(- - - -)



#303 int 9268


block 153 (size 2)

couples to:

#361: -0.1250

bits 0010 1100 001 001

n=(1 0 2 2) iota=(- - - -)



#361 int 16210


block 153 (size 2)

couples to:

#303: -0.1250

bits 0100 1010 111 111

n=(1 0 2 2) iota=(- - - -)



#304 int 9269


block 154 (size 2)

couples to:

#362: -0.1250

bits 1010 1100 001 001

n=(0 0 2 2) iota=(- - - -)



#362 int 16211


block 154 (size 2)

couples to:

#304: -0.1250

bits 1100 1010 111 111

n=(0 0 2 2) iota=(- - - -)



#305 int 9277


block 155 (size 2)

couples to:

#363: -0.1250

bits 1011 1100 001 001

n=(2 0 2 2) iota=(- - - -)



#363 int 16219


block 155 (size 2)

couples to:

#305: -0.1250

bits 1101 1010 111 111

n=(2 0 2 2) iota=(- - - -)



#306 int 9344


block 156 (size 2)

couples to:

#375: +0.2500

bits 0000 0001 001 001

n=(0 2 2 2) iota=(- - - -)



#375 int 16358


block 156 (size 2)

couples to:

#306: +0.2500

bits 0110 0111 111 111

n=(0 2 2 2) iota=(- - - -)



#308 int 9352


block 158 (size 2)

couples to:

#377: +0.2500

bits 0001 0001 001 001

n=(2 2 2 2) iota=(- - - -)



#377 int 16366


block 158 (size 2)

couples to:

#308: +0.2500

bits 0111 0111 111 111

n=(2 2 2 2) iota=(- - - -)



#309 int 9396

block 159 (size 2)


couples to:

#372: -0.1250

bits 0010 1101 001 001

n=(1 2 2 2) iota=(- - - -)

plaq2: valid local states (page 22/22; states 378-382 of 383 in block order)



#372 int 16338


block 159 (size 2)

couples to:

#309: -0.1250

bits 0100 1011 111 111

n=(1 2 2 2) iota=(- - - -)



#310 int 9397


block 160 (size 2)

couples to:

#373: -0.1250

bits 1010 1101 001 001

n=(0 2 2 2) iota=(- - - -)



#373 int 16339


block 160 (size 2)

couples to:

#310: -0.1250

bits 1100 1011 111 111

n=(0 2 2 2) iota=(- - - -)



#311 int 9405


block 161 (size 2)

couples to:

#374: -0.1250

bits 1011 1101 001 001

n=(2 2 2 2) iota=(- - - -)



#374 int 16347

block 161 (size 2)

couples to:

#311: -0.1250

bits 1101 1011 111 111

n=(2 2 2 2) iota=(- - - -)