ECO-RCMP
ROBOT

DÜRR SYSTEMS GmbH

DATE 23/07/2025

RCMP WITHOUT DOSING

OPERATING VOLTAGE	3x400V AC /50Hz
POWER	8kVA
NOMINAL CURRENT	13A
PRE FUSE	25A
POWER SUPPLY PLC	24VDC
PLC - SYSTEM	RPC

VW-Anchieta

UBS ROBOT
BR072965899 6001_02_11_12)

R11,R21

R12,R22

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta COVER PAGE		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:		1
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP_DOC		Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	0	

TABLE OF CONTENTS

Column X: an automaticly created page is manual changed


DURRINH2 15.11.06


PAGE	Page designation	Suppl. page field	DATE	User	X
+RCMP_DOC/0	COVER PAGE		08/03/2010	WLT	
+RCMP_DOC/1	TABLE OF CONTENTS		08/05/2025	BRSPA2MF	
+RCMP_DOC/3	WIRE COLORS		22/01/2010	WLT	
+RCMP_DOC/4	PLUG CONNECTOR VIEW		10/02/2010	WLT	
+RCMP_DOC/5	PLUG BOX OVERVIEW		08/05/2025	WLT	
+RCMP_DOC/6a	BUILDING PLAN		08/05/2025	WLT	
+RCMP_DOC/7	BUS OVERVIEW		26/01/2010	WLT	
+RCMP_DOC/8	SERCOS - OVERVIEW		22/01/2010	WLT	
+RCMP_DOC/9	EcoRPC OVERVIEW		03/02/2010	WLT	
+RCMP_DOC/12a	ET200S		08/05/2025	WLT	
+RCMP_DOC/13a	I/O-OVERVIEW ET200S		06/05/2025	WLT	
+RCMP_DOC/15a	I/O-OVERVIEW ET200S		06/05/2025	WLT	
+RCMP_DOC/16a	I/O-OVERVIEW ET200S		06/05/2025	BRSPA2MF	
+RCMP_DOC/17a	I/O-OVERVIEW ET200S		06/05/2025	BRSPA2MF	
+RCMP_DOC/18a	I/O-OVERVIEW ET200S		06/05/2025	BRSPA2MF	
+RCMP_DOC/19a	I/O-OVERVIEW ET200S		06/05/2025	BRSPA2MF	
+RCMP_DOC/20	ET200S PROFIsafe		03/02/2010	WLT	
+RCMP_DOC/21	I/O-OVERVIEW ET200S PROFIsafe		22/04/2010	WLT	
+RCMP_DOC/22	I/O-OVERVIEW ET200S PROFIsafe		22/04/2010	WLT	
+RCMP_DOC/100	TERMINAL STRIPS AND PLUG CONNECTOR		22/01/2010	WLT	

FLEXIBLE LEAD LINES


MAIN CURRENT L1, L2, L3	:	min. H07V-K 1,5 BK
ZERO CONDUCTOR N	:	min. H07V-K 1,5 BBU
PROTECTIVE CONDUCTOR PE	:	min. H07V-K 1,5 GN/YE
CONTROL CURRENT AC 230V (ALSO N-CONNECTION)	:	min. H07V-K 1,0 RD
CONTROL CURRENT DC 24V L+, L-	:	min. H07V-K 1,0 DBU
TRACE BEF. MAIN SWITCH	:	min. H07V-K 1,0 OR
	:	
EXTERNAL VOLTAGE	:	min. H07V-K 1,0 OR
	:	Cable H05VV-F 3x 1,0 OR
	:	Cable H05VV-F 3x 1,0 OR
END SLEEVES CONF. TO DIN COLOR CODE	:	0,50 mm² = white 0,75 mm² = grey 1,00 mm² = red 1,50 mm² = black 2,50 mm² = blue 4,00 mm² = grey 6,00 mm² = yellow 10,0 mm² = red 16,0 mm² = blue

PLUG CONNECTOR VIEW






0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta PLUG CONNECTOR VIEW		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	3	5
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP_DOC		Dat.: 18/01/2010 Cha.: 10/02/2010	K5040 0314	4	



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta PLUG BOX OVERVIEW		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	4	6a
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP_DOC		Dat.: 18/01/2010 Cha.: 08/05/2025	K5040 0314	5	



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta BUILDING PLAN		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	5	7
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP_DOC		Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	6a	

FERNBUS
+RCMP-X91PB

PROFIBUS

FERNBUS
+RCMP-X92PB

EcoRPC

FIELDBUS INTERFACE
STATION NUMBER _
IM151-1
+RCMP-75A1
+RCMP/75.2

CPU
ETHERNET ETHERNET

PCI 5
EcoRPC MASTER

PCI 4
EcoRPC SLAVE

+RCMP -10A2
+RCMP/10.3

+RCMP -10A8
+RCMP/10.8

+RCMP -11A6
+RCMP/11.6

-X97
ETHERNET
PHG-INTERFACE
SCMP

-X96
ETHERNET
EXTERNAL

PROFIBUS

FIELDBUS INTERFACE
STATION NUMBER 3
IM151-1
+RCMP-12A1
+RCMP/12a.2

+RCMP-X93PB
-WX93PB/
-X93IN

+ATC
-X93_IN

+ATC
-X93_OUT

-WX93OUT/
XK01-X93PB

PROZESSBUS
+XK01-X93PB


SEE
VALVE PLAN

FIELDBUS INTERFACE
STATION NUMBER 10
IM151-1
+ATC-A2

+ATC

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta BUS OVERVIEW	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	6a	8
			Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM= LOC+ RCMP_DOC	Dat.: 18/01/2010 Cha.: 26/01/2010	K5040 0314	7	



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta SERCOS - OVERVIEW		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.:	7	9
							Drawing. - No.: K5040 0314	Page - No.: 8	
			SYSTEM=	LOC+ RCMP_DOC		Dat.: 18/01/2010 Cha.: 22/01/2010			

EcoRPC - CONTROL

-9A0

+RCMP-10A2
+RCMP/10.3

+RCMP-9A2
+RCMP/9.2

POWER PACK 24V DC

24V 0V 24V 0V

CENTRAL UNIT
ETHERNET PHG
ETHERNET EXTERNAL

Mouse/
Keyboard

Printer

Eth2
PHG

Eth2

USB0

COM1

MONITOR

Eth2
X96

USB2


PCI0	PCI1	PCI2	PCI3	PCI4	PCI5	PCI6
SPARE	SPARE	+RCMP -10A6 +RCMP/10.6 SERCOS	SPARE	+RCMP -11A6 +RCMP/11.6 PROFIBUS SLAVE	+RCMP -10A8 +RCMP/10.8 PROFIBUS MASTER	SPARE

IN

OUT

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta EcoRPC OVERVIEW	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	8	12a
				Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ RCMP_DOC	Dat.: 18/01/2010 Cha.: 03/02/2010	K5040 0314	9	



NOVO

-12A1	6ES7	151-1BA02-0AB0
-12A2:	6ES7	138-4CA01-0AA0
-12A3:	6ES7	131-4BD01-0AB0
-12A4:	6ES7	131-4BD01-0AB0
-12A5:	6ES7	131-4BD01-0AB0
-12A6:	6ES7	131-4BD01-0AB0
-12A7:	6ES7	131-4BD01-0AB0
-12A8:	6ES7	132-4BD01-0AA0
-12A9:	6ES7	138-4CA01-0AA0
-12A10:	6ES7	131-4BD01-0AB0
-12A11:	6ES7	132-4BD02-0AA0
-12A12:	6ES7	134-4MB02-0AB0
-12A13:	6ES7	135-4GB01-0AB0
-12A14:	6ES7	134-4NB51-0AB0

2x	6ES7	193-4CC30-0AA0
11x	6ES7	193-4CB30-0AA0


WIDTH: 155 mm

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta	RS16 MSK RPC	DÜRR SYSTEMS GmbH		Inv. - No.:	9 13a
	ET200S		Prt.: WLT		Drawing. - No.: K5040 0314	Page - No.: 12a
		SYSTEM= LOC+ RCMP_DOC	Dat.: 18/01/2010	Cha.: 22/07/2025		

+RCMP-12A3


+RCMP/12a.3



+RCMP/22a.3	-system.HWI_m FMon24VUPS	TRIP SWITCH AFTER UPS MONITORING
+RCMP/22a.4	-system.HWI_m FMon24V	TRIP SWITCH WITHOUT UPS MONITORING
+RCMP/22a.5	-system.HWI_m FMon400V	MOTOR PROT. MONITORING 400V
+RCMP/4.6	-system.HWI_m SCool_ok	COOLING OK

+RCMP-12A4


+RCMP/12a.4



+RCMP/6.1	-system.HWI_m G24V_Supply_UPS_OK	24V SUPPLY UPS OK
+RCMP/6.2	-system.HWI_m GUPS_Ready	BUFFER READY
+RCMP/40.8	-RCU1.HWI_m SBrakeRelDev_Pluged	BRAKE RELEASE DEVICE IN OPERATION

+RCMP-12A5


+RCMP/12a.4



+RCMP/15.1	-BCU1.HWI_m AEmergencyStop	E-STOP TO ECO RPC
+RCMP/15.3	-RCU1.HWI_m ADeadman	CONFIRMATION ECO RPC
+RCMP/14.7	-RCU1.HWI_mSA7_1	E-STOP AXIS 7 AXIS LIMIT 1
+RCMP/14.9	-RCU1.HWI_mSA7_2	E-STOP AXIS 7 AXIS LIMIT 2

+RCMP-12A6


+RCMP/12a.5



+RCMP/43.2	-RCU1.HWI_mB1	MASTERING SENSOR OUTPUT 0
+RCMP/43.2	-RCU1.HWI_mB2	MASTERING SENSOR OUTPUT 1

+RCMP-12A7

+RCMP/12a.5



+RCMP/69.7	-RESERVE PCU1.HWI_mSLV1	SPARE
+TCP/3a.8	-PCU1.HWI_m ETCP1_SupplyOk	Power Supply Unit Peltier Ok
+RCMP/17a.6	-PCU1.HWI_mETCP1_ WT51_Release	Thermal Release WT51

NOVO

DIGITAL INPUTS

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta I/O-OVERVIEW ET200S		RS16 MSK RPC SYSTEM=	LOC+ RCMP_DOC		DÜRR SYSTEMS GmbH Prt.: WLT Dat.: 18/01/2010	Inv. - No.: Cha.: 06/05/2025	12a	15a
							Drawing. - No.: K5040 0314	Page - No.: 13a	

+RCMP-12A8

+RCMP/12a.5

DO0	1	+RCMP/69.2	-PCU1.HWO_m YLV1	VALVE AIR SUPPLY YLV1
DO1	5	+RCMP/70.6	-PCU1.HWO_ m YAV3	VALVE STOP YAV3
DO2	2	+TCP/3a.4	-PCU1.HWO_mETCP1_On	Power Supply Unit Peltier On
DO3	6			

NOVO


DIGITAL OUTPUTS

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta I/O-OVERVIEW ET200S	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	13a	16a
			Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM= LOC+ RCMP_DOC	Dat.: 18/01/2010 Cha.: 06/05/2025	K5040 0314	15a	

+RCMP-12A10

+RCMP/12a.6



+RCMP/18a.5	-PCU1.HWI_mETCP1_	WT12_Release	Thermal Release WT12
+RCMP/18a.6	-PCU1.HWI_mETCP1_	WT12_Fan1	fan 1 check WT12
+RCMP/18a.7	-PCU1.HWI_mETCP1_	WT12_Fan2	fan 2 check WT12
+RCMP/18a.8	-PCU1.HWI_mETCP1_	WT12_Fan3	fan 3 check WT12


NOVO

DIGITAL INPUTS

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta I/O-OVERVIEW ET200S		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: BRSPA2MF	Inv. - No.:	15a	17a
			SYSTEM=	LOC+ RCMP_DOC		Dat.: 18/01/2010 Cha.: 06/05/2025	Drawing. - No.: K5040 0314	Page - No.: 16a	

+RCMP-12A11

+RCMP/12a.7



+RCMP/16a.1	-PCU1.HWO_mETCP1_Cool	main contactor Peltier Cooling
+RCMP/16a.2	-PCU1.HWO_mETCP1_Heat	main contactor Peltier Heating
+RCMP/17a.1	-PCU1.HWO_mETCP1_ WT51_FanOn	fan Peltier On
+RCMP/18a.1	-PCU1.HWO_mETCP1_ WT12_FanOn	fan Peltier On


NOVO

DIGITAL OUTPUTS

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta I/O-OVERVIEW ET200S		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: BRSPA2MF	Inv. - No.:	16a	18a
			SYSTEM=	LOC+ RCMP_DOC		Dat.: 18/01/2010 Cha.: 06/05/2025	Drawing. - No.: K5040 0314	Page - No.: 17a	

+RCMP-12A12

+RCMP/12a.7



+TCP/3a.7	-PCU1.HWI_w ETCP1_ActVoltage	Peltier Actual Value U	
+TCP/3a.7		Peltier Actual Value U	


NOVO

ANALOG INPUTS

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta I/O-OVERVIEW ET200S		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: BRSPA2MF	Inv. - No.:	17a	19a
			SYSTEM=	LOC+ RCMP_DOC		Dat.: 18/01/2010 Cha.: 06/05/2025	Drawing. - No.: K5040 0314	Page - No.: 18a	

+RCMP-12A13

+RCMP/12a.7




+TCP/3a.5	-PCU1.HWO_w ETCP1_SetCurrent	Peltier Set Value I
+TCP/3a.6		Peltier Set Value I

NOVO

ANALOG OUTPUTS

+RCMP-12A14

+RCMP/12a.8




+RCMP/16a.7	-PCU1.HWI_w ETCP1_WT12_ActTemp	Temperature Sensor Peltier ETCP1_WT12
+RCMP/16a.7		Temperature Sensor Peltier ETCP1_WT12
+RCMP/16a.6		Temperature Sensor Peltier ETCP1_WT12
+RCMP/16a.6		Temperature Sensor Peltier ETCP1_WT12
+RCMP/16a.9	-PCU1.HWI_w ETCP1_WT51_ActTemp	Temperature Sensor Peltier ETCP1_WT51
+RCMP/16a.8		Temperature Sensor Peltier ETCP1_WT51
+RCMP/16a.8		Temperature Sensor Peltier ETCP1_WT51
+RCMP/16a.8		Temperature Sensor Peltier ETCP1_WT51

NOVO

RTD ANALOG INPUTS

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	18a	20
	I/O-OVERVIEW ET200S					Prt.: BRSPA2MF	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP_DOC		Dat.: 18/01/2010 Cha.: 06/05/2025	K5040 0314	19a	




-75A1	6ES7	151-1BA02-0AB0
-75A2:	6ES7	138-4CA01-0AA0
-75A3:	6ES7	138-4FA04-0AB0
-75A4:	6ES7	138-4FB03-0AB0
-75A5:	6ES7	138-4CA01-0AA0
-75A6:	6ES7	132-4BD01-0AA0
2x	6ES7	193-4CC30-OAAO
2x	6ES7	193-4CG30-OAAO
1x	6ES7	193-4CB30-OAAO

WIDTH: 155 mm

+RCMP-75A3

+RCMP/75.4



+RCMP/21.4	+RCMP-21K2:22	RETURN DRIVES
+RCMP/23.6	+RCMP-21K1:21	PURGE ROBOT CHANNEL 1
+RCMP/23.4	+RCMP-23K2:72	RETURN DISCONNECTION EX
+RCMP/23.8	+RCMP-75A3:DI2	PURGE ROBOT CHANNEL 2

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta I/O-OVERVIEW ET200S PROFIsafe		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.:	20	22
			SYSTEM=	LOC+ RCMP_DOC		Dat.: 18/01/2010 Cha.: 22/04/2010	Drawing. - No.: K5040 0314	Page - No.: 21	

+RCMP-75A4

+RCMP/75.4

DO0(M)	2	+RCMP/21.1	+RCMP-21K1:A2	RELEASE DRIVES CHANNEL 2
DO0(P)	1	+RCMP/21.2	+RCMP-21K2:A1	RELEASE DRIVES CHANNEL 1
DO1(M)	6			
DO1(P)	5			
DO2(M)	10	+RCMP/70.3	+RCMP-75A4:DO2(01)	VALVE MATERIAL SUPPLY YMV1
DO2(P)	9	+RCMP/70.1	+RCMP-75A4:DO2(01)	VALVE MATERIAL SUPPLY YMV1
DO3(M)	14	+RCMP/23.1	+RCMP-23K1:A2	DISCONNECTION EX
DO3(P)	13	+RCMP/23.2	+RCMP-23K2:A1	DISCONNECTION EX

PROFIsafe

4 OUTPUTS

DIGITAL

+RCMP-75A6

+RCMP/75.6

DO0	1	+RCMP/15.1	+RCMP-12A5:DI0	E-STOP TO ECO RPC
DO1	5	+RCMP/15.3	+RCMP-12A5:DI1	CONFIRMATION ECO RPC
DO2	2			
DO3	6			

TERMINAL STRIPS AND PLUG CONNECTOR

+RCMP-X01 = POWER SUPPLY 400VAC
+RCMP-X02 = POWER SUPPLY 230VAC
+RCMP-X91PB = PROFINET IN
+RCMP-X92PB = PROFINET OUT
+RCMP-X93PB = PROFIBUS EXTERNAL
+RCMP-X96 = ETHERNET
+RCMP-X97 = ETHERNET
+RCMP-X11 = E-STOP AXIS LIMIT
+RCMP-X21 = AXIS MOTOR, BRAKE
+RCMP-X31 = RESOLVER
+RCMP-X22 = AXIS MOTOR, BRAKE
+RCMP-X32 = RESOLVER
+RCMP-X23 = MOTOR AXIS, BRAKE
+RCMP-X41 = INTERFACE PROCESS BUS
+RCMP-X51 = MAIN AIR VALVE
+RCMP-X55 = EX - PRESSURE CONTROL
+RCMP-X61 = VALVE AIR SUPPLY
+RCMP-X81 = BRAKE RELEASE DEVICE
+RCMP-X01_ATC = SUPPLY 400V

+XK61-X61 = VALVE AIR SUPPLY

TERMINAL STRIPS AND PLUG CONNECTOR

+RCMP-X6G1.1 = Clamps
+RCMP-X6G1.2 = Clamps
+RCMP-X6G1.3 = Clamps
+RCMP-X6G1.4 = Clamps
+RCMP-X6G2.1 = Clamps
+RCMP-X6G2.2 = Clamps
+RCMP-X6.4 = Clamps

+RCMP-X6.6 = Clamps
+RCMP-X6.7 = Clamps
+RCMP-X7.1 = Clamps
+RCMP-X7.2 = Clamps
+RCMP-X7.3 = Clamps
+RCMP-X7.4 = Clamps
+RCMP-X7.5 = Clamps
+RCMP-X7.6 = Clamps
+RCMP-X7.7 = Clamps

+RCMP-XD1 = Clamps

+RCMP-BRLG = Clamps

TERMINAL STRIPS AND PLUG CONNECTOR

+G1/2-XM1A = Clamps
+G1/2-XM1B = Clamps
+G1/2-XM2A = Clamps
+G1/2-XM2B = Clamps

+A7-XM7A = Clamps
+A7-XM7B = Clamps

+ARM1-XM3A = Clamps
+ARM1-XM3B = Clamps
+G3-XM4A = Clamps
+G3-XM4B = Clamps
+G3-XM5A = Clamps
+G3-XM5B = Clamps
+G3-XM6A = Clamps
+G3-XM6B = Clamps

+XK01-X21 = Clamps
+XK01-X22 = Clamps
+XK01-X23 = Clamps
+XK01-X31 = Clamps
+XK01-X32 = Clamps
+XK01-X41 = Clamps
+XK01-X51 = Clamps
+XK61-XL61 = Clamps
+XK02-X21 = Clamps
+XK02-X22 = Clamps
+XK02-X23 = Clamps
+XK02-X31 = Clamps
+XK02-X32 = Clamps

+XK02-XKTL = Clamps

TERMINAL STRIPS AND PLUG CONNECTOR

TABLE OF CONTENTS

Column X: an automaticly created page is manual changed

DURRINH2 15.11.06


PAGE	Page designation	Suppl. page field	DATE	User	X
+RCMP/1	TABLE OF CONTENTS		08/05/2025	BRSPA2MF	
+RCMP/1.a	TABLE OF CONTENTS		08/05/2025	BRSPA2MF	
+RCMP/2	POWER SUPPLY		22/01/2010	WLT	
+RCMP/3	ILLUMINATION		22/01/2010	WLT	
+RCMP/4	COOLING DEVICE		22/04/2010	WLT	
+RCMP/5a	24V GND		08/05/2025	WLT	
+RCMP/6	24V SUPPLY WITH UPS		22/04/2010	WLT	
+RCMP/7a	24V SUPPLY		07/05/2025	WLT	
+RCMP/8	24V SUPPLY		22/01/2010	WLT	
+RCMP/9	EcoRPC CARD SUPPLY		22/01/2010	WLT	
+RCMP/10	EcoRPC CPU		26/01/2010	WLT	
+RCMP/11	EcoRPC SC102/A PROFIBUS		10/02/2010	WLT	
+RCMP/12a	SUPPLY FIELD BUS CONNECTOR		07/05/2025	WLT	
+RCMP/14	INTERFACE -X11		22/04/2010	WLT	
+RCMP/15	INTERFACE		22/04/2010	WLT	
+RCMP/16a	HEATING / COOLING PELTIER		08/05/2025	BRSPA2MF	
+RCMP/17a	FAN PELTIER ETCP1_WT51		08/05/2025	BRSPA2MF	
+RCMP/18a	FAN PELTIER ETCP1_WT12		08/05/2025	BRSPA2MF	
+RCMP/21	DRIVES ON		22/04/2010	WLT	
+RCMP/22a	TRIP SWITCH MONITORING		06/05/2025	WLT	
+RCMP/23	DISCONNECTION		22/04/2010	WLT	
+RCMP/24	400V SUPPLY AXIS 1-7		22/01/2010	WLT	
+RCMP/27	AXIS 1		22/01/2010	WLT	
+RCMP/29	AXIS 2		22/01/2010	WLT	
+RCMP/31	AXIS 3		22/01/2010	WLT	
+RCMP/34	AXIS 4		22/01/2010	WLT	
+RCMP/36	AXIS 5		22/01/2010	WLT	
+RCMP/38	AXIS 6		22/01/2010	WLT	
+RCMP/40	BRAKE RELEASE DEVICE		22/04/2010	WLT	
+RCMP/43	PLUG CONNECTOR - X41 MASTERING		22/04/2010	WLT	

TABLE OF CONTENTS

Column X: an automaticly created page is manual changed


DURRINH2 15.11.06

PAGE	Page designation	Suppl. page field	DATE	User	X
+RCMP/47	SUPPLY SOLENOID VALVE PANEL		22/01/2010	WLT	
+RCMP/48	EX-PROTECTION ROBOT, SPARE		22/01/2010	WLT	
+RCMP/51	AXIS 7		22/01/2010	WLT	
+RCMP/54a	TEMPERATURE SUPPLY 400V		08/05/2025	WLT	
+RCMP/62	DOSING PUMP SPARE AXIS 91		17/03/2010	WLT	
+RCMP/64	DOSING PUMP SPARE AXIS 92		22/01/2010	WLT	
+RCMP/68	SENSORS + VALVES, SPARE		17/03/2010	WLT	
+RCMP/69	SENSORS + VALVES		07/05/2025	WLT	
+RCMP/70	SENSORS + VALVES		22/04/2010	WLT	
+RCMP/71	SENSORS + VALVES, SPARE		17/03/2010	WLT	
+RCMP/75	SUPPLY ET200S PROFIsafe		10/02/2010	WLT	
+RCMP/95a	TEMPERATURE CONTROL PELTIER ETCP1_WT12		07/05/2025	BRSPA2MF	
+RCMP/96a	TEMPERATURE CONTROL PELTIER ETCP1_WT12		07/05/2025	BRSPA2MF	
+RCMP/97a	TEMPERATURE CONTROL PELTIER ETCP1_WT51		07/05/2025	BRSPA2MF	
+RCMP/100a	POTENTIAL BALANCE PANEL		08/05/2025	WLT	



0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta POWER SUPPLY	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	1.a	3
				Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ RCMP	Dat.: 18/01/2010	Cha.: 22/01/2010	K5040 0314	2



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta ILLUMINATION		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	2	4
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010	Cha.: 22/01/2010	K5040 0314	3

2 / L1_1
2 / L2_1
2 / L3_1

L1_1 / 6
L2_1 / 6
L3_1 / 6

-4Q3
4,5-6,3A
IN:5A
1 3 5 13 21
I> I> I>
2 4 6 14 22

-3S2
/3.2
LEFT
3
4

-3S3
/3.2
RIGHT
3
4

-3E2
/3.2
-X2 1 3

PE2

Ölflex 110
3x1,5

Ölflex 110
2x0,75

7F6/4 / 7a

-4E2

L1 L21 L22 PE

1 2

11

12

PANEL - COOLING DEVICE

CONDENSE WATER EVAP.

13
-4Q3
.3 14


6
DI3
+RCMP_DOC/13a.1
system.HWI_m
SCool_ok

-12A3

COOLING OK

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta COOLING DEVICE	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	3	5a
			Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM= LOC+ RCMP	Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	4	



0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta 24V GND	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	4	6
			Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM= LOC+ RCMP	Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	5a	

400V SUPPLY
POWER PACK

4 / L1_1
4 / L2_1
4 / L3_1

L1_1 / 24
L2_1 / 24
L3_1 / 24

-6Q1
2,2-3,2A
In:3A

-6G1
3AC 400V-500V
50/60Hz
40A

PE
PE-6G1/1 / 100a

6 mm² GN/YE
6 mm² BLUE
100a / PE-6G1/2
6G1+ / 7a
2x4 mm² BLUE
5a / 6G1-
4 mm² BLUE
5a / 6G2-
4 mm² BLUE

6G2
.3
24VDC/24A

DC-UPS MODULE 15
DIP
ON OFF

X1.7
X1.8
1,5 mm²
AMBER
10
USB

-6G2
.1

DI0
+RCMP_DOC/13a.1
system.HWI_m
G24V_Supply_UPS_OK
-12A4
24V SUPPLY
UPS OK

DI1
+RCMP_DOC/13a.1
system.HWI_m
GUPS_Ready
-12A4
BUFFER READY

UPS
BATTERY

N6G1/32
5a

7a
N6G1/32

6F
22a

-6F4
-6F5
-6F6
-6F7
Lütze
LCCS-FB 7-6401

STATUS
GND
SET/RESET
I=10(A)
I=6(A)
C=2:mtr

6F5.1 / 9

-23K1
/23.1
-23K2
/23.2

-X6.4
6F4/1 / 12a
6F4/2 / 75
6F4/4 / 21
6F4/5 / 48

-X6.6

-X6.7
6F7/4 / 47
6F7/8 / 27

SUPPLY 24V
BUS INTERFACE

SUPPLY 24V
EcoRPC

SUPPLY 24V
BUS PARTICIPANTS

SUPPLY 24V
DIGITAL OUTPUTS

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta 24V SUPPLY WITH UPS	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	5a / 7a
			Prt.: WLT	Drawing. - No.:	Page - No.:
		SYSTEM= LOC+ RCMP	Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	6

6
6G1+

N6G1/32
6

8
N6G1/32

7F
8

-7F1 Lütze LCCS-FB 7-6401
-7F2 Lütze LCCS-FB 7-6401
-7F3 Lütze LCCS-FB 7-6401
-7F4 Lütze LCCS-FB 7-6401
-7F5 Lütze LCCS-FB 7-6401
-7F6 Lütze LCCS-FB 7-6401
-7F7 Lütze LCCS-FB 7-6401
-7F8 Lütze LCCS-FB 7-6401

STATUS
GND
SET/RESET
I=10(A)
I=6(A)
C=2:mtr

-27X1 SELECT CM

-23K1 /23.1
-23K2 /23.2

7F8 / 8

-X7.1
0 7F1/1 / 27
1 7F1/2 / 29
2 7F1/3 / 31
3 7F1/4 / 27
4 7F1/5 / 29
5 7F1/6 / 31

-X7.2
0 7F2/1 / 34
1 7F2/2 / 36
2 7F2/3 / 38
3 7F2/4 / 34
4 7F2/5 / 36
5 7F2/6 / 38

-X7.3
0 7F3/1 / 51
3 7F3/4 / 51

-X7.4
0 7F4/1 / 27
1 7F4/2 / 29
2 7F4/3 / 31
3 7F4/4 / 34
4 7F4/5 / 36
5 7F4/6 / 38
6 7F4/7 / 51

-X7.5

-X7.6
2 7F6/3 / 22a
3 7F6/4 / 4
4 7F6/5 / 14
5 7F6/6 / 14


-X7.7
0 7F7/1 / 40
1 7F7/2 / 43
2 7F7/3 / +TCP/3a
3 7F7/4 / 17a
4 7F7/5 / 69
5 7F7/6 / 17a
6 7F7/7 / 18a
7 7F7/8 / 18a

NOVO
NOVO


SUPPLY SERVE-CONTROLLER 1-3
SUPPLY SERVE-CONTROLLER 4-6
SUPPLY 24V SERVE-CONTROLLER 7
SUPPLY SERVE-CONTROLLER 1-7
SUPPLY PHG SERVICE PLUG CONNECTOR
SUPPLY 24V INPUTS
SUPPLY 24V GENERAL ROBOT
SPARE SUPPLY PROP-VALVES VALVES

0	1	2	3	4	5	6	7	8	9


ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta 24V SUPPLY	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	6 / 8
			Prt.: WLT	Drawing. - No.: K5040 0314	Page - No.: 7a
		SYSTEM= LOC+ RCMP	Dat.: 18/01/2010 Cha.: 22/07/2025		



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta 24V SUPPLY		RS16 MSK RPC			DÜRR SYSTEMS GmbH		Inv. - No.: 7a	9
						Prt.: WLT		Drawing. - No.: K5040 0314	Page - No.: 8
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010	Cha.: 22/01/2010		




0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta EcoRPC CARD SUPPLY		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.:	8	10
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 22/01/2010	Drawing. - No.: K5040 0314	Page - No.: 9	



0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta EcoRPC CPU	RS16 MSK RPC		DÜRR SYSTEMS GmbH		Inv. - No.: 9	11
				Prt.: WLT		Drawing. - No.: K5040 0314	Page - No.: 10
		SYSTEM=	LOC+ RCMP	Dat.: 18/01/2010	Cha.: 22/07/2025		

CONNECTION FOR PROFIBUS



SLAVEBUS PROFIBUS

OUT

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta EcoRPC SC102/A PROFIBUS		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	10	12a
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 10/02/2010	K5040 0314	11	

NOVO

-W10A8/-12A1
PROFIBUS
2x0,64 mm²

10 / PB_ST03 → 1A 0,64 · 1B 0,64 · 2

8_1A · 3_1B · GEH · 5_2A · 6_2B · GEH

-W12A1/-X93 GN RD
PROFIBUS
2x0,64 mm²

-X93PB A B GEH
HAN-BRID

-WX93PB
PROFIBUS
2x0,64 mm²
GN RD

+ATC
-X93_IN A B GEH


6 / 6F4/1 →
5a / N6G2/5 →

1L+ 2L+ 1M 2M


-12A1 +RCMP_DOC/7.4 +RCMP_DOC/12a.0	-12A2 +RCMP_DOC/12a.1	-12A3 +RCMP_DOC/12a.1 +RCMP_DOC/13a.1	-12A4 +RCMP_DOC/12a.2 +RCMP_DOC/13a.1	-12A5 +RCMP_DOC/12a.2 +RCMP_DOC/13a.1	-12A6 +RCMP_DOC/12a.3 +RCMP_DOC/13a.1	-12A7 +RCMP_DOC/12a.3 +RCMP_DOC/13a.1	-12A8 +RCMP_DOC/12a.3 +RCMP_DOC/15a.1	-12A9 +RCMP_DOC/12a.4	-12A10 +RCMP_DOC/12a.4 +RCMP_DOC/16a.1	-12A11 +RCMP_DOC/12a.5 +RCMP_DOC/17a.1	-12A12 +RCMP_DOC/12a.5 +RCMP_DOC/18a.1	-12A13 +RCMP_DOC/12a.5 +RCMP_DOC/19a.1	-12A14 +RCMP_DOC/12a.6 +RCMP_DOC/19a.1	-12A1
	PM-E DC 24V	4 DI DC 24V	4 DI DC 24V	4 DI DC 24V	4 DI DC 24V	4 DI DC 24V	4 DO DC 24V /0,5A	PM-E DC 24V	4 DI DC 24V	4 DO DC 24V /0,5A	2 AI I 2/4 wire	2 AO I ST	2 AI RTD	
	SF □	SF □	SF □	SF □	SF □	SF □	SF □	SF □	SF □	SF □	SF □	SF □	SF □	
	SUPPLY	PANEL GENERAL.	PANEL GENERAL.	SIGNALS RPC	MASTERING	PRESSURE SWITCH AIR SUPPLY	MAIN AIR VALVE	SUPPLY	FAN PELTIER ETCP1_WT12	PELTIER COOLING/HEATING FAN PELTIER ON WT51/WT12	PELTIER ACTUAL VALUE U	PELTIER SET VALUE I	TEMPERATURE SENSOR PELTIER ETCP1_WT12/WT51	
	PWR□□	1□□5 2□□6	1□□5 2□□6	1□□5 2□□6	1□□5 2□□6	1□□5 2□□6	1□□5 2□□6	PWR□□	1□□5 2□□6	1□□5 2□□6	1□□5 2□□6	1□□5 2□□6	1□□5 2□□6	
		DI0 1 · DI1 5	DI0 1 · DI1 5	DI0 1 · DI1 5	DI0 1 · DI1 5	DI0 1 · DI1 5	DO0 1 · DO1 5		DI0 1 · DI1 5	DO0 1 · DO1 5	M0+ 1 · M1+ 5	QI0 1 · QI1 5	M0+ 1 · M1+ 5	
	L+ 2 · 6	DI2 2 · DI3 6	DI2 2 · DI3 6	DI2 2 · DI3 6	DI2 2 · DI3 6	DI2 2 · DI3 6	DO2 2 · DO3 6	L+ 2 · 6	DI2 2 · DI3 6	DO2 2 · DO3 6	M0- 2 · M1- 6	2 · 6	M0- 2 · M1- 6	
	M 3 · 7	3 · 7	3 · 7	3 · 7	3 · 7	3 · 7	3 · 7	M 3 · 7	3 · 7	3 · 7	3 · 7	Mana 3 · Mana 7	IC0+ 3 · IC1+ 7	
		4 · 8	4 · 8	4 · 8	4 · 8	4 · 8	4 · 8		4 · 8	4 · 8	4 · 8	4 · 8	IC0- 4 · IC1- 8	

PROFIBUS
TO EXTERNAL

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	11	14
	SUPPLY FIELD BUS CONNECTOR					Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+	RCMP	Dat.: 18/01/2010 Cha.: 23/07/2025	K5040 0314	12a	



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta INTERFACE -X11		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.:	12a	15
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 22/07/2025	Drawing. - No.: K5040 0314	Page - No.: 14	



E-STOP TO
ECO RPC

CONFIRMATION
ECO RPC

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta INTERFACE	RS16 MSK RPC		DÜRR SYSTEMS GmbH		Inv. - No.: 14	16a
				Prt.: WLT		Drawing. - No.: K5040 0314	Page - No.: 15
		SYSTEM=	LOC+ RCMP	Dat.: 18/01/2010	Cha.: 22/07/2025		

NOVO

+TCP/3a / T01+ → 10 mm²
+TCP/3a / T01- → 10 mm²

-12A11
PCU1.HWO_mETCP1_Cool
+RCMP_DOC/17a.1
DO0

-12A11
PCU1.HWO_mETCP1_Heat
+RCMP_DOC/17a.1
DO1

-16K2 .2: 21 / 22
-16K1 .1: 21 / 22
-16K1 .1: 1 / 2 — 3 / 4 — 5 / 6
-16K2 .2: 1 / 2 — 3 / 4 — 5 / 6

-16K1 24VDC: A1 / A2 (U)
-16K2 24VDC: A1 / A2 (U)

5a / N6G2/9 →

-12A14
- IC0- | + IC0+ | - M0- | AI1 M0+
+RCMP_DOC/19a.1
PCU1.HWI_w
ETCP1_WT12_ActTemp

-12A14
- IC1- | + IC1+ | - M1- | AI2 M1+
+RCMP_DOC/19a.1
PCU1.HWI_w
ETCP1_WT51_ActTemp

-SH_W1X79

-X79A: 1 | 2 | PE
-X79B: 1 2 3 4 5 6 7 8 9 10 PE
-X79B: 1 2 3 4 5 6 7 8 9 10 PE

1 | 2 | GN/YE | WH | BN | GN | YE | GY | PK | BU | RD | SH1/2 | SH

X79
19

Internal
External

SIE.3RT2026-1BB40
SIE.3RT2926-1BB00
1 – 2 .2
3 – 4 .3
5 – 6 .3
13 – 14
21 – 22 .2

SIE.3RT2026-1BB40
SIE.3RT2926-1BB00
1 – 2 .4
3 – 4 .4
5 – 6 .4
13 – 14
21 – 22 .1

main contactor Peltier Cooling

main contactor Peltier Heating

Temperature Control Peltier ETCP1

Temperature Sensor Peltier ETCP1_WT12

Temperature Sensor Peltier ETCP1_WT51

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta HEATING / COOLING PELTIER	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	15 / 17a
			Prt.: BRSPA2MF	Drawing. - No.:	Page - No.:
		SYSTEM= LOC+ RCMP	Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	16a

NOVO

7a / 7F7/6
5a / N6G2/11
7a / 7F7/4

-12A11

PCU1.HWO_mETCP1_
WT51_FanOn
+RCMP_DOC/17a.1
DO2

-17K1
24VDC
A1
A2
U

5a / N6G2/10

-17K1
.1
1
2

DI2
+RCMP_DOC/13a.1
PCU1.HWI_mETCP1_
WT51_Release

-12A7

-PE

-X254 11 12 13 14 15 16 17 18 19 20 PE
-X254 11 12 13 14 15 16 17 18 19 20 PE
1 2 3 4 5 6 7 GN/YE

X254
20a

Internal
External

SIE.3RT2016-1BB42
SIE.3RT2916-1BB00
1 2 .4
3 4
5 6
21 22

fan Peltier On
fan Peltier 24VDC
0VDC
24VDC
Thermal Release

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta FAN PELTIER ETCP1_WT51	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	16a	18a
				Prt.: BRSPA2MF	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ RCMP	Dat.: 18/01/2010 Cha.: 23/07/2025	K5040 0314	17a	

NOVO

7a / 7F7/8
5a / N6G2/13
7a / 7F7/7

-12A11

PCU1.HWO_mETCP1_
WT12_FanOn
+RCMP_DOC/17a.1
DO3

-18K1
.1
1
2

DI0
+RCMP_DOC/16a.1
PCU1.HWI_mETCP1_
WT12_Release
-12A10

DI1
+RCMP_DOC/16a.1
PCU1.HWI_mETCP1_
WT12_Fan1
-12A10

DI2
+RCMP_DOC/16a.1
PCU1.HWI_mETCP1_
WT12_Fan2
-12A10

DI3
+RCMP_DOC/16a.1
PCU1.HWI_mETCP1_
WT12_Fan3
-12A10

-18K1
24VDC
A1
A2
U

5a / N6G2/12

-PE
-SH_W1X154

-X154 1 2 3 4 5 6 7 8 9 10 PE
-X154 1 2 3 4 5 6 7 8 9 10 PE
1 2 3 4 5 6 7 8 9 10 PE SH

X154
19a

Internal
External

SIE.3RT2016-1BB42
SIE.3RT2916-1BB00
1 2 .3
3 4
5 6
21 22


fan Peltier On

fan Peltier 24VDC
0VDC
24VDC
Thermal Release
fan 1 check
fan 2 check
fan 3 check

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta FAN PELTIER ETCP1_WT12	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	17a	19
				Prt.: BRSPA2MF	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ RCMP	Dat.: 18/01/2010 Cha.: 23/07/2025	K5040 0314	18a	

NOVO




Temperature Control
Peltier ETCP1_WT12

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta TEMPERATURE CONTROL PELTIER ETCP1_WT12	RS16 MSK RPC		DÜRR SYSTEMS GmbH Prt.: BRSPA2MF	Inv. - No.:	18a	19a
		SYSTEM=	LOC+ RCMP	Dat.: 18/01/2010 Cha.: 22/07/2025	Drawing. - No.: K5040 0314	Page - No.: 19	


NOVO



0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta TEMPERATURE CONTROL PELTIER ETCP1_WT12	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	19	20a	
			Prt.: BRSPA2MF	Drawing. - No.:	Page - No.:		
		SYSTEM= LOC+ RCMP	Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	19a		

NOVO



Temperature Control
Peltier ETCP1_WT51

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta TEMPERATURE CONTROL PELTIER ETCP1_WT51	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	19a	21
			Prt.: BRSPA2MF	Drawing. - No.:	Page - No.:	
		SYSTEM= LOC+ RCMP	Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	20a	

-75A4

SAFETY
PLC output
+RCMP_21K1:A2
+RCMP_DOC/22.1
DO0(M)

2

-75A4

SAFETY
PLC output
+RCMP_21K2:A1
+RCMP_DOC/22.1
DO0(P)

1

6/ 6F4/4 → 6F4/4 / 23

21
-21K1
.1
22

21
-21K2
.2
22

1

DI0
+RCMP_DOC/21.1
+RCMP_21K2:22
SAFETY
PLC - INPUT

-75A3

A1
U
-21K1
24V
A2

A1
U
-21K2
24V
A2

SIE.3RT1026-1BB44
SIE.3RT1926-1BB00

1	2	/24.4
3	4	/24.4
5	6	/24.4
13	14	
21	22	.4
31	32	
43	44	

SIE.3RT1026-1BB44
SIE.3RT1926-1BB00

1	2	/24.4
3	4	/24.4
5	6	/24.4
13	14	
21	22	.4
31	32	
43	44	

MAINS CONTACTOR
DRIVES ON

MAINS CONTACTOR
DRIVES ON

RETURN
DRIVES

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta DRIVES ON	RS16 MSK RPC		DÜRR SYSTEMS GmbH		Inv. - No.: 20a	22a
				Prt.: WLT		Drawing. - No.: K5040 0314	Page - No.: 21
		SYSTEM=	LOC+ RCMP	Dat.: 18/01/2010	Cha.: 22/07/2025		

7a / 7F6/3

8 / 7F

6 / 6F

13

-24Q4

/24.4

14

13

-54Q2

/54a.3

14

NOVO

13

-54Q3

/54a.6

14

1

DI0

+RCMP_DOC/13a.1

system.HWI_m

FMon24VUPS

-12A3

5

DI1

+RCMP_DOC/13a.1

system.HWI_m

FMon24V

-12A3

2

DI2

+RCMP_DOC/13a.1

system.HWI_m

FMon400V

-12A3

TRIP SWITCH AFTER
UPS MONITORING

TRIP SWITCH WITHOUT
UPS MONITORING

MOTOR PROT.
MONITORING 400V

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta TRIP SWITCH MONITORING		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	21	23
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010	Cha.: 22/07/2025	K5040 0314	22a

-75A4

SAFETY
PLC output
+RCMP_23K1:A2
+RCMP_DOC/22.1
DO3(M)
14

-23K1
24V
A1
A2
U

SIE.3TH4391-0BB4
SIE.3TX7402-3G
13 — 14 /6.6
23 — 24 /6.7
33 — 34 /7a.1
43 — 44 /7a.2
53 — 54 /7a.3
63 — 64 /7a.7
71 — 72 .4
83 — 84 /7a.8

DISCONNECTION EX

-75A4

SAFETY
PLC output
+RCMP_23K2:A1
+RCMP_DOC/22.1
DO3(P)
13

-23K2
24V
A1
A2
U

SIE.3TH4391-0BB4
SIE.3TX7402-3G
13 — 14 /6.6
23 — 24 /6.7
33 — 34 /7a.1
43 — 44 /7a.2
53 — 54 /7a.3
63 — 64 /7a.7
71 — 72 .4
83 — 84 /7a.8

DISCONNECTION EX

21 / 6F4/4

-23K1
.1
71
72

-23K2
.2
71
72

13
DI5
+RCMP_DOC/21.1
+RCMP_23K2:72
SAFETY
PLC - INPUT

-75A3

RETURN
DISCONNECTION EX

EX1 / 48

1 mm² BU

3
DI2
+RCMP_DOC/21.1
+RCMP_21K1:21
SAFETY
PLC - INPUT

-75A3

PURGE ROBOT
CHANNEL 1

EX2 / 48

1 mm² BU


11
DI6
+RCMP_DOC/21.1
+RCMP_75A3:DI2
SAFETY
PLC - INPUT

-75A3

PURGE ROBOT
CHANNEL 2


0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta DISCONNECTION	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	22a	24
				Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ RCMP	Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	23	




400V SUPPLY
AXIS 1-7

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta 400V SUPPLY AXIS 1-7		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.:	23	27
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 22/07/2025	Drawing. - No.: K5040 0314	Page - No.: 24	




0	1	2	3	4	5	6	7	8	9


ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 1	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	24	29
				Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ RCMP	Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	27	




0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 2		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	27	31
						Prt.: WLT	Drawing. - No.: K5040 0314	Page - No.: 29	
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 22/07/2025			




0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 3		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.:	29	34
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 22/07/2025	Drawing. - No.: K5040 0314	Page - No.: 31	



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 4		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.:	31	36
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 22/07/2025	Drawing. - No.: K5040 0314	Page - No.: 34	




0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 5		RS16 MSK RPC			DÜRR SYSTEMS GmbH		Inv. - No.:	34 / 38
						Prt.: WLT		Drawing. - No.:	Page - No.:
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010	Cha.: 22/07/2025	K5040 0314	36




0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 6		RS16 MSK RPC			DÜRR SYSTEMS GmbH		Inv. - No.:	36 / 40
						Prt.: WLT		Drawing. - No.:	Page - No.:
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010	Cha.: 22/07/2025	K5040 0314	38

OPTION BRAKE RELEASE DEVICE



0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta BRAKE RELEASE DEVICE	RS16 MSK RPC		DÜRR SYSTEMS GmbH		Inv. - No.:	38 / 43
				Prt.: WLT		Drawing. - No.: K5040 0314	Page - No.: 40
		SYSTEM=	LOC+ RCMP	Dat.: 18/01/2010	Cha.: 22/07/2025		




SUPPLY 24VDC

SUPPLY 0VDC

MASTERING SENSOR
OUTPUT 0

MASTERING SENSOR
OUTPUT 1


0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta PLUG CONNECTOR - X41 MASTERING		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.:	40	47
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 22/07/2025	Drawing. - No.: K5040 0314	Page - No.: 43	



SEE ALSO MVS - DIAGRAM PAGE +XK03/11

MVS 0VDC BUS
MVS 24VDC BUS
MVS 24VDC
RES. 0VDC
MVS 24VDC
MVS 24VDC
PE

SOLENOID VALVE PANEL MVS



SPARE
PRESSURE CONTROL

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta EX-PROTECTION ROBOT, SPARE		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	47	51
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 22/01/2010	K5040 0314	48	

29 / L1-51U1 → L1-31U1 / 31
29 / L2-51U1 → L2-31U1 / 31
29 / L3-51U1 → L3-31U1 / 31
29 / PE-51U1 → PE-31U1 / 31

7a / 7F3/1
5a / N6G1/21

5a / N6G1/22
7a / 7F3/4
7a / 7F4/7

29 / E-STOP → E-STOP / 31

29 SERC → LWL -X21
31 SERC → LWL -X20

BB / 29
BB / 31

-51U1
+RCMP_DOC/8.2
28A

X3:L1 X3:L2 X3:L3 X3:PE — POWER SUPPLY
L+ L- — INTER-CIRCLE
IN OUT — MODULBUS

X13: 1 0V, 2 0V, 3 24V, 4 24V
X31: 1 BB, 2 BB, 3 MP+/MT1/E1, 4 AF/E2, 5 L+/CM/E3, 6 L-/RESET/E4, 7 MP-/REF/E5, 8 24VE, 9 0VE
X32: 1 V-IST/An1, 2 M-IST/An2, 3 AGND, 4 Vsoll+/EAn+, 5 Vsoll-/EAn-, 6 E-STOP/E/A8, 7 Jog+/E/A9, 8 Jog-/E/A10, 9 AH/E/A11
X21 SERCOS IN
X20 SERCOS OUT

Display
ADRESS STATUS
ESC (RESET) ▽ △ Enter

INDRAMAT INDRA DRIVE C

MOTOR
X5:A1 X5:A2 X5:A3 X5:PE — XS1
X6: 1 TM+, 2 TM-, 3 BR+, 4 BR-
X8: 11 VCC_ENCODER, 4 GND_ENCODER, 2 A+, 3 A-, 5 B+, 6 B-, 7 EncData+, 8 EncData-, GEH, SH
XE2 → PE1-7 100a

BRLA7 40 → -XD1 7

-M7
OELFLEX-CY
4x2,5 mm²
1 2 3 PE
100a M7
PE BAR
-X23 A1 A2 A3 A4 GEH
100a PE-X23
SH
-WX23/XK01/2 1 2 3 YE/GN SCR1
E09520029
HYBRID
+RP_MOTION/70 / M7L1
+RP_MOTION/70 / M7L2
+RP_MOTION/70 / M7L3
+RP_MOTION/70 / M7PE
+RP_MOTION/70 / M7SH

AXIS 7
MOTOR

-BT7
LIYCY(TP)
5x0,5 mm²
WH BN GN YE
100a BT7
PE BAR
-X23 B1 B2 B3 B4 B5
SH
-WX23/XK01/2 WH BN BK RD SCR4
E09520029
HYBRID
+RP_MOTION/70 / M7TH1
+RP_MOTION/70 / M7TH2
+RP_MOTION/70 / M7BR+
+RP_MOTION/70 / M7BR-
+RP_MOTION/70 / M7SHB1

AXIS 7
THERMISTOR

AXIS 7
BRAKE

-R7
LIYCY(TP)
4x2x0,25 mm²
WH BN GN YE GY PK BU RD
100a R7
SH
PE BAR
-X31 D1 D2 D3 D4 D5 D6 D7 D8 D9 D10 GEH
SH
-WX31/XK01/2 WH BN GN YE GY PK BU RD BK VT SCR4
09520030
HYBRID
+RP_MOTION/70 / M7-VCC
+RP_MOTION/70 / M7-GND
+RP_MOTION/70 / M7-A+
+RP_MOTION/70 / M7-A-
+RP_MOTION/70 / M7-B+
+RP_MOTION/70 / M7-B-
+RP_MOTION/70 / M7-DATA+
+RP_MOTION/70 / M7-DATA-
+RP_MOTION/70 / M7-R1
+RP_MOTION/70 / M7-R2
+RP_MOTION/70 / M7SHR

AXIS 7
RESOLVER

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta	RS16 MSK RPC				DÜRR SYSTEMS GmbH	Inv. - No.:	48	54a
	AXIS 7					Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ RCMP			Dat.: 18/01/2010	Cha.: 22/07/2025	K5040 0314	51

NOVO

24 / L1_1
24 / L2_1
24 / L3_1

-54Q2
7-10A

1 3 5 13 21
I> I> I>
2 4 6 14 22
/22a.5

-54Q3
3,5-5A

13 3 5 13 21
I> I> I>
14 4 6 14 22
/22a.5

2,5 mm²
1,5 mm²

X01_ATCPE / 100a
X01_ATCGEH / 100a

-X01_ATC 1 2 3 5PE GEH

-WX01_ATC 1 2 3 PE
OELFLEX
4x6 mm²

+ATC

-X01 1 2 3 5PE

TEMPERATURE
SUPPLY 400V

2,5 mm²


X01_TCPPE / 100a

+TCP/3a / TCP_L1
+TCP/3a / TCP_L2
+TCP/3a / TCP_L3
+TCP/3a / TCP_PE

TEMPERATURE CONTROL PELTIER
SUPPLY 400V


0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta TEMPERATURE SUPPLY 400V	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	51	62
			Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM= LOC+ RCMP	Dat.: 18/01/2010 Cha.: 21/07/2025	K5040 0314	54a	




0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta DOSING PUMP SPARE AXIS 91	RS16 MSK RPC		DÜRR SYSTEMS GmbH		Inv. - No.:	54a 64
				Prt.: WLT		Drawing. - No.:	Page - No.:
		SYSTEM=	LOC+ RCMP	Dat.: 18/01/2010	Cha.: 17/03/2010	K5040 0314	62



0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta DOSING PUMP SPARE AXIS 92	RS16 MSK RPC		DÜRR SYSTEMS GmbH		Inv. - No.:	62 68
				Prt.: WLT		Drawing. - No.:	Page - No.:
		SYSTEM=	LOC+ RCMP	Dat.: 18/01/2010	Cha.: 22/01/2010	K5040 0314	64



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta SENSORS + VALVES, SPARE		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	64	69
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 17/03/2010	K5040 0314	68	

-12A8

PCU1.HWO_m
YLV1
+RCMP_DOC/15a.1
DO0
1

1
DI0
+RCMP_DOC/13a.1
RESERVE
PCU1.HWI_mSLV1

-12A7

7a / 7F7/5

5a / N6G1/25

-X61 B1 B2

-X61 B3 B4

-WX61/XK61
LIYCY(TP)
10x2x0,75 mm²

GY PK BU RD

+XK61

-X61 B1 B2

-X61 B3 B4 B5

-WX61b
E09520003
5x0,5 mm²

1 2 3 4 PE SH

-XL61 11 12 13 14PE 15PE

-XL61 16 17 18 19PE 20PE

-WX61b/-XLV1
E09520003
5x0,5 mm²

3 4 PE

+KABINE

-XLV1 3 4 PE

A1
-YLV1
A2

PE

VALVE
AIR SUPPLY
YLV1

SPARE

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta SENSORS + VALVES		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.:	68	70
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 22/07/2025	Drawing. - No.: K5040 0314	Page - No.: 69	

-75A4

SAFETY
+RCMP_75A4:DO2(M)
PLC output
+RCMP_DOC/22.1
DO2(P)
9

-75A4

SAFETY
+RCMP_75A4:DO2(P)
PLC output
+RCMP_DOC/22.1
DO2(M)
10

-12A8

PCU1.HWO_m
YAV3
+RCMP_DOC/15a.1
DO1
5

5a / N6G1/26

-X61 C1 C2

-X61 C3 C4

-WX61/XK61
LIYCY(TP)
10x2x0,75 mm²
BK VT GY/PK RD/BU

+XK61

-X61 C1 C2

-X61 C3 C4 C5

-WX61c
E09520003
5x0,5 mm²
1 2 3 4 PE SH

-XL61 21 22 23 24PE 25PE

-XL61 26 27 28 29PE 30PE

-WX61c/-XYMV1
E09520003
5x0,5 mm²
1 2 PE

-WX61b/-XAV3
E09520003
5x0,5 mm²
3 4 PE

+KABINE

-XYMV1 1 2 NC

A1
-YMV1
A2

VALVE
MATERIAL SUPPLY
YMV1


-XAV3 3 4 PE

PE


A1
-YAV3
A2

VALVE
STOP
YAV3

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	69	71
	SENSORS + VALVES					Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	70	



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta SENSORS + VALVES, SPARE		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	70	75
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 17/03/2010	K5040 0314	71	



SEE ALSO BUS OVERVIEW SCMP - DIAGRAM

SLAVEBUS PROFIBUS

IN

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	71	100a
	SUPPLY ET200S PROFIsafe					Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 23/07/2025	K5040 0314	75	

COPPER RAIL 30x5 mm

MOUNTING PLATE LEFT

MOUNTING PLATE RIGHT

PE1-1 / 27 — PE1-2 / 29 — PE1-3 / 31 — PE1-4 / 34 — PE1-5 / 36 — PE1-6 / 38 — PE1-7 / 51 — 10 mm² — PE

2 / PE_EINSP. — 6 mm² — -XPE1 1

16 mm² — 2

3

16 mm² — 4

16 mm² — 5

2 / PE/NF — 6 mm² — 6

7

54a / X01_ATCPE — 2,5 mm² — 8

NOVO 54a / X01_TCPPE — 2,5 mm² — 9

10

6 / PE-6G1/1 — 1,5 mm² — 11

6 / PE-6G1/2 — 6 mm² — 12

5a / PE-X6G2 — 2,5 mm² — 13

14

15

16

17

16 mm²

PLUG CONNECTOR VIEW LEFT
COPPER RAIL 10x3 mm

-XPE4 PE

2 / PE-X01 — 6 mm²

54a / X01_ATCGEH — 1,5 mm²

34 / BT4 — SH

36 / BT5 — SH

38 / BT6 — SH

27 / BT1 — SH

29 / BT2 — SH

31 / BT3 — SH

51 / BT7 — SH

PLUG CONNECTOR VIEW RIGHT
COPPER RAIL 10x3 mm

-XPE5 PE

43 / PE-X41 — 1,5 mm²

14 / PE-X11 — 1,5 mm²

68 / PE-X61 — 1,5 mm²

48 / PE-X55 — 1,5 mm²

47 / PE-X51 — 1,5 mm²

-XPE 2 PE

2 / X01 — SH

27 / M1 — SH

29 / M2 — SH

31 / M3 — SH

34 / M4 — SH

36 / M5 — SH

38 / M6 — SH

51 / M7 — SH

27 / PE-X21 — 6 mm²

29 / PE-X22 — 6 mm²

51 / PE-X23 — 6 mm²

-XPE 2.1 PE

27 / R1 — SH

29 / R2 — SH

31 / R3 — SH

34 / R4 — SH

36 / R5 — SH

38 / R6 — SH

51 / R7 — SH

27 / PE-X31 — 6 mm²

38 / PE-X32 — 6 mm²

-XPE3 PE

43 / SH-X41 — SH

43 / SH-WMA — 0,34 SH

-STBL M8 — PE

Potential balance in

BAND — BAND — PE

BOX


0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta POTENTIAL BALANCE PANEL		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.:	75	+RP_MOTION/1
			SYSTEM=	LOC+ RCMP		Dat.: 18/01/2010 Cha.: 22/07/2025	Drawing. - No.: K5040 0314	Page - No.: 100a	

TABLE OF CONTENTS

Column X: an automaticly created page is manual changed


DURRINH2 15.11.06

PAGE	Page designation	Suppl. page field	DATE	User	X
+RP_MOTION/1	TABLE OF CONTENTS		08/05/2025	BRSPA2MF	
+RP_MOTION/10	AXIS 1		22/01/2010	WLT	
+RP_MOTION/20	AXIS 2		04/03/2010	WLT	
+RP_MOTION/30	AXIS 3		22/01/2010	WLT	
+RP_MOTION/40	AXIS 4		22/01/2010	WLT	
+RP_MOTION/50	AXIS 5		22/01/2010	WLT	
+RP_MOTION/60	AXIS 6		22/01/2010	WLT	
+RP_MOTION/70	AXIS 7		22/01/2010	WLT	
+RP_MOTION/91	DOSING PUMP AXIS 91, SPARE		22/01/2010	WLT	
+RP_MOTION/92	DOSING PUMP AXIS 92, SPARE		22/01/2010	WLT	




0	1	2	3	4	5	6	7	8	9


ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 1	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	1 / 20
				Prt.: WLT	Drawing. - No.:	Page - No.:
		SYSTEM=	LOC+ RP_MOTION	Dat.: 18/01/2010 Cha.: 22/01/2010	K5040 0314	10




0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 2		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	10	30
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ RP_MOTION		Dat.: 18/01/2010 Cha.: 04/03/2010	K5040 0314	20	



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 3		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	20	40
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+	RP_MOTION	Dat.: 18/01/2010 Cha.: 22/01/2010	K5040 0314	30	




0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 4		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	30	50
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+	RP_MOTION	Dat.: 18/01/2010 Cha.: 22/01/2010	K5040 0314	40	




0	1	2	3	4	5	6	7	8	9


ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 5	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	40	60
			Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM= LOC+ RP_MOTION	Dat.: 18/01/2010 Cha.: 22/01/2010	K5040 0314	50	



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 6		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	50	70
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+	RP_MOTION	Dat.: 18/01/2010 Cha.: 22/01/2010	K5040 0314	60	



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta AXIS 7		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	60	91
						Prt.: WLT	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+	RP_MOTION	Dat.: 18/01/2010 Cha.: 22/01/2010	K5040 0314	70	



SPARE
AXIS 91
MOTOR


SPARE
AXIS 91
THERMISTOR

SPARE
AXIS 91
BRAKE

SPARE
AXIS 91
RESOLVER

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta DOSING PUMP AXIS 91, SPARE	RS16 MSK RPC		DÜRR SYSTEMS GmbH		Inv. - No.: 70	92
				Prt.: WLT		Drawing. - No.: K5040 0314	Page - No.: 91
		SYSTEM=	LOC+ RP_MOTION	Dat.: 18/01/2010	Cha.: 22/01/2010		



SPARE
AXIS 92
MOTOR

SPARE
AXIS 92
THERMISTOR

SPARE
AXIS 92
BRAKE

SPARE
AXIS 92
RESOLVER

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta DOSING PUMP AXIS 92, SPARE	RS16 MSK RPC		DÜRR SYSTEMS GmbH		Inv. - No.: 91	+TCP/1
				Prt.: WLT		Drawing. - No.: K5040 0314	Page - No.: 92
		SYSTEM=	LOC+ RP_MOTION	Dat.: 18/01/2010	Cha.: 22/01/2010		

TABLE OF CONTENTS

Column X: an automaticly created page is manual changed

DURRINH2 15.11.06

PAGE	Page designation	Suppl. page field	DATE	User	X
+TCP/1	TABLE OF CONTENTS		08/05/2025	BRSPA2MF	
+TCP/2a	LAYOUT		08/05/2025	BRSPA2MF	
+TCP/3a	TRIGGERING POWER SUPPLY UNIT PELTIER		08/05/2025	BRSPA2MF	


0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta TABLE OF CONTENTS	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	+RP_MOTION/92	2a
			Prt.: BRSPA2MF	Drawing. - No.:	Page - No.:	
		SYSTEM= LOC+ TCP	Dat.: 18/01/2010 Cha.: 08/05/2025	K5040 0314	1	


* FECHO C/ CHAVE E1 2577.010 (M21050228)

** FECHO 2533.100 (M21050229)


NOVO




VISTA FRONTAL



PLACA DE MONTAGEM



CORTE A-A



VISTA INFERIOR

0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta LAYOUT		RS16 MSK RPC			DÜRR SYSTEMS GmbH	Inv. - No.:	1	3a
						Prt.: BRSPA2MF	Drawing. - No.:	Page - No.:	
			SYSTEM=	LOC+ TCP		Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	2a	

NOVO

+RCMP

TEMPERATURE
CONTROL PELTIER
SUPPLY 400V

POWER SUPPLY
UNIT PELTIER
24VDC

TCP_L1 / +RCMP/54a
TCP_L2 / +RCMP/54a
TCP_L3 / +RCMP/54a
TCP_PE / +RCMP/54a

T01+ / +RCMP/16a
T01- / +RCMP/16a

-XT01P 1 2 3 PE 4 5

-W1XT01P_RCMP/
XT01P_TCP
4G2,5 mm²

-W1XT01P2_RCMP/
XT01P2_TCP
3G10 mm²

-XT01P 1 2 3 PE 4 5

3a / -PE

3a / T01+

3a / T01-

2,5 mm²

-T01
L1 L2 L3 PE

Power Supply Unit RSNT80G UL-CSA
RSNT80G UL-CSA

1M 2M 1L+ 2L+

2,5 mm² 10 mm² 10 mm²

3a / -PE

T01+ / 3a

T01- / 3a

-12A8
PCU1.HWO_mETCP1_On
+RCMP_DOC/15a.1
DO2

AO1
QI0
+RCMP_DOC/19a.1
PCU1.HWO_w
ETCP1_SetCurrent
-
Mana

-12A13

AI1
M0+
+RCMP_DOC/18a.1
PCU1.HWI_w
ETCP1_ActVoltage
-
M0-

-12A12

Signal 24Vdc
+RCMP/7a / 7F7/3

DI1
+RCMP_DOC/13a.1
PCU1.HWI_m
ETCP1_SupplyOk

-12A7

-XT01 1 2 3 4 5 6

-W1XT01_RCMP/
XT01_TCP
6x1 mm²

-XT01 1 2 3 4 5 6

U - I EIN
IST SOLL

F F.

Power Supply Unit Peltier On

Peltier Set Value I

Peltier Actual Value U

Power Supply Unit Peltier Ok

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta TRIGGERING POWER SUPPLY UNIT PELTIER	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	2a	+KLPL/1
				Prt.: BRSPA2MF	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ TCP	Dat.: 18/01/2010 Cha.: 22/07/2025	K5040 0314	3a	


TABLE OF CONTENTS

Column X: an automaticly created page is manual changed

DURRINH2 15.11.06

PAGE	Page designation	Suppl. page field	DATE	User	X
+KLPL/1	TABLE OF CONTENTS		08/05/2025	BRSPA2MF	
+KLPL/2	+RCMP-X01 ALIMENTA ÒO 400VAC		06/04/2010	WLT	
+KLPL/3	+RCMP-X01_ATC ALIMENTA ÒO 400V		06/04/2010	WLT	
+KLPL/4	+RCMP-X02 ALIMENTA ÒO 230VAC		06/04/2010	WLT	
+KLPL/5	+RCMP-X11 E-STOP LIMITA êO DO EIXO		06/04/2010	WLT	
+KLPL/6	+RCMP-X21 EIXOS MOTOR, FREIO		06/04/2010	WLT	
+KLPL/7	+RCMP-X22 EIXOS MOTOR, FREIO		06/04/2010	WLT	
+KLPL/8	+RCMP-X23 MOTOR EIXOS, FREIO		06/04/2010	WLT	
+KLPL/9	+RCMP-X31 RESOLUTOR		06/04/2010	WLT	
+KLPL/10	+RCMP-X32 RESOLUTOR		06/04/2010	WLT	
+KLPL/11	+RCMP-X32 RESOLUTOR		06/04/2010	WLT	
+KLPL/12	+RCMP-X41 INTERFACE BARRAMENTO DE PROCESSO		06/04/2010	WLT	
+KLPL/13	+RCMP-X51 VµLVULA DE AR PRINCIPAL		06/04/2010	WLT	
+KLPL/14	+RCMP-X55 EX - CONTROLE DA PRESSÒO		06/04/2010	WLT	
+KLPL/15	+RCMP-X61 VÇLVULA ALIMENTA êO DE AR		06/04/2010	WLT	
+KLPL/16	+RCMP-X81 APARELHO DISPARO FREIO		06/04/2010	WLT	
+KLPL/17	+RCMP-X91PB PROFINET ENTR.		06/04/2010	WLT	
+KLPL/18	+RCMP-X92PB PROFINET OUT		06/04/2010	WLT	
+KLPL/19	+RCMP-X93PB PROFIBUS EXTERNA		06/04/2010	WLT	
+KLPL/20	+RCMP-X96 ETHERNET		06/04/2010	WLT	
+KLPL/21	+RCMP-X97 ETHERNET		06/04/2010	WLT	

+RCMP-X01




ALIMENTA ÒO

II II II II

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X01 ALIMENTA ÒO 400VAC	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	1	3
				Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010	K5040 0314	2	

+RCMP-X01_ATC




MODERAR ALIMENTA ÒO 400V

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X01_ATC ALIMENTA ÒO 400V	RS16 MSK RPC		DÜRR SYSTEMS GmbH		Inv. - No.:	2 4
				Prt.: WLT		Drawing. - No.:	Page - No.:
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010	Cha.: 06/04/2010	K5040 0314	3

+RCMP-X02




ALIMENTA ÒO 230VAC

II II

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X02 ALIMENTA ÒO 230VAC	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	3	5
				Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010	K5040 0314	4	

+RCMP-X11



RESERVA


E-STOP EIXO 7 LIMITA êO DO EIXO 1

E-STOP EIXO 7 LIMITA êO DO EIXO 2

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X11 E-STOP LIMITA êO DO EIXO	RS16 MSK RPC		DÜRR SYSTEMS GmbH		Inv. - No.:	4 6
				Prt.: WLT		Drawing. - No.:	Page - No.:
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010	Cha.: 06/04/2010	K5040 0314	5

+RCMP-X21




EIXO 1 MOTOR
EIXO 1 TERMISTOR
EIXO 1 FREIO
EIXO 2 MOTOR
EIXO 2 TERMISTOR
EIXO 2 FREIO
EIXO 4 MOTOR
EIXO 4 TERMISTOR
EIXO 4 FREIO

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X21 EIXOS MOTOR, FREIO	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	5 / 7
			Prt.: WLT	Drawing. - No.:	Page - No.:
		SYSTEM= LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010	K5040 0314	6

+RCMP-X22



EIXO 3 MOTOR
EIXO 3 TERMISTOR
EIXO 3 FREIO
EIXO 5 MOTOR
EIXO 5 TERMISTOR
EIXO 5 FREIO
EIXO 6 MOTOR
EIXO 6 TERMISTOR
EIXO 6 FREIO

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X22 EIXOS MOTOR, FREIO	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	6 / 8
			Prt.: WLT	Drawing. - No.:	Page - No.:
		SYSTEM= LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010	K5040 0314	7

+RCMP-X23

B A1	B A2	B A3	B A4	B GEH	B B1	B B2	B B3	B B4	B B5	B C1	B C2	B C3	B C4	B GEH	B D1	B D2	B D3	B D4	B D5	B E1	B E2	B E3	B E4	B GEH	B F1	B F2	B F3	B F4	B F5

1	2	3	YE/GN	SCR1	WH	BN	BK	RD	SCR4	4	5	6	YE/GN	SCR2	WH	BN	BK	RD	SCR5	7	8	9	YE/GN	SCR3	WH	BN	BK	RD	SCR6

-WX23/XK01/2E09520029

6x5x

1	2	3	YE/GN	SCR1	WH	BN	BK	RD	SCR4	4	5	6	YE/GN	SCR2	WH	BN	BK	RD	SCR5	7	8	9	YE/GN	SCR3	WH	BN	BK	RD	SCR6

+XK01-X23

A1	A2	A3	A4	GEH	B1	B2	B3	B4	B5	C1	C2	C3	C4	GEH	D1	D2	D3	D4	D5	E1	E2	E3	E4	GEH	F1	F2	F3	F4	F5

EIXO 7 MOTOR
EIXO 7 TERMISTOR
EIXO 7 FREIO
RESERVA EIXO 91 MOTOR
RESERVA EIXO 91 TERMISTOR
RESERVA EIXO 91 FREIO
RESERVA EIXO 92 MOTOR
RESERVA EIXO 92 TERMISTOR
RESERVA EIXO 92 FREIO

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X23 MOTOR EIXOS, FREIO	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	7 / 9
			Prt.: WLT	Drawing. - No.:	Page - No.:
		SYSTEM= LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010	K5040 0314	8

+RCMP-X31

B A1	B A2	B A3	B A4	B A5	B A6	B A7	B A8	B A9	B A10	B GEH	B B1	B B2	B B3	B B4	B B5	B B6	B B7	B B8	B B9	B B10	B GEH	B C1	B C2	B C3	B C4	B C5	B C6	B C7	B C8	B C9	B C10	B GEH	B D1	B D2	B D3	B D4	B D5	B D6	B D7	B D8	B D9	B D10	B GEH
WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR1	WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR2	WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR3	WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR4

-WX31/XK01/2E09520030

5x11x

WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR1	WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR2	WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR3	WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR4

+XK01-X31

A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	GEH	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	GEH	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	GEH	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	GEH

EIXO 1 RESOLUTOR

EIXO 2 RESOLUTOR

EIXO 3 RESOLUTOR

EIXO 7 RESOLUTOR

0 1 2 3 4 5 6 7 8 9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X31 RESOLUTOR	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	8 10
			Prt.: WLT	Drawing. - No.:	Page - No.:
		SYSTEM= LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010	K5040 0314	9

+RCMP-X32

B A1	B A2	B A3	B A4	B A5	B A6	B A7	B A8	B A9	B A10	B GEH	B B1	B B2	B B3	B B4	B B5	B B6	B B7	B B8	B B9	B B10	B GEH	B C1	B C2	B C3	B C4	B C5	B C6	B C7	B C8	B C9	B C10	B GEH	B D1	B D2	B D3	B D4	B D5	B D6	B D7	B D8	B D9	B D10	B GEH	B E1	B E2	B E3	B E4
WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR1	WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR2	WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR3	WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR4	WH	BN	GN	YE

-WX32/XK01/2E09520030

5x11x

WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR1	WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR2	WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR3	WH	BN	GN	YE	GY	PK	BU	RD	BK	VT	SCR4	WH	BN	GN	YE

+XK01-X32

A1	A2	A3	A4	A5	A6	A7	A8	A9	A10	GEH	B1	B2	B3	B4	B5	B6	B7	B8	B9	B10	GEH	C1	C2	C3	C4	C5	C6	C7	C8	C9	C10	GEH	D1	D2	D3	D4	D5	D6	D7	D8	D9	D10	GEH	E1	E2	E3	E4

EIXO 4 RESOLUTOR

EIXO 5 RESOLUTOR

EIXO 6 RESOLUTOR


RESERVA EIXO 91 RESOLUTOR

RESERVA EIXO 92 RESOLUTOR

0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X32 RESOLUTOR	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.:	9 / 11
			Prt.: WLT	Drawing. - No.:	Page - No.:
		SYSTEM= LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010	K5040 0314	10

+RCMP-X32




RESERVA EIXO 92 RESOLUTOR

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X32 RESOLUTOR	RS16 MSK RPC		DÜRR SYSTEMS GmbH		Inv. - No.:	10 12
				Prt.: WLT		Drawing. - No.:	Page - No.:
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010	Cha.: 06/04/2010	K5040 0314	11

+RCMP-X41




ALIMENTA ÒO 24VDC
ALIMENTA ÒO 0VDC
MASTERIZA ÒO SENSOR SAIDA 0
MASTERIZA ÒO SENSOR SAIDA 1

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X41 INTERFACE BARRAMENTO DE PROCESSO	RS16 MSK RPC	DÜRR SYSTEMS GmbH	Inv. - No.: 11 13	
			Prt.: WLT	Drawing. - No.: K5040 0314	Page - No.: 12
		SYSTEM= LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010		

+RCMP-X51




MVS 0VDC BARRAMENTO
MVS 24VDC BARRAMENTO
MVS 24VDC
RES. 0VDC
MVS 24VDC
=
PE

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X51 VµLVULA DE AR PRINCIPAL	RS16 MSK RPC		DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.: 12 14 Drawing. - No.: K5040 0314	Page - No.: 13
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010		

+RCMP-X55




RESERVA CONTROLE DA PRESSÒO

II II II II

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X55 EX - CONTROLE DA PRESSÒO	RS16 MSK RPC		DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.: 13 15	Drawing. - No.: K5040 0314
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010		Page - No.: 14

+RCMP-X61




RESERVA
VÇLVULA ALIMENTA êO DE AR YLV1
RESERVA
VÇLVULA MATERIAL ALIMENTA ÒO YMV1
RESERVA

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X61 VÇLVULA ALIMENTA êO DE AR	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	14 / 16
				Prt.: WLT	Drawing. - No.:	Page - No.:
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010	K5040 0314	15

+RCMP-X81




0VDC
SOLTAR FREIO EIXO 1
RESERVA
SOLTAR FREIO EIXO 3
SOLTAR FREIO EIXO 4/5/6
SOLTAR FREIO EIXO 7
APARELHO DISPARO FREIO OPERANDO

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X81 APARELHO DISPARO FREIO	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	15	17
				Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010	K5040 0314	16	

+RCMP-X91PB




BARRAM. ESCRAVO PROFIBUS ENTR.

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X91PB PROFINET ENTR.	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	16	18
				Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010	K5040 0314	17	

+RCMP-X92PB



BARRAM. ESCRAVO PROFIBUS


OUT

II

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X92PB PROFINET OUT	RS16 MSK RPC		DÜRR SYSTEMS GmbH		Inv. - No.: 17	19
				Prt.: WLT		Drawing. - No.: K5040 0314	Page - No.: 18
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010	Cha.: 06/04/2010		

+RCMP-X93PB




PROFIBUS A EXTERNO

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X93PB PROFIBUS EXTERNA	RS16 MSK RPC		DÜRR SYSTEMS GmbH	Inv. - No.:	18	20
				Prt.: WLT	Drawing. - No.:	Page - No.:	
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010	K5040 0314	19	

+RCMP-X96




ETHERNET EXTERNA

0	1	2	3	4	5	6	7	8	9

ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X96 ETHERNET	RS16 MSK RPC		DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.: 19 21 Drawing. - No.: K5040 0314	Page - No.: 20
		SYSTEM=	LOC+ KLPL	Dat.: 18/01/2010 Cha.: 06/04/2010		

+RCMP-X97



0	1	2	3	4	5	6	7	8	9
ECO-RCMP Robot Control Modular Panel INTERFACE	BR072965899 6001_02_11_12 VW Anchieta +RCMP-X97 ETHERNET		RS16 MSK RPC			DÜRR SYSTEMS GmbH Prt.: WLT	Inv. - No.:	20	+STKL/1
			SYSTEM=	LOC+ KLPL		Dat.: 18/01/2010 Cha.: 06/04/2010	Drawing. - No.: K5040 0314	Page - No.: 21	

TABLE OF CONTENTS

Column X: an automaticly created page is manual changed

DURRINH2 15.11.06

PAGE	Page designation	Suppl. page field	DATE	User	X
+STKL/1	TABLE OF CONTENTS		21/07/2025	BRSPA2MF	
+STKL/2	STÜCKLISTE		04/06/2025	BRSPA2MF	
+STKL/3	STÜCKLISTE		21/07/2025	BRSPA2MF	
+STKL/4	STÜCKLISTE		21/07/2025	BRSPA2MF	
+STKL/5	STÜCKLISTE		04/06/2025	BRSPA2MF	
+STKL/6	STÜCKLISTE		21/07/2025	BRSPA2MF	
+STKL/11	ERSATZTEILELISTE		21/07/2025	BRSPA2MF	
+STKL/12	ERSATZTEILELISTE		04/06/2025	BRSPA2MF	

PARTS LIST

DURRSTKL / 05.12.03

Component designation	Quantity	Designation	Manufacturer	Supplier	Type number	Reference number Dürr-Number	Rem.
=+RCMP_DOC-RCMP +RCMP_DOC/6a.3	1	Schaltschrank 1200x1200x600 RCMP_RPE control cabinet 1200x1200x600 RCMP_RPE	Caleg GMBH	Caleg GMBH	RCMP_RPE 1200X1200X600	940_8098 F29700004	
=+RCMP_DOC-54Q3 +RCMP_DOC/6a.4	1	CIRCUIT-BREAKER SCREW CONNECTION 5A SIRIUS Circuit breaker	Siemens	Siemens	3RV2011-1FA10	3RV2011-1FA10 E17140109	
=+RCMP_DOC-Q4 +RCMP_DOC/6a.4	1	CONTACTOR,AC3:4KW 1NC DC24V SIRIUS Power contactor	Siemens	Siemens	3RT2016-1BB42	3RT2016-1BB42 E19010053	
=+RCMP_DOC-Q2 +RCMP_DOC/6a.4	1	CONTACTOR,AC3:11KW 1NO+1NC DC24V SIRIUS Power contactor	Siemens	Siemens	3RT2026-1BB40	3RT2026-1BB40 E19010054	
=+RCMP_DOC-Q5 +RCMP_DOC/6a.4	1	CONTACTOR,AC3:4KW 1NC DC24V SIRIUS Power contactor	Siemens	Siemens	3RT2016-1BB42	3RT2016-1BB42 E19010053	
=+RCMP_DOC-Q3 +RCMP_DOC/6a.4	1	CONTACTOR,AC3:11KW 1NO+1NC DC24V SIRIUS Power contactor	Siemens	Siemens	3RT2026-1BB40	3RT2026-1BB40 E19010054	
=+RCMP_DOC-9A0 +RCMP_DOC/9.1	1	EcoRPC Steuerung V2.10 EcoRPC Control V2.10	Keba	Dürr Systems GmbH	F30150005	F30150005 F30150005	E
=+RCMP_DOC-9A0 +RCMP_DOC/9.1	1	Comp.Flash Memory Card 1GB Comp.Flash Memory Card 1GB	Keba	Dürr Systems GmbH	E56490041	E56490041 E56490041	E
=+RCMP-2Z1 +RCMP/2.1	1	Netzfilter Indramat 30A mains filter indramat 30A	Indramat	Dürr Systems GmbH	E05020028	E05020028 E05020028	E
=+RCMP-2S1 +RCMP/2.1	1	Hauptschalter 3 Pol. 63A main switch 3 Pol. 63A	Siemens	Siemens	3LD2 530-OTK11	3LD2 530-OTK11 E17100020	
=+RCMP-2S1 +RCMP/2.1	1	Abdeckung für Hauptschalter 3LD25 Cover for main switch 3LD25	Siemens	Siemens	3LD9 2.1-0A	3LD9 2.1-0A	
=+RCMP-2S1 +RCMP/2.1	1	Auxiliary Switch 1 No Contact / 1 Nc Contact, Floor Mounting	Siemens	Siemens	3LD9200-5C	3LD9200-5C E17220013	
=+RCMP-3E2 +RCMP/2.1	1	Schaltschrankleuchte 230V/50Hz inkl. 2 Floor Mounting	Caleg GMBH	Dürr Systems GmbH	9406831	9406831 E17220013	E
=+RCMP-3E2 +RCMP/3.2	1	Schaltschrankleuchte 230V/50Hz inkl. 2 panel light 230V/50Hz incl. 2 limit switch	Caleg GMBH	Dürr Systems GmbH	9406831	9406831 E02060034	E
=+RCMP-3F2 +RCMP/3.2	1	Leitungsschutzschalter, 1pol. B6A Circuit breaker, 1pol. B6A	Siemens	Siemens	5SY6106-6	5SY6106-6 E18020094	
=+RCMP-4E2 +RCMP/4.2	1	Cooling Device KF1000S, 2~, 1000W, 2x400/460V, 50/60HZ	HAEWA	HAEWA	3120-1000-40S01	KF1000S F10020039	E
=+RCMP-4Q3 +RCMP/4.2	1	Power Circuit Breaker S0 For Transformer Without Auxiliary Switch, Screw Connection	Siemens	Siemens	3RV1421-1GA10	3RV1421-1GA10 E17210035	
=+RCMP-4Q3 +RCMP/4.2	1	Auxiliary Switch Transverse, 1 No Contact + For Power Circuit Breaker / Motor Circuit	Siemens	Siemens	3RV1901-1E	3RV1901-1E E17190018	E
=+RCMP-6G2 +RCMP/6.1	1	SITOP DC-USV Module 24VDC / 15A, With	Siemens	Siemens	6EP1931-2EC42	6EP1931-2EC42 E03480025	E
=+RCMP-6G2 +RCMP/6.1	2	Accumulator 12V 4,5Ah	Dürr Systems GmbH	Dürr Systems GmbH	FG20451	FG20451	E
=+RCMP-6G1 +RCMP/6.1	1	Netzteil SITOP 40A 3x400/500/24VDC Power Supply SITOP 3x400/500/24VDC	Siemens	Siemens	6EP1437-3BA00	6EP1437-3BA00 F12050063	E
=+RCMP-6Q1 +RCMP/6.1	1	Power Circuit Breaker S0 For Transformer Without Auxiliary Switch, Screw Connection	Siemens	Siemens	3RV1421-1DA10	3RV1421-1DA10 E17210021	
=+RCMP-6F4 +RCMP/6.4	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-6F5 +RCMP/6.5	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-6F6 +RCMP/6.6	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-6F7 +RCMP/6.7	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E

PARTS LIST

DURRSTKL / 05.12.03

Component designation	Quantity	Designation	Manufacturer	Supplier	Type number	Reference number Dürr-Number	Rem.
=+RCMP-7F1 +RCMP/7a.1	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-7F2 +RCMP/7a.2	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-7F3 +RCMP/7a.3	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-7F4 +RCMP/7a.4	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-7F5 +RCMP/7a.5	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-7F6 +RCMP/7a.6	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-7F7 +RCMP/7a.7	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-7F8 +RCMP/7a.8	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-8F1 +RCMP/8.1	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-8F2 +RCMP/8.2	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-8F3 +RCMP/8.3	1	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401 E18260003	E
=+RCMP-10A6 +RCMP/10.6	1	Lichtwellenleiter 1,8m beidseitig mit Stecker LWL cable 1,8m both sides with plug	Pema elektrotechnik	Dürr Systems GmbH	LWL 1,8M	990529172 E09060125	E
=+RCMP-10A6 +RCMP/10.6	1	Lichtwellenleiter 2,3m beidseitig mit Stecker LWL cable 2,3m both sides with plug	Pema elektrotechnik	Dürr Systems GmbH	LWL 2,3M	990529173 E09060126	E
=+RCMP-10A8 +RCMP/10.8	1	Plug For Profibus-DP, 90°, SUB-D 9 Pins, Fast Connect	Siemens	Siemens	6ES7972-0BB52-0XA0	6ES7972-0BB52-0XA0 E20010168	E
=+RCMP-11A6 +RCMP/11.6	1	Plug For Profibus-DP, 90°, SUB-D 9 Pins, Fast Connect	Siemens	Siemens	6ES7972-0BB52-0XA0	6ES7972-0BB52-0XA0 E20010168	E
=+RCMP-12A1 +RCMP/12a.2	1	Interface Module IM 151-1 HF, Profibus-DP,	Siemens	Siemens	6ES7151-1BA02-0AB0	6ES7151-1BA02-0AB0 E52010002	E
=+RCMP-12A1 +RCMP/12a.2	1	Plug For Profibus-DP, 90°, SUB-D 9 Pins, Fast Connect	Siemens	Siemens	6ES7972-0BB52-0XA0	6ES7972-0BB52-0XA0 E20010168	E
=+RCMP-12A2 +RCMP/12a.3	1	Power module PM-E for electronic modules	Siemens	Siemens	6ES7138-4CA01-0AA0	6ES7138-4CA01-0AA0 E56040003	E
=+RCMP-12A2 +RCMP/12a.3	1	Terminal Module TM-P15C23-A1 For ET200S 2x3 Clamps, AUX1 With Connection External,	Siemens	Siemens	6ES7193-4CC30-0AA0	6ES7193-4CC30-0AA0 E51190004	
=+RCMP-12A3 +RCMP/12a.3	1	MODULO DE ENTRADA DIGITAL\ET200S 4DI ET200S	Siemens	Siemens	6ES7131-4BD01-0AB0	6ES7131-4BD01-0AB0 E52130001	E
=+RCMP-12A3 +RCMP/12a.3	1	MODULE BRACKET\ET200S FEDERZUG 2x4	Siemens	Siemens	6ES7193-4CB30-0AA0	6ES7193-4CB30-0AA0 E52190007	
=+RCMP-12A4 +RCMP/12a.4	1	MODULO DE ENTRADA DIGITAL\ET200S 4DI ET200S	Siemens	Siemens	6ES7131-4BD01-0AB0	6ES7131-4BD01-0AB0 E52130001	E
=+RCMP-12A4 +RCMP/12a.4	1	MODULE BRACKET\ET200S FEDERZUG 2x4	Siemens	Siemens	6ES7193-4CB30-0AA0	6ES7193-4CB30-0AA0 E52190007	
=+RCMP-12A5 +RCMP/12a.4	1	MODULO DE ENTRADA DIGITAL\ET200S 4DI ET200S	Siemens	Siemens	6ES7131-4BD01-0AB0	6ES7131-4BD01-0AB0 E52130001	E
=+RCMP-12A5 +RCMP/12a.4	1	MODULE BRACKET\ET200S FEDERZUG 2x4	Siemens	Siemens	6ES7193-4CB30-0AA0	6ES7193-4CB30-0AA0 E52190007	

PARTS LIST

DURRSTKL / 05.12.03

Component designation	Quantity	Designation	Manufacturer	Supplier	Type number	Reference number Dürr-Number	Rem.
=+RCMP-12A6 +RCMP/12a.5	1	MODULO DE ENTRADA DIGITAL\ET200S 4DI ET200S	Siemens	Siemens	6ES7131-4BD01-0AB0	6ES7131-4BD01-0AB0 E52130001	E
=+RCMP-12A6 +RCMP/12a.5	1	MODULE BRACKET\ET200S FEDERZUG 2x4	Siemens	Siemens	6ES7193-4CB30-0AA0	6ES7193-4CB30-0AA0 E52190007	
=+RCMP-12A7 +RCMP/12a.5	1	MODULO DE ENTRADA DIGITAL\ET200S 4DI ET200S	Siemens	Siemens	6ES7131-4BD01-0AB0	6ES7131-4BD01-0AB0 E52130001	E
=+RCMP-12A7 +RCMP/12a.5	1	MODULE BRACKET\ET200S FEDERZUG 2x4	Siemens	Siemens	6ES7193-4CB30-0AA0	6ES7193-4CB30-0AA0 E52190007	
=+RCMP-12A8 +RCMP/12a.5	1	MODULO DE SAIDA DIGITAL\ET200S 4DO	Siemens	Siemens	6ES7132-4BD02-0AA0	6ES7132-4BD02-0AA0 E52140001	E
=+RCMP-12A8 +RCMP/12a.5	1	MODULE BRACKET\ET200S FEDERZUG 2x4	Siemens	Siemens	6ES7193-4CB30-0AA0	6ES7193-4CB30-0AA0 E52190007	
=+RCMP-12A9 +RCMP/12a.6	1	Power module PM-E for electronic modules	Siemens	Siemens	6ES7138-4CA01-0AA0	6ES7138-4CA01-0AA0 E56040003	E
=+RCMP-12A9 +RCMP/12a.6	1	Terminal Module TM-P15C23-A1 For ET200S 2x3 Clamps, AUX1 With Connection External,	Siemens	Siemens	6ES7193-4CC30-0AA0	6ES7193-4CC30-0AA0 E51190004	
=+RCMP-12A10 +RCMP/12a.6	1	MODULO DE ENTRADA DIGITAL\ET200S 4DI ET200S	Siemens	Siemens	6ES7131-4BD01-0AB0	6ES7131-4BD01-0AB0 E52130001	E
=+RCMP-12A10 +RCMP/12a.6	1	MODULE BRACKET\ET200S FEDERZUG 2x4	Siemens	Siemens	6ES7193-4CB30-0AA0	6ES7193-4CB30-0AA0 E52190007	
=+RCMP-12A11 +RCMP/12a.7	1	MODULO DE SAIDA DIGITAL\ET200S 4DO	Siemens	Siemens	6ES7132-4BD02-0AA0	6ES7132-4BD02-0AA0 E52140001	E
=+RCMP-12A11 +RCMP/12a.7	1	MODULE BRACKET\ET200S FEDERZUG 2x4	Siemens	Siemens	6ES7193-4CB30-0AA0	6ES7193-4CB30-0AA0 E52190007	
=+RCMP-12A12 +RCMP/12a.7	1	Analog Electronic Module 2AI I HF, ±20mA,	Siemens	Siemens	6ES7134-4MB02-0AB0	6ES7134-4MB02-0AB0 E52190007	E
=+RCMP-12A12 +RCMP/12a.7	1	MODULE BRACKET\ET200S FEDERZUG 2x4	Siemens	Siemens	6ES7193-4CB30-0AA0	6ES7193-4CB30-0AA0 E52190007	
=+RCMP-12A13 +RCMP/12a.7	1	Analog Electronic Module 2AO I ±20mA,	Siemens	Siemens	6ES7135-4GB01-0AB0	6ES7135-4GB01-0AB0 E52190007	E
=+RCMP-12A13 +RCMP/12a.7	1	MODULE BRACKET\ET200S FEDERZUG 2x4	Siemens	Siemens	6ES7193-4CB30-0AA0	6ES7193-4CB30-0AA0 E52190007	
=+RCMP-12A14 +RCMP/12a.8	1	MODULO DE ENTRADA ANALOGICO\2AI SIMATIC DP, ET 200S	Siemens	Siemens	6ES7134-4NB51-0AB0	6ES7134-4NB51-0AB0 E52160003	E
=+RCMP-12A14 +RCMP/12a.8	1	MODULE BRACKET\ET200S FEDERZUG 2x4	Siemens	Siemens	6ES7193-4CB30-0AA0	6ES7193-4CB30-0AA0 E52190007	
=+RCMP-16K1 +RCMP/16a.1	1	CONTACTOR,AC3:11KW 1NO+1NC DC24V SIRIUS Power contactor	Siemens	Siemens	3RT2026-1BB40	3RT2026-1BB40 E19010054	
=+RCMP-16K1 +RCMP/16a.1	1	SURGE SUPPRESSOR, VARISTOR, AC 24...48V, DC 24...70V, FOR MOTOR	Siemens	Siemens	3RT2926-1BB00	3RT29261BB00 E31010012	
=+RCMP-16K2 +RCMP/16a.2	1	CONTACTOR,AC3:11KW 1NO+1NC DC24V SIRIUS Power contactor	Siemens	Siemens	3RT2026-1BB40	3RT2026-1BB40 E19010054	
=+RCMP-16K2 +RCMP/16a.2	1	SURGE SUPPRESSOR, VARISTOR, AC 24...48V, DC 24...70V, FOR MOTOR	Siemens	Siemens	3RT2926-1BB00	3RT29261BB00 E31010012	
=+RCMP-17K1 +RCMP/17a.1	1	CONTACTOR,AC3:4KW 1NC DC24V SIRIUS Power contactor	Siemens	Siemens	3RT2016-1BB42	3RT2016-1BB42 E19010053	
=+RCMP-17K1 +RCMP/17a.1	1	Surge suppressor, varistor, 24-48 V AC,	Siemens	Siemens	3RT2916-1BB00	3RT2916-1BB00 E31010009	
=+RCMP-18K1 +RCMP/18a.1	1	CONTACTOR,AC3:4KW 1NC DC24V SIRIUS Power contactor	Siemens	Siemens	3RT2016-1BB42	3RT2016-1BB42 E19010053	

PARTS LIST

DURRSTKL / 05.12.03

Component designation	Quantity	Designation	Manufacturer	Supplier	Type number	Reference number Dürr-Number	Rem.
=+RCMP-18K1 +RCMP/18a.1	1	Surge suppressor, varistor, 24-48 V AC,	Siemens	Siemens	3RT2916-1BB00	3RT2916-1BB00 E31010009	
=+RCMP-21K1 +RCMP/21.1	1	Contactor 22E, S0, 24VDC/11KW, Screw 2 No Contact + 2 Nc Contact	Siemens	Siemens	3RT1026-1BB44	3RT1026-1BB44 E19010031	E
=+RCMP-21K1 +RCMP/21.1	1	Varistor 24-48VAC / 24-70VDC, For	Siemens	Siemens	3RT1926-1BB00	3RT1926-1BB00 E31010002	E
=+RCMP-21K2 +RCMP/21.2	1	Contactor 22E, S0, 24VDC/11KW, Screw 2 No Contact + 2 Nc Contact	Siemens	Siemens	3RT1026-1BB44	3RT1026-1BB44 E19010031	E
=+RCMP-21K2 +RCMP/21.2	1	Varistor 24-48VAC / 24-70VDC, For	Siemens	Siemens	3RT1926-1BB00	3RT1926-1BB00 E31010002	E
=+RCMP-23K1 +RCMP/23.1	1	Hilfsschütz 24VDC, 9S/1OE contactor 24VDC, 9NO/1NC	Siemens	Siemens	3TH4391-0BB4	3TH4391-0BB4 E19020065	E
=+RCMP-23K1 +RCMP/23.1	1	Varistor 24-48V S0..2 varistor 24-48V S0..2	Siemens	Siemens	3TX7402-3G	3TX7402-3G	E
=+RCMP-23K2 +RCMP/23.2	1	Hilfsschütz 24VDC, 9S/1OE contactor 24VDC, 9NO/1NC	Siemens	Siemens	3TH4391-0BB4	3TH4391-0BB4 E19020065	E
=+RCMP-23K2 +RCMP/23.2	1	Varistor 24-48V S0..2 varistor 24-48V S0..2	Siemens	Siemens	3TX7402-3G	3TX7402-3G	E
=+RCMP-24Q4 +RCMP/24.4	1	Power Circuit Breaker S0 For Transformer Without Auxiliary Switch, Screw Connection	Siemens	Siemens	3RV1421-4AA10	3RV1421-4AA10 E17210023	
=+RCMP-24Q4 +RCMP/24.4	1	Auxiliary Switch Transverse, 1 No Contact + For Power Circuit Breaker / Motor Circuit	Siemens	Siemens	3RV1901-1E	3RV1901-1E E17190018	E
=+RCMP-27U1 +RCMP/27.1	1	Indramat Leistungsteil 3*400V/28A Indramat power modul 3*400V/28A	Indramat	Dürr Systems GmbH	HCS02.1E-W0028-A-03-NNNN	HCS02.1E-W0028-A-03-NNNN E03140059	E
=+RCMP-27U1 +RCMP/27.1	1	Indramat BasicUniversal Sercos für Indramat BasicUniversal Sercos for	Indramat	Dürr Systems GmbH	CSB01.1C-SE-ENS-NN-NN-S-NN-FW	CSB01.1C-SE-ENS-NN-NN-S-NN-FW E03140061	E
=+RCMP-27U1 +RCMP/27.1	1	Lichtwellenleiter 0,3m beidseitig mit Stecker LWL cable 0,3m both sides with plug	Pema elektrotechnik	Dürr Systems GmbH	LWL 0,3M	990529171 E09060124	E
=+RCMP-29U1 +RCMP/29.1	1	Indramat Leistungsteil 3*400V/28A Indramat power modul 3*400V/28A	Indramat	Dürr Systems GmbH	HCS02.1E-W0028-A-03-NNNN	HCS02.1E-W0028-A-03-NNNN E03140059	E
=+RCMP-29U1 +RCMP/29.1	1	Indramat BasicUniversal Sercos für Indramat BasicUniversal Sercos for	Indramat	Dürr Systems GmbH	CSB01.1C-SE-ENS-NN-NN-S-NN-FW	CSB01.1C-SE-ENS-NN-NN-S-NN-FW E03140061	E
=+RCMP-29U1 +RCMP/29.1	1	Lichtwellenleiter 0,3m beidseitig mit Stecker LWL cable 0,3m both sides with plug	Pema elektrotechnik	Dürr Systems GmbH	LWL 0,3M	990529171 E09060124	E
=+RCMP-31U1 +RCMP/31.1	1	Indramat Leistungsteil 3*400V/12A Indramat power modul 3*400V/12A	Indramat	Dürr Systems GmbH	HCS02.1E-W0012-A-03-NNNN	HCS02.1E-W0012-A-03-NNNN E03140058	E
=+RCMP-31U1 +RCMP/31.1	1	Indramat BasicUniversal Sercos für Indramat BasicUniversal Sercos for	Indramat	Dürr Systems GmbH	CSB01.1C-SE-ENS-NN-NN-S-NN-FW	CSB01.1C-SE-ENS-NN-NN-S-NN-FW E03140061	E
=+RCMP-31U1 +RCMP/31.1	1	Lichtwellenleiter 0,3m beidseitig mit Stecker LWL cable 0,3m both sides with plug	Pema elektrotechnik	Dürr Systems GmbH	LWL 0,3M	990529171 E09060124	E
=+RCMP-34U1 +RCMP/34.1	1	Indramat Leistungsteil 3*400V/12A Indramat power modul 3*400V/12A	Indramat	Dürr Systems GmbH	HCS02.1E-W0012-A-03-NNNN	HCS02.1E-W0012-A-03-NNNN E03140058	E
=+RCMP-34U1 +RCMP/34.1	1	Indramat BasicUniversal Sercos für Indramat BasicUniversal Sercos for	Indramat	Dürr Systems GmbH	CSB01.1C-SE-ENS-NN-NN-S-NN-FW	CSB01.1C-SE-ENS-NN-NN-S-NN-FW E03140061	E
=+RCMP-34U1 +RCMP/34.1	1	Lichtwellenleiter 0,3m beidseitig mit Stecker LWL cable 0,3m both sides with plug	Pema elektrotechnik	Dürr Systems GmbH	LWL 0,3M	990529171 E09060124	E
=+RCMP-36U1 +RCMP/36.1	1	Indramat Leistungsteil 3*400V/12A Indramat power modul 3*400V/12A	Indramat	Dürr Systems GmbH	HCS02.1E-W0012-A-03-NNNN	HCS02.1E-W0012-A-03-NNNN E03140058	E
=+RCMP-36U1 +RCMP/36.1	1	Indramat BasicUniversal Sercos für Indramat BasicUniversal Sercos for	Indramat	Dürr Systems GmbH	CSB01.1C-SE-ENS-NN-NN-S-NN-FW	CSB01.1C-SE-ENS-NN-NN-S-NN-FW E03140061	E

PARTS LIST

DURRSTKL / 05.12.03

Component designation	Quantity	Designation	Manufacturer	Supplier	Type number	Reference number Dürr-Number	Rem.
=+RCMP-36U1 +RCMP/36.1	1	Lichtwellenleiter 0,3m beidseitig mit Stecker LWL cable 0,3m both sides with plug	Pema elektrotechnik	Dürr Systems GmbH	LWL 0,3M	990529171 E09060124	E
=+RCMP-38U1 +RCMP/38.1	1	Indramat Leistungsteil 3*400V/12A Indramat power modul 3*400V/12A	Indramat	Dürr Systems GmbH	HCS02.1E-W0012-A-03-NNNN	HCS02.1E-W0012-A-03-NNNN E03140058	E
=+RCMP-38U1 +RCMP/38.1	1	Indramat BasicUniversal Sercos für Indramat BasicUniversal Sercos for	Indramat	Dürr Systems GmbH	CSB01.1C-SE-ENS-NN-NN-S-NN-FW	CSB01.1C-SE-ENS-NN-NN-S-NN-FW E03140061	E
=+RCMP-38U1 +RCMP/38.1	1	Lichtwellenleiter 0,3m beidseitig mit Stecker LWL cable 0,3m both sides with plug	Pema elektrotechnik	Dürr Systems GmbH	LWL 0,3M	990529171 E09060124	E
=+RCMP-51U1 +RCMP/51.1	1	Indramat Leistungsteil 3*400V/28A Indramat power modul 3*400V/28A	Indramat	Dürr Systems GmbH	HCS02.1E-W0028-A-03-NNNN	HCS02.1E-W0028-A-03-NNNN E03140059	E
=+RCMP-51U1 +RCMP/51.1	1	Indramat BasicUniversal Sercos für Indramat BasicUniversal Sercos for	Indramat	Dürr Systems GmbH	CSB01.1C-SE-ENS-NN-NN-S-NN-FW	CSB01.1C-SE-ENS-NN-NN-S-NN-FW E03140061	E
=+RCMP-51U1 +RCMP/51.1	1	Indramat Zubehör 65mm, 48mm² ZKS Indramat accessories 65mm, 48mm² ZKS	Indramat	Dürr Systems GmbH	HAS01.1-065-48-CN	HAS01.1-065-48-CN E03900002	E
=+RCMP-51U1 +RCMP/51.1	1	Lichtwellenleiter 0,3m beidseitig mit Stecker LWL cable 0,3m both sides with plug	Pema elektrotechnik	Dürr Systems GmbH	LWL 0,3M	990529171 E09060124	E
=+RCMP-54Q2 +RCMP/54a.2	1	Power Circuit Breaker S0 For Transformer Without Auxiliary Switch, Screw Connection	Siemens	Siemens	3RV1421-1JA10	3RV1421-1JA10 E17210030	
=+RCMP-54Q2 +RCMP/54a.2	1	Auxiliary Switch Transverse, 1 No Contact + For Power Circuit Breaker / Motor Circuit	Siemens	Siemens	3RV1901-1E	3RV1901-1E E17190018	E
=+RCMP-54Q3 +RCMP/54a.5	1	CIRCUIT-BREAKER SCREW CONNECTION 5A SIRIUS Circuit breaker	Siemens	Siemens	3RV2011-1FA10	3RV2011-1FA10 E17140109	
=+RCMP-54Q3 +RCMP/54a.5	1	Auxiliary Switch Transverse, 1 No Contact + For Power Circuit Breaker / Motor Circuit	Siemens	Siemens	3RV1901-1E	3RV1901-1E E17190018	E
=+RCMP-75A1 +RCMP/75.2	1	Interface Module IM 151-1 HF, Profibus-DP,	Siemens	Siemens	6ES7151-1BA02-0AB0	6ES7151-1BA02-0AB0 E52010002	E
=+RCMP-75A1 +RCMP/75.2	1	Plug For Profibus-DP, 90°, SUB-D 9 Pins, Fast Connect	Siemens	Siemens	6ES7972-0BB52-0XA0	6ES7972-0BB52-0XA0 E20010168	E
=+RCMP-75A2 +RCMP/75.3	1	Power module PM-E for electronic modules	Siemens	Siemens	6ES7138-4CA01-0AA0	6ES7138-4CA01-0AA0 E56040003	
=+RCMP-75A2 +RCMP/75.3	1	Terminal Module TM-P15C23-A1 For ET200S 2x3 Clamps, AUX1 With Connection External,	Siemens	Siemens	6ES7193-4CC30-0AA0	6ES7193-4CC30-0AA0 E51190004	
=+RCMP-75A3 +RCMP/75.4	1	Digital Electronic Module 4/8 F-DI 24VDC Kat 4 / SIL 3	Siemens	Siemens	6ES7138-4FA04-0AB0	6ES7138-4FA04-0AB0 E52210001	E
=+RCMP-75A3 +RCMP/75.4	1	Terminal Module TM-E30C44-01 For ET200S 4x4 Clamps, AUX1 Without Connection	Siemens	Siemens	6ES7193-4CG30-0AA0	6ES7193-4CG30-0AA0 E52190005	
=+RCMP-75A4 +RCMP/75.4	1	Digital Electronic Module 4 F-DO DC 24V / KAT 4 / SIL 3	Siemens	Siemens	6ES7138-4FB03-0AB0	6ES7138-4FB03-0AB0 E52210002	E
=+RCMP-75A4 +RCMP/75.4	1	Terminal Module TM-E30C44-01 For ET200S 4x4 Clamps, AUX1 Without Connection	Siemens	Siemens	6ES7193-4CG30-0AA0	6ES7193-4CG30-0AA0 E52190005	
=+RCMP-75A5 +RCMP/75.5	1	Power module PM-E for electronic modules	Siemens	Siemens	6ES7138-4CA01-0AA0	6ES7138-4CA01-0AA0 E56040003	
=+RCMP-75A5 +RCMP/75.5	1	Terminal Module TM-P15C23-A1 For ET200S 2x3 Clamps, AUX1 With Connection External,	Siemens	Siemens	6ES7193-4CC30-0AA0	6ES7193-4CC30-0AA0 E51190004	
=+RCMP-75A6 +RCMP/75.6	1	Digitales Ausgabemodul 4DO DC24V/0,5A digital output module 4DO DC24V/0,5A	Siemens	Siemens	6ES7132-4BD01-0AA0	6ES7132-4BD01-0AA0	E
=+RCMP-75A6 +RCMP/75.6	1	MODULE BRACKET\ET200S FEDERZUG 2x4	Siemens	Siemens	6ES7193-4CB30-0AA0	6ES7193-4CB30-0AA0 E52190007	

SPARE PARTS LIST

DURRETL / 05.12.03

Quantity	Designation	Manufacturer	Supplier	Type number	Reference number	Dürr - number
2	Contactor 22E, S0, 24VDC/11KW, Screw Connection Point 2 No Contact + 2 Nc Contact	Siemens	Siemens	3RT1026-1BB44	3RT1026-1BB44	E19010031
2	Varistor 24-48VAC / 24-70VDC, For Contactors S0	Siemens	Siemens	3RT1926-1BB00	3RT1926-1BB00	E31010002
4	Auxiliary Switch Transverse, 1 No Contact + 1 Nc Contact For Power Circuit Breaker / Motor Circuit Breaker S00-S3	Siemens	Siemens	3RV1901-1E	3RV1901-1E	E17190018
2	Varistor 24-48V S0..2 varistor 24-48V S0..2	Siemens	Siemens	3TX7402-3G	3TX7402-3G	
1	Netzteil SITOP 40A 3x400/500/24VDC Power Supply SITOP 3x400/500/24VDC	Siemens	Siemens	6EP1437-3BA00	6EP1437-3BA00	F12050063
1	SITOP DC-USV Module 24VDC / 15A, With USB	Siemens	Siemens	6EP1931-2EC42	6EP1931-2EC42	E03480025
6	MODULO DE ENTRADA DIGITAL\ET200S 4DI HF ET200S	Siemens	Siemens	6ES7131-4BD01-0AB0	6ES7131-4BD01-0AB0	E52130001
1	Digitales Ausgabemodul 4DO DC24V/0,5A digital output module 4DO DC24V/0,5A	Siemens	Siemens	6ES7132-4BD01-0AA0	6ES7132-4BD01-0AA0	
2	MODULO DE SAIDA DIGITAL\ET200S 4DO HF	Siemens	Siemens	6ES7132-4BD02-0AA0	6ES7132-4BD02-0AA0	E52140001
1	Analog Electronic Module 2AI I HF, ±20mA, 4-20mA, 15Bit, For ET200S	Siemens	Siemens	6ES7134-4MB02-0AB0	6ES7134-4MB02-0AB0	
1	MODULO DE ENTRADA ANALOGICO\2AI RTD HF SIMATIC DP, ET 200S	Siemens	Siemens	6ES7134-4NB51-0AB0	6ES7134-4NB51-0AB0	E52160003
1	Analog Electronic Module 2AO I ±20mA, 13Bit, For ET200S	Siemens	Siemens	6ES7135-4GB01-0AB0	6ES7135-4GB01-0AB0	
2	Power module PM-E for electronic modules	Siemens	Siemens	6ES7138-4CA01-0AA0	6ES7138-4CA01-0AA0	E56040003
1	Digital Electronic Module 4/8 F-DI 24VDC Profisafe, For ET200S Kat 4 / SIL 3	Siemens	Siemens	6ES7138-4FA04-0AB0	6ES7138-4FA04-0AB0	E52210001
1	Digital Electronic Module 4 F-DO DC 24V / 2A Profisafe, For ET200S KAT 4 / SIL 3	Siemens	Siemens	6ES7138-4FB03-0AB0	6ES7138-4FB03-0AB0	E52210002
2	Interface Module IM 151-1 HF, Profibus-DP, For ET200S	Siemens	Siemens	6ES7151-1BA02-0AB0	6ES7151-1BA02-0AB0	E52010002
4	Plug For Profibus-DP, 90°, SUB-D 9 Pins, With PG Interface Fast Connect	Siemens	Siemens	6ES7972-0BB52-0XA0	6ES7972-0BB52-0XA0	E20010168
15	24VDC Elektr. Lastüberwachung einst. bis 24VDC electr. current control adj. by 10A	LÜTZE	Dürr Systems GmbH	LCCS 7-6401	716401	E18260003
1	Schaltschrankleuchte 230V/50Hz inkl. 2 panel light 230V/50Hz incl. 2 limit switch	Caleg GMBH	Dürr Systems GmbH	9406831	9406831	E02060034
7	Lichtwellenleiter 0,3m beidseitig mit Stecker LWL cable 0,3m both sides with plug	Pema elektrotechnik	Dürr Systems GmbH	LWL 0,3M	990529171	E09060124
1	Lichtwellenleiter 1,8m beidseitig mit Stecker LWL cable 1,8m both sides with plug	Pema elektrotechnik	Dürr Systems GmbH	LWL 1,8M	990529172	E09060125
1	Lichtwellenleiter 2,3m beidseitig mit Stecker LWL cable 2,3m both sides with plug	Pema elektrotechnik	Dürr Systems GmbH	LWL 2,3M	990529173	E09060126
2	Hilfsschütz 24VDC, 9S/1OE contactor 24VDC, 9NO/1NC	Siemens	Siemens	3TH4391-0BB4	3TH4391-0BB4	E19020065
7	Indramat BasicUniversal Sercos für Indramat BasicUniversal Sercos for	Indramat	Dürr Systems GmbH	CSB01.1C-SE-ENS-NN-NN-S-NN-FW	CSB01.1C-SE-ENS-NN-NN-S-NN-FW	E03140061
1	Netzfilter Indramat 30A mains filter indramat 30A	Indramat	Dürr Systems GmbH	E05020028	E05020028	E05020028

SPARE PARTS LIST

Quantity	Designation	Manufacturer	Supplier	Type number	Reference number	Dürr - number
1	Comp.Flash Memory Card 1GB Comp.Flash Memory Card 1GB	Keba	Dürr Systems GmbH	E56490041	E56490041	E56490041
1	EcoRPC Steuerung V2.10 EcoRPC Control V2.10	Keba	Dürr Systems GmbH	F30150005	F30150005	F30150005
2	Accumulator 12V 4,5Ah	Dürr Systems GmbH	Dürr Systems GmbH	FG20451	FG20451	
1	Indramat Zubehör 65mm, 48mm² ZKS Indramat accessories 65mm, 48mm² ZKS	Indramat	Dürr Systems GmbH	HAS01.1-065-48-CN	HAS01.1-065-48-CN	E03900002
4	Indramat Leistungsteil 3*400V/12A Indramat power modul 3*400V/12A	Indramat	Dürr Systems GmbH	HCS02.1E-W0012-A-03-NNNN	HCS02.1E-W0012-A-03-NNNN	E03140058
3	Indramat Leistungsteil 3*400V/28A Indramat power modul 3*400V/28A	Indramat	Dürr Systems GmbH	HCS02.1E-W0028-A-03-NNNN	HCS02.1E-W0028-A-03-NNNN	E03140059
1	Cooling Device KF1000S, 2~, 1000W, Without Filter 2x400/460V, 50/60HZ	HAEWA	HAEWA	3120-1000-40S01	KF1000S	F10020039