

General-purpose Foil Strain Gages

KFGS Series



KFGS

New strain gages with the world highest level performance

Point 1 CE compliant

• All models are RoHS compliant

Point 2 Improved Quality

• Excellent long-term stability, repeatability and reliability

Point 3 Improving for gluing work

- Modification of center marks
- Brighter and more transparent
- Improved flexibility

Point 4 New package

- Every gage packaged separately
- Substantial information on package

A strain gage detects a minute dimensional change (Strain) as an electric signal. By measuring strain with the gage bonded to a material or structure, the strength or safety can be known. Thus, the strain gages are used in various industries including machinery, automobile, electric, civil engineering, medical, and food.

The strain gage are also adopted as sensing elements of force, pressure, acceleration, vibration, displacement, and torque transducers for various purposes including measurement and control of production lines.

Kyowa produced the first Japanese-made strain gage in 1951, and based on the abundant experience and technology accumulated for these years, the company manufactures a variety of high-performance, environmentally friendly strain gages.

■Principle of Strain Gages

If external tensile force or compressive force increases or decreases the resistance proportionally increases or decreases. Suppose that original resistance R changes by $\triangle R$ because of strain ε , the following equation can be set up.

$$\frac{\Delta R}{R} = Ks \cdot \varepsilon$$

Where, Ks is a gage factor, expressing the sensitivity coefficient of strain gages. General purpose strain gages use copper-nickel or nickel-chrome alloy for the resistive elements, and the gage factor provided by these alloys is approximately 2.


■Types of Strain Gages

Types of strain gages are classified into foil strain gage, wire strain gage, and semiconductor strain gage, etc.


■Structure of a Foil Strain Gage

The foil strain gage has metal foil on the electric insulator of the thin resin, and gage leads attached, as shown in Fig. 1 below.

The strain gage is bonded to the measuring object with a dedicated adhesive. Strain occurring on the measuring site is transferred to the strain sensing element via adhesive and the resin base. For accurate measurement, the strain gage and adhesive should be compatible with the measuring material and operating conditions such as temperature, etc.



General-purpose Foil Strain Gages KFGS



The KFGS series gages use polyimide resin for the base part that is approx. 13 μ m thick. It ensures excellent flexibility. The outstanding moisture proof enables the KFGS gages to operate in outdoor measurement effectively. Unless directly exposed to water drop, no coating treatment is required.

Applicable Adhesives and Operating Temperature Range after Curing

CC-33A: -196 to 120°C (-10 to 80°C with vinyl-coated cable attached) CC-35: -30 to 120°C (-10 to 80°C with vinyl-coated cable attached) CC-36: -30 to 100°C (-10 to 80°C with vinyl-coated cable attached) EP-340: -55 to 150°C (-10 to 80°C with vinyl-coated cable attached) PC-600: -196 to 150°C (-10 to 80°C with vinyl-coated cable attached)

Notes on pre-attached lead-wire cables

- •Standard color of the 2-wire cable pre-attached to uniaxial gages is red (R). If desired, a white, green, yellow or black cable can be pre-attached.
- Standard 3-wire cable pre-attached to uniaxial gages has red stripes. If desired, the red stripes can be changed to blue or yellow stripes.
- ●In the case of a triaxial gage, 2-wire cables are color-coded with red, white and green stripes for 0°, 90° and 45°, respectively and 3-wire cables, with red, yellow and blue stripes for 0°, 90° and 45°, respectively. The letter code is S in common.

■Types, lengths and codes of lead-wire cables pre-attached to KFGS series gages

Types	Polyester coated 2-wire copper cables		ated flat cables		pated flat e cables	Mid-temperature 2-wire cables	Mid-temperature 3-wire cable
Length	C1,C2,C3, C15,C16,D1, D2,D3,D4,D6, D9,D16,D17, D19,D28,D31	C1,C2,C3, C15,C16, D9,D19	D1,D4, D16,D17, D28, D39	C1,C2,C3, C15,C16, D2,D9,D19, D31	D1,D4, D16,D17, D28, D39	C1,C2,C3, C15,C16, D1,D4,D9, D16,D17,D19, D28,D39	C1,C2,C3, C15,C16, D1,D2,D4,D9, D16,D17,D19, D28,D31,D39
15 cm	N15C2						
30 cm	N30C2						
1 m	N1M2	L1M2R	L1M2S	L1M3R	L1M3S	R1M2	R1M3
3 m		L3M2R	L3M2S	L3M3R	L3M3S	R3M2	R3M3
5 m		L5M2R	L5M2S	L5M3R	L5M3S	R5M2	R5M3
Operating temp.	-196 to 150°C		-10 to	80°C		-100 to	150°C
Remarks	Twisted for ≥50 cm (Exceptions exist)	L-6, L-9	for ≥6 m	L-7, L-10) for ≥6 m	L-11	L-12

^{*} For other lead-wire cable lengths, contact us.

When ordering, suffix the lead-wire cable code to the model number with a space in between.

E.g.

KFGS-5-120-C1-11 N15C2 for the gage with a polyester-coated 2-wire copper cable 15 cm long \rightarrow KFGS-5-120-C1-11 N15C2 KFGS-5-120-C1-11 L5M2R for the gage with a vinyl-coated flat 2-wire cable 5 m long \rightarrow KFGS-5-120-C1-11 L5M2R

KFGS-5-120-D17-11 L5M3S for the gage with a vinyl-coated flat 3-wire cable 5 m long \rightarrow KFGS-5-120-D17-11 L5M3S

KFGS-5-120-C1-11 R5M3 for the gage with a mid-temperature 3-wire cable 5 m long → KFGS-5-120-C1-11 R5M3

KFGS-5-120-D17-11 R5M2 for the gage with a mid-temperature 2-wire cable 5 m long → KFGS-5-120-D17-11 R5M2

If there is no code of lead-wire cable after the model number, the gage is delivered with silver-clad

copper wires 25 mm long.


Patterns		Base	[Dimensi	ons (mr	n)		
Gage Resistance, Gage Factors	Models	Color		rid		ise	Remarks	
		*1	Length	Width	Length	Width		
Uniaxial		Note: *1 E	ase color	stands for	different	coefficient	s of linear expansion.	
Silver-clad copper gage leads 25 mm long Resistance: 120 Ω Gage factors: Approx. 2.1		St Al			or som	etimes [,]	wood	
KFGS-30-120-C1	KFGS-30-120-C1-11 KFGS-30-120-C1-16 KFGS-30-120-C1-23	•	30	3.3	37	5.2		
The above picture is KFGS-30-120-C1-11	KFGS-30-120-C1-27							
KFGS-20-120-C1 The above picture is KFGS-20-120-C1-16	KFGS-20-120-C1-11 KFGS-20-120-C1-16 KFGS-20-120-C1-23 KFGS-20-120-C1-27		20	5	28	8		
KFGS-10-120-C1 The above picture is KFGS-10-120-C1-23	KFGS-10-120-C1-11 KFGS-10-120-C1-16 KFGS-10-120-C1-23 KFGS-10-120-C1-27		10	3	16	5.2		
KFGS-6-120-C1 The above picture is KFGS-6-120-C1-27	KFGS-6-120-C1-11 KFGS-6-120-C1-16 KFGS-6-120-C1-23 KFGS-6-120-C1-27	•	6	1.7	10	3.4		
KFGS-5-120-C1 The above picture is KFGS-5-120-C1-11	KFGS-5-120-C1-5 KFGS-5-120-C1-11 KFGS-5-120-C1-16 KFGS-5-120-C1-23 KFGS-5-120-C1-27	•	5	1.4	9.4	2.8	For wood	
KFGS-4N-120-C1 The above picture is KFGS-4N-120-C1-16	KFGS-4N-120-C1-11 KFGS-4N-120-C1-16 KFGS-4N-120-C1-23 KFGS-4N-120-C1-27		4	0.7	8	1.4		
KFGS-3-120-C1 The above picture is KFGS-3-120-C1-23	KFGS-3-120-C1-11 KFGS-3-120-C1-16 KFGS-3-120-C1-23 KFGS-3-120-C1-27		3	1.3	7.4	2.8		
KFGS-2-120-C1 The above picture is KFGS-2-120-C1-27	KFGS-2-120-C1-5 KFGS-2-120-C1-11 KFGS-2-120-C1-16 KFGS-2-120-C1-23 KFGS-2-120-C1-27		2	1.2	6.3	2.8	For wood	
KFGS-2N-120-C1 The above picture is KFGS-2N-120-C1-11	KFGS-2N-120-C1-11 KFGS-2N-120-C1-16 KFGS-2N-120-C1-23 KFGS-2N-120-C1-27		2	0.84	5.3	1.4		
The above picture is KFGS-1-120-C1-16	KFGS-1-120-C1-11 KFGS-1-120-C1-16 KFGS-1-120-C1-23 KFGS-1-120-C1-27		1	1.1	4.8	2.4		
KFGS-1N-120-C1 The above picture is KFGS-1N-120-C1-23	KFGS-1N-120-C1-11 KFGS-1N-120-C1-16 KFGS-1N-120-C1-23 KFGS-1N-120-C1-27		1	0.65	4.2	1.4		
KFGS-03-120-C1 The above picture is KFGS-03-120-C1-27	KFGS-03-120-C1-11 KFGS-03-120-C1-16 KFGS-03-120-C1-23 KFGS-03-120-C1-27		0.3	1.4	3.5	2.4		
KFGS-02-120-C1 The above picture is KFGS-02-120-C1-11	KFGS-02-120-C1-11 KFGS-02-120-C1-16 KFGS-02-120-C1-23 KFGS-02-120-C1-27		0.2	1.4	3.3	2.4		
							 10 gages/pkg	

Patterns		Base		Dimensi	ons (mm)	
Patterns Gage Resistance, Gage Factors	Models	Color		rid	Base	Remarks
Gage Resistance, Gage Factors		*1	Length	Width	Length Width	
		Note: *1 F			different coefficients	of linear expansion
Biaxial, 0°/90° stacked rosette	e	Note: 12	ase color	starias roi	unicient coemicients	or inical expansio
Resistance: 120 Ω	KECS 10 120 D16 11					
Gage factors: Approx. 2.1	KFGS-10-120-D16-11 KFGS-10-120-D16-16					
	KFGS-10-120-D16-16		10	3	φ21	
(C)	KFGS-10-120-D16-27					
	KFGS-5-120-D16-11					
	KFGS-5-120-D16-11					
	KFGS-5-120-D16-23		5	1.4	φ11	
	KFGS-5-120-D16-27					
	KFGS-3-120-D16-11					
90°	KFGS-3-120-D16-16					
	KFGS-3-120-D16-23		3	1.3	φ10	
i	KFGS-3-120-D16-27					
	KFGS-2-120-D16-11					
	KFGS-2-120-D16-16					
	KFGS-2-120-D16-23		2	1.2	φ8	
	KFGS-2-120-D16-27					
	KFGS-1-120-D16-11					
	KFGS-1-120-D16-16					
	KFGS-1-120-D16-23		1	1.1	φ5	
The above picture is KFGS-10-120-D16-11	KFGS-1-120-D16-27					
Triavial 0º/00º/45º stacked r	ocatta for Strace Au	aalveie				
Friaxial, 0°/90°/45° stacked re Resistance: 120 Ω	osette for Stress Ai	iaiysis				
Gage factors: Approx. 2.1	KECC 10 120 D17 11					
dage ractors. Approx. 2.1	KFGS-10-120-D17-11 KFGS-10-120-D17-16					
	KFGS-10-120-D17-18		10	3	φ21	
	KFGS-10-120-D17-27					
	KFGS-5-120-D17-27					
	KFGS-5-120-D17-11					
	KFGS-5-120-D17-10		5	1.4	φ11	
45°	KFGS-5-120-D17-27					
1	KFGS-3-120-D17-11					
	KFGS-3-120-D17-16					
45°	KFGS-3-120-D17-10		3	1.3	φ10	
	KFGS-3-120-D17-27					
	KFGS-2-120-D17-11					
	KFGS-2-120-D17-16					
	KFGS-2-120-D17-23		2	1.2	φ8	
	KFGS-2-120-D17-27					
	KFGS-1-120-D17-11					
	KFGS-1-120-D17-16					
	KFGS-1-120-D17-23		1	1.1	φ5	
The above picture is KFGS-10-120-D17-23	KFGS-1-120-D17-27					
Biaxial, 0°/90° plane arrange Resistance: 120 Ω Gage factors: Approx. 2.1	ment					
1214						
	KFGS-2-120-D1-11	•				
90°	KFGS-2-120-D1-11 KFGS-2-120-D1-16	•	2	2.2	10 05	
90°		•	2	3.2	10 8.5	
	KFGS-2-120-D1-16	•	2	3.2	10 8.5	
The above picture is KFGS-2-120-D1-11 Biaxial, 0°/90° for torque mea	KFGS-2-120-D1-16 KFGS-2-120-D1-23 KFGS-2-120-D1-27		2	3.2	10 8.5	
The above picture is KFGS-2-120-D1-11 Biaxial, 0°/90° for torque mea	KFGS-2-120-D1-16 KFGS-2-120-D1-23 KFGS-2-120-D1-27		2	3.2	10 8.5	
The above picture is KFGS-2-120-D1-11 Biaxial, 0°/90° for torque mea Resistance: 120 Ω Gage factors: Approx. 2.1	KFGS-2-120-D1-16 KFGS-2-120-D1-23 KFGS-2-120-D1-27		2	3.2	10 8.5	
The above picture is KFGS-2-120-D1-11 Biaxial, 0°/90° for torque mea	KFGS-2-120-D1-16 KFGS-2-120-D1-23 KFGS-2-120-D1-27		2	3.2	10 8.5	
The above picture is KFGS-2-120-D1-11 Biaxial, 0°/90° for torque mea	KFGS-2-120-D1-16 KFGS-2-120-D1-23 KFGS-2-120-D1-27 asurement KFGS-2-120-D2-11 KFGS-2-120-D2-16					
The above picture is KFGS-2-120-D1-11 Biaxial, 0°/90° for torque mea	KFGS-2-120-D1-16 KFGS-2-120-D1-23 KFGS-2-120-D1-27 asurement		2	3.2	10 8.5 12 7	

Patterns	Models	Base	Dimensions (mm)					
Gage Resistance, Gage Factors		Color	Grid		Base		Remarks	
dage Resistance, dage ractors		*1	Length	Width	Length	Width		

Biaxial, 0°/90° for torque measurement Resistance: 120 Ω

Gage factors: Approx. 2.1




KFGS-2-120-D31-11				
KFGS-2-120-D31-16		1 7	0	6 E
KFGS-2-120-D31-23	- 2	1.2	0	0.5
KFGS-2-120-D31-27	-			

Note: *1 Base color stands for different coefficients of linear expansion.

The above picture is KFGS-2-120-D31-11 Triaxial, 0°/90°/45°

Resistance: 120 Ω Gage factors: Approx. 2.1




KFGS-2-120-D3-11				
KFGS-2-120-D3-16	2	3.6	11	11
KFGS-2-120-D3-23	2	5.0	11	11
KFGS-2-120-D3-27				

Triaxial, 0°/120°/240° Resistance: 120 Ω

The above picture is KFGS-2-120-D3-16

Gage factors: Approx. 2.1




KFGS-2-120-D4-11					
KFGS-2-120-D4-16	ว	3.4	12	12	
KFGS-2-120-D4-23		5.4	12	12	
KFGS-2-120-D4-27					
KFGS-1-120-D4-11	_				
KFGS-1-120-D4-16	. 1	1 7	7	7	
KFGS-1-120-D4-23	. '	1.7	,	/	
KFGS-1-120-D4-27					

Quadraxial, 0°/30°/90°/150° Resistance: 120 Ω

Gage factors: Approx. 2.1

The above picture is KFGS-2-120-D4-16



KFGS-2-120-D6-11	_			
KFGS-2-120-D6-16		2.1	17	17
KFGS-2-120-D6-23		5.1	17	17
KFGS-2-120-D6-27				

The above picture is KFGS-2-120-D6-23

Uniaxial, with	lead	wires	from	both	end	S
Resistance: 120 Ω						

Gage factors: Approx. 2.1

	KFGS-1-120-C2-11					
<u> Airite</u>	KFGS-1-120-C2-16	1	1.8	5.6	3	
	KFGS-1-120-C2-23	' '	1.0	5.0	5	
The above picture is KFGS-1-120-C2-27	KFGS-1-120-C2-27					
	KFGS-1-120-C3-11					
CiiO	KFGS-1-120-C3-16	1	1.8		2.7	
	KFGS-1-120-C3-23	. 1	1.0	5.5	2.7	
The above picture is KFGS-1-120-C3-27	KFGS-1-120-C3-27					

Patterns		Base	Dimensio			
Gage Resistance, Gage Factors	Models	Color	Grid	Base	Remarks	
dage Resistance, dage ractors		*1	Length Width	Length Width		

Uniaxial, for shearing strain measurement

Note: *1 Base color stands for different coefficients of linear expansion.


Resistance: 120 Ω Gage factors: Approx. 2.1

Torque measurement is possible by using C15 and C16 in combination.

		,				
	KFGS-2-120-C15-11					
	KFGS-2-120-C15-16		2	0.8	5.2	2
	KFGS-2-120-C15-23		2	0.0	5.2	5
The above picture is KFGS-2-120-C15-11	KFGS-2-120-C15-27					
	KFGS-2-120-C16-11					
	KFGS-2-120-C16-16		2	0.8	5.2	2
	KFGS-2-120-C16-23		2	0.6	5.2	5
The above picture is KFGS-2-120-C16-11	KFGS-2-120-C16-27					


Uniaxial 5-element, for concentrated stress measurement

Resistance: 120 Ω Gage factors: Approx. 2.1




Biaxial 5-element stacked rosette, for concentrated stress measurement

Resistance: 120 Ω Gage factors: Approx. 2.1





Upper-side gage pattern



-11 N10C2					5 gages/pkg
-16 N10C2	1	1.4 (1.5)	1 7	<i>C</i> 1	Figures in () ar
-23 N10C2	1	1.4 (1.5)	12	6.4	for lower-side

The above picture is KFGS-1-120-D39-23 N10C2

KFGS-1-120-D39-11 N10C2						5 gages/pkg
KFGS-1-120-D39-16 N10C2		- 1	14(15)	17	6.4	Figures in () are for lower-side
KFGS-1-120-D39-23 N10C2			1.4 (1.5)	12	6.4	
KFGS-1-120-D39-27 N10C2						gage patterns.

Uniaxial 600 gages

Resistance: 60Ω Gage factors: Approx. 2.1

ractors: Approx. 2.1	Use 2 gages in parallel connect	tion for bending c	ompensation	is possible.
	KFGS-5-60-C1-11			

	KFGS-5-60-C1-16	Е	2	10	2.4	
	KFGS-5-60-C1-23	Э	2	10	3.4	
The above picture is KFGS-5-60-C1-27	KFGS-5-60-C1-27					
	KFGS-2-60-C1-11					
	KFGS-2-60-C1-16	2	2.3	7.2	3.7	
	KFGS-2-60-C1-23	2 2.5	2.5	1.2	3.7	
The above picture is KFGS-2-60-C1-27	KFGS-2-60-C1-27					

Patterns Gage Resistance, Gage Factors		Base	D	imensi	ons (mn	n)	
	Models	Color *1	Gr	id	Base		Remarks
			Length	Width	Length	Width	

Uniaxial 350Ω gages

Resistance: 350Ω Gage factors: Approx. 2.1 Note: *1 Base color stands for different coefficients of linear expansion.



The above picture is KFGS-5-350-C1-11



The above picture is KFGS-3-350-C1-11



The above picture is KFGS-2-350-C1-11




The above picture is KFGS-1-350-C1-11

KFGS-5-350-C1-11	-				
KFGS-5-350-C1-16	- 5	2	9.4	4.2	
KFGS-5-350-C1-23	J	2	3.4	4.2	
KFGS-5-350-C1-27	•				
KFGS-3-350-C1-11					
KFGS-3-350-C1-16	3	2	7 4	4.2	
KFGS-3-350-C1-23	3	2	7.4	4.2	
KFGS-3-350-C1-27					
KFGS-2-350-C1-11					
KFGS-2-350-C1-16	2	2	6.3	4.2	
KFGS-2-350-C1-23		2	0.5	4.2	
KFGS-2-350-C1-27					
KFGS-1-350-C1-11					
KFGS-1-350-C1-16	1	2	4.8	3.4	
KFGS-1-350-C1-23	. 1	2	4.8	5.4	
KFGS-1-350-C1-27	<u>-</u> '				

Biaxial 350Ω gages, 0°/90° stacked rosette

Resistance: 350Ω Gage factors: Approx. 2.1




KFGS-5-350-D16-11					
KFGS-5-350-D16-16		 5	2	φ 11	
KFGS-5-350-D16-23		_ 5	2	ΨΙΙ	
KFGS-5-350-D16-27					
KFGS-3-350-D16-11					
KFGS-3-350-D16-16		၁	2	φ 10	
KFGS-3-350-D16-23		3	2	Ψ10	
KFGS-3-350-D16-27					
KFGS-2-350-D16-11				φ 10	
KFGS-2-350-D16-16		3	2		
KFGS-2-350-D16-23			2	φισ	
KFGS-2-350-D16-27					
KFGS-1-350-D16-11					
KFGS-1-350-D16-16		1	1.8	φ8	
KFGS-1-350-D16-23			1.0	Ψδ	
KFGS-1-350-D16-27					

The above picture is KFGS-5-350-D16-16

Triaxial 350Ω gages, $0^{\circ}/90^{\circ}/45^{\circ}$ stacked rosette

Resistance: 350Ω Gage factors: Approx. 2.1



KFGS-5-350-D17-11				
KFGS-5-350-D17-16	- - 5	2	.11	
KFGS-5-350-D17-23	5	2	φ11	
KFGS-5-350-D17-27				
KFGS-3-350-D17-11	_			
KFGS-3-350-D17-16	- 3	2	φ 10	
KFGS-3-350-D17-23	3	2	φισ	
KFGS-3-350-D17-27				
KFGS-2-350-D17-11	_			
KFGS-2-350-D17-16	- 2	2	φ 10	
KFGS-2-350-D17-23	2	2	Ψ10	
KFGS-2-350-D17-27				
KFGS-1-350-D17-11	_			
KFGS-1-350-D17-16	1	1.8	φ8	
KFGS-1-350-D17-23	- 1	1.0	Ψδ	
KFGS-1-350-D17-27				


The above picture is KFGS-5-350-D17-27

Patterns Gage Resistance, Gage Factors		Base	Dimensio	ons (mm)	
	Models	Color	Grid	Base	Remarks
		*1	Length Width	Length Width	

Biaxial 350 Ω gages, 0°/90° Resistance: 350 Ω

Gage factors: Approx. 2.1

Note: *1 Base color stands for different coefficients of linear expansion.




KFGS-2-350-D1-11				
KFGS-2-350-D1-16	2	2	10	8.5
KFGS-2-350-D1-23	. 2	3	10	0.5
KFGS-2-350-D1-27	•			

The above picture is KFGS-2-350-D1-16

Biaxial 350Ω gages $0^{\circ}/90^{\circ}$ for torque measurement

Resistance: 350 Ω Gage factors: Approx. 2.1



The above picture is KFGS-2-350-D31-23

KFGS-2-350-D2-11					
KFGS-2-350-D2-16	2	4	12	6.8	
KFGS-2-350-D2-23	2	7	12	0.0	
KFGS-2-350-D2-27					
KFGS-2-350-D31-11					
KFGS-2-350-D31-16	2	3	10 5	6.5	
KFGS-2-350-D31-23	2	,	10.5	0.5	
KFGS-2-350-D31-27					

Uniaxial 500Ω gages for making transducers

Resistance: 500 Ω Gage factors: Approx. 2.1




The above picture is KFGS-2-500-C1-27

KFGS-5-500-C1-11					
KFGS-5-500-C1-16	5	3 5	11	4 9	
KFGS-5-500-C1-23	5	3.3	11	4.9	
KFGS-5-500-C1-27					
KFGS-2-500-C1-11					
KFGS-2-500-C1-16	2	2.6	7 5	4 4	
KFGS-2-500-C1-23	2	2.0	7.5	4.4	
KFGS-2-500-C1-27					

Uniaxial 1000Ω gages for making transducers

Resistance: 1000 Ω Gage factors: Approx. 2.1



The above picture is KFGS-2-1K-C1-27

KFGS-5-1K-C1-11					
KFGS-5-1K-C1-16	•	_	2.5	11	4.0
KFGS-5-1K-C1-23		5	3.5	11	4.9
KFGS-5-1K-C1-27					
KFGS-2-1K-C1-11	•				
KFGS-2-1K-C1-16	•	2	3	7 2	45
KFGS-2-1K-C1-23		2	3	7.2	4.5
KFGS-2-1K-C1-27					


Patterns Gage Resistance, Gage Factors	Models	Base Dimensions (mm)			
		Color	Grid	Base	Remarks
		*1	Length Width	Lenath Width	

Note: *1 Base color stands for different coefficients of linear expansion.

KFGS Series Foil Strain Gages with Gage Terminal

Uniaxial

Resistance: 120 Ω Gage factors: Approx. 2.1 KFGS gages equipped with a gage terminal enable one-touch connection/disconnection of the lead-wire cable. They are suitable for residual stress measurement with the cutting method. A clip equipped dedicated cable T-C26 (Vinyl-coated, 2 m long) is optionally available.



Applicable Adhesives and Operating Temperature Range after Curing

CC-36: -30 to 100°C PC-600: -196 to 150°C EP-340: -55 to 150°C CC-33A: -196 to 120°C

CC-35: -30 to 120°C

he clip-equipped dedicated cable is used,	KFGS-2-120-C1-11 1-F7 KFGS-2-120-C1-16 T-F7 KFGS-2-120-C1-23 T-F7		2	1.2	6.3	2.8	Polyester-coated copper cable 15 mm long
rating temperature range of each adhesive	KFGS-1-120-C1-11 T-F7	•					φ0.14
ring is –10 to 80°C.)	KFGS-1-120-C1-16 T-F7		1	1.1	4.8	2.4	Polyester-coated copper cable
e picture is KFGS-2-120-C1-11 T-F7	KFGS-1-120-C1-23 T-F7						15 mm long

(When the the opera after curir

The above

Biaxial, 0°/90° stacked rosette

Resistance: 120 Ω Gage factors: Approx. 2.1




The above picture is KFGS-2-120-D16-16 T-F7

KFGS-2-120-D16-11 T-F7				φ0.14 Polyester-coated
KFGS-2-120-D16-16 T-F7	2	1.2	φ8	copper cable
KFGS-2-120-D16-23 T-F7				15 mm long
KFGS-1-120-D16-11 T-F7				φ0.14
KFGS-1-120-D16-11 T-F7 KFGS-1-120-D16-16 T-F7	1	1.1	φ 5	φ0.14 Polyester-coated copper cable

Triaxial, 0°/90°/45° stacked rosette

Resistance: 120 Ω Gage factors: Approx. 2.1




-	KFGS-2-120-D17-11 T-F7 KFGS-2-120-D17-16 T-F7 KFGS-2-120-D17-23 T-F7	2	1.2	φ8	φ0.14 Polyester-coated copper cable 15 mm long
Ī	KFGS-1-120-D17-11 T-F7				φ0.14
	KFGS-1-120-D17-16 T-F7	1	1.1	φ 5	Polyester-coated copper cable
	KFGS-1-120-D17-23 T-F7				15 mm long

The above picture is KFGS-2-120-D17-23 T-F7

KFGS Series Foil Strain Gages for Boring Method

Triaxial, 0°/135°/90°

Resistance: 120 Ω Gage factors: Approx. 2.1



For KFGS gages with the lead-wire cable pre-attached, refer to page 4.

The above picture is KFGS-3-120-D28-27

Designed to measure residual stress released by the boring method.

Applicable Adhesives and Operating Temperature Range after Curing

CC-33A: -196 to 120°C EP-340: -55 to 150°C CC-35: -30 to 120°C PC-600: -196 to 150°C

CC-36: -30 to 100°C

KFGS-3-120-D28-11 KFGS-3-120-D28-16 KFGS-3-120-D28-23 KFGS-3-120-D28-27	- - 3	2	φ19.8	Diameter of gage center is \$\phi\$10.8
KFGS-1.5-120-D28-11	_			Diameter of
KFGS-1.5-120-D28-16	1.5	1.3	φ12	gage center is $\phi 5.5$
KFGS-1.5-120-D28-23	1.5			
KFGS-1.5-120-D28-27				13 7 3.3



Sales Network



Americas Region KYOWA AMERICAS, Inc.

TEL: +1-248-348-0348 E-mail: sales@kyowa-americas.com Web: http://www.kyowa-ei.us/

China

KYOWA ELECTRONIC(SHANGHAI)TRADING CO.,LTD.

TEL: +86-21-64477770

E-mail: support-cn@d1.kyowa-ei.co.jp Web: http://www.kyowa-ei.cn/

Thailand

KYOWA DENGYO(THAILAND) CO.,LTD. TEL: +66-2-117-3760

E-mail:sales-thailand@kyowa-ei.co.th Web: http://www.kyowa-ei.co.th/

Other Countries or Regions

Please visit below URL.

Web: http://www.kyowa-ei.com/

Kyowa Electronic Instruments Co.,Ltd.

Overseas Department:

Cat.No. 107b E1-5

3-5-1, Chofugaoka, Chofu, Tokyo 182-8520 Japan TEL: +81-42-489-7220 FAX: +81-42-488-1122

E-mail: overseas@kyowa-ei.co.jp Web: http://www.kyowa-ei.com/



Safety Precautions

Be sure to observe the safety precautions given in the instruction manual, in order to ensure correct and safe operation.





Manufacture's Representative

Printed in Japan June 2016