

# Appendix

## Laplace Transforms Involving Fractional and Irrational Operations

As the cases of integer-order systems, Laplace transform and its inverse are very important. In this appendix, the definition is given first. Then some of the essential special functions are described. Finally, an inverse Laplace transform table involving fractional and irrational-order operators is given.

### A.1 Laplace Transforms

For a time-domain function  $f(t)$ , its Laplace transform, in  $s$ -domain, is defined as

$$\mathcal{L}[f(t)] = \int_0^{\infty} f(t)e^{-st}dt = F(s), \quad (\text{A.53})$$

where  $\mathcal{L}[f(t)]$  is the notation of Laplace transform.

If the Laplace transform of a signal  $f(t)$  is  $F(s)$ , the inverse Laplace transform of  $F(s)$  is defined as

$$f(t) = \mathcal{L}^{-1}[F(s)] = \frac{1}{j2\pi} \int_{\sigma-j\infty}^{\sigma+j\infty} F(s)e^{st}ds, \quad (\text{A.54})$$

where  $\sigma$  is greater than the real part of all the poles of function  $F(s)$ .

### A.2 Special Functions for Laplace Transform

Since the evaluation for some fractional-order is difficult, special functions may be needed. Here some of the special functions are introduced and listed in Table A.1.

### A.3 Laplace Transform Tables

An inverse Laplace transform table involving fractional and irrational operators is collected in Table A.2 [86, 300].

**Table A.1** Some special functions

Special functions	Definition
Mittag-Leffler	$\mathcal{E}_{\alpha,\beta}^{\gamma}(z) = \sum_{k=0}^{\infty} \frac{(\gamma)_k}{\Gamma(\alpha k + \beta)} \frac{z^k}{k!}, \mathcal{E}_{\alpha,\beta}(z) = \mathcal{E}_{\alpha,\beta}^1(z), \mathcal{E}_{\alpha}(z) = \mathcal{E}_{\alpha,1}(z)$
Dawson function	$\text{daw}(t) = e^{-t^2} \int_0^t e^{\tau^2} d\tau$
erf function	$\text{erf}(t) = \frac{2}{\sqrt{\pi}} \int_0^t e^{-\tau^2} d\tau$
erfc function	$\text{erfc}(t) = \frac{2}{\sqrt{\pi}} \int_t^{\infty} e^{-\tau^2} d\tau = 1 - \text{erf}(t)$
Hermit polynomial	$\mathcal{H}_n(t) = e^{t^2} \frac{d^n}{dt^n} e^{-t^2}$
Bessel function	$\mathcal{J}_{\nu}(t)$ is the solution to $t^2 \ddot{y} + t \dot{y} + (t^2 - \nu^2)y = 0$
Extended Bessel function	$\mathcal{J}_{\nu}(t) = j^{-\nu} \mathcal{J}_{\nu}(jt)$

**Table A.2** Inverse Laplace transforms with fractional and irrational operators

$F(s)$	$f(t) = \mathcal{L}^{-1}[F(s)]$	$F(s)$	$f(t) = \mathcal{L}^{-1}[F(s)]$
$\frac{s^{\alpha\gamma-\beta}}{(s^{\alpha}+a)^{\gamma}}$	$t^{\beta-1} \mathcal{E}_{\alpha,\beta}^{\gamma}(-at^{\alpha})$	$\frac{1}{s^n \sqrt{s}}, n=1, 2, \dots$	$\frac{2^n t^{n-\frac{1}{2}}}{1 \cdot 3 \cdot 5 \cdots (2n-1) \sqrt{\pi}}$
$\frac{k}{s^2+k^2} \coth\left(\frac{\pi s}{2k}\right)$	$ \sin kt $	$\arctan \frac{k}{s}$	$\frac{1}{t} \sin kt$
$\log \frac{s^2-a^2}{s^2}$	$\frac{2}{t}(1 - \cosh at)$	$\frac{1}{s\sqrt{s}} e^{-k\sqrt{s}}$	$2\sqrt{\frac{t}{\pi}} e^{-\frac{1}{4t}k^2} - k \operatorname{erfc}\left(\frac{k}{2\sqrt{t}}\right)$
$\log \frac{s^2+a^2}{s^2}$	$\frac{2}{t}(1 - \cos at)$	$\frac{e^{-k\sqrt{s}}}{\sqrt{s}(a+\sqrt{s})}$	$e^{ak} e^{a^2 t} \operatorname{erfc}\left(a\sqrt{t} + \frac{k}{2\sqrt{t}}\right)$
$\frac{(1-s)^n}{s^{n+\frac{1}{2}}}$	$\frac{n!}{(2n)! \sqrt{\pi t}} \mathcal{H}_{2n}(\sqrt{t})$	$\frac{1}{\sqrt{s+b}(s+a)}$	$\frac{1}{\sqrt{b-a}} e^{-at} \operatorname{erf}\left(\sqrt{(b-a)t}\right)$
$\frac{1}{\sqrt{s^2+a^2}}$	$\mathcal{J}_0(at)$	$\frac{(1-s)^n}{s^{n+\frac{3}{2}}}$	$-\frac{n!}{(2n+1)! \sqrt{\pi}} \mathcal{H}_{2n+1}(\sqrt{t})$
$\frac{1}{\sqrt{s^2-a^2}}$	$\mathcal{I}_0(at)$	$\frac{(a-b)^k}{(\sqrt{s+a}+\sqrt{s+b})^{2k}}$	$\frac{k}{t} e^{-\frac{1}{2}(a+b)t} \mathcal{J}_k\left(\frac{a-b}{2}t\right), k>0$
$\frac{\sqrt{s+2a}-\sqrt{s}}{\sqrt{s+2a}+\sqrt{s}}$	$\frac{1}{t} e^{-at} \mathcal{J}_1(at)$	$\frac{\sqrt{s+2a}-\sqrt{s}}{\sqrt{s+2a}+\sqrt{s}}$	$\frac{1}{t} e^{-at} \mathcal{J}_1(at)$
$\frac{(\sqrt{s^2+a^2}-s)^{\nu}}{\sqrt{s^2+a^2}}$	$a^{\nu} \mathcal{J}_{\nu}(at), \nu > -1$	$\frac{1}{(s^2-a^2)^k}$	$\frac{\sqrt{\pi}}{\Gamma(k)} \left(\frac{t}{2a}\right)^{k-\frac{1}{2}} \mathcal{J}_{k-\frac{1}{2}}(at)$
$\frac{(\sqrt{s^2-a^2}+s)^{\nu}}{\sqrt{s^2-a^2}}$	$a^{\nu} \mathcal{I}_{\nu}(at), \nu > -1$	$\frac{1}{(\sqrt{s^2+a^2})^k}$	$\frac{\sqrt{\pi}}{\Gamma(k)} \left(\frac{t}{2a}\right)^{k-\frac{1}{2}} \mathcal{I}_{k-\frac{1}{2}}(at)$
$(\sqrt{s^2+a^2}-s)^k$	$\frac{ka^k}{t} \mathcal{J}_k(at), k > 0$	$\log \frac{s-a}{s-b}$	$\frac{1}{t} (e^{bt} - e^{at})$
$\frac{1}{s+\sqrt{s^2+a^2}}$	$\frac{\mathcal{J}_1(at)}{at}$	$\frac{1}{\sqrt{s+a}\sqrt{s+b}}$	$e^{-\frac{1}{2}(a+b)t} \mathcal{J}_0\left(\frac{a-b}{2}t\right)$

Table A.2 (continued)

$F(s)$	$f(t) = \mathcal{L}^{-1}[F(s)]$	$F(s)$	$f(t) = \mathcal{L}^{-1}[F(s)]$
$\frac{1}{(s+\sqrt{s^2+a^2})^N}$	$\frac{N \mathcal{J}_N(at)}{at}, N > 0$	$\frac{b^2 - a^2}{(s - a^2)(\sqrt{s} + b)}$	$e^{a^2 t} [b - a \operatorname{erf}(a\sqrt{t})] - be^{b^2 t} \operatorname{erfc}(b\sqrt{t})$
$\sqrt{s-a} - \sqrt{s-b}$	$\frac{1}{2\sqrt{\pi t^3}} (e^{bt} - e^{at})$	$\frac{\sqrt{s+2a} - \sqrt{s}}{\sqrt{s}}$	$ae^{-at} [\mathcal{J}_1(at) + \mathcal{J}_0(at)]$
$\frac{1}{s} e^{-k/s}$	$\mathcal{J}_0(2\sqrt{kt})$	$\frac{1}{\sqrt{s}} e^{-k/s}$	$\frac{1}{\sqrt{\pi t}} \cos 2\sqrt{kt}$
$\frac{1}{\sqrt{s}} e^{k/s}$	$\frac{1}{\sqrt{\pi t}} \cosh 2\sqrt{kt}$	$\frac{1}{s\sqrt{s}} e^{-k/s}$	$\frac{1}{\sqrt{\pi k}} \sin 2\sqrt{kt}$
$\frac{1}{s\sqrt{s}} e^{k/s}$	$\frac{1}{\sqrt{\pi k}} \sinh 2\sqrt{kt}$	$\frac{1}{s^\nu} e^{-k/s}$	$\left(\frac{t}{k}\right)^{\frac{1}{2}(\nu-1)} \mathcal{J}_{\nu-1}\left(\sqrt{\frac{t}{k}}\right), \nu > 0$
$e^{-k\sqrt{s}}$	$\frac{k}{2\sqrt{\pi t^3}} e^{-\frac{k^2}{4t}}$	$\frac{1}{s^\nu} e^{k/s}$	$\left(\frac{t}{k}\right)^{\frac{1}{2}(\nu-1)} \mathcal{I}\left(\sqrt{\frac{t}{k}}\right) 2\sqrt{kt}$
$\frac{1}{s} e^{-k\sqrt{s}}$	$\operatorname{erfc}\left(\frac{k}{2\sqrt{t}}\right)$	$\frac{1}{s\sqrt{s}} e^{-\sqrt{s}}$	$2\sqrt{\frac{t}{\pi}} e^{-\frac{1}{4t}} - \operatorname{erfc}\left(\frac{1}{2\sqrt{t}}\right)$
$\frac{1}{\sqrt{s}} e^{-k\sqrt{s}}$	$\frac{1}{\sqrt{\pi t}} e^{-\frac{1}{4t} k^2}$	$\frac{e^{-\sqrt{s}}}{\sqrt{s}(\sqrt{s}+1)}$	$e^{t+1} \operatorname{erfc}\left(\sqrt{t} + \frac{1}{2\sqrt{t}}\right)$
$\frac{1}{(s+a)^\alpha}$	$\frac{t^{\alpha-1}}{\Gamma(\alpha)} e^{-at}$	$\frac{1}{s^\alpha + a}$	$t^{\alpha-1} \mathcal{E}_{\alpha,\alpha}(-at^\alpha)$
$\frac{a}{s(s^\alpha + a)}$	$1 - \mathcal{E}_\alpha(-at^\alpha)$	$\frac{s^\alpha}{s(s^\alpha + a)}$	$\mathcal{E}_\alpha(-at^\alpha)$
$\frac{1}{s^\alpha(s-a)}$	$t^\alpha \mathcal{E}_{1,1+\alpha}(at)$	$\frac{s^\alpha}{s-a}$	$-t^\alpha \mathcal{E}_{1,1-\alpha}(at), 0 < \alpha < 1$
$\frac{1}{\sqrt{s}}$	$\frac{1}{\sqrt{\pi t}}$	$\frac{1}{s\sqrt{s}}$	$2\sqrt{\frac{t}{\pi}}$
$\frac{1}{\sqrt{s}(s+1)}$	$\frac{2}{\sqrt{\pi}} \operatorname{daw}\left(\sqrt{t}\right)$	$\frac{\sqrt{s}}{s+1}$	$\frac{1}{\sqrt{\pi t}} - \frac{2}{\sqrt{\pi}} \operatorname{daw}\left(\sqrt{t}\right)$
$\frac{1}{\sqrt{s}(s+a^2)}$	$\sqrt{t} \mathcal{E}_{1,3/2}(-a^2 t)$	$\frac{s}{(s-a)\sqrt{s-a}}$	$\frac{1}{\sqrt{\pi t}} e^{at}(1+2at)$
$\frac{\sqrt{s}}{s+a^2}$	$\frac{1}{\sqrt{t}} \mathcal{E}_{1,1/2}(-a^2 t)$	$\frac{1}{\sqrt{s}+a}$	$\frac{1}{\sqrt{\pi t}} - ae^{a^2 t} \operatorname{erfc}(a\sqrt{t})$
$\frac{1}{s\sqrt{s+1}}$	$\operatorname{erf}(\sqrt{t})$	$\frac{\sqrt{s}}{s-a^2}$	$\frac{1}{\sqrt{\pi t}} + ae^{a^2 t} \operatorname{erf}(a\sqrt{t})$
$\frac{1}{\sqrt{s}(s-a^2)}$	$\frac{1}{a} e^{a^2 t} \operatorname{erf}(a\sqrt{t})$	$\frac{1}{\sqrt{s}(s+a^2)}$	$\frac{2}{a\sqrt{\pi}} e^{-a^2 t} \int_0^{a\sqrt{t}} e^{\tau^2} d\tau$
$\frac{1}{\sqrt{s}(\sqrt{s}+a)}$	$e^{a^2 t} \operatorname{erfc}(a\sqrt{t})$	$\frac{s\sqrt{s}}{s+1}$	$2\sqrt{\frac{t}{\pi}} - \frac{2}{\sqrt{\pi}} \operatorname{daw}\left(\sqrt{t}\right)$
$\frac{1}{\sqrt{s+1}}$	$\frac{e^{-t}}{\sqrt{\pi t}}$	$\frac{1}{\sqrt{s}(s-1)}$	$e^t \operatorname{erf}\left(\sqrt{t}\right)$
$\frac{\sqrt{s}}{s-1}$	$\frac{1}{\sqrt{\pi t}} + e^t \operatorname{erf}\left(\sqrt{t}\right)$	$\frac{k!}{\sqrt{s} \pm \lambda}$	$t^{(k-1)/2} \mathcal{E}_{1/2,1/2}^{(k)}(\mp \lambda \sqrt{t}), \Re(s) > \lambda^2$
$\frac{1}{s^\alpha}$	$\frac{t^{\alpha-1}}{\Gamma(\alpha)}$	$\frac{s^{\alpha-1}}{s^\alpha \pm \lambda}$	$\mathcal{E}_\alpha(\mp \lambda t^\alpha), \Re(s) >  \lambda ^{1/\alpha}$

**Table A.2** (continued)

$F(s)$	$f(t) = \mathcal{L}^{-1}[F(s)]$
$\frac{1}{\sqrt{s(s+a)}(\sqrt{s+a}+\sqrt{s})^{2\nu}}$	$\frac{1}{a^\nu} e^{-at/2} \mathcal{J}_\nu\left(\frac{a}{2}t\right), k > 0$
$\frac{\Gamma(k)}{(s+a)^k(s+b)^k}$	$\sqrt{\pi} \left(\frac{t}{a-b}\right)^{k-\frac{1}{2}} e^{-\frac{1}{2}(a+b)t} \mathcal{J}_{k-\frac{1}{2}}\left(\frac{a-b}{2}t\right)$
$\frac{1}{\sqrt{s^2+a^2}(s+\sqrt{s^2+a^2})^N}$	$\frac{J_N(at)}{a^N}$
$\frac{1}{\sqrt{s^2+a^2}(s+\sqrt{s^2+a^2})}$	$\frac{J_1(at)}{a}$
$\frac{b^2-a^2}{\sqrt{s}(s-a^2)(\sqrt{s}+b)}$	$e^{a^2t} \left[ \frac{b}{a} \operatorname{erf}(a\sqrt{t}) - 1 \right] + e^{b^2t} \operatorname{erfc}(b\sqrt{t})$
$\frac{ae^{-k\sqrt{s}}}{s(a+\sqrt{s})}$	$-e^{ak} e^{a^2t} \operatorname{erfc}\left(a\sqrt{t} + \frac{k}{2\sqrt{t}}\right) + \operatorname{erfc}\left(\frac{k}{2\sqrt{t}}\right)$
$\frac{1}{\sqrt{s+a}(s+b)\sqrt{s+b}}$	$te^{-\frac{1}{2}(a+b)t} \left[ \mathcal{J}_0\left(\frac{a-b}{2}t\right) + \mathcal{J}_1\left(\frac{a-b}{2}t\right) \right]$
$\frac{e^{-\sqrt{s}}}{\sqrt{s}+1}$	$\frac{e^{-\frac{1}{4k}}}{\sqrt{\pi t}} - e^{t+1} \operatorname{erfc}\left(\sqrt{t} + \frac{1}{2\sqrt{t}}\right)$
$\frac{e^{-\sqrt{s}}}{s(\sqrt{s}+1)}$	$\operatorname{erfc}\left(\frac{1}{2\sqrt{t}}\right) - e^{t+1} \operatorname{erfc}\left(\sqrt{t} + \frac{1}{2\sqrt{t}}\right)$

# References

1. K.J. Åström, R.M. Murray. Feedback Systems: An Introduction for Scientists and Engineers. Princeton University Press, 2008
2. K.S. Miller, B. Ross. An Introduction to the Fractional Calculus and Fractional Differential Equations. New York: John Wiley and Sons, 1993
3. I. Podlubny. Fractional Differential Equations, Mathematics in Science and Engineering, volume 198. San Diego: Academic Press, 1999
4. R.L. Magin. Fractional Calculus in Bioengineering. Begell House, 2006
5. K.B. Oldham, J. Spanier. The Fractional Calculus. Theory and Applications of Differentiation and Integration of Arbitrary Order. New York: Dover, 2006
6. S. Dugowson. Les Différentielles Métaphysiques: Histoire et Philosophie de la Généralisation de l'Ordre de Dérivation. Ph.D. thesis, University of Paris, 1994
7. V. Kiryakova. Generalized Fractional Calculus and Applications. Number 301 in Pitman Research Notes in Mathematics. Essex: Longman Scientific & Technical, 1994
8. R. Gorenflo, F. Mainardi. Fractional calculus: Integral and differential equations of fractional order. In A. Carpintieri, F. Mainardi *eds.*, Fractals and Fractional Calculus in Continuum Mechanics. Springer Verlag, 1997
9. G. Mittag-Leffler. Sur la représentation analytique d'une branche uniforme d'une fonction monogène. Acta Mathematica, 1904, 29:101–181
10. R. Gorenflo, Y. Luchko, S. Rogosin. Mittag-Leffler type functions: notes on growth properties and distribution of zeros. Preprint A-97-04, Freie Universität Berlin, 1997
11. I. Podlubny. Numerical solution of ordinary fractional differential equations by the fractional difference method. In S. Elaydi, I. Györi, G. Ladas *eds.*, Advances in Difference Equations. Proceedings of the Second International Conference on Difference Equations. CRC Press, 1997
12. S. Westerlund, L. Ekstam. Capacitor theory. IEEE Transactions on Dielectrics and Electrical Insulation, 1994, 1(5):826–839
13. M. Cuadrado, R. Cabanes. Temas de Variable Compleja. Madrid: Servicio de Publicaciones de la ETSIT UPM, 1989
14. D. Matignon. Stability properties for generalized fractional differential systems. D. Matignon, G. Montseny, *eds.*, Proceedings of the Colloquium Fractional Differential Systems: Models, Methods and Applications, 5. Paris, 1998, 145–158
15. S. Manabe. The non-integer integral and its application to control systems. Japanese Institute of Electrical Engineers Journal, 1961, 6(3-4):83–87
16. A. Oustaloup. La Dérivation non Entière. Paris: Hermès, 1995
17. A. Oustaloup, B. Mathieu. La Commande CRONE: du Scalaire au Multivariable. Paris: Hermès, 1999
18. K.J. Åström. Limitations on control system performance. Preprint, 1999

19. R.L. Bagley, P.J. Torvik. On the appearance of the fractional derivative in the behavior of real materials. *Journal of Applied Mechanics*, 1984, 51:294–298
20. R.L. Bagley, R.A. Calico. Fractional-order state equations for the control of viscoelastic damped structures. *J Guidance, Control and Dynamics*, 1991, 14(2):304–311
21. A. A. Kilbas, H. M. Srivastava, J. J. Trujillo. *Theory and Applications of Fractional Differential Equations*. North-Holland, 2006
22. K. Ogata. *Modern Control Engineering*, 4th edition. Prentice Hall, 2001
23. R.A. Horn, C.R. Johnson. *Topics in Matrix Analysis*. Cambridge University Press, 1991
24. M. Abramowitz, I.A. Stegun. *Handbook of Mathematical Functions*. Dover Publications, 1972
25. D. Matignon, B. d'Andréa-Novel. Some results on controllability and observability of finite-dimensional fractional differential systems. <http://www-sigenstfr/matignon>
26. L. Zadeh, C.A. Desoer. *Linear Systems Theory*. McGraw-Hill, 1963
27. K.B. Oldham, J. Spanier. *The Fractional Calculus*. New York: Academic Press, 1974
28. P. Ostalczyk. The non-integer difference of the discrete-time function and its application to the control system synthesis. *International Journal of Systems Science*, 2000, 31(12):1551–1561
29. A. Dzieliński, D. Sierociuk. Stability of discrete fractional order state-space systems. *Journal of Vibration and Control*, 2008, 14(9-10):1543–1556
30. S. Guermah, S. Djennoune, M. Bettayeb. Controllability and observability of linear discrete-time fractional-order systems. *Int J Applied Mathematics and Computer Science*, 2008, 18(2):213–222
31. C.L. Phillips, Jr. H. Troy Nagle. *Digital Control System. Analysis and Design*. New Jersey, USA: Prentice Hall, 1984
32. D. Sierociuk. Fractional Order Discrete State-Space System Simulink Toolkit User Guide. [online] <http://www.ee.pw.edu.pl/dsieroci/fsst/fsst.htm>
33. A. Dzieliński, D. Sierociuk. Simulation and experimental tools for fractional order control education. *Proceedings of 17th World Congress The International Federation of Automatic Control*, Seoul, Korea, July 6–11. IFAC WC 2008, 2008, 11654–11659
34. A. Dzieliński, D. Sierociuk. Observer for discrete fractional order-space state. *Proceedings of the Second IFAC Workshop on Fractional Derivatives and Its Applications (FDA'06)*, Porto, Portugal, 2006
35. D.L. Debeljković, M. Aleksendrić, N. Yi-Yong, *et al.* Lyapunov and non-Lyapunov stability of linear discrete time delay systems. *Facta Universitatis, Series: Mechanical Engineering*, 2002, 1(9):1147–1160
36. R. Hilfer. *Applications of Fractional Calculus in Physics*. World Scientific, 2000
37. A. Dzieliński, D. Sierociuk. Reachability, controllability and observability of fractional order discrete state-space systems. *Proceedings of the 13th IEEE/IFAC International Conference on Methods and Models in Automation and Robotics (MMAR'07)*, Szczecin, Poland, 2007
38. L. Dorčák, I. Petráš, I. Košťál, *et al.* State-space controller design for the fractional-order regulated aystem. *Proceedings of the ICC'2001*. Krynica, Poland, 2001, 15–20
39. D. Matignon, B. d'Andréa-Novel. Observer-based controllers for fractional differential systems. *36st IEEE-CSS SIAM Conference on Decision and Control*, 1997
40. Y.Q. Chen, H.S. Ahn, I. Podlubny. Robust stability check of fractional order linear time invariant systems with interval uncertainties. *Signal Processing*, 2006, 86:2611–2618
41. Y.Q. Chen, H.S. Ahn, D.Y. Xue. Robust controllability of interval fractional order linear time invariant systems. *Signal Processing*, 2006, 86:2794–2802
42. A. Si-Ammour, S. Djennoune, M. Bettayeb. A sliding mode control for linear fractional dystems with input and state delays. *Communications in Nonlinear Science and Numerical Simulation*, 2009, 14:2310–2318

43. D. Sierociuk, A. Dzieliński. Fractional Kalman filter algorithm for states, parameters and order of fractional system estimation. *International Journal of Applied Mathematics and Computer Science*, 2006, 16(1):129–140
44. D. Sierociuk. Estimation and control of discrete dynamic fractional order state space systems. Ph.D. thesis, Warsaw University of Technology, 2007. In polish
45. A. Dzieliński, D. Sierociuk. Adaptive feedback control of fractional order discrete state-space systems. *Proceedings of International Conference on Computational Intelligence for Modelling Control and Automation*, volume 1. CIMCA'2005, 2005, 804–809
46. H. Bode. Relations between attenuation and phase in feedback amplifier design. *Bell System Technical Journal*, 1940, 19:421–454
47. H. Bode. *Network Analysis and Feedback Amplifier Design*. Van Nostrand, 1945
48. B.M. Vinagre, C.A. Monje, A.J. Calderón, *et al.* The fractional integrator as a reference function. *Proceedings of the First IFAC Workshop on Fractional Differentiation and Its Applications*. ENSEIRB, Bordeaux, France, 2004, 150–155
49. R.S. Barbosa, J.A. Tenreiro, I.M. Ferreira. A fractional calculus perspective of PID tuning. *Proceedings of the ASME 2003 Design Engineering Technical Conferences and Computers and Information in Engineering Conference*, Chicago, USA, 2003
50. A. Oustaloup. *La Commade CRONE: Commande Robuste d'Ordre Non Entier*. Hermes, Paris, 1991
51. A. Oustaloup, F. Levron, F. Nanot, *et al.* Frequency band complex non integer differentiator : characterization and synthesis. *IEEE Transactions on Circuits and Systems I: Fundamental Theory and Applications*, 2000, 47(1):25–40
52. I. Podlubny. Fractional-order systems and  $PI^\lambda D^\mu$  controllers. *IEEE Transactions on Automatic Control*, 1999, 44:208–214
53. B.M. Vinagre, I. Podlubny, L. Dorčák, *et al.* On fractional PID controllers: a frequency domain approach. *Proceedings of the IFAC Workshop on Digital Control. Past, Present and Future of PID Control*. Terrasa, Spain, 2000, 53–58
54. R. Caponetto, L. Fortuna, D. Porto. Parameter tuning of a non integer order PID controller. *15th International Symposium on Mathematical Theory of Networks and Systems*, Notre Dame, Indiana, 2002
55. R. Caponetto, L. Fortuna, D. Porto. A new tuning strategy for a non integer order PID controller. *Proceedings of the First IFAC Workshop on Fractional Differentiation and Its Application*. ENSEIRB, Bordeaux, France, 2004, 168–173
56. J.F. Leu, S.Y. Tsay, C. Hwang. Design of optimal fractional-order PID controllers. *Journal of the Chinese Institute of Chemical Engineers*, 2002, 33(2):193–202
57. B.M. Vinagre. *Modelado y Control de Sistemas Dinámicos Caracterizados por Ecuaciones Íntegro-Diferenciales de Orden Fraccional*. PhD Thesis, Universidad de Educación a Distancia (UNED), Madrid, Spain, 2001
58. B. M. Vinagre, Y. Q. Chen. *Lecture Notes on Fractional Calculus Applications in Automatic Control and Robotics*. The 41st IEEE CDC'2002 Tutorial Workshop # 2. Las Vegas, Nevada, USA, 2002, 1–310. [Online] <http://mechatronics.ece.usu.edu/foc/cdc02.tw2.1n.pdf>
59. R.S. Barbosa, J.A. Tenreiro Machado. Describing function analysis of systems with impacts and backlash. *Nonlinear Dynamics*, 2002, 29(1-4):235–250
60. R. Barbosa, J.A. Tenreiro, I.M. Ferreira. Tuning of PID controllers based on Bode's ideal transfer function. *Nonlinear Dynamics*, 2004, 38:305–321
61. R. Barbosa, J.A. Tenreiro, I.M. Ferreira. PID controller tuning using fractional calculus concepts. *Fractional Calculus and Applied Analysis*, 2004, 7(2):119–134
62. Y.Q. Chen, K.L. Moore, B.M. Vinagre, *et al.* Robust PID controller autotuning with a phase shaper. *Proceedings of the First IFAC Workshop on Fractional Differentiation and Its Application*. ENSEIRB, Bordeaux, France, 2004, 162–167
63. C.A. Monje, A.J. Calderón, B.M. Vinagre. PI vs fractional DI control: first results. *Proceedings of the CONTROL'02: 5th Portuguese Conference on Automatic Control*. Aveiro, Portugal, 2002, 359–364

64. Y.Q. Chen, B.M. Vinagre, C.A. Monje. Une proposition pour la synthèse de correcteurs PI d'ordre non entier. Proceedings of the Action Thématique Les Systèmes à Dérivées Non Entières, LAP-ENSEIRB, Bordeaux, France, 2003
65. C.A. Monje, B.M. Vinagre, V. Feliu, *et al.* Tuning and auto-tuning of fractional order controllers for industry applications. Control Engineering Practice, 2008, 16(7):798–812
66. R. Malti, M. Aoun, O. Cois, *et al.* Norm of fractional differential systems. Proceedings of the ASME 2003 Design Engineering Technical Conferences and Computers and Information in Engineering Conference, Chicago, USA, 2003
67. I. Petráš, M. Hypiusova. Design of fractional-order controllers via  $\mathcal{H}_\infty$  norm minimisation. Selected Topics in Modelling and Control, 2002, 3:50–54
68. B.S.Y. Sánchez. Fractional-PID control for active reduction of vertical tail buffeting. MSc Thesis, Saint Louis University, St. Louis, USA, 1999
69. A. Oustaloup, B. Mathieu, P. Lanusse. The CRONE control of resonant plants: application to a flexible transmission. European Journal of Control, 1995, 1(2):113–121
70. D. Valério. Fractional order robust control: an application. Student forum, University of Porto, Portugal, 2001
71. P. Lanusse, T. Poinot, O. Cois, *et al.* Tuning of an active suspension system using a fractional controller and a closed-loop tuning. Proceedings of the 11th International Conference on Advanced Robotics. Coimbra, Portugal, 2003, 258–263
72. A.J. Calderón, B.M. Vinagre, V. Feliu. Linear fractional order control of a DC-DC buck converter. Proceedings of European Control Conference, Cambridge, UK, 2003
73. A.J. Calderón. Control Fraccionario de Convertidores Electrónicos de Potencia tipo Buck. MS Thesis, Escuela de Ingenierías Industriales, Universidad de Extremadura, Badajoz, Spain, 2003
74. V. Pommier, R. Musset, P. Lanusse, *et al.* Study of two robust control for an hydraulic actuator. ECC 2003: European Control Conference, Cambridge, UK, 2003
75. C.A. Monje, F. Ramos, V. Feliu, *et al.* Tip position control of a lightweight flexible manipulator using a fractional order controller. IEE Proceeding-D: Control Theory and Applications, 2007, 1(5):1451–1460
76. J.A. Tenreiro, A. Azenha. Fractional-order hybrid control of robot manipulators. Proceedings of the 1998 IEEE International Conference on Systems, Man and Cybernetics: Intelligent Systems for Humans in a Cyberworld, San Diego, California, USA. 1998, 788–793
77. N.M. Fonseca, J.A. Tenreiro. Fractional-order hybrid control of robotic manipulators. Proceedings of the 11th International Conference on Advanced Robotics, Coimbra, Portugal. 2003, 393–398
78. B.M. Vinagre, I. Petráš, P. Merchán, *et al.* Two digital realizations of fractional controllers: application to temperature control of a solid. Proceedings of the European Control Conference, Porto, Portugal. 2001, 1764–1767
79. I. Petráš, B.M. Vinagre. Practical application of digital fractional-order controller to temperature control. Acta Montanistica Slovaca, 2002, 7(2):131–137
80. I. Petráš, B.M. Vinagre, L. Dorčák, *et al.* Fractional digital control of a heat solid: experimental results. Proceedings of the International Carpathian Control Conference, Malenovice, Czech Republic. 2002, 365–370
81. J. Sabatier, P. Melchior, A. Oustaloup. Réalisation d'un banc d'essais thermique pour l'enseignement des systemes non entier. Proceedings of the Colloque sur l'Enseignement des Technologies et des Sciences de l'Information et des Systemes, Université Paul Sabatier, Toulouse, France. 2003, 361–364
82. J. G. Zeigler, N. B. Nichols. Optimum settings for automatic controllers. Transactions of ASME, 1942, 64:759–768
83. H.N. Koivo, J.N. Tantt. Tuning of PID controllers: survey of SISO and MIMO techniques. Proceedings of Intelligent Tuning and Adaptive Control, Singapore, 1991



84. S. Yamamoto, I. Hasimoto. Present status and future needs: the view from Japanese industry. In Arkun and Ray *ed* Proceedings of 4th International Conference on Chemical Process Control, Texas, 1991
85. L. Debnath. A brief historical introduction to fractional calculus. *Int J Math Educ Sci Technol*, 2004, 35(4):487–501
86. R.L. Magin. Fractional calculus in bioengineering. *Critical Reviews<sup>TM</sup> in Biomedical Engineering*, 2004, 32(1-4)
87. D.Y. Xue, Y.Q. Chen. A comparative introduction of four fractional order controllers. *Proc. of The 4th IEEE World Congress on Intelligent Control and Automation (WCICA02)*. Shanghai, China: IEEE, 2002, 3228–3235
88. Y.Q. Chen. Ubiquitous fractional order controls? *Proc. of The Second IFAC Symposium on Fractional Derivatives and Applications (IFAC FDA06, Plenary Paper.)*. Porto, Portugal, 2006, 19–21
89. D.Y. Xue, C.N. Zhao, Y.Q. Chen. Fractional order PID control of a DC-motor with an elastic shaft: a case study. *Proceedings of American Control Conference*. Minneapolis, Minnesota, USA, 2006, 3182–3187
90. S. Manabe. The non-integer integral and its application to control systems. *Japanese Institute of Electrical Engineers Journal*, 1960, 80(860):589–597
91. A. Oustaloup. Linear feedback control systems of fractional order between 1 and 2. *Proc. of the IEEE Symposium on Circuit and Systems*. Chicago, USA, 1981,
92. M. Axtell, E.M. Bise. Fractional calculus applications in control systems. *Proc. of the IEEE 1990 Nat. Aerospace and Electronics Conf*. New York, USA, 1990, 563–566
93. J.A.T. Machado. Analysis and design of fractional-order digital control systems. *J of Systems Analysis-Modeling-Simulation*, 1997, 27:107–122
94. J.A.T. Machado (Guest Editor). Special Issue on Fractional Calculus and Applications. *Nonlinear Dynamics*, 2002, 29:1–385
95. M.D. Ortigueira and J.A.T. Machado (Guest Editors). Special Issue on Fractional Signal Processing and Applications. *Signal Processing*, 2003, 83(11):2285–2480
96. C. Ricardo, L. Fortuna, D. Porto. A new tuning strategy for a non integer order PID controller. *Proc of 1st IFAC Workshop on Fractional Differentiation and its Applications*, Bordeaux, France, 2004
97. D. Valério, J.S. da Costa. Tuning-rules for fractional PID controllers. *Proceedings of The Second IFAC Symposium on Fractional Differentiation and its Applications (FDA06)*, Porto, Portugal, 2006
98. C.A. Monje Micharet. Design Methods of Fractional Order Controllers for Industrial Applications. Ph.D. thesis, University of Extremadura, Spain, 2006
99. C.A. Monje Micharet. Auto-tuning of fractional PID controllers. *IEEE Control System Society San Diego Chapter Meeting*. In Trex Enterprises,. San Diego, California, USA, 2005, Slides available at <http://mechatronics.ece.usu.edu/foc/>
100. C.N. Zhao. Research on Analyse and Design Methods of Fractional Order System. Ph.D. thesis, Northeastern University, China, 2006
101. K.J. Åström, H. Panagopoulos, T. Häggglund. Design of PI controllers based on non-convex optimization. *Automatica*, 1998, 34(5):585–601
102. K.J. Åström, H. Panagopoulos, T. Häggglund. Design of PID controllers based on constrained optimization. *IEE Proceedings of Control Theory and Application*, 2002, 149(1):32–40
103. K.J. Åström, T. Häggglund. *PID Controller: Theory, Design and Tuning*. Research Triangle Park, NC: Instrument Society of America, 1995
104. K.J. Åström, T. Häggglund. *Automatic Tuning of PID Controllers*. Reading, MA: Instrumentation Society, 1998
105. K.J. Åström, T. Häggglund. Revisiting the Ziegler-Nichols tuning rules for PI control. *Asian Journal of Control*, 2002, 4(4):364–380
106. Y.Q. Chen, K.L. Moore. Analytical stability bound for a class of delayed fractional-order dynamic systems. *Nonlinear Dynamics*, 2002, 29(1-4):191–200

107. B.J. Lurie. Three-parameter tunable tilt-integral-derivative (TID) controller. US Patent US5371670, 1994
108. A. Oustaloup, X. Moreau, M. Nouillant. The CRONE suspension. *Control Engineering Practice*, 1996, 4(8):1101–1108
109. A. Oustaloup, P. Melchoir, P. Lanusse, *et al.* The CRONE toolbox for MATLAB. Proc of the 11th IEEE International Symposium on Computer Aided Control System Design, Anchorage, USA, 2000
110. C.A. Monje, B.M. Vinagre, Y.Q. Chen, *et al.* Proposals for fractional  $PI^\lambda D^\mu$  tuning. Proceedings of The First IFAC Symposium on Fractional Differentiation and its Applications (FDA04), Bordeaux, France, 2004
111. C.N. Zhao, D.Y. Xue, Y.Q. Chen. A fractional order PID tuning algorithm for a class of fractional order plants. Proceedings of the International Conference on Mechatronics and Automation. Niagara, Canada, 2005, 216–221
112. A. Oustaloup, J. Sabatier, P. Lanusse. From fractional robustness to CRONE control. *Fractional Calculus and Applied Analysis*, 1999, 2(1):1–30
113. R.C. Dorf, R.H. Bishop. *Modern Control Systems*. Upper Saddle River: Pearson Education, 2005
114. Y. Tarte, Y.Q. Chen, W. Ren, *et al.* Fractional horsepower dynamometer — a general purpose hardware-in-the-loop real-time simulation platform for nonlinear control research and education. Proceedings of IEEE Conference on Decision and Control. San Diego, California, USA, 2006, 3912–3917
115. G. Franklin, J. Powell, A. Naeini. *Feedback Control of Dynamic Systems*. Addison-Wesley, 1986
116. Y.Q. Chen, C.H. Hu, K.L. Moore. Relay feedback tuning of robust PID controllers with iso-damping property. Proceedings of the 42nd IEEE Conference on Decision and Control. Hawaii, USA, 2003, 347–352
117. J. Pintér. *Global Optimization in Action*. The Netherlands: Kluwer Academic Publishers, 1996
118. W.S. Levine. *The Control Handbook*. CRC Press and IEEE Press, 1996
119. A. Oustaloup. From fractality to non integer derivation through recursivity, a property common to these two concepts: a fundamental idea from a new process control strategy. Proceedings of the 12th IMACS World Congress. Paris, France, 1998, 203–208
120. H.F. Raynaud, A. Zergainoh. State-space representation for fractional order controllers. *Automatica*, 2000, 36:1017–1021
121. S.B. Skaar, A.N. Michel, R.K. Miller. Stability of viscoelastic control systems. *IEEE Transactions on Automatic Control*, 1998, 33(4):348–357
122. C.A. Monje, A.J. Calderón, B.M. Vinagre, *et al.* The fractional order lead compensator. Proceedings of the IEEE International Conference on Computational Cybernetics. Vienna, Austria, 2004, 347–352
123. C. A. Monje, B. M. Vinagre, A. J. Calderón, *et al.* Auto-tuning of fractional lead-lag compensators. Proceedings of the 16th IFAC World Congress, Prague, Czech Republic, 2005
124. K.K. Tan, S. Huang, R. Ferdous. Robust self-tuning PID controller for nonlinear systems. *Journal of Process Control*, 2002, 12(7):753–761
125. C.C. Hang, K.J. Åström, Q.G. Wang. Relay feedback auto-tuning of process controllers — a tutorial review. *Journal of Process Control*, 2002, 12:143–162
126. D. Valério. *Fractional Robust System Control*. Ph.D. thesis, Instituto Superior Técnico, Universidade Técnica de Lisboa, 2005
127. I.D. Landau, D. Rey, A. Karimi, *et al.* A flexible transmission system as a benchmark for robust digital control. *European Journal of Control*, 1995, 1(2):77–96
128. D.F. Thomson. *Optimal and Sub-Optimal Loop Shaping in Quantitative Feedback Theory*. West Lafayette, IN, USA: School of Mechanical Engineering, Purdue University, 1990

129. A. Gera, I. Horowitz. Optimization of the loop transfer function. *International Journal of Control*, 1980, 31:389–398
130. C.M. Frannson, B. Lenmartson, T. Wik, *et al.* Global controller optimization using Horowitz bounds. *Proceedings of the IFAC 15th Triennial World Congress*, Barcelona, Spain, 2002
131. Y. Chait, Q. Chen, C.V. Hollot. Automatic loop-shaping of QFT controllers via linear programming. *ASME Journal of Dynamic Systems, Measurements and Control*, 1999, 121:351–357
132. W.H. Chen, D.J. Ballance, Y. Li. *Automatic Loop-Shaping of QFT using Genetic Algorithms*. Glasgow, UK: University of Glasgow, 1998
133. C. Raimúndez, A. Baños, A. Barreiro. QFT controller synthesis using evolutive strategies. *Proceedings of the 5th International QFT Symposium on Quantitative Feedback Theory and Robust Frequency Domain Methods*. Pamplona, Spain, 2001, 291–296
134. J. Cervera, A. Baños. Automatic loop shaping QFT using CRONE structures. *Journal of Vibration and Control*, 2008, 14:1513–1529
135. J. Cervera, A. Baños. Automatic loop shaping in QFT by using a complex fractional order terms controller. *Proceedings of the 7th International Symposium on QFT and Robust Frequency*, University of Kansas, USA, 2005
136. I. Horowitz. *Quantitative Feedback Design Theory - QFT (Vol.1)*. Boulder, Colorado, USA: QFT Press, 1993
137. I. Horowitz. Optimum loop transfer function in single-loop minimum-phase feedback systems. *International Journal of Control*, 1973, 18:97–113
138. B.J. Lurie, P.J. Enright. *Classical Feedback Control with MATLAB*. New York, USA: Marcel Dekker, 2000
139. J. Cervera, A. Baños, C.A. Monje, *et al.* Tuning of fractional PID controllers by using QFT. *Proceedings of the 32nd Annual Conference of the IEEE Industrial Electronics Society, IECON'06*, Paris, France, 2006
140. C. Edwards, S.K. Spurgeon. *Sliding Mode Control. Theory and Applications*. Taylor and Francis, 1998
141. V. Utkin. Variable structure systems with sliding modes. *IEEE Transactions on Automatic Control*, 1977, 22:212–222
142. A.J. Calderón, B.M. Vinagre, V. Feliu. Fractional order control strategies for power electronic buck converters. *Signal Processing*, 2006
143. K.J. Astrom, B. Wittenmark. *Adaptive Control*. Second Edition. Reading: Addison-Wesley Publishing Company Inc., 1995
144. C.C. Hang, P.C. Parks. Comparative studies of model reference adaptive control systems. *IEEE Transaction on Automatic Control*, 1973, 18:419–428
145. J.C. Clegg. A nonlinear integrator for servomechanism. *Trans AIEE*, 1958, 77:41–42
146. J. Liu. *Comparative Study of Differentiation and Integration Techniques for Feedback Control Systems*. Ph.D. thesis, Cleveland State University, Cleveland, 2002
147. H. Hu, Y. Zheng, Y. Chait, *et al.* On the zero-input stability of control systems with Clegg integrators. *Proceedings of the American Control Conference*. Albuquerque, Nw Mexico, USA, 1997, 408–410
148. Y.Q. Chen, K.L. Moore. Discretization schemes for fractional-order differentiators and integrators. *IEEE Transactions on Circuits and Systems-I: Fundamental Theory and Applications*, 2002, 49(3):363–367
149. L. Zaccarian, D. Nesic, A.R. Teel. First order reset elements and the Clegg integrator revisited. *Proceedings of the American Control Conference*. Portland, Oregon, USA, 2005, 563–568
150. O. Beker, C.V. Hollot, Y. Chait, *et al.* Fundamental properties of reset control systems. *Automatica*, 2004, 40:905–915
151. A. Gelb, W.E. Vander. *Multiple-Input Describing Functions and Nonlinear System Design*. McGraw-Hill, 1968

152. D.P. Atherton. *Nonlinear Control Engineering — Describing Function Analysis and Design*. London: Van Nostrand Reinhold Co., 1975
153. K.H. Johansson. The quadruple-tank process: A multivariable laboratory process with an adjustable zero. *IEEE Transactions on Control Systems Technology*, 2000, 8(3):456–465
154. I. Petráš, I. Podlubny, P. O’Leary. *Analogue Realization of Fractional Order Controllers*. Fakulta BERG, TU Košice, 2002
155. G.W. Bohannon. Analog realization of a fractional controller, revisited. In: BM Vinagre, YQ Chen, *eds*, *Tutorial Workshop 2: Fractional Calculus Applications in Automatic Control and Robotics*, Las Vegas, USA, 2002
156. M. Ichise, Y. Nagayanagi, T. Kojima. An analog simulation of non-integer order transfer functions for analysis of electrode processes. *Journal of Electroanalytical Chemistry*, 1971, 33:253–265
157. K.B. Oldham. Semiintegral electroanalysis: Analog implementation. *Analytical Chemistry*, 1973, 45(1):39–47
158. M. Sugí, Y. Hirano, Y.F. Miura, *et al.* Simulation of fractal immittance by analog circuits: An approach to optimized circuits. *IEICE Trans Fundamentals*, 1999, E82-A(8):1627–1635
159. I. Podlubny, I. Petráš, B.M. Vinagre, *et al.* Analogue realizations of fractional-order controllers. *Nonlinear Dynamics*, 2002, 29(1-4):281–296
160. B.M. Vinagre, I. Podlubny, A. Hernández, *et al.* Some approximations of fractional order operators used in control theory and applications. *Fractional Calculus and Applied Analysis*, 2000, 3(3):231–248
161. D.Y. Xue, Y.Q. Chen. Sub-optimum  $\mathcal{H}_2$  pseudo-rational approximations to fractional order linear time invariant systems. In: J. Sabatier, J. Machado, O. Agrawal, *eds.*, *Advances in Fractional Calculus: Theoretical Developments and Applications in Physics and Engineering*. Springer Verlag, 2007, 61–75
162. D. Valério. Ninteger Toolbox. [online] <http://www.mathworks.com/matlabcentral/fileexchange/8312-ninteger>
163. D.Y. Xue, C.N. Zhao, Y.Q. Chen. A modified approximation method of fractional order system. *Proceedings of IEEE Conference on Mechatronics and Automation*. Luoyang, China, 2006, 1043–1048
164. B.M. Vinagre, I. Podlubny, A. Hernandez, *et al.* On realization of fractional-order controllers. *Proc of the Conference Internationale Francophone d’Automatique*, Lille, France, 2000
165. B.M. Vinagre, Y.Q. Chen, I. Petras. Two direct Tustin discretization methods for fractional-order differentiator/integrator. *The Journal of Franklin Institute*, 2003, 340(5):349–362
166. Y.Q. Chen, B.M. Vinagre. A new IIR-type digital fractional order differentiator. *Signal Processing*, 2003, 83(11):2359–2365
167. M. A. Al-Alaoui. Novel digital integrator and differentiator. *Electronics Letters*, 1993, 29(4):376–378
168. M. A. Al-Alaoui. A class of second-order integrators and low-pass differentiators. *IEEE Trans on Circuit and Systems I: Fundamental Theory and Applications*, 1995, 42(4):220–223
169. M. A. Al-Alaoui. Filling the gap between the bilinear and the backward difference transforms: an interactive design approach. *Int J of Electrical Engineering Education*, 1997, 34(4):331–337
170. C.C. Tseng, S.C. Pei, S.C. Hsia. Computation of fractional derivatives using Fourier transform and digital FIR differentiator. *Signal Processing*, 2000, 80:151–159
171. C.C. Tseng. Design of fractional order digital FIR differentiator. *IEEE Signal Processing Letters*, 2001, 8(3):77–79
172. Y.Q. Chen, B.M. Vinagre, I. Podlubny. A new discretization method for fractional order differentiators via continued fraction expansion. *Proc. of The First Symposium*

- on Fractional Derivatives and Their Applications at The 19th Biennial Conference on Mechanical Vibration and Noise, the ASME International Design Engineering Technical Conferences & Computers and Information in Engineering Conference (ASME DETC2003). Chicago, Illinois, 2003, 1–8, DETC2003/VIB--48391
173. I. Petráš. Digital fractional order differentiator/integrator — FIR type. [online] <http://www.mathworks.com/matlabcentral/fileexchange/3673>
174. The MathWorks Inc. MATLAB Control System Toolbox, User's Guide, 2000
175. Y.Q. Chen. Contributed files to MATLAB Central. [online] <http://www.mathworks.com/matlabcentral/fileexchange/authors/9097>
176. The MathWorks, Inc. MATLAB Signal Processing Toolbox. User's Guide, 2000
177. D. Xue, D. P. Atherton. A suboptimal reduction algorithm for linear systems with a time delay. *International Journal of Control*, 1994, 60(2):181–196
178. K.J. Åström. *Introduction to Stochastic Control Theory*. London: Academic Press, 1970
179. W. H. Press, B. P. Flannery, S. A. Teukolsky. *Numerical Recipes, the Art of Scientific Computing*. Cambridge: Cambridge University Press, 1986
180. F.S. Wang, W.S. Juang, C.T. Chan. Optimal tuning of PID controllers for single and cascade control loops. *Chemical Engineering Communications*, 1995, 132:15–34
181. D.Y. Xue, Y.Q. Chen. *Advanced Applied Mathematical Problem Solutions with MATLAB*. Beijing: Tsinghua University Press, 2004. In Chinese
182. D.Y. Xue, Y.Q. Chen. *Solving Applied Mathematical Problems with MATLAB*. Boca Raton: CRC Press, 2008
183. D.Y. Xue, Y.Q. Chen, D.P. Atherton. *Linear Feedback Control Analysis and Design with MATLAB*. Philadelphia: SIAM Press, 2007
184. I. Podlubny. Mittag-Leffler function, [online] <http://www.mathworks.com/matlabcentral/fileexchange/8738>, 2005
185. A.K. Shukla, J.C. Prajapati. On a generalization of Mittag-Leffler function and its properties. *Journal of Mathematical Analysis and Applications*, 2007, 336(1):797–811
186. A.A. Kilbas, M. Saigob, R.K. Saxena. Generalized Mittag-Leffler function and generalized fractional calculus operators. *Integral Transforms and Special Functions*, 2004, 15(1):31–49
187. The MathWorks Inc. Simulink User's Guide, 2009
188. C.R. Houck, J.A. Joines, M.G. Kay. A Genetic Algorithm for Function Optimization: a MATLAB Implementation. Electronic version of the GAOT Manual, 1995
189. The MathWorks Inc. Genetic Algorithm and Direct Search Toolbox, 2009
190. V. Feliu, S. Feliu. A method of obtaining the time domain response of an equivalent circuit model. *Journal of Electroanalytical Chemistry*, 1997, 435(1–2):1–10
191. L. Ljung. *System Identification. Theory for the User*. Prentice Hall, 1987
192. R. Pintelon, P. Guillaume, Y. Rolain, *et al.* Parametric identification of transfer functions in the frequency domain: A survey. *IEEE Transactions on Automatic Control*, 1994, 39(11):2245–2259
193. Ch.M.A. Brett, A.M. Oliveira. *Electrochemistry Principles. Methods and Applications*. Oxford University Press, 1983
194. R. de Levie. Fractals and rough electrodes. *Journal of Electroanalytical Chemistry*, 1990, 281:1–21
195. R. de Levie, A. Vogt. On the electrochemical response of rough electrodes. *Journal of Electroanalytical Chemistry*, 1990, 281:23–28
196. A.A. Pilla. A transient impedance technique for the study of electrode kinetics. *Journal of Electrochemical Society*, 1970, 117(4):467–477
197. P. Agarwal, M.E. Orazem. Measurement models for electrochemical impedance spectroscopy. *Journal of Electrochemical Society*, 1992, 139(7):1917–1927
198. A. Sadkowsky. Time domain responses of constan phase electrodes. *Electrochimica Acta*, 1993, 38(14):2051–2054
199. F.H. van Heuveln. Analysis of nonexponential transient response due to a constant-phase element. *J Electrochem Soc*, 1994, 141(12):3423–3428

200. A.A. Sagüés, S.C. Kraus, E.I. Moreno. The time-domain response of a corroding system with constant phase angle interfacial component: Application to steel in concrete. *Corrosion Science*, 1995, 37(7):1097–1113
201. H. Schiessel, R. Metzler, A. Blumen, *et al.* Generalized viscoelastic models: their fractional equations with solutions. *J Physics A: Math Gen*, 1995, 28:6567–6584
202. S.S. Rao. *Mechanical Vibrations*. Addison-Wesley, 1990
203. H.R. Pota, T.E. Alberts. Multivariable transfer functions for a slewing piezoelectric laminate beam. *ASME Journal of Dynamic Systems, Measurements, and Control*, 1995, 117
204. F. Wang, Y. Gao. *Advanced Studies of Flexible Robotic Manipulators, Modeling, Design, Control and Applications*. New Jersey, USA: World Scientific, 2003
205. A. Benosman, G. Le Vey. Control of flexible manipulators: A survey. *Robotica*, 2004, 22(5):533–545
206. M. Zinn, O. Khatib, B. Roth, *et al.* Playing it safe [Human-Friendly Robots]. *IEEE Robotics and Automation Magazine*, 2004, 11(2):12–21
207. S.K. Dwivedy, P. Eberhard. Dynamic analysis of flexible manipulators, a literature review. *Mechanism and Machine Theory*, 2006, 41(7):749–777
208. V. Feliu. Robots flexibles: Hacia una generación de robots con nuevas prestaciones. *Revista Iberoamericana de Automática e Informática Industrial*, 2006, 3(3):24–41
209. W.J. Book. *Modeling, Design and Control of Flexible Manipulator Arms*. Ph.D. thesis, Department of Mechanical Engineering, Massachusetts Institute of Technology, Cambridge MA, 1974
210. O. Maizza-Neto. *Modal Analysis and Control of Flexible Manipulator Arms*. Ph.D. thesis, Department of Mechanical Engineering, Massachusetts Institute of Technology, Cambridge MA, 1974
211. W.J. Book, O. Maizza-Neto, D.E. Whitney. Feedback control of two beam, two joint systems with distributed flexibility. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, 1975, 97G(4):424–431
212. J. Denavit, R.S. Hartenberg. A kinematic notation for lower-pair mechanisms based on matrices. *ASME Journal of Applied Mechanics*, 1955, June:215–221
213. W.J. Book. Recursive Lagrangian dynamics of flexible manipulator arms. *International Journal of Robotics Research*, 1984, 3(3):87–101
214. M.J. Balas. Active control of flexible systems. *Journal of Optimisation Theory and Applications*, 1978, 25(3):415–436
215. M.J. Balas. Trends in large space structures control theory: Fondest hopes, wildest dreams. *IEEE Transactions on Automatic Control*, 1982, 27(3):522–535
216. R.H. Cannon, E. Schmitz. Initial experiments on the end-point control of a flexible robot. *International Journal on Robotics Research*, 1984, 3(3):62–75
217. A. De Luca, B. Siciliano. Trajectory control of a non-linear one-link flexible arm. *International Journal of Control*, 1989, 50(5):1699–1715
218. E. Bayo. A finite-element approach to control the end-point motion of a single-link flexible robot. *Journal of Robotics Systems*, 1987, 4(1):63–75
219. D. Wang, M. Vidyasagar. Transfer functions for a single flexible link. *International Journal on Robotics Research*, 1991, 10(5):540–549
220. W.J. Book. Controlled motion in an elastic world. *Journal of Dynamic Systems, Measurement and Control, Transactions of the ASME*, 1993, 115(2):252–261
221. J.H. Yang, F.L. Lian, L.C. Fu. Nonlinear adaptive control for flexible-link manipulators. *IEEE Transactions on Robotics and Automation*, 1997, 13(1):140–148
222. T.C. Yang, J.C.S. Yang, P. Kudva. Load adaptive control of a single-link flexible manipulator. *IEEE Transactions on Systems, Man and Cybernetics*, 1992, 22(1):85–91
223. J.J. Feliu, V. Feliu, C. Cerrada. Load adaptive control of single-link flexible arms based on a new modeling technique. *IEEE Transactions on Robotics and Automation*, 1999, 15(5):793–804

224. K. Takahashi, I. Yamada. Neural-network-based learning control of flexible mechanism with application to a single-link flexible arm. *Journal of Dynamic Systems Measurement and Control*, Transactions of the ASME, 1994, 116(4):792–795
225. M. Isogai, F. Arai, T. Fukuda. Modeling and vibration control with neural network for flexible multi-link structures. *Proceedings of the IEEE International Conference on Robotics and Automation*. San Diego, USA, 1999, 1096–1101
226. A.C. Huang, Y.C. Chen. Adaptive sliding control for single-link flexible-joint robot with mismatched uncertainties. *IEEE Transactions on Control Systems Technology*, 2004, 12(5):770–775
227. S.B. Choi, C.C. Cheong, H.C. Shin. Sliding mode control of vibration in a single-link flexible arm with parameter variations. *Journal of Sound and Vibration*, 1995, 179:737–748
228. V. Feliu, J. A. Somolinos, C. Cerrada, *et al.* A new control scheme of single-link flexible manipulators robust to payload changes. *Journal of Intelligent and Robotic Systems*, 1997, 20:349–373
229. S.S. Ge, T.H. Lee, G. Zhu. Energy-based robust controller design for multi-link flexible robots. *Mechatronics*, 1996, 6(7):779–798
230. V. Feliu, F. Ramos. Strain gauge based control of single-link very lightweight flexible robots to payload changes. *Mechatronics*, 2005, 15(5):547–571
231. I.D. Landau, J. Langer, D. Rey, *et al.* Robust control of a 360 degrees flexible arm using the combined pole placement/sensitivity function shaping method. *IEEE Transactions on Control Systems Technology*, 1996, 4(4):369–383
232. J. Daafouz, G. García, J. Bernussou. Robust control of a flexible robot arm using the quadratic D-stability approach. *IEEE Transactions on Control Systems Technology*, 1998, 6(4):524–533
233. H.R. Karimi, M.K. Yazdanpanah, R.V. Patel, *et al.* Modeling and control of linear two-time scale systems: Applied to single-link flexible manipulator. *Journal of Intelligent and Robotics Systems*, 2006, 45(3):235–265
234. L.Y. Pao, W.E. Singhose. Robust minimum time control of flexible structures. *Automatica*, 1998, 34(2):229–236
235. V. Feliu, K.S. Rattan, H.B. Brown Jr. Control of flexible arms with friction in the joints. *IEEE Transactions on Robotics and Automation*, 9(4):467–475
236. V. Feliu, B.M. Vinagre, C.A. Monje. Fractional control of a single-link flexible manipulator. *Proceedings of the ASME International Design Engineering Technical Conference and Computer and Information in Engineering Conference*, Long Beach, California, USA, 2005
237. C.A. Monje, A.J. Calderón, B.M. Vinagre, *et al.* On fractional  $PI^\lambda$  controllers: Some tuning rules for robustness to plant uncertainties. *Nonlinear Dynamics*, 2004, 38(1-4):369–381
238. D. Valério, J. Sá Da Costa. Ziegler-Nichols type tuning rules for fractional PID controllers. *Proceedings of the ASME International Design Engineering Technical Conference and Computer and Information in Engineering Conference*, Long Beach, California, USA, 2005
239. C.O. Stockle. Environmental impact of irrigation. *Proceedings of the IV International Congress of Agricultural Engineering*, Chillan, Chile, 2001
240. P.O. Malaterre, D.C. Rogers, J. Schuurmans. Classification of canal control algorithms. *Journal of Irrigation and Drainage Engineering*, 1998, 124(1):3–10
241. X. Litrico, D. Georges. Robust continuous-time and discrete-time flow control of a dam-river system. (I) Modelling. *Applied Mathematical Modelling*, 1999, 23:809–827
242. X. Litrico, V. Fromion. Advanced control politics and optimal performance for irrigation canal. *Proceedings of the European Control Conference*. Cambridge, UK, 2003,
243. B.T. Wahlin, A.J. Clemmens. Automatic downstream water-level feedback control of branching canal networks: theory. *Journal of Irrigation and Drainage Engineering*, 2006, 132(3):198–207

244. P.O. Malaterre. Regulation of irrigation canals: characterization and classification. *International Journal of Irrigation and Drainage Systems*, 1995, 9(4):297–327
245. A.J. Clemmens. Canal automation. *Resource Magazine*, 2006, 9:7–8
246. F. Liu, F. Feyen, J. Berlamont. Downstream control of multireach canal systems. *Journal of Irrigation and Drainage Engineering*, 1995, 121(2):179–190
247. E. Weyer. System identification of an open water channel. *Control Engineering Practice*, 2001, 9(12):1289–1299
248. J. Schuurmans, A.J. Clemmens, S. Dijkstra, *et al.* Modeling of irrigation and drainage canals for controller design. *Journal of Irrigation and Drainage Engineering*, 1999, 125(6):338–344
249. X. Litrico, V. Fromion.  $\mathcal{H}_\infty$  control of an irrigation canal pool with a mixed control politics. *IEEE Transactions on Control Systems Technology*, 2006, 14(1):99–111
250. R.R. Pérez, V. Feliu, L.S. Rodríguez. Robust system identification of an irrigation main canal. *Advances in Water Resources*, 2007, 130:1785–1796
251. X. Litrico. Nonlinear diffusive wave modeling and identification of open channels. *Journal of Hydraulic Engineering*, 2001, 127(4):313–320
252. J.L. Deltour, F. Sanfilippo. Introduction of Smith predictor into dynamic regulation. *Journal of Irrigation and Drainage Engineering*, 1998, 124(1):3–30
253. J.P. Baume, P.O. Malaterre, J. Sau. Tuning of PI controllers for an irrigation canal using optimization tools. *Proceedings of the Workshop on Modernization of Irrigation Water Delivery Systems*. Phoenix, Arizona, USA, 1999, 483–500
254. A.J. Clemmens, J. Schuurmans. Simple optimal downstream feedback canal controllers: theory. *Journal of Irrigation and Drainage Engineering*, 2004, 130(1):26–34
255. A.J. Clemmens, B.T. Wahlin. Simple optimal downstream feedback canal controllers: ASCE test case results. *Journal of Irrigation and Drainage Engineering*, 2004, 130(1):35–46
256. A. Montazar, P.J. Van Overloop, R. Brouwer. Centralized controller for the Narmada main canal. *Irrigation and Drainage*, 2005, 54(1):79–89
257. K. Akouz, A. Benhammou, P.O. Malaterre, *et al.* Predictive control applied to ASCE canal 2. *Proceedings of the IEEE International Conference on Systems, Man & Cybernetics*. San Diego, USA, 1998, 3920–3924
258. X. Litrico, V. Fromion, J.P. Baume. Tuning of robust distant downstream PI controllers for an irrigation canal pool. II: Implementation issues. *Journal of Irrigation and Drainage Engineering*, 2006, 132(4):369–379
259. V. Feliu, R.R. Pérez, L.S. Rodríguez. Fractional robust control of main irrigation canals with variable dynamic parameters. *Control Engineering Practice*, 2007, 15(6):673–686
260. V. Feliu, R.R. Pérez, L.S. Rodríguez, *et al.* Robust fractional order PI controller implemented on a hydraulic canal. *Journal of Hydraulic Engineering*, 2009, 135(5):271–282
261. V. Feliu, R.R. Pérez, F.J.C. García, *et al.* Smith predictor based robust fractional order control: Application to water distribution in a main irrigation canal pool. *Journal of Process Control*, 2009, 19(3):506–519
262. V. Feliu, R.R. Pérez, F.J.C. García. Fractional order controller robust to time delay for water distribution in an irrigation main canal pool. *Computers and Electronics in Agriculture*, 2009, 69(2):185–197
263. V.T. Chow. *Open-Channels Hydraulics*. New York, USA: McGraw-Hill, 1988
264. X. Litrico, V. Fromion. Analytical approximation of open-channel flow for controller design. *Applied Mathematical Modelling*, 2004, 28:677–695
265. M.H. Chaudhry. *Open-Channels Flow*. Englewoods Clifs: Prentice-Hall, 1993
266. P.I. Kovalenko. *Automation of Land Reclamation Systems*. Moscow: Kolos, 1983
267. C.M. Burt, R.S. Mills, R.D. Khalsa, *et al.* Improved proportional integral (PI) logic for canal automation. *Journal of Irrigation and Drainage Engineering*, 1998, 124(1):53–57



268. V. Feliu, R. Rivas Pérez, L. Sánchez Rodríguez, *et al.* Robust fractional order PI controller for a main irrigation canal pool. Proceedings of the 17th International Federation of Automatic Control World Congress, Seoul, South Korea, 2008
269. X. Litrico, V. Fromion, J.P. Baume, *et al.* Experimental validation of a methodology to control irrigation canals based on Saint-Venant equations. Control Engineering Practice, 2005, 13(11):1341–1454
270. S.K. Ooi, M.P.M. Krutzen, E. Weyer. On physical and data driven modelling of irrigation channels. Control Engineering Practice, 2005, 13(4):461–471
271. G. Corriga, S. Sanna, G. Usai. Estimation of uncertainty in an open-channel network mathematical model. Applied Mathematical Modelling, 1989, 13:651–657
272. J.P. Baume, J. Sau, P.O. Malaterre. Modeling of irrigation channel dynamics for controller design. Proceedings of the IEEE International Conference on Systems, Man & Cybernetics (SMC98), San Diego, California, USA, 1998
273. R. Rivas Pérez, V. Feliu, F.J. Castillo García, *et al.* System identification for control of a main irrigation canal pool. Proceedings of the 17th International Federation of Automatic Control World Congress, Seoul, South Korea, 2008
274. V. Feliu, R. Rivas Pérez, F.J. Castillo García. Fractional robust control to delay changes in main irrigation canals. Proceedings of the 16th International Federation of Automatic Control World Congress, Prague, Czech Republic, 2005
275. B.T. Wahlin, A.J. Clemmens. Performance of historic downstream canal control algorithms on ASCE test canal 1. Journal of Irrigation and Drainage Engineering, 2002, 128(6):365–375
276. R. Rivas Pérez, J.R. Perán González, B. Pineda Reyes, *et al.* Distributed control under centralized intelligent supervision in the Gira de Melena Irrigation System. Ingeniería Hidráulica en México, 2003, 18(2):53–68
277. P.J. van Overloop. Model Predictive Control on Open Water Systems. The Netherlands: IOS Press Inc, 2006
278. M. J. Shand. Automatic downstream control systems for irrigation Canals. Ph.D. thesis, University of California, Berkeley, USA, 1971
279. Z.J. Palmor, Y. Halevi. On the design and properties of multivariable dead time compensators. Automatica, 1983, 19:255–264
280. D.L. Laughlin, D.E. Rivera, M. Morari. Smith predictor design for robust performance. International Journal of Control, 1987, 46:477–504
281. Z.J. Palmor. The Control Handbook. Time Delay Compensation: Smith Predictor and its Modifications. New York, USA: CRC Press and IEEE Press, 1996
282. F.J. Castillo García, R. Rivas Pérez, V. Feliu. Fractional  $I^\alpha$  controller combined with a Smith predictor for effective water distribution in a main irrigation canal pool. Proceedings of the 17th International Federation of Automatic Control World Congress, Seoul, South Korea, 2008
283. R. Rivas Pérez. Automatic control of water distribution in irrigation systems. Ph.D. thesis, Institute of Hydraulic Engineering and Land Reclamation, Ukrainian Academy of Agricultural Sciences, Kiev, Ukraine, 1990
284. T. Hägglund. An industrial dead-time compensating PI controller. Control Engineering Practice, 1996, 4(6):749–756
285. K.J. Aström, B. Wittenmark. Computer Controlled Systems: Theory and Design. Englewoods Cliffs, New Jersey, USA: Prentice-Hall, 1997
286. T.H. Lee, Q.G. Wang. Robust Smith-predictor controller for uncertain delay systems. AIChE Journal, 1996, 42(4):1033–1040
287. A.J. Calderón, C.A. Monje, B.M. Vinagre, *et al.* Implementación de controladores de orden fraccionario mediante autómatas programables. Proceedings of the XXV Jornadas de Automatica, Ciudad Real, Spain, 2004
288. T. Habetler, R. Harley. Power electronic converter and system control. Proceeding of the IEEE, 2001, 89(6):913–924

- 289. H. Sira-Ramirez. A geometric approach to pulse-width-modulated control design. Proceedings of the 26th IEEE Conference on Decision and Control. Los Angeles, CA, USA, 1987, 1771–1776
- 290. S.L. Jung, Y.Y. Tzou. Discrete sliding-mode control of a PWM inverter for sinusoidal output waveform synthesis with optimal sliding curve. IEEE Transactions on Power Electronics, 1996, 11(4):567–577
- 291. G. Spiazzi, P. Mattavelli, L. Rossetto. Sliding mode control of DC-DC converters. 4 Congresso Brasileiro de Electronica de Potencia, Belo Horizonte, Brasil, 1997, 59–68
- 292. R. Middlebrook, S. Cuk. A general unified approach to modelling switching-converter power stages. International Journal of Electronics, 1977, 42(6):521–550
- 293. J. Agrawal. Power Electronic Systems: Theory and Design. Prentice Hall, 2001
- 294. I. de la Nuez, V. Feliu. On the voltage pulse-width modulation control of L-C filters. IEEE Transaction on Circuits and Systems I: Fundamental Theory and Applications, 2000, 47(3):338–349
- 295. J. Alvarez-Ramírez, I. Cervantes, G. Espinosa-Pérez, *et al.* A stable design of PI for DC-DC converters with an RHS zero. IEEE Transaction on Circuits and Systems I: Fundamental Theory and Applications, 2001, 48(1):103–106
- 296. R. Martin, I. Aspiazu, I. de la Nuez. Sliding control of a buck converter with variable load. IASTED International Conference Control and Applications, Banf, Canada, 1999
- 297. M. Castilla, I. García de Vicuña, M. López. On the design of sliding mode control schemes for quantum resonant converters. IEEE Transactions on Power Electronics, 2000, 15(6):960–973
- 298. L. Dorčák, I. Petráš, I. Kostial. Modeling and analysis of fractional-order regulated systems in the state-space. Proceedings of the International Carpathian Control Conference. High Tatras, Podbanské, Slovak Republic, 2000, 185–188
- 299. A.J. Calderón. Fractional Control of Power Electronic Buck Converters. Ph.D. thesis, Industrial Engineering School, University of Extremadura, 2003
- 300. Y.Q. Chen, I. Petráš, B.M. Vinagre. A list of Laplace and inverse Laplace transforms related to fractional order calculus. [online] <http://www.steveselectronics.com/petras/foc.laplace.pdf>, 2007

# Index

- accelerometer, 266, 282
- active suspension, 76
- actuator saturation, 128, 250, 254, 273, 327, 331
- adaptation gain, 175, 176, 178
- adaptive control, 74, 174, 188, 287
- AMIGO method, 101, 102
- anomalous relaxation, 14, 259
- antiderivative, 5
- arbitrary order, 4, 9
- argument principle, 23
- armature circuit current, 280
- asymptotic stability, 376
- auto-tuning, 76, 133, 141–147, 353, 358, 359
  
- bilinear transformation, 198
- binomial coefficient, 7, 218, 222
- block diagram, 77, 78, 176, 212, 213, 243–248, 253, 256, 285, 286, 312, 376, 380
- Code plot, 107, 112, 126, 152, 241, 289, 315, 373
  - magnitude Code plot, *see* magnitude Code plot
- Code's ideal loop transfer function, **31**, 75, 151, 153, 273, 277, 282, 287, 288, 366, 367, 371, 372, 374, 381
- bounded-input bounded-output, 21, 37, *see* BIBO
- buck converter, 76, 365, **365**, 366, 367, 371, 376, 378, 384, 387, 388
  
- canonical state-space representation, 37
  - controllable form, *see* controllable canonical form
  - Jordan form, *see* Jordan canonical form
  - modal canonical form, *see* modal canonical form
  - observable form, *see* observable canonical form
- Caputo's definition, **11**, 13, 36, 43, 214, 217, **220**
- Cauchy principal value, 21
- Cauchy's argument principle, 23
- Cauchy's formula, 6, 7, 10, 218, 219
- Cayley–Hamilton method, 46–53
- Cayley–Hamilton Theorem, 46
- CFE, *see* continued fraction expansion
- characteristic equation, 22, 25, 26, 42, 46, 170, 178
- characteristic parameter, 32
- characteristic polynomial, 22
- charge transfer, 262
- Clegg integrator, 181–183
- closed-form solution, 159, 213, 221–223, 231, 243, 249
- collision avoidance, 273, 277, 300
- commensurate-order system, **17**, 18, 22, 26–28, 35–37, 43, 54, 56, 74, 224–226, 237, 239, 260
- compensating term, 283
- complementary sensitivity function, 90, 123
- complete difference equation, 64
- complex plane, 19, 24, 26, 37, 77–79, 90, 135–137, 146, 289
- condition number, 261, 264, 266
- constant overshoot, 151, 273, 287, 291, 300
- constant phase element, 4, 262
- constant phase margin, 75, 151, 286–288
- constrained optimization, 252
- continued fraction, 192–193, 195, 197, 383

- control law, 128, 134, 165, 166, 168, 170, 279, 283, 327, 361, 375–378
- Control System Toolbox, 213, 231, 241, 256
- controllability, 35, 54–56, 275
  - controllability criterion, 56, 71
  - controllability Gramian, 69
  - controllability matrix, **56**
- controllable canonical form, 38, 50, 52, 53, 56, 58
- convolution, 6, 10, 43, 259
- Coulomb friction, 277, 280, 281, 283, 297, 298, 300
- coupling torque, 280, 281, 283–285, 292, 295, 300
- CPE, *see* constant phase element
- critically damped, 283, 286
- CRONE controller, 31, 76, 134, **151**, 151–157, 159, 162
- d*-stability, 278
- damped oscillation, 14, 20, 27
- damping ratio, 32, 33, 122, 154–156, 314
- data acquisition, 115, 126, 146, 353, 355, 384
- DC motor, 108, 115, 118, 280, 305, 307, 365
- DC/DC converter, 365–369, 371, 387
- dead beat, 365
- delay dominant, 97–99, 101, 104
- derivative action, 4, 77, 79, 80
- describing function, 183
- design specification, 121, 122, 124, 126, 129, 142, 158, 161, 162, 166, 181, 289, 314, 317, 356, 361, 374, 375, 381
- DF, *see* describing function
- diagonal matrix, 50, 369
- diagonalizable, 369
- diffusion, 4, 259, 261, 265, 271
- Dirac's delta function, 43
- direct discretization, 196
- direct transmission matrix, 35
- discrete implementation, 196–201, 291, 300
- discrete-time, 59–74
- discretization, 60, 61, 196, 197, 199, 296, 326
  - direct discretization, *see* direct discretization
  - indirect discretization, *see* indirect discretization
  - Tustin method, *see* Tustin method
- distributed mass, 292
- distributed-parameter systems, 271
- dominant time constant, **311**, 323
- double integrator, 165–170, 273, 282, 284, 295, 300
- elastic limit, 295, 297
- elastic manipulator, 275
- electrical dynamics, 280
- electrochemical process, 260, 261, 265, 271
- electromechanical actuator, 280
- end effector, 273, 274
- equivalent control, **168**, 170, 172, 377–380
- equivalent electrical circuit, 4, 261
- erfc function, 51
- Euler–Bernoulli beam, 266
- evolutionary algorithm, 159, 162, 163
- expanded state, 61
- exponential function, 13, 44, 214, 215
- F-MIGO method, 88–92, 95–97, 100–104
- fast Fourier transform, 16
- FDE, *see* fractional-order differential equation
- feasible region, 124
- feasible solution, 97, 124, 388
- feedforward, 177, 276, 278, 352, 386
- feedforward gain, 180
- FFT, *see* fast Fourier transform
- Final-Value Theorem, 123, 288, 313, 320
- finite differences formula, 297
- finite impulse response, 198
- finite-dimensional system, 191, 198, 205, 212, 296
- finite-time ITAE criterion, 213, 249, 250, 253, 256
- FIR, *see* finite impulse response
- first-order backward difference, 61
- first-order forward difference, 60
- first-order plus dead-time, 87, 95, 107
- flatness of the phase curve, 133, 135, 140, 142, 145, 147
- flexible manipulator, 77, 273–276, 289, 292, 297
  - multi-link flexible manipulator, *see* multi-link flexible arms
  - single-link flexible manipulator, *see* single-link flexible arm
  - two-link flexible manipulator, *see* two-link flexible arms
- flexible robot, 266, 274–276, 292
- flexible structure, 260, 271, 275, 278
- flexible transmission, 76
- FOLLC, *see* fractional-order lead-lag compensator
- FOPDT, *see* first-order plus dead-time
- force control, 274

- FOTF object, 196, 213, **232**, 232–243, 256
- Fourier transform
  - inverse Fourier transform, *see* inverse Fourier transform
- fractional calculus, **3**, 4, 7, 12, 17, 75, 76, 214–231
  - Caputo's, *see* Caputo's definition
  - Cauchy's formula, *see* Cauchy's formula
  - Grünwald–Letnikov's, *see* Grünwald–Letnikov's definition
  - Riemann–Louville's, *see* Riemann–Louville's definition
- fractional horsepower dynamometer, 115
- fractional sliding mode control, 365, 375–380, 388
- fractional sliding surface, 367, 378–380
- fractional switching function, 170
- fractional-order, 391
  - fractional-order transfer function, *see* FOTF
- fractional-order control, 34, 75–84
  - CRONE, *see* CRONE
  - FOLLIC, *see* fractional-order lead-lag compensator
  - F<sub>R</sub>SMC, *see* fractional-order sliding mode control
  - PD<sup>μ</sup>, *see* fractional-order PD
  - PI<sup>λ</sup>D<sup>μ</sup>, *see* fractional-order PID
  - PI<sup>λ</sup>, *see* fractional-order PI
  - FPI-PI, *see* FPI-PI controller
  - QFT, *see* QFT
  - reset control, *see* reset control
- fractional-order delay system, 245
- fractional-order differential equation, 12–16, 213, 214, 221–231, 239, 240, 245, 256, 264
- fractional-order Kalman filter, 74
- fractional-order lag compensator, 133, 138
- fractional-order lead compensator, 133, 142
- fractional-order lead-lag compensator, 130, 141, 147
- fractional-order PD, 107–119
- fractional-order PI, 87–106, 301, 303, 304, 312–352
- fractional-order PID, 76, 81–83, 236, 255, 287, 303, 365, 378, 388
- fractional-order transfer function, *see* FOTF
- frequency domain identification, 201, 260, 296, 361
- F<sub>R</sub>SMC, *see* fractional-order sliding mode control
- gain crossover frequency, 31, 75, 76, 107, 109, 111, 122, 135, 138, 141, 145, 152, 161, 199, 289
- gain margin, 32, 154, 301, 303, 314–316, 324, 328, 329
- generalized hyperbolic function, 259
- generalized Mittag–Leffler function, **215**, 216
- global optimization, 124
- Grünwald–Letnikov's definition, 7, **11**, 12, 15, 16, 60, 61, 63, 71, 214, 217–221, 323
- gradient approach, 174
- $\mathcal{H}_2$  norm, 76, 205, 206, 212, 242
- $\mathcal{H}_\infty$  norm, 242
- high-frequency dynamics, 277, 334
- high-frequency gain, 160
- high-frequency noise, 4, 80, 122
- homogeneous difference equation, 62
- hydraulic actuator, 76
- IAE, 90, 249
- ideal cutoff characteristic, 75
- ideal sliding mode, 168
- identity matrix, 36
- IE, 90
- IIR, *see* infinite impulse response
- immersed plate, 56, 58
- impedance measurement, 261
- impulse response, 13–15, 27, 224, 226, 227, 260
  - impulse response invariant, 192, 198, 200
- indirect discretization, 196, 296, 358
- infinite impulse response, 197
- infinite-dimensional system, 61, 66, 269, 271
- initial condition, 4, 13–15, 18, 36, 69, 70, 82, 95, 124, 125, 133, 141, 166, 223, 225, 227, 277, 287
- input matrix, 35
- integer-order, 13, 17, 18, 22, 30, 44, 45, 56, 60, 66, 74, 87, 134, 198, 205, 212, 214, 224, 296, 391
- integral action, 4, 77, 78, 80
- integral criterion
  - finite-time ITAE, *see* finite-time ITAE
  - IAE, *see* IAE
  - IE, *see* IE
  - ISE, *see* ISE
  - ITAE, *see* ITAE
- integral of absolute error, *see* IAE
- integral of squared errors, *see* ISE
- integral of the error, *see* IE

- integral of time weighted absolute error,  
  *see* ITAE
- integrated absolute error, *see* IAE
- interlacing property, 292–295
- interval uncertainty, 161
- inverse Fourier transform, 16
- inverse Laplace transform, 6, 43, 45, 53,  
  224, 227, **391**, 391–394
- irrational-order, 18, 21, 28, 152, 259, 391
- ISE, 76, 88, 90, 249, 250
- iso-damping property, 113, **123**, 147
- ITAE, 113, 116–118, 213, 249, 250, 255
- iterated integral, 6
- iterative algorithm, 261
  
- Jordan canonical form, 369
- Jordan matrix, 46
- Jury, 23
  
- Kalman filter, 74
  
- lag dominant, 99, 101, 102
- Laplace transform, 4, 15, 37, 42, 43, 53,  
  224, 225, 231, 260, 281, **391**, 391–394
  - inverse Laplace transform, *see* inverse  
  Laplace transform
- LC filter, 368, 381
- lead-lag compensator, 81, 133, 134
  - fractional-order lead-lag compensator,  
  *see* fractional-order lead-lag  
  compensator
- linear time invariant, 12, 17, 18, 22, 34, 35
- linearized model, 303, 307, 368, 369, 371,  
  374, 375
- link deflection, 282
- liquid level system, 125, 126, 160
- load disturbance, 89, 90, 101, 102, 122
- load disturbance rejection, 88, 89
- local optimization, 124
- loop shaping, 88, 89, 159, **160**, 161
- low-pass filter, 154, 172, 244, 299, 300, 365
- LTI, *see* linear time invariant
- Lyapunov stability, 277
  
- magnitude Bode plot, 192, 312, 329
- MARC, *see* model reference adaptive  
  control
- marginally stable, 294, 316
- mass per unit length, 292
- mass transport, 4, 262
- MATLAB, 50, 51, 60, 198–210, 213–256
  - Control System Toolbox, *see* Control  
  System Toolbox
  - Optimization Toolbox, *see* Optimization  
  Toolbox
  - Real-Time Workshop, *see* Real-Time  
  Workshop
  - Simulink, *see* Simulink
- maximum sensitivity, 88
- mechatronic platform, 358
- memory, 4, 8, 18, 44, 61, 259, 323
- memory length, 16
- MIGO method, 88, 93, 100, 105
- minimum-phase, 151, 197, 275, 371–373
- MIT rule, 175–178
- Mittag–Leffler function, **13**, 14, 44, 46, 48,  
  51, 52, 213–217, 229, 256, 260
  - Mittag–Leffler function evaluation,  
  214–217
  - Mittag–Leffler function in more  
  parameters, 215
  - Mittag–Leffler function in one parameter,  
  214
  - Mittag–Leffler function in two  
  parameters, **15**, 214, 215, 217, 259,  
  288, 289
- Mittag–Leffler matrix function, **44**, 50, 51
- modal canonical form, 39–42, 50–52
- model reference, 165
- model reference adaptive control, 173–181
- modified Oustaloup filter, 192, 195–196,  
  245, 256
- motion control application, 107
- motor inertia, 280, 284
- motor-gear set, 281
- $M_s$  constrained integral gain optimization,  
  *see* MIGO
- multi-link flexible arms, 278
- multinomial coefficient, 230
- multiple-input multiple-output, *see* MIMO
- multiplicity, 39, 227
  
- $n$ -fold integral, 5, 9, 10
- N-integer toolbox, **192**, 193, 213
- natural frequency, 32, 281
- neural network, 277
- Newton’s second law, 280
- Newton–Raphson technique, 94–96
- Newtonian fluid, 40
- Nichols chart, 155–157, 159, 241, 317, 329
- nominal plant, 160, 278, 308, 311, 313, 317,  
  318, 321, 324, 329
- nominal tip mass, 276
- nominal value, 161, 278, 291, 310, 314, 317,  
  318
- non-collocated system, 275
- non-convex optimization, 158, 159

- non-minimum-phase, 151, 370–372
- nonlinear constraint, 125, 129
- nonlinear control, 115
- nonlinear equation, 94
- nonlinear system, 243
- nonlinear time-varying, 367
- norm, 66, 238, 242–243
  - $\mathcal{H}_2$  norm, *see*  $\mathcal{H}_2$  norm
  - $\mathcal{H}_\infty$  norm, *see*  $\mathcal{H}_\infty$  norm
- null matrix, 62
- numerical solution, 15–16, 34, 214–223, 230
- Nyquist path, 23, 24
- Nyquist plot, 31, 75, 90, 143, 241, 294
- Nyquist stability criterion, 294, 328
  
- object-oriented programming, 213, 234
- objective function, 76, 205, 252, 254, 256
- observability, 35, 57–58, 71, 74
  - observability criterion, 58
  - observability Gramian, 71
  - observability matrix, **58**
- observable canonical form, 39
- observer, 74
- observer-based controller, 74
- operating point, 310
- operational calculus, 7
- optimization, 88, 89, 91–95, 124, 126, 161, 206, 214, 242, 251–256, 300
  - constrained optimization, *see* constrained optimization
  - optimization constraint, 92, 124, 328
  - unconstrained optimization, *see* unconstrained optimization
- Optimization Toolbox, 252
- oscillation equation, 12
- Oustaloup recursive approximation
  - modified Oustaloup recursive approximation, *see* modified Oustaloup filter
- Oustaloup filter
- Oustaloup's recursive approximation, 97, 112, 126, 152, 154, 186, 192–196, 208, 212, 244
- output disturbance rejection, 123
- output equation, **36**, 39, 50, 57, 59, 72
- output matrix, 35
- overload function, 213, 234, 235, 239, 241, 242, 256
  
- Parseval's Theorem, 260
- partial fraction expansion, 39, 45, 225, 227–229
- particular solution, 13, 14
- passivity, 275
- $PD^\mu$ , *see* fractional-order PD
  
- peak sensitivity, 88, 90
- phase crossover frequency, 324, 329
- phase margin, 32, 75, 76, 107, 109, 111, 122, 133, 135–137, 142, 145, 161, 289, 313, 324, 372
- PI, *see* proportional integral controller
- PID, *see* proportional integral derivative
- $PI^\lambda D^\mu$ , *see* fractional-order PID
- $PI^\lambda$ , *see* fractional-order PI
- FPI-PI controller, 320–322, 327, 330, 333
- pole, 21, 25, 32, 39, 126, 135, 155, 193, 225, 239, 259, 292, 356, 391
- pole placement, 278
- pole-zero excess, 160
- position control, 273, 284
- position servo, 108, 355
- positive unity-gain feedback, 282, 284
- power electronic converters, 366
- prewarping, 199
- primitive, 5, 10
- principal Riemann sheet, 22
- proportional action, 4, 77, 78, 80
- pulse width modulation, *see* PWM
- pure integrator with time delay, 104
- pure time delay system, 104
- PWM, 365, 368, 376, 381, 384, 386
  
- QFT, 158–163, 203, 300
- quantitative feedback theory, *see* QFT
- quarter amplitude damping design method, 88
  
- ramp response, 114, 117
- Randle's equivalent circuit, **261**, 262, 263
- rational commensurate-order system, 37
- rational-order, 17, 41
- reachability, 68
  - reachability condition, 71, 166, 168, 172, 378–380
- Real-Time Workshop, 115
- reduction gear, 276, 279, 284
- reference angle, 283
- relative dead time, 88, 96, 97, 100, 101, 104–106
- relative stability, 4, 77, 181
- relaxation equation, 12, 31, 271
- relay test, 142–147, 359, 360
- relevant root, **21**
- reset control, 181–188
- Riemann principal sheet, 23, 25, 27
- Riemann surface, 19, 20
- Riemann–Liouville's definition, 6, 10, 11, 172, 185, 217
- rigid robot, 77

- rise time, 77, 187, 286, 289
- robotic impedance control, 274
- robust stability, 151, 160, 163, 314, 316, 324
- robustness criterion, 133, 135, 140, 142, 145
- Routh, 23, 178
- sampler, 59
- sampling period, 59–61, 126, 141, 157, 198, 199, 203, 323, 325, 327, 355, 356, 361, 368
- saturation, 300, 307, 361
- secondary sheet, 20
- semi-group property, 45, 64
- sensitivity constraint, 91, 92
- sensitivity derivative, 174
- sensitivity function, 90, 122, 123, 126, 278
- servo-amplifier system, 280
- set-point, 89, 90, 307, 309, 325
- settling time, 77, 79, 295, 296, 314, 319–321, 324, 325, 327, 370
- short memory principle, 16, 323
- signal processing, 198
- Simulink, 116, 185, 212, 213, 243–248, 252, 253, 255, 359
- single-input single-output, 37, 43, 54, *see* SISO
- single-link flexible arm, 275, 278, 279, 282, 292, 295, 297, 300
- sliding mode, 277, 375, 377
- sliding mode control, 165, 188, 365, 375, 378, 381, 383, 384, 386
- sliding surface, 165, 166, **168**, 277, 366, 376–380, 382
- SMC, *see* sliding mode control
- Smith predictor, 301, 303, 304, 371, 372
- spillover, 275, 277–279, 291–293, 296
- stability, 19–26, 36–37, 66–68, 176–179, 199, 213, 237–239, 277, 285, 312, 314
  - stability boundary, 160, 162
  - stability condition, 21, 22, 37, 42, 66, 178, 294
  - stability margin, 66, 153, 278
  - stability radius, 68
- state feedback, 74
- state pseudo-transition matrix, **45**, 46, 47, 49, 63, 64, 67
- state transition matrix, 43, 45
- state-space
  - state-space canonical realization, *see* canonical state-space representation
- state-space difference equation, 62
- steady-state error, 123, 154, 181, 255, 277, 313, 320, 327, 357, 377
- steady-state error constant, 133, 140
- step function, 52, 219, 220, 223, 246
- step response, 27, 32, 89, 100, 101, 106, 112–113, 116, 157, 186, 209, 224, 230, 239, 253, 260, 273, 289, 357, 362
  - step response invariant, 200
- strain gauge, 282, 283, 285
- structural root, 21, **21**, 25, 26, 32
- switching function, 165, 167, 168, 375
- Sylvester's interpolation formula, 47
- symbolic method, 7, 220
- Taylor's matrix series, 46
- template, 153, 159
- test batch, 88, 96, 97
- thermal system, 77
- tip payload, 273, 276–278, 292, 295
- trajectory tracking, 276, 277
- transcendental function, 269
- transfer function matrix, 36
- transient response, 75, 77, 179, 277, 310, 377
- tuning method, 87, 88, 106, 107, 117, 121, 122, 125, 133, 138, 355
- Tustin method, 192, 198, 199
- two-link flexible arm, 277
- UHFB, *see* universal high-frequency boundary
- uncertainty, 155, 159
- uncertainty bound, 278
- unconstrained optimization, 251
- universal high-frequency boundary, 160
- Vandermonde matrix, 47–49
- variable structure control system, 165
- velocity servo, 353, 355, 357
- viscoelastic damped structure, 76
- viscous friction, 280
- VSCS, *see* variable structure control system
- $w$ -transform, 370, 371, 381
- Warburg impedance, 4, 262, 265, 271
- Young's modulus, 292
- zero, 81, 126, 193, 259, 292, 356
- zero-crossing detector, 182
- zero-order hold, 59, 319, 355
- Ziegler–Nichols tuning rule, 88, 89, 101, 121
- ZOH, *see* zero-order hold



## Other titles published in this series (continued):

*Soft Sensors for Monitoring and Control of Industrial Processes*

Luigi Fortuna, Salvatore Graziani,  
Alessandro Rizzo and Maria G. Xibilia

*Adaptive Voltage Control in Power Systems*

Giuseppe Fusco and Mario Russo

*Advanced Control of Industrial Processes*

Piotr Tatjewski

*Process Control Performance Assessment*

Andrzej W. Ordys, Damien Uduchi  
and Michael A. Johnson (Eds.)

*Modelling and Analysis of Hybrid  
Supervisory Systems*

Emilia Villani, Paulo E. Miyagi  
and Robert Valette

*Process Control*

Jie Bao and Peter L. Lee

*Distributed Embedded Control Systems*

Matjaž Colnarič, Domen Verber  
and Wolfgang A. Halang

*Precision Motion Control (2nd Ed.)*

Tan Kok Kiong, Lee Tong Heng  
and Huang Sunan

*Optimal Control of Wind Energy Systems*

Iulian Munteanu, Antoneta Iuliana Bratcu,  
Nicolae-Antonio Cutululis and Emil  
Ceangă

*Identification of Continuous-time Models  
from Sampled Data*

Hugues Garnier and Liuping Wang (Eds.)

*Model-based Process Supervision*

Arun K. Samantaray and Belkacem  
Bouamama

*Diagnosis of Process Nonlinearities and  
Valve Stiction*

M.A.A. Shoukat Choudhury, Sirish L.  
Shah, and Nina F. Thornhill

*Magnetic Control of Tokamak Plasmas*

Marco Ariola and Alfredo Pironti

*Real-time Iterative Learning Control*

Jian-Xin Xu, Sanjib K. Panda  
and Tong H. Lee

*Deadlock Resolution in Automated  
Manufacturing Systems*

ZhiWu Li and MengChu Zhou

*Model Predictive Control Design  
and Implementation Using MATLAB®*

Liuping Wang

*Fault-tolerant Flight Control  
and Guidance Systems*

Guillaume Ducard

*Predictive Functional Control*

Jacques Richalet and Donal O'Donovan

*Fault-tolerant Control Systems*

Hassan Noura, Didier Theilliol,  
Jean-Christophe Ponsart and Abbas  
Chamseddine

*Control of Ships and Underwater Vehicles*

Khac Duc Do and Jie Pan

*Detection and Diagnosis of Stiction in  
Control Loops*

Mohieddine Jelali and Biao Huang

*Stochastic Distribution Control  
System Design*

Lei Guo and Hong Wang

*Dry Clutch Control for Automotive  
Applications*

Pietro J. Dolcini, Carlos Canudas-de-Wit,  
and Hubert Béchart

*Active Control of Flexible Structures*

Alberto Cavallo, Giuseppe De Maria,  
Ciro Natale and Salvatore Pirozzi

*Nonlinear and Adaptive Control Design  
for Induction Motors*

Riccardo Marino, Patrizio Tomei and  
Cristiano M. Verrelli

*Active Braking Control Design for Road  
Vehicles*

Sergio M. Savaresi and Mara Tanelli