$\sqrt{n} \mapsto \Theta(n)$ Magic States 'Distillation' Using Quantum LDPC Codes.

David Ponarovsky

August 15, 2024

1 The Construction.

Let x_0 be a codeword of $C_X/C_Z^\perp$, Denote by $w \in \mathbb{F}_2^n$ the binary string presents the Z-generator that anti commute with the X-generator corresponds to x_0. Let $\mathcal{X} = \{x_0, x_1, .. x_{k'}\} \in \mathbb{F}_2^n$ be a subset of a base for the code $C_X/C_Z^\perp$. Such (span $\mathcal{X}/x_0$) $|_w$ is Triorthogonal code. Let us denote by $\mathcal{X}'$ the base $\{y_1, y_2, .., y_{k'}\} \in \mathbb{F}_2^n$ defined such: $y_i = x_j + x_0$.

Denote by E the circuit that encodes the logical ith bit to y_i, by $T^{(w)}$ the application of T gates on the qubits for which w act non trivial, means $T^{(w)}$ is a tensor product of T's and identity where on the ith qubit $T^{(w)}$ apply T if w_i is 1 and identity otherwise. And finally by D denote the gate that decode binary strings in $\mathbb{F}_2^n$ back into the logical space.

2 Proof of Theorem 1.

Claim 2.1. *There exists family of non-trivial distance quantum LDPC codes Q such the codes span $\mathcal{X}'$ chosen respect to them has a positive rate. Furthermore, the rate of span $\mathcal{X}'$ is a asymptotically converges to Q rate:*

$$|\rho(Q) - \rho(span \ \mathcal{X}')| = o(1)$$

Proof. Let Δ be a constant integer, $C_0, \tilde{C}_0$ codes over Δ bits such $\tilde{C}_0$ is Triorthogonal and C_0 contains $\tilde{C}_0$, C_0 has parameters $\Delta[1, \delta_0, \rho_0]$, and $C_0^\top$ has relative distance greater than δ_0. Let C_{Tanner} be a Tanner code, defined by taking an expander graph with good expansion and C_0 as the small code. Let C_{initial} be the dual-tensor code obtained by taking $(C_{\text{Tanner}}^\perp \otimes C_{\text{Tanner}}^\perp)^\perp$. Notes that first this code has positive rate and $\Theta(\sqrt{n})$ distance, second this code is an LDPC code as well. Notice also that $C_{\text{initial}}^\top$ obtained by transporting the parity check matrix, and therefore equals to $(C_{\text{Tanner}}^{\top,\perp} \otimes C_{\text{Tanner}}^{\top,\perp})^\perp$. Hence $C_{\text{initial}}^\top$ has a square root distance as well.

Let Q the CSS code, obtained by taking the Hyperproduct of C_{initial} with itself. So Q is an quantum qLDPC code with parameters $[n, \Theta(n^{\frac{1}{4}}), \Theta(n)]$. Pick x_0 and $w \in \mathbb{F}_2^n$, which correspond to the supports of anti commute X and Z generators, such that w can be obtains by setting a codeword of C_{Tanner} on the first $n^{\frac{1}{4}}$ bits and padding by zeros the rest. Clearly, $|w| = \Theta(n^{\frac{1}{4}})$.

Now for defying span $\mathcal{X}$, we are going to consider the parity checks matrix obtained by adding restrictions to C_X restrictions as follows: Divide the first $n^{\frac{1}{4}}$ bits into Δ-size buckets:

$$B_1 = \{x_1, x_2, .., x_\Delta\}, B_2 = \{x_{\Delta+1}, x_{\Delta+2}, .., x_{2\Delta}\}, .., B_i = \{x_{(i-1)\Delta+1}, x_{(i-1)\Delta+2}, .., x_{i\Delta}\}, .., B_{n^{\frac{1}{4}}/\Delta}$$

¡++¿
Then let span $\mathcal{X}$ be all the codewords of $C_X/C_Z^\perp$ satisfying $\tilde{C}_0$ restrictions for each bucket. $\qquad\square$

Claim 2.2. *Let $|\mathcal{X}'\rangle \propto \sum_{x \in span \ \mathcal{X}'} |x\rangle$. Then $T^{(w)} |\mathcal{X}'\rangle \propto \sum_{x \in span \ i} x$*