



JLC PCB 4-Layer Stackup 1.6mm FR4

Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.40mil	3.5	
1	Top Layer		1.40mil		
	Dielectric 2	PP-006	8.30mil	4.1	
2	PWR	CF-004	0.60mil		
	Dielectric 1	FR-4	41.60mil	4.8	
3	GND	CF-004	0.60mil		
	Dielectric 3	PP-006	8.30mil	4.1	
4	Bottom Layer		1.40mil		
	Bottom Solder	Solder Resist	0.40mil	3.5	
	Bottom Overlay				



JLC PCB 4-Layer Stackup 1.6mm FR4

Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.40mil	3.5	
1	Top Layer		1.40mil		
	Dielectric 2	PP-006	8.30mil	4.1	
2	PWR	CF-004	0.60mil		
	Dielectric 1	FR-4	41.60mil	4.8	
3	GND	CF-004	0.60mil		
	Dielectric 3	PP-006	8.30mil	4.1	
4	Bottom Layer		1.40mil		
	Bottom Solder	Solder Resist	0.40mil	3.5	
	Bottom Overlay				