


4-Layer Stackup 1.6mm FR4

Layer

1


2

3

4

Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.39mil	3.5	
1	Top		1.38mil		
	Dielectric 4	PP-006	8.26mil	4.1	
2	PWR	CF-004	0.60mil		
	Dielectric 1	FR-4	41.93mil	4.8	
3	GND	CF-004	0.60mil		
	Dielectric 5	PP-006	8.26mil	4.1	
4	Bottom		1.38mil		
	Bottom Solder	Solder Resist	0.39mil	3.5	
	Bottom Overlay				





4-Layer Stackup 1.6mm FR4

Layer	Name	Material	Thickness	Constant	Board Layer Stack
	Top Overlay				
	Top Solder	Solder Resist	0.39mil	3.5	
1	Top		1.38mil		
	Dielectric 4	PP-006	8.26mil	4.1	
2	PWR	CF-004	0.60mil		
	Dielectric 1	FR-4	41.93mil	4.8	
3	GND	CF-004	0.60mil		
	Dielectric 5	PP-006	8.26mil	4.1	
4	Bottom		1.38mil		
	Bottom Solder	Solder Resist	0.39mil	3.5	
	Bottom Overlay				

