




| Layer | Name | Material | Thickness | Constant | Board Layer Stack |
|---|---|---|---|---|---|
| | Top Overlay | | | | |
| | Top Solder | Solder Resist | 0.39mil | 3.5 | |
| 1 | Top Layer | | 1.38mil | | |
| | Dielectric 2 | PP-006 | 8.28mil | 4.1 | |
| 2 | POWER | CF-004 | 0.60mil | | |
| | Dielectric 1 | FR-4 | 41.93mil | 4.6 | |
| 3 | GND | CF-004 | 0.60mil | | |
| | Dielectric 3 | PP-006 | 8.28mil | 4.1 | |
| 4 | Bottom Layer | | 1.38mil | | |
| | Bottom Solder | Solder Resist | 0.39mil | 3.5 | |
| | Bottom Overlay | | | | |
| Total board thickness: | | | 63.24mil | | |




| Layer | Name | Material | Thickness | Constant | Board Layer Stack |
|---|---|---|---|---|---|
| | Top Overlay | | | | |
| | Top Solder | Solder Resist | 0.39mil | 3.5 | |
| 1 | Top Layer | | 1.38mil | | |
| | Dielectric 2 | PP-006 | 8.28mil | 4.1 | |
| 2 | POWER | CF-004 | 0.60mil | | |
| | Dielectric 1 | FR-4 | 41.93mil | 4.6 | |
| 3 | GND | CF-004 | 0.60mil | | |
| | Dielectric 3 | PP-006 | 8.28mil | 4.1 | |
| 4 | Bottom Layer | | 1.38mil | | |
| | Bottom Solder | Solder Resist | 0.39mil | 3.5 | |
| | Bottom Overlay | | | | |
| Total board thickness: | | | 63.24mil | | |