



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China

POST CODE: 233030

Email: echo@ahmoontech.com

TEL, FAX: +86-552-2079969

silane coupling agent M-145

Chemical name:

3-chloropropyl triethoxysilane

Molecular formula:

$\text{Cl}(\text{CH}_2)_3\text{Si}(\text{OCH}_2\text{CH}_3)_3$

CAS NO.: 5089-70-3

Corresponding grade:

M-153

Features:

- Synthetic ethoxysilanes and quaternary ammonium salt-containing cationic organosilicones
- Enhanced coupling effect
- Improve mechanical properties

Application

- Organosilane raw materials
- Reinforcing agents and crosslinking agents
- Rubber processing AIDS

Typical physical properties

Parameters	Units	Standard Indicators
Appearance		Colorless transparent liquid
Colour	Pt-Co	≤20
Density	(ρ 20 ° C, g/cm ³)	0.997 to 1.007
Refractive index	(nD 25°C)	1.419 to 1.421
Purity	%	≥98.0

Applications and Performance

Ethoxysilane is an important raw material

The product is insoluble in water and causes a slow reaction when exposed to water, but is prone to hydrolysis and crosslinking under acidic or alkaline conditions. It is an important base material for synthesizing ethoxysilane coupling agents.

2 Crosslinking of epoxy fiberglass reinforced plastic

This product has a good coupling effect on epoxy FRP and is also widely used as a reinforcing agent and crosslinking agent in composites, inks, adhesives and sealants, etc.



Anhui Moon Technology Co., Ltd.

Room 449, Building 3, Industrial Park, 1151 Yanan South Road, Bengshan District, Anhui China

POST CODE: 233030

Email: echo@ahmoontech.com

TEL, FAX: +86-552-2079969

3. Rubber processing AIDS

The product can be used to couple inorganic fillers in various halogenated rubbers such as chloroprene rubber, chlorinated butyl rubber, chlorosulfonated polyethylene and other halogenated rubbers to improve various physical and mechanical properties.

4 Raw materials of organosilicon compounds

Organosilicon compounds containing quaternary ammonium salt cations are synthesized to be used as anti-mold, anti-odor finishing agents, with special bactericidal, anti-odor, antistatic and surface activity, and Si-OR bonds can be chemically bonded to substrates with hydroxyl groups on the surface through hydrolytic condensation reactions to achieve the purpose of improving wash resistance and effectiveness.

Organosilicon quaternary ammonium salts can also be used as antistatic agents, blood coagulants, Marine antifouling agents, liquid crystal alignment agents, and photocopier developers. Get information about the safe use of the product and the potential harm to the body, environment and health

Expiry Date and Storage

Store in a sealed container in a cool, dry, well-ventilated place. Keep away from fire, heat and light sources.

Packaging

Finished products are packed in plastic drums with net weight of 5Kg, 25Kg, 200Kg or 1000Kg per drum. Special specifications need to be ordered.

Limited Warranty Information - Please read carefully

On the basis of good faith, the information provided here shall be deemed to be accurate. However, the conditions and methods of using our products are beyond our control.

This information does not replace the tests conducted by the customer to ensure that our products are safe, effective, and fully satisfied for a particular end use. This manual only describes the use of the product, and the actual application effect depends on the various application systems. Advice provided by us shall not be regarded as a cause for infringement of any patent right. Such as electronic control preparations, etc

Safety information

This material does not include the safety information necessary for the safe use of this product. Read the product before operation

The product and its safety data sheet, as well as the container label.