



b


a

REV.	DATE	REVISION ORIGINOR	SIGN	ISSUED
Ⓐ				
Ⓑ				



Technical requirements:

1. Appearance: smooth and flat, remove burrs, sharp edges, no deformation ;
2. The color of the surface powder is consistent with the drawing requirements or samples and color plates;
3. Before spraying, it must be pickled and phosphated, without hanging drops, stripes, blistering, orange peel, peeling, scratches and other defects;
4. The adhesion performance is reliable, and the marking test is not more than 1 grade. In general, coating The thickness is between 39~120um;
5. Meet ROHS standard.

APPROVALS		DATE		<div>ELEGOO 深圳市智能派科技有限公司</div> <div>Shenzhen Elegoo Technology Co., Ltd</div>			
DRAWN		2022/12/21					
CHECKED		PART NAME Cover Plate_Bottom		MATERIAL SPCC0.8			
ISSUED							
General Tolerance Reference GB/T 1804-m		DRAWING NO. Neptune 3plus-BJ-001		SIZE A4	SCALE 1:5	REV. A	
				UNIT: MM		SHEET 1 OF 1	